HyNet North West

OUTLINE CONSTRUCTION ENVIRONMENT MANAGEMENT PLAN (OCEMP)

Appendix 1 Outline Soil Management Plan

HyNet Carbon Dioxide Pipeline DCO

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009 – Regulations 5(2)(a)

Document Reference Number D.6.5.4.1

Applicant: Liverpool Bay CCS Limited

Inspectorate Reference: EN070007

English Version

REVISION: A

DATE: September 2022

DOCUMENT OWNER: WSP UK Limited

PUBLIC

QUALITY CONTROL

Issue/Revision	First Issue	Revision 1	Revision 2	Revision 3
Document Reference	D.6.5.4.3			
Revision	Α			
Author Name and Sign	EO'N			
	KH			
Approver Name and Sign	DW			
Document Owner	WSP UK Ltd			

HyNet CO₂ PIPELINE Page 1 of 26

TABLE OF CONTENTS

1.	INITO	ODUCTION	4
1.		ODUCTION	
	1.1.	Project Background	
	1.2.	Soil Sensitivity	
	1.3.	Scope	
2.	MET	HODOLOGY	3
	2.1.	Sources of Information	3
	2.2.	Limitations	3
3.	RES	JLTS	4
	3.1.	Overview	4
	3.2.	Soil Textures	4
	3.3.	Soil Excavation Volume Estimations	5
	3.4.	Approximate Excavation Volume Estimates	6
4.	SOIL	MANAGEMENT DURING CONSTRUCTION	12
	4.1.	Main Principles	12
	4.2.	Soil Moisture Conditions for Handling	
	4.3.	Prepatory Works	13
	4.4.	Stripping	14
	4.5.	Soil Storage	16
	4.6.	Stockpile Locations	16
	4.7.	Forming the Stockpiles	16
	4.8.	Maintenance of Stockpiles During Storage	17
5.	SOIL	REINSTATEMENT	18
	5.1.	General methods to be Used Within Restoration	18
	5.2.	Excavation of Soil Stockpiles	18
	5.3.	Preparation of the Base Layer	18
	5.4.	Soil Reinstatement	18
6.	AFTE	RCARE OF REINSTATED SOILS	20
7.	SOIL	REUSE AND DISPOSAL	21
8.	SUM	MARY AND CONCLUSIONS	22
2	DEEL	TDENOTO	22

TABLES

Table 3.1 - Soil Resilience Characteristics*	4
Table 3.3 – Estimated Topsoil Stripping for Working Width	
Table 3.4 - Estimated Soil Excavation for Trenchless Crossings Pits	
Table 3.5 - Estimated Soil Excavation for Centralised Compounds	
Table 3.6 - Anticipated Soil Excavation for AGIs and BVSs	

ANNEX

ANNEX A
AGROCLIMATIC DATA
ANNEX B
SOIL RESILIENCE

HyNet CO₂ PIPELINE Page 3 of 26

1. INTRODUCTION

1.1. PROJECT BACKGROUND

- 1.1.1. This Outline Soil Management Plan (SMP) supports the assessment contained in Chapter 11 Land and Soil (Volume II) and is an appendix to the Outline Construction Environmental Management Plan (Document reference: D.6.5.4).
- 1.1.2. The Applicant intends to build and operate a new underground carbon dioxide (CO₂) pipeline from Cheshire, England to Flintshire, Wales with necessary Above Ground Installations (AGIs) and Block Valve Stations (BVSs), hereafter referred to as the 'DCO Proposed Development'. Further details of each element of the DCO Proposed Development are set out in **Chapter 3 Description of the DCO Proposed Development (Volume II).**
- 1.1.3. The DCO Proposed Development will form part of HyNet North West ('the Project'), which is a hydrogen supply and Carbon Capture and Storage ('CCS') project. The goal of the Project is to reduce CO₂ emissions from industry, homes and transport and support economic growth in the North West of England and North Wales. The wider Project is based on the production of low carbon hydrogen from natural gas. It includes the development of a new hydrogen production plant, hydrogen distribution pipelines, hydrogen storage and the creation of CCS infrastructure. CCS prevents CO₂ entering the atmosphere by capturing it, compressing it and transporting it for safe, permanent storage.
- 1.1.4. Further details of each element of the DCO Proposed Development are set out in Chapter 3 Description of the DCO Proposed Development (Volume II).

1.2. SOIL SENSITIVITY

- 1.2.1. Reading Agricultural Consultants (RAC) conducted a detailed Agricultural Land Classification (ALC) survey, between March and May 2022 (Ref. 9). This supplemented existing ALC survey data produced by ADAS (Ref. 1). ALC surveys determine the quality of agricultural land on a 5-point scale, with Grade 1 being excellent quality and grade 5 being very poor-quality (Ref. 6). The grading is based on climatic, site and soil properties
- 1.2.2. The National Planning and Policy Framework (NPFF) (Ref. 7) and Planning Policy Wales Edition 11 (PPW) (Ref. 8) defines land classified as Grades 1, 2 and 3a as the Best and Most Versatile (BMV) agricultural land. PPW states that BMV land "should be conserved as a finite resource for the future".

HyNet CO₂ PIPELINE Page 4 of 26

- 1.2.3. Non-BMV soil should also be treated as a finite resource as "any loss or degradation of this resource reduces the national stock and the capacity to support ecosystem services in all cases" (Ref. 4).
- 1.2.4. IEMA (2022) **(Ref. 4)** guidance states that "in the first instance, developers should be seeking to avoid negative effects on land and soil... Adapting the generic mitigation hierarchy to soils: avoid > minimise > restore on site > reuse off-site".
- 1.2.5. Without implementing suitable soil handling practices, soils are prone to degradation which leads to numerous environmental impacts both on and offsite, such as:
 - Soil erosion (loss of a resource);
 - Carbon release (disturbance of organic rich soils);
 - Loss of soil organic matter leading to a decline in soil and poor soil structure;
 - Soil compaction leading to loss of soil structure and waterlogging, restricting aeration and rooting potential;
 - Sedimentation of water features, reducing biological productivity and habitat quality;
 - Loss of soil biological activity; and
 - Visual impact of slope failure or soil erosion.

1.3. SCOPE

- 1.3.1. To ensure that effects on soil resources are minimised and adequate provisions for land being returned to agricultural use are made, this Outline SMP has been commissioned to provide guidance for the development of the Final SMP (that will be completed by the appointed Construction Contractor(s)). This Outline SMP:
 - Describes soil handling methods (stripping, stockpiling and reinstatement) specifically for the soil types identified in the ALC and Soil Resources Report (Appendix 11-4, Volume III);
 - Describes required monitoring procedures during stockpiling;
 - Describes roles and responsibilities suitable for monitoring soil during the construction phase; and
 - Describes suitable methods for restoration of land to its former use.

HyNet CO₂ PIPELINE Page 5 of 26

2. METHODOLOGY

2.1. SOURCES OF INFORMATION

- 2.1.1. Reading Agricultural Consultants (RAC) conducted detailed ALC surveys, between March and May 2022, that covered the Newbuild Infrastructure Boundary (Ref. 9 & 10). The associated ALC survey reports can be found within Appendix 11.4 Agricultural Land Classification and Soil Resources (Newbuild Carbon Dioxide Pipeline) and Appendix 11.5 Agricultural Land Classification and Soil Resources (Block Valve Stations) (Volume III).
- 2.1.2. This Outline SMP is informed by:
 - Reading Agricultural Consultants (RAC) (2022). HyNet Pipeline Agricultural Land Classification and Soil Resources (Ref. 9).
 - Reading Agricultural Consultants (RAC) (2022). HyNet Pipeline Agricultural Land Classification and Soil Resources - Talacre and Block Valves (Ref.10).

2.2. LIMITATIONS

- 2.2.1. This Outline SMP has been developed using the available soil data from within the ALC reports. It should be noted that this guidance does not consider human health and controlled water risk assessment associated with potentially contaminated soils. This is discussed in **Chapter 11 Land and Soils (Volume II)** of the Environmental Statement.
- 2.2.2. During the survey some areas were not surveyed due to access issues. In these instances, the reasonable worst-case scenario has been applied, and these areas have been assumed to be BMV agricultural land. This ensures that necessary provision for soil handling and reinstatement are considered.
- 2.2.3. The soil volume excavation estimations are assumed under a worst-case scenario using the Preliminary Design information that is currently available for the pipeline route, AGIs, BVSs, open-trench and trenchless construction methods. This is to ensure that a suitably robust estimation of soil and associated requirements for management have been considered. The reasonable worst-case scenario assumptions used are discussed below.
- 2.2.4. Temporary construction features that require topsoil stripping, have not been considered in the calculations (including temporary access roads, localised and trenchless compounds). These will need to be factored in to soil excavation estimates by the Construction Contractor(s) in the detailed design stage with consideration also given to the use of proprietary systems such as 'trackway' to reduce soil excavation requirements and protect soils in relation to vehicle movements, where engineering and environmental constraints permit.

HyNet CO₂ PIPELINE Page 6 of 26

3. RESULTS

3.1. OVERVIEW

3.1.1. The ALC report for the DCO Proposed Development states that 51% of agricultural land within the Newbuild Infrastructure Boundary is Best and Most Versatile (BMV) (Ref.9).

3.2. SOIL TEXTURES

3.2.1. All soil textures were determined through hand texturing during the ALC survey and were confirmed by laboratory analysis where necessary. Soil texture results are displayed in **Annex B** and the laboratory data can be found in the ALC report (**Ref. 9**). The soil textures determined, and agroclimatic characteristics (see **Annex B**), are used to assign a resilience category for each soil profile present, as described in **Table 3.1**.

Table 3.1 - Soil Resilience Characteristics*

Topsoil and Subsoil Resilience	Soil Texture, Field Capacity Days and Wetness Class
Low resilience	Soils with high clay and silt fractions (clays, silty clays, sandy clays, heavy silty clay loams and heavy clay loams) and organo-mineral and peaty soils where the Field Capacity Days (FCD) are 150 or greater.
	Medium-textured soils (silt loams, medium silty clay loams, medium clay loams and sandy clay loams) where the FCDs are 225 or greater.
	All soils in wetness class (WCV or WCVI).
Medium resilience	Clays, silty clays, sandy clays, heavy silty clay loams, heavy clay loams, silty loams and organo-mineral and peaty soils where the FCDs are fewer than 150.
	Medium-textured soils (silt loams, medium silty clay loams, medium clay loams and sandy clay loams) where FCDs are fewer than 225.
	Sands, loamy sands, sandy loams and sandy silt loams where the FCDs are 225 or greater or are in wetness classes WCIII and WCIV.
High resilience	Soils with a high sand fraction (sands, loamy sands, sandy loams and sandy silt loams) where the FCDs are

HyNet CO₂ PIPELINE Page 7 of 26

Topsoil and Subsoil Resilience	Soil Texture, Field Capacity Days and Wetness Class
	fewer than 225 and are in wetness classes WCI to WCII.

^{*}Taken from IEMA (2022). A New Perspective on Land and Soil in Environmental Impact Assessment (Ref. 4).

3.3. SOIL EXCAVATION VOLUME ESTIMATIONS

DESIGN FEATURES

- 3.3.1. Newbuild Carbon Dioxide Pipeline construction features, that will involve soil excavation, were identified. The dimensions of these features were informed by Chapter 3 Description of the DCO Proposed Development (Volume II) in the Environmental Statement. Where design information is not currently available these are assumed under a reasonable worst-case scenario, to ensure that a suitably robust estimation of soil and associated requirements for soil management have been considered.
- 3.3.2. Dimensions and/or assumptions for the different construction features are as follows:
 - Open trench construction
 - Approximate footprint area along the entire indicative pipeline route used for the EIA: 108,000m²; 36,000m x 3m. These are based on assumptions of the final pipeline alignment length, and of the average trench width (considering that usually trenches are trapezoidal in crosssection) and does not consider surface features (e.g., rivers or roads).
 - The depth of the trench will be variable but is anticipated to be within the range of 2.5m 6.0m, with an assumed typical depth of 3m for the purposes of this assessment (Chapter 3 Description of the DCO Proposed Development (Volume II)).
 - Topsoil depth was assumed to be 0.3m.
 - Working width
 - Approximate footprint area along the entire indicative pipeline route used for the EIA: 1,044,000m²; 36,000m x 29m (32m working width minus the 3m open trench construction width above).
 - Topsoil will be stripped across the full working width.
 - Topsoil depth was assumed to be 0.3m.
 - Trenchless crossing pits
 - A total of 43 trenchless crossings over the length of the Newbuild Carbon Dioxide Pipeline (Appendix 3.1 – Table of Trenchless

HyNet CO₂ PIPELINE Page 8 of 26

- **Crossings, Volume III)** are proposed. An estimated 86 trenchless crossing pits will be required.
- Assumed reasonable worst-case scenario of the most intrusive trenchless crossing method that could be used (Auger Boring method). This is assumed to have an entrance pit footprint area of 32m² (8m × 4m), an exit pit footprint area of 16m² (4m × 4m) and a depth of 6m (Chapter 3 Description of the DCO Proposed Development, Volume II).
- Topsoil depth was assumed to be 0.3m.

AGIs and BVSs

- There are four AGIs and six BVSs within the Proposed Development.
- Anticipated topsoil and subsoil removal for each, and their associated access roads, has been considered at this design stage and is presented in **Table 3.6**.
- Topsoil depth of 0.3cm is assumed.
- Subsoil excavation is case by case, depending on cut and fill amounts.
- Soil excavation volumes for Stanlow AGI were not calculated as this is a brownfield site.

Centralised Compounds

- This Outline SMP has assessed locations for 8 Centralised Compounds within the DCO Proposed Development. Although 8 centralised compounds are being assessed, only 7 are expected to be implemented to facilitate construction of the DCO Proposed Development (Chapter 3 Description of the DCO Proposed Development, Volume II).
- Indicative footprint areas for each Centralised Compound are given in Table 3.5.
- Topsoil will be stripped across the whole area. This is a reasonable worst-case scenario, as it is unlikely that the entire area of all compounds will be stripped. (Chapter 3 Description of the DCO Proposed Development (Volume II)).
- Topsoil and subsoil depths were informed by the average of ALC soil depth data where available. **Table 3.5** shows the soil depths used for the volume calculations.
- There are existing buildings at Wood Farm Compound, therefore, the footprint area reported is the area without buildings, that will need to be stripped (Table 3-5).

3.4. APPROXIMATE EXCAVATION VOLUME ESTIMATES

3.4.1. **Table 3.2** indicates that 32,400m³ of topsoil will be excavated for open trench construction (when rounded to the nearest 100m³). The amount of subsoil excavation will depend on the depth of the trench, anticipated to be within the

HyNet CO₂ PIPELINE Page 9 of 26

range of 2.5m – 6.0m, calculated as a range between 237,600m³ - 615,600m³ (respectively). Subsoil excavation volumes are estimated to be 291,600m3 if the typical open trench depth of 3.0m is adhered to.

- 3.4.2. Approximately 313,200m³ of topsoil will be temporarily stripped for the working width **(Table 3.3)**. This topsoil will be reinstated.
- 3.4.3. An estimated 600m³ of topsoil and 11,800m³ of subsoil will be excavated for trenchless pit construction (**Table 3.4**).
- 3.4.4. The volume estimates for open trench and trenchless construction include volumes that are also discussed specifically within the Outline Peat Management Plan (Document Reference Number: D.6.5.4.2).
- 3.4.5. Material from trench excavations will be returned to the trench via backfilling. Any surplus material (that is chemically/physically suitable) shall be beneficially re-used for re-profiling within the working width before topsoil is reinstated on a field-by-field basis.
- 3.4.6. Centralised Compounds are anticipated to require approximately 113,800m³ of topsoil to be stripped (**Table 3.5**). Topsoil will be reinstated at compounds.
- 3.4.7. Approximately 10,762m³ of topsoil and 4,388m³ of subsoil will be excavated for AGI and BVS construction **(Table 3.6)**. Excess subsoil and topsoil will be reused on site where suitable (e.g., for bank or drainage ditch backfilling).
- 3.4.8. If there is a requirement for materials to be disposed of off-site, disposal will be undertaken in accordance with waste management regulations (England and Wales). Material will be taken to an offsite recycling facility in accordance with an agreed Materials Management Plan (MMP) produced by the Construction Contractor(s).

HyNet CO₂ PIPELINE Page 10 of 26

Table 3.2 - Estimated Soil Excavation for Open Trench Construction

Design Feature	Number of	Dep Area (m²)	:h (m)	Amount of soil stripped (m³)		
	Features		Topsoil	Subsoil	Topsoil	Subsoil
Open Trench Construction	Open Trench Construction					
2.5m trench depth	N/A	108,000	0.3	2.2	32,400	237,600
6.0m trench depth	N/A	108,000	0.3	5.7	32,400	615,600
3.0m trench depth	N/A	108,000	0.3	2.7	32,400	291,600
				Total	97,200	1,144,800

Table 3.3 – Estimated Topsoil Stripping for Working Width

Working Width	Area (m²)	Topsoil depth (m)	Volume of topsoil stripped (m³)
	1,044,000m	0.3	313,200

Table 3.4 - Estimated Soil Excavation for Trenchless Crossings Pits

Design Feature Number of Features		Area (m²)	Depth (m)		Amount of soil stripped (m³)	
	reatures		Topsoil	Subsoil	Topsoil	Subsoil
Trenchless Crossing Pits	Trenchless Crossing Pits					
Entrance Pit	43	32	0.3	5.7	413	7,843
Exit Pit	43	16	0.3	5.7	206	3,921
				Total	619	11,764

Table 3.5 - Estimated Soil Excavation for Centralised Compounds

Compound name	Area (m²)	Topsoil depth (m)	Volume of topsoil stripped (m³)
Stanlow	66,000	0.32	21,120
Picton Lane	32,000	0.29	9,280
Chorlton Lane	41,000	0.35	14,350
Sealand Road	48,000	0.33	15,840
Wood Farm	55,200	0.30	16,560
River Dee	43,000	0.35	15,050
Shotton Lane	37,000	0.30	11,100
Northop Hall	rthop Hall 35,000 0.30		10,500
		Total	113,800

Table 3.6 - Anticipated Soil Excavation for AGIs and BVSs

Name	Amount of soil stripped (m³)		
	Topsoil	Subsoil	
Ince AGI	1,660	0	
Northop Hall AGI	986	567	
Flint AGI	2,850	75	
Rock Bank BVS	700	323	
Mollington BVS	691	107	
Aston Hill BVS	1,025	336	
Cornist Lane BVS	1,090	2,350	
Pentre-Halkyn BVS	770	450	
Babell BVS	990	180	
Total	10,762	4,388	

HyNet CO₂ PIPELINE Page 14 of 26

4. SOIL MANAGEMENT DURING CONSTRUCTION

4.1. MAIN PRINCIPLES

- 4.1.1. All soil handling and storage procedures should conform to the Construction Code of Practice for the Sustainable Use of Soils on Construction Sites (Ref. 3). which is referenced in various sections below. Other guidance that is useful for sustainable soil handling is the Good Practice Guide for Handling Soils in Mineral Workings (Ref. 5) and A New Perspective on Land and Soil in Environmental Impact Assessment (Ref. 4).
- 4.1.2. The main threats to soils during construction are trafficking by vehicles/plant, and incorrect handling. These can both cause damage to soil structure through compaction and smearing (deformation). Deformation effects soil functions and the suitability for reuse within the DCO Proposed Development which can increase costs of reinstatement. The risk of deformation increases with increasing field capacity days (FCD) and average annual rainfall (AAR), along with lighter soil textures.
- 4.1.3. The following good practice measures should be followed to minimise the risk of damage to soil structure:
 - A suitably qualified soil scientist should be appointed by the Construction Contractor(s) to oversee all soil management good practice measures stipulated in this Outline SMP;
 - No trafficking of vehicles/plant or materials storage to occur on unprotected topsoil or reinstated soil;
 - Consideration of use of 'trackway' or similar low-ground pressure systems at temporary works zones for vehicles, to reduce excavation and protect soils;
 - Only direct movement of soil should occur between the areas being stripped/reinstated to/from designated stockpiles (minimising handling and/or ad hoc storage);
 - No soil handling to be carried out when the soil moisture content is above the lower plastic limit.
 - No mixing of topsoil with subsoil, or of soil with other materials (unless planned and part of a soil ameliorating strategy);
 - Store soil only in designated soil storage areas;
 - Stockpiles should not be compacted, but instead gently consolidated;
 - Plant and machinery should only work when ground/soil surface conditions enable their maximum operating efficiency and be maintained in a safe and efficient working condition;
 - Detailed daily records to be maintained, detailing operations undertaken and Site and soil conditions; and

HyNet CO₂ PIPELINE Page 15 of 26

- Ground should be suitably prepared prior to the reinstatement of soil and an appropriate aftercare plan in place.
- 4.1.4. For each stockpile a plan must be kept and maintained detailing:
 - Material type (topsoil or subsoil) informed by Annex B;
 - Date/ time when soil was stockpiled and weather conditions;
 - Volume of material:
 - Stockpile location; and
 - Source location of material.
- 4.1.5. The Construction Contractor(s) will be responsible for ensuring that daily records of site and soil conditions are kept, and that a detailed stockpile plan is created and maintained.

4.2. SOIL MOISTURE CONDITIONS FOR HANDLING

- 4.2.1. Handling soils at appropriate moisture levels avoids damage to soil structure (compaction and smearing). Due to the low resilience of the soils within the Newbuild Infrastructure Boundary, adhering to the moisture conditions for handling is extremely important.
- 4.2.2. Following the Institute of Quarrying guidance (**Ref. 5**), the DCO Proposed Development is based in climatic zone 1. This means that the proposed handling times are between Mid-April and Early-October, when the climatic zone wetness estimates, clay proportion and depth of soil horizon are considered.
- 4.2.3. Removal of excess vegetation, soil stripping, reinstatement and post-reinstatement cultivation should not commence if the moisture of the soil (either in the field or in the stockpiles) is above its lower plastic limit. The plastic limit can be determined using the standards set out in BS 1377-2: 1990 (Ref.11).
- 4.2.4. Works can be carried out during occasional showers, however, must cease during prolonged or intense rainfall that increases the soil moisture to above the lower plastic limit. If the works are interrupted by a rainfall event, soil stripping should be suspended; and where the soil profile has already been disturbed, the works should be completed to the base level in that location. Before recommencing work, soil moisture content should be retested.
- 4.2.5. The Construction Contractor(s) should appoint a soil scientist who is suitably experienced and competent in carrying out such soil moisture tests.

4.3. PREPATORY WORKS

4.3.1. Before any work on site involving vehicles commences the Construction Contractor(s) will:

HyNet CO₂ PIPELINE Page 16 of 26

- Ensure to mark, and signpost the following areas within the Newbuild Infrastructure Boundary including:
 - The undisturbed areas where no construction activities will take place.
 Here soil will not be stripped or trafficked for purposes other than planting, cultivation, and vegetation maintenance;
 - Tree protection zones;
 - Areas from which soils will be stripped;
 - o Locations of topsoil and subsoil stockpiles; and
 - Haul routes.
- Remove scrub vegetation (following any seasonal ecological constraints and mitigation requirements) in the areas requiring stripping; and
- Remove other vegetation present, so that it is not incorporated into the soil strip. If applicable, cut the grass/crop to ground level.

4.4. STRIPPING

- 4.4.1. The stripping method should follow the method within **Ref. 3** that also includes illustrations of best practice guidance. This method is summarised below.
- 4.4.2. Subsoils should only be stripped if they are being re-used or are of low resilience to reduce compaction. Areas which are going to be used for subsoil storage should have the topsoil stripped to avoid mixing. Subsoils of high to medium resilience do not need stripping underneath haul routes, if they are of low resilience it is advised to strip to a more resilient layer and ensure proper decompaction is carried out following the construction stage.
- 4.4.3. Careful management and consideration of alternative methodologies (e.g. 'trackway') may mean subsoil does not need to be stripped if care is taken. Topsoil must be stripped before any subsoil destined for reuse is stripped to reduce the risk of mixing the horizons.
- 4.4.4. Where feasible, vehicles will be tracked to reduce compaction and stripping should be carried out in the driest conditions possible.
- 4.4.5. Key points to minimise soil compaction, and maximise readiness for re-use include:
 - Integrating all soil stripping, moving, storage and reuse/reinstatement operations into the enabling works programme;
 - Ensuring dump trucks only operate on the "basal"/non-soil layer, the wheels must not travel on the soil layer;
 - Ensuring the excavator only operates on topsoil layer;
 - Plant and machinery only working when ground conditions allow maximum efficiency;

HyNet CO₂ PIPELINE Page 17 of 26

- The moisture content of the soil must be below the lower plastic limit. If it cannot be avoided, provision needs to be made for remediation of soil texture prior or following reinstatement;
- The operation must cease during periods of rainfall and only recommence if the forecast predicts no further rainfall for a day and soil moisture conditions are suitable;
- Ensuring the lower soil layers must not be left exposed to rainfall, this is achieved by always stripping to the basal layer before rainfall occurs and/or before stripping is suspended;
- Protecting the soil and the basal layer from ponding of water by diverting water inflow away from it;
- Not working when there is standing water on the soil surface or the basal layer;
- Not mixing topsoil with subsoil and soil with other construction materials; and
- Storing topsoil on topsoil and subsoil on subsoil or on the basal layer
- 4.4.6. This best practice should be adhered to as far as reasonably practicable.

TOPSOIL STRIPPING METHOD

- 4.4.7. Prior to commencement, the width of each strip should be determined by looking at the length of the excavator less the stand-off to operate. Using the reach of the excavator to its full potential before moving it, reduces the number of areas subject to the weight of the standing plant.
- 4.4.8. Following this, remove surface vegetation by blading off, by scarification and raking (not less than two weeks before stripping commences to reduce the likelihood of anaerobic conditions forming during storage). If the above method is not viable, the careful application of a suitable non-residual herbicide may be necessary.
- 4.4.9. The transport vehicle should run on the basal layer under subsoil if subsoil is also to be stripped. If only topsoil is to be stripped, the vehicle would run on the subsoil layer.
- 4.4.10. Stripping should be undertaken by the excavator standing on the surface of the topsoil, digging the topsoil to its maximum depth (topsoil depths shown in Annex B) and loading into site or off-site transport vehicles.

SUBSOIL STRIPPING METHOD

4.4.11. For each soil unit the soil layers above the base/formation layer should be removed in sequential strips that can be up to 6m wide (the reach of a 360° excavator). Using an excavator bucket with teeth is preferable to achieve desired outcome

HyNet CO₂ PIPELINE Page 18 of 26

- 4.4.12. Where there is a cover of topsoil, that layer is removed first before stripping subsoil to the specified depth.
- 4.4.13. The soil transport vehicle should run on the layer beneath the required subsoil stripping depth.

4.5. SOIL STORAGE

- 4.5.1. Resilience has been assigned to each soil horizon to inform the height at which soil (**Annex B**) should be stockpiled to. This area has a relatively average AAR (678mm to 792mm) and FCD (152 to 188) which influences the handling resilience of the soil, **Annex A** shows the agroclimatic data by ALC sample point. Stockpile height should not exceed 2m as far as reasonably practicable.
- 4.5.2. After being stripped, soil units should be stored in stockpiles close to their source and stockpiles should be in areas where they will not be disturbed during construction activities.
- 4.5.3. Soil stripping, storage and reinstatement must be integrated into the enabling works programme by the Construction Contractor(s).

4.6. STOCKPILE LOCATIONS

- 4.6.1. Stockpiles should be located on medium or high resilience soils away from ditches or watercourses to reduce the impact on controlled waters. This should include temporary storage of materials at a minimum distance of 10m from any watercourses and 50m from any watercourse identified on Ordnance Survey 50,000 scale mapping (Ref. 2).
- 4.6.2. Stockpiles should be located away from trees, hedge lines and existing/future excavations. This avoids repeated handling/transfer of soil, reducing potential for degradation of the soil structure.
- 4.6.3. Each source area should have its own stockpile location, with topsoils and subsoils stockpiled separately.

4.7. FORMING THE STOCKPILES

- 4.7.1. Dimensions of the stockpiles may be adjusted but the angle of repose shall not exceed 1 in 2 (25°) even if seeded and regularly maintained.
- 4.7.2. Each stockpile must be clearly marked and labelled with the source area and material type and these labels kept up to date.
- 4.7.3. The dry and wet stockpiling methods from **Ref. 3** are summarised below:

HyNet CO₂ PIPELINE Page 19 of 26

DRY SOIL STOCKPILING METHOD

- Loose tip heaps of soil from a dump truck starting at the furthest point in the storage area, working towards the access point;
- A tracked excavator or dozer then levels the heaps and firms the surface to enable a second layer to be added;
- Repeat until the stockpile has reached the desired height; and
- With a tracked excavator or dozer, compact and re-grade the sides and top
 of the stockpile to a smooth gradient to reduce infiltration and the likelihood
 of ponding.

WET SOIL STOCKPILING METHOD

- Tip soil into a line of heaps to form a "windrow", start at the furthest point, finish at the access point;
- Space windrows sufficiently apart so a tracked dozer or excavator can move between them to heap the soil up to 2m maximum;
- No machinery should traverse the windrow to avoid compaction and subsequent structural damage to the soil;
- Once the soil has reached a non-plastic consistency, which often takes many weeks, combine the windrows to form larger stockpiles using a tracked excavator; and
- Regrade and compact the sides and top of the stockpile using a tracked excavator or dozer, to prevent ponding and infiltration.

4.8. MAINTENANCE OF STOCKPILES DURING STORAGE

4.8.1. Seeding is advised if soils are to be stockpiled for over six months or over winter. In these events stockpiles should be seeded with a suitable grass mix to protect against soil erosion, minimise nutrient loss and maintain its biological activity. The grass should be cut two to three times a year and removed completely before reinstatement of soil.

HyNet CO₂ PIPELINE Page 20 of 26

5. SOIL REINSTATEMENT

5.1. GENERAL METHODS TO BE USED WITHIN RESTORATION

- 5.1.1. All methods should align with the guidance on handling and soil moisture content that have been discussed in this Outline SMP.
- 5.1.2. Soil horizons should be reinstated sequentially in the order they were removed lower subsoil horizons, to upper subsoil horizons, to topsoil. This will be ensured by following best practice for stockpiling which includes clear labelling of stockpiles and soil textures, avoiding horizons being mixed.

5.2. EXCAVATION OF SOIL STOCKPILES

- 5.2.1. The method to be followed for the excavation of soil stockpiles is taken from **Ref. 3** and explained below.
- 5.2.2. Dump trucks should enter on the basal layer (if topsoil and subsoil are stripped) or subsoil (if topsoil only stripped). If a back-acting excavator is used, it must stand on top of the stockpile to load the dump truck. The stockpile should be dug to the base before moving progressively back along its axis.
- 5.2.3. If a front-loading machine is used, any exposed edges or surface of the stockpile should be shaped to reduce the pooling of water at the onset of rain and end of each day.

5.3. PREPARATION OF THE BASE LAYER

- 5.3.1. Areas where stockpiles, haul routes and other high traffic are located will require decompaction before topsoil reinstatement. This includes ripping subsoils in agricultural areas to return them to their ALC grade and not introduce a wetness limitation. For decompaction, a wing-tine ripper is recommended.
- 5.3.2. Large stones and debris should be removed from the area before reinstatement.

5.4. SOIL REINSTATEMENT

- 5.4.1. All horizons should be reinstated in the same order as they were before disturbance, avoiding mixing of textures where possible. All land should be reinstated to the standards of the baseline ALC grade (prior to disturbance), the limiting factors of each grade can be found in the MAFF Revised guidelines and criteria for grading the quality of agricultural land (Ref. 6).
- 5.4.2. Reinstatement should take place when the soil is below the plastic limit, if it rains more than 10mm in 24 hours it is advised to suspend reinstatement until

HyNet CO₂ PIPELINE Page 21 of 26

the soil is below the plastic limit. Soil is not advised to be reinstated when the ground is frozen or in other adverse weather conditions.

- 5.4.3. To return soils to an area the loose tipping method is recommended as this allows minimal disturbance to the soils structure. This method is described below (Ref.3).
- 5.4.4. Loosen the receiving group using a wing-tine ripper, with a toothed bucket (which avoids excessive smearing) and load the stockpiled soil in to dump trucks to transport and discharge the soil into the desired location.
- 5.4.5. The soil should be reinstated in strips based on the reach of the excavator. An excavator should be used to spread the soil to the desired thickness. If replacing both subsoil and topsoil, all subsoil should be laid then all topsoil. Topsoil should be laid without the excavator travelling on the newly placed subsoil.
- 5.4.6. Agricultural topsoil can be mounded to a maximum of 400mm above previous ground level, providing the landowner/farmer is in agreement and the soil meets suitability criteria for reuse. Locally excavated soil material may also be spread across the working width where appropriate to do so.
- 5.4.7. All reinstated topsoil should be cultivated to its full depth to reduce compaction and increase aeration. Cultivation should remove the presence of any large, compacted lumps. For seeding, a maximum aggregate size of 10mm is recommended. If any undesirable materials (such as stones or fill over 50mm in any dimension) are present, it is recommended to remove them by raking or picking.

HyNet CO₂ PIPELINE Page 22 of 26

6. AFTERCARE OF REINSTATED SOILS

- 6.1.1. The soils replaced for each area will be assessed on landowner use and agricultural management requirements such as organic status. This can be refined using samples taken from the stockpiled soil before they are reinstated.
- 6.1.2. After reinstatement, soils tend to self-compact and settle, especially those with low resilience. It can take between one to three years for their structures to stabilise. This can lead to waterlogging and anaerobic conditions, which can contribute to erosion and flooding, but can also lead to negative impacts on root function and plant health.
- 6.1.3. To avoid the negative impacts above reinstatement should be inspected by a competent soil scientist and an aftercare plan developed to help the successful reinstatement of the soils. For example, keeping livestock off reinstated grassland in the winter will reduce the likelihood of compaction due to the soils structure being unstable. The aftercare plan will be prepared by the Construction Contractor as part of the Final SMP.

HyNet CO₂ PIPELINE Page 23 of 26

7. SOIL REUSE AND DISPOSAL

- 7.1.1. In the event that there is a soil surplus from construction activities, all suitable (chemically/physically suitable and asbestos free) material will be beneficially reused on site through measures put in place through the Materials Management Plan (MMP) that will be produced by the Construction Contractor(s) as part of the CEMP.
- 7.1.2. If excavated materials are unsuitable for reuse, such as contaminated soils or hazardous materials (not soils i.e., anthropogenic material) this will be removed off-site and disposed in accordance with an agreed MMP. The Construction Contractor(s) will follow appropriate legislative requirements and best practice. The material would be appropriately classified prior to transport to a suitably licenced landfill /treatment centre.
- 7.1.3. The landowner / occupier will be engaged where any off-site disposal is required. In such instances, disposal will be undertaken in accordance with waste management regulations (England and Wales). Further detail is provided in Chapter 14 Materials and Waste (Volume II).

HyNet CO₂ PIPELINE Page 24 of 26

8. SUMMARY AND CONCLUSIONS

- 8.1.1. This Outline SMP estimates reasonable worst-case volumes of soil excavation and sets out best practice measures for soil management. This best practice should be adhered to during, and after, the construction of the DCO Proposed Development. The Outline SMP also identifies further actions required by the appointed Construction Contractor(s), for the Final SMP. It is recognised that there is a degree of professional judgement involved in quantifying assumptions.
- 8.1.2. There are a number of opportunities to reduce the extent of excavation and/or increase the extent of re-use opportunities as good practice measures. These include:
 - reducing excavation depth required for the DCO Proposed Development infrastructure;
 - Seeking to minimise open trench depth towards the lower end of the range.
 - avoiding wholescale excavation of subsoil at AGIs and BVSs.
 - consideration of application of 'trackway' to reduce excavation volumes and protect soil at relevant locations where vehicle movements are required in temporary works zones;
 - re-use of all excavated material for engineering fill and landscaping; and
 - appropriate re-use of excavated material for reinstatement and profiling on site.
- 8.1.3. Applying the reasonable assumptions discussed above, it is expected there will be sufficient re-use opportunities within the Newbuild Infrastructure Boundary to avoid any surplus.
- 8.1.4. Any material identified as waste shall be managed in accordance with appropriate legislation and regulatory guidance.

HyNet CO₂ PIPELINE Page 25 of 26

3. REFERENCES


- Ref. 1 ADAS (1994). Agricultural Land Classification Detailed Post 1988 ALC survey, Hapsford MSA Jn.14 M56, Helsby (ALCW15194).
- Ref. 2 CIRIA (2006). Control of water pollution from linear construction projects: technical guidance. Publication C648; Construction Industry Research and Information Association, London.
- Ref. 3 DEFRA (2009). Code of practice for the sustainable use of soils on construction sites. [online] Available at: https://www.gov.uk/government/publications/code-of-practice-for-thesustainable-use-of-soils-on-construction-sites [Accessed January 2022].
- Ref. 4 Institute of Environmental Management and Assessment (IEMA) (2022). A New Perspective on Land and Soil in Environmental Impact Assessment. February 2022.
- **Ref. 5** Institute of Quarrying (2021). Good Practice Guide for Handling Soils in Mineral Workings. [online] Available at:

[Accessed June 2022].

- Ref. 6 Ministry of Agriculture, Fisheries and Food (MAFF) (1988).
 Agricultural Land Classification of England and Wales: Revised guidelines and criteria for grading the quality of agricultural land. [online] Available at: [Accessed July 2022].
- Ref. 7 Ministry of Housing, Communities and Local Government (2021).
 National Planning Policy Framework. [online] Available at:
 https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1005759/NPPF_July_2021.pdf [Accessed July 2022].
- Ref. 8 Welsh Government (2021). Welsh Government | Planning Policy Wales (Edition 11, February 2021). [online] Available at: https://gov.wales/sites/default/files/publications/2021-02/planning-policy-wales-edition-11_0.pdf [Accessed July 2022].
- **Ref. 9** Reading Agricultural Consultants (RAC) (2022). HyNet Pipeline Agricultural Land Classification and Soil Resources.
- Ref. 10 Reading Agricultural Consultants (RAC) (2022). HyNet Pipeline Agricultural Land Classification and Soil Resources - Talacre and Block Valves.
- Ref.11 British Standard (BS) 1377-1 (1990). Methods of test for Soils for civil engineering purposes — Part 1: General requirements and sample preparation. ISBN 0 580 17692 4.

HyNet CO₂ PIPELINE Page 26 of 26

Annexures



Annex A

AGROCLIMATIC DATA

Table A1 - Agroclimatic data by ALC sample point

ALC sample points	Field Capacity Days	Average Annual Rainfall
1 to 52	155	691
53 to 94	152	678
95 to 137	156	
138 to 188	158	
192 to195	171	
196 to 215	180	778
238 to 269	184	792
270 to 294	188	

Annex B

SOIL RESILIENCE

Table B1 - Soil textures and their accronyms

Soil texture	
cS	coarse sand
mS	medium sand
fS	fine sand
LcS	loamy coarse sand
LmS	loamy medium sand
LfS	loamy fine sand
cSL	coarse sandy loam
mSL	medium sandy loam
fSL	fine sandy loam
cSZL	coarse sandy silt loam
mSZL	medium sandy silt loam
fSZL	fine sandy silt loam
MZ	marine light silt
ZL	silt loam
cSCL	coarse sandy clay loam
SCL	sandy clay loam
fSCL	fine sandy clay loam
mCL	medium clay loam
CL	clay loam (borderline)
hCL	heavy clay loam
mZCL	medium silty clay loam
ZCL	silty clay loam (borderline)
hZCL	heavy silty clay loam
SC	sandy clay
LC	loamy clay
С	clay
ZC	silty clay

Sample number	Topsoil (T)	Depth	of horizon	Soil texture	Resillience
1	Т	0	21	hZCL	Low
		21	35		Medium
		35 80			Medium Low
2	Т	0			Low
	Т	10	25	С	Low
		25			Low
		50 75			Low
3	Т	0	20		Low Low
pit	ı	20			Low
		60	120	PL	Low
4	Т	0			Low
	Т	5 25			Low
		33			Low Low
		70		С	Low
5	Т	0	25	С	Low
		25			Low
	-	48			Low Low
6	Т	25			Low
		45			Low
		80	120	PL	Low
7	Т	0	22		Low
		22			Low
		55 80			Low Low
8	Т	0		-	Medium
		39	50	SCL	Medium
		50			Low
	_	80			Low Medium
9	Т	36			Medium
		70			Low
		100			Low
10	Т	0			Medium
		35 48			Medium Low
		90			Low
11	Т	0	35	SCL	Medium
		35			Low
		39 50			Medium Low
		90			Low
12	Т	0	35	SCL	Medium
		35			Medium
		40			Medium
		93 95			Low Low
13	Т	0			High
		35			Medium
ĺ		40			Low
		50 90			Low High
ĺ		100			High
14	Т	0	30		Medium
ĺ		30			Medium
ĺ		75 80			Medium Low
15	Т	0	38		Medium
	'	38			Medium
		48			Low
ĺ		70			Low
16	-	90			Low Medium
16	Т	35			Medium
		55			Low
		80			Low
17	Т	0	38		Medium
ĺ		38 48			Low Low
I		.0	<u>50</u>	-	

18	1		90	120	С	Low
19	18	Т	0	38	mCL	
19						
19						
	19	Т				Medium
Section Sect						
20						
Pit						
100		Т				
21	ρit					
Second S						
See	21	Т				
22			68	90	С	
1	22	Т				
Pit						Low
Pit		_				
A0		T				
24						
24						
Section Sect	24	Т				
25						
36	25	т				
26	23	,				
26						
36	26	Т				
120 C Low	20	·				
27 T O S SCL Medium 42 TO C Low 42 TO C Low 50 120 C Low 28 T O 25 TSZL High 43 90 C Low 44 SCL Medium 45 SCL Medium 46 SCL Medium 47 SCL SCL Medium 48 SCL Medium 48 SCL Medium 48 SCL Low 48 SCL Medium 48 SCL Medium 48 SCL Low 48 SCL Medium 48 SCL Low 49 SCL Medium 40 90 C Low 40 SCL Medium 40 SCL Low 40 SCL Medium						
35	27	Т				
T						Medium
120 C Low						
25						
35	28	Т				
143						
29 T 0 38 mCL Medium 58 90 C Low 90 120 C Low 30 T 0 35 mCL Medium 45 100 C Low 100 120 C Low 31 T 0 20 mCL Medium 45 100 C Low 100 120 C Low 31 T 0 20 mCL Medium 45 100 C Low 100 120 C Low 45 38 70 C Low 46 Medium 47 20 35 mCL Medium 48 70 C Low 48 70 90 C Low 100 120 C Low 100 C				90	С	
38		_				
Second S	29	Т				
T						Low
35	20	-				
100	30	'				
T						
20 35 mCL Medium	31	Т				
38		·	20	35	mCL	Medium
T O 32 SCL Medium						
120 C Low						
32 45 SL High 45 51 mCL Medium 51 80 C Low 80 100 C Low 100 120 C Low 100 33 mszL High 33 40 SCL Medium 40 90 C Low 90 120 C Low						Low
45 51 mCL Medium 51 80 C Low 80 100 C Low 100 120 C Low 100 33 mszL High 33 40 SCL Medium 40 90 C Low 90 120 C Low	32	Т				
51						
100 120 C Low 33 T 0 33 mSZL High 33 40 SCL Medium 40 90 C Low 90 120 C Low						Low
33 T 0 33 mszL High 33 40 SCL Medium 40 90 C Low 90 120 C Low						
40 <u>90</u> C Low 90 120 C Low	33	Т	0		mSZL	High
90 120 C Low						
	34	Т	0	40	mSZL	

•				•	
		40			Medium
		48 100			Low Low
35	Т	0	40	mSL	High
		40	<u>100</u>	fS	High
		100			High
36	Т	0 40	40 43	mSZL SCL	High Medium
		43			Low
		90		С	Low
37	Т	0	43	mSZL	High
		43			Medium
		60 100		C C	Low Low
38	Т	0	38		High
	·	38		С	Low
		70			Low
		100		С	Low
39	Т	0 40	40		High
		60	<u>60</u> 120	C	Medium Low
40	Т	0	40	mSZL	High
		40	55	SCL	Medium
		55		С	Low
		70 80		C C	Low
41	Т	0	40		Low Medium
71	'	40	50		Medium
		50	<u>100</u>	mS	High
		100	120	mS	High
42	Т	0	38		Medium
		38 70			Medium Low
		90			Low
43	Т	0	28	SCL	Medium
		28			Medium
		46			Low
		85 <u>100</u>		C C	Low Low
44	Т	0	27	SCL	Medium
		27	45	SCL	Medium
		45			High
		78 <u>105</u>			Low Low
45	Т	0	27	mCL	Medium
		27	40	mCL	Medium
		40			Medium
		74			Low
		85 <u>100</u>	100 120		Low Low
46	Т	0	27	SCL	Medium
		27	40		High
		40			High
		75 105		hCL C	Low Low
47	Т	0	27	SCL	Medium
-71	, i	27	45		Medium
		45			Low
		70			Medium
48	Т	0 27	27 45	SCL SCL	Medium Medium
		45		SCL	Low
		65			Low
		<u>100</u>			Low
49	Т	0		SCL	Medium
		27	45 95	SC C	Low
		45 <u>95</u>			Low Low
50	Т	0	29	SL	High
		29	51	SL/SCL	Medium
		51			Low
		60 80		C C	Low
		50	120	Ŭ	Low

51	Т	0	28	SL	High
		28	40		Medium
		40	50		Low
		50	80		Low
		80	120	С	Low
52	Т	0	28	SL	High
		28	40	SL/SCL	Medium
		40	55	С	Low
		55	65	SL	High
		65	95	С	Low
		<u>95</u>	120	С	Low
53	Т	0	28	oSCL SCL	Low
		28 43	43 55	hCL	Medium
		43 55	55 75	C	Low
		75		C	Low Low
54	Т	0	36	SL	High
54	'	36	70	LS	High
		70	120	LS	High
55	Т	0	35	SL	High
33	'	35	70		High
		70	120	LS	High
56	Т	0	28	SCL	Medium
30	'	28	40		High
		40	80	SL	High
		80	120	CL/C	Low
57	Т	0	28	SL	High
0.	,	28	45	SL	High
		45	120	oLS	Low
58	Т	0	38	SL	High
		38	70	SL	High
		70	105	mS	High
		<u>105</u>	120	mS	High
59	Т	0	38	SL	High
		38	70	SL	High
		70	110	LS	High
		<u>110</u>	120	mS	High
60	Т	0	38	SL	High
		38	80		High
		80	105		Low
		105	120	LS	High
61	Т	0	40	SL	High
		40	65	SL	High
		65	95		High
1			120	SCI	Madium
	_	95	120		Medium
62	Т	95	30	ohZCL	Low
		95 0 29	30 120	ohZCL PL	Low Low
62	Т	95 0 29 0	30 120 10	ohZCL PL PL	Low Low Low
		95 0 29 0 10	30 120 10 23	ohZCL PL PL ohZCL	Low Low Low Low
	Т	95 0 29 0	30 120 10	ohZCL PL PL ohZCL	Low Low Low Low Low
63	T T	95 0 29 0 10 23 40	30 120 10 23 40 120	ohZCL PL PL ohZCL PL PL	Low Low Low Low Low Low
	Т	95 0 29 0 10 23	30 120 10 23 40	ohZCL PL PL ohZCL PL	Low Low Low Low Low Low
63	T T	95 0 29 0 10 23 40	30 120 10 23 40 120	ohZCL PL ohZCL PL PL ohZCL	Low Low Low Low Low Low Low Low
63	T T	95 0 29 0 10 23 40 0 29	30 120 10 23 40 120 30	ohZCL PL OhZCL PL PL OhZCL PL	Low Low Low Low Low Low
63	T T	95 0 29 0 10 23 40 0 29	30 120 10 23 40 120 30 120	ohZCL PL ohZCL PL ohZCL PL ohZCL PL	Low Low Low Low Low Low Low Low Low
63 64 65	T T	95 0 29 0 10 23 40 0 29	30 120 10 23 40 120 30 120 29	ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL OhZCL OhZCL	Low
63 64 65	T T	95 0 29 0 10 23 40 0 29 0 29	30 120 10 23 40 120 30 120 29 120 28 35	ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL	Low
63 64 65	T T	95 0 29 0 10 23 40 0 29 0 29	30 120 10 23 40 120 30 120 29 120 28 35	ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35	30 120 10 23 40 120 30 120 29 120 28 35 120	ohZCL PL OhZCL PL OhZCL PL OhZCL PL OhZCL PL OhZCL PL OhZCL OhZCL OhZCL OhZCL OhZCL OhZCL OhZCL OhZCL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 28 35	30 120 10 23 40 120 30 120 29 120 28 35 120 28	ohZCL PL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL chZCL CL/C	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35	30 120 10 23 40 120 30 120 29 120 28 35 120 28	ohZCL PL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75	ohZCL PL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120	ohZCL PL pL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120	ohZCL PL pL	Low
63 64 65 66	T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120	ohZCL PL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL ohZCL PL pL oCL CL/C PL hZCL PL pL	Low
63 64 65 66 67	T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35 0 28 40 75 0 25 40 0 15	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120 25 40 120	ohZCL PL oCL CL/C PL hZCL ohZCL PL ohZCL C	Low
63 64 65 66 67	T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75 0 25 40	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120 25 40 120	ohZCL PL oCL CL/C PL hZCL ohZCL PL ohZCL C	Low
63 64 65 66 67	T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35 0 28 40 75 0 25 40 0 15	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120 25 40 120	ohZCL PL OhZCL CL/C PL OCL CL/C PL OhZCL OhZCL CL/C PL SCL	Low
63 64 65 66 67 68	T T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35 0 28 40 75 0 25 40 0 15 28 0 28	30 120 10 23 40 120 30 120 28 35 120 28 40 75 120 25 40 120	ohZCL PL OhZCL PL OhZCL PL OhZCL PL OhZCL PL OhZCL PL OCL CL/C PL hZCL OhZCL PL SCL SCL	Low
63 64 65 66 67 68	T T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75 0 25 40 0 15 28 40 28 40 40	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120 25 40 120 25 40 120	ohZCL PL sCL CL/C PL hZCL OhZCL CL/C SCL SCL SCL	Low
63 64 65 66 67 68	T T T T	95 0 29 0 10 23 40 0 29 0 29 0 28 35 0 28 40 75 0 25 40 0 15 28 0 28 40 68	30 120 10 23 40 120 30 120 28 35 120 28 40 75 120 25 40 120 25 40 120 28 40 120	ohZCL PL sCL/C PL hZCL OhZCL PL sCL C C C C	Low
63 64 65 66 67 68	T T T T	95 0 29 0 10 23 40 0 29 0 28 35 0 28 40 75 0 25 40 0 15 28 40 28 40 40	30 120 10 23 40 120 30 120 29 120 28 35 120 28 40 75 120 25 40 120 25 40 120	ohZCL PL sCL CL/C PL hZCL OhZCL CL/C SCL SCL SCL	Low

71	Т	0	28	SCL	Medium
		28	40	SCL	Medium
		40	65	SCL	Medium
		65	80	С	Low
		<u>80</u>	120	С	Low
95	Т	0	30	mSZL	High
		30	40	mSZL	High
		40	68	SCL	Medium
		68	<u>85</u>	С	Low
		85	120	С	Low
96	Т	0	39	mZCL	Medium
		39	<u>60</u>	hCL	Low
		60	120	С	Low
97	Т	0	33	mCL	Medium
		33	<u>60</u>	С	Low
		60	120	С	Low
98	Т	0	20	mCL	Medium
		20	33	hCL	Low
		33	<u>60</u>	С	Low
		60	120	С	Low
99	Т	0	38	SCL	Medium
		38	55	SCL	Medium
		55	80	С	Low
		80	120	С	Low
100	Т	0	33	hCL	Low
	•	33	<u>50</u>	С	Low
		50			Low
101	Т	0	40	mCL	Medium
	·	40	55		Low
		55	80		Low
		80			Low
102	Т	0	35	mCL	Medium
102	'	35			Low
		45			Low
		90			Low
103	Т	0	30		Medium
103	'	30	40		Medium
		40			Medium
		50			Low
104	Т	0			Low
104	'	35			Low
		90			Low
105	Т	0			Medium
103	1	35			Medium
		68			Low
		80			Low
106	Т	0	25		Medium
106	ı	25			Low
		28			Low
407	_	0			Medium
107	Т	36			
		48			Low Low
		70			Low
108	T	0	35		High
108	Т	35			Medium
		43			Low
		80			Low
109	Т	0	30		Medium
109	'	30			Medium
		40			Low
		55			Low
		85			Low
110	Т	0	35		Medium
110	1	35			Low
		40			
		58			Low Low
		90			
444	-	0			Low
111	Т	30			Low
		42			Low
		- 4/	<u>80</u>	Ü	Low
			120	С	LOW
440	-	90			Low
112	Т		20	mZCL	Low Medium Medium

113						
113						
113						
114	113	т				
114						
114			40	70	SCL	Medium
114						
115						
115	114	Т				
115						
115			48	75	С	
115						
116						
116	115	Т				
116						
118						
118	116	Т	0	30	mCL	Medium
118			30			
118						
118						
119	118	Т				
119						
119 T 0 35 hCL						
120						
120	119	Т				
120						
120						
121			90	120	С	
121	120	Т	0	38	SCL	Medium
121						
121						
121						
122	121	Т				
122			30	40	mCL	
122						
122 T 0 35 mSZL High Medium 48 70 C Low 123 T 0 30 SCL Medium 43 90 C Low 124 T 0 20 SCL Medium 43 90 C Low 124 T 0 20 SCL Medium 48 70 C Low 124 T 0 20 SCL Medium 48 70 C Low 126 Medium 48 70 C Low 70 80 SCL Medium 48 70 C Low 70 80 SCL Medium 48 70 C Low 70 80 SCL Medium 125 T 0 20 mCL Medium 120 ms High 121 ms High 122 ms High 123 ms High 124 T 0 33 hCL Low 126 C Low 127 T 0 33 hCL Low 128 T 0 33 hCL Low 129 C Low 120 C Low 120 C Low 121 C Low 122 C Low 123 S CL Medium 124 C Low 125 C Low 126 C Low 127 C Low 128 C Low 129 C Low 120 C Low						
123 T 0 30 SCL Medium 124 T 0 20 SCL Medium 124 T 0 20 SCL Medium 125 T 0 20 SCL Medium 126 T 0 20 SCL Medium 127 T 0 20 SCL Medium 128 T 0 30 Medium 129 C Low 120 C Low 120 C Low 120 SCL Medium 120 SCL Medium	122	т				
123	122	'				
123 T 0 30 SCL Medium 130 43 SCL Medium 143 90 C Low 124 T 0 20 SCL Medium 125 T 0 20 Medium 126 T 0 20 Medium 127 T 0 30 Medium 128 T 0 30 Medium 130 Medium 148 70 C Low 160 Medium 170 Medium 180 Medium 190 Medium Medium Medium Medium Medium 120 C Low			48	<u>70</u>	С	
124						
124	123	Т				
124						
124						
125	124	Т	0	20	SCL	
125			20	35		Medium
T						
125						
125 T 0 20 mS High 126 T 0 20 mCL Medium 126 T 0 33 hCL Low 127 T 0 33 hCL Low 127 T 0 30 hCL Low 127 T 0 30 hCL Low 128 T 0 33 hCL Low 129 C Low Low Low Low 120 C Low						
125 T 0 20 mCL Medium 20 38 70 C Low 126 T 0 33 hCL Low 127 T 0 33 hCL Low 127 T 0 30 hCL Low 127 T 0 30 hCL Low 128 T 0 33 hCL Low 129 C Low Low Low Low 120 C Low						
126	125	Т	0	20	mCL	
126 T 0 33 hCL Low 33 38 hCL Low 40 60 C Low 50 120 C Low 127 T 0 30 hCL Low 50 120 C Low 128 T 0 33 hCL Low 33 38 hCL Low 38 60 C Low Low Low Low Low						Medium
126 T 0 33 hCL LOW						
127 T 0 30 hCL LOW 120 C LOW 127 T 0 30 hCL LOW 128 T 0 33 hCL LOW 128 T 0 33 hCL LOW 139 50 hCL LOW 140 C LOW 150 120 C LOW 150 LOW	400					
127 T 0 30 hCL Low 128 T 0 33 hCL Low 128 T 0 33 hCL Low 139 50 hCL Low 120 C Low 140 Low 150 120 C Low 140 Low 150 33 hCL Low 150 C Low	126	T				
127 T 0 30 hCL LOW 128 T 0 33 hCL LOW 128 T 0 33 hCL LOW 139 50 hCL LOW 140 C LOW 150 120 C LOW 150 33 hCL LOW 150 120 C LOW 160 120 C LOW 160 LOW 170 C LOW 180 LOW						
128 T 0 33 hCL Low 139 hCL Low 140 C Low 150 120 C Low						
128 T 0 33 hCL Low 33 38 hCL Low 38 60 C Low 60 120 C Low	127	Т				
128 T 0 33 hCL Low Low 38 hCL Low Low 60 120 C Low						
33 38 hCL Low 38 60 C Low 60 120 C Low	420	-				
38 <u>60</u> C Low 60 120 C Low	128	Т				
60 120 C Low						
T 0 30 mSZL High			60	120	С	
	129	Т	0	30	mSZL	High

		30	40	mSZL	High
		40	49	SCL	Medium
		49	75	С	Low
		75 80	<u>80</u> 120	C C	Low
400	_		38	ZL	Low
138	Т	0 38	55	ZL ZL	Medium Medium
		55	<u>100</u>	fSL	High
		100	120	fSL	High
139	Т	0	43	LfS	High
		43	<u>70</u>	fS	High
		70	120	fS	High
140	Т	0	35	ZL	Medium
		33	43	fSL	High
		43	<u>80</u>	fS	High
		80	120	fS	High
141	Т	0 45	45 <u>80</u>	fSL fS	High
		80	120	fS	High High
142	Т	0	43	LfS	High
142	'	43	80	fS	High
		80	120	fS	High
143	Т	0	43	fSL	High
		43	<u>80</u>	fS	High
		80	120	fS	High
144	Т	0	39	ZL	Medium
		39	<u>80</u>	fS	High
		80	120	fS	High
145	Т	0	30	ZL ZL	Medium
		30 43	43 <u>80</u>	ZL fS	Medium High
		80	120	fS	High
146	Т	0	30	ZL	Medium
		30	43	ZL	Medium
		43	<u>80</u>	fS	High
		80	120	fS	High
147	Т	0	40	fSL	High
		38	58	fS	High
		58 70	<u>70</u> 120	fS fS	High
148	Т	0	30	ZL	High Medium
140	'	30	43	ZL	Medium
		43	<u>100</u>	fS	High
		100	120	fS	High
149	Т	0	30	ZL	Medium
		30	43	ZL	Medium
		43	<u>100</u>	fS	High
450	_	100 0	120 30	fS mZCL	High
150	Т	30	43	mZCL	Medium Medium
		43	<u>100</u>	fS	High
		100	120	fS	High
151	Т	0	30	ZL	Medium
		30	48	ZL	Medium
		48	<u>100</u>	ZL	Medium
		100	120	fS	High
152	Т	0	30	ZL 	Medium
		30	40	ZL	Medium
		48 110	<u>110</u> 120	ZL fS	Medium High
153	Т	0	40	ZL	Medium
155	'	40	<u>110</u>	ZL	Medium
		110	120	fS	High
154	Т	0	30	ZL	Medium
		30	45	ZL	Medium
		45	<u>110</u>	fS	High
		110	120	fS	High
156	Т	0	35	mZCL	Medium
		35 45	45	mZCL	Medium
		45 50	50 <u>80</u>	C C	Low Low
		50			
		80	120	С	low
157	Т	80 0		C mZCL	Low Medium

		40	45		Medium
		45	50		Low
		50 80	<u>80</u> 120		Low Low
158	Т	0	35	ZL	Medium
	·	35	45	ZL	Medium
		45	<u>80</u>		Medium
		80	120		Medium
159	Т	0	35	mSZL	High
		35 48	48 <u>80</u>		High Medium
		80	120		Medium
160	Т	0	35	ZL	Medium
		35	48	ZL	Medium
		48	<u>80</u>		Low
101	_	80	120	C ZL	Low
161	Т	0 38	38 45		Medium Medium
		45	55		Low
		55	<u>80</u>	fS	High
		80	120	fS	High
162	Т	0	38		Medium
		38 50	50 <u>90</u>		Medium
		90	90 120		High High
163	Т	0	38	ZL	Medium
		38	40	ZL	Medium
		40	58		Medium
		58	<u>90</u> 120	ZC ZC	Low
164	Т	90	38		Low Medium
104	'	38	<u>100</u>		High
		100	120	fS	High
165	Т	0	40		Medium
		40	45		Medium
		45 78	78 <u>90</u>		High Low
		90	120	C	Low
166	Т	0	35	ZL	Medium
		35	48		High
		48 80	<u>80</u> 120		Low
167	Т	0	40		Low Medium
107	,	40	70		Low
		70	<u>90</u>	ZL	Medium
		90	120		Medium
168	Т	0	35		Medium
		35 45	45 <u>90</u>	mZCL ZL	Medium Medium
		90	120		Medium
169	Т	0	20	ZL	Medium
		20	<u>75</u>		Medium
		75	120		Medium
170	Т	0 20	20 50		Medium Low
		50	50 <u>75</u>		Medium
		75			Medium
171	Т	0	33	ZL	Medium
		33	50	ZC	Low
		50 75	<u>90</u> 120		Medium Medium
172	Т	0	30		Medium
	·	30	40		Medium
		40	70		Medium
		70			Low
470	_	85 0	120 30		Low
173	Т	30	48		Medium Medium
		48	90		Medium
		90	120		Medium
174	Т	0	35		Medium
		35 40			Medium Medium
ı İ		40	60		Mediuili

		60			Low
175	Т	85 0	120 35	ZC ZL	Low Medium
	,	35		fS	High
		68		С	Low
		90		C ZL	Low
176	Т	0 20	20 35	mZCL	Medium Medium
		35	<u>60</u>	С	Low
		60	120	С	Low
178	Т	0	28	ZL	Medium
		28 100		mZCL mZCL	Medium Medium
181	Т	0	28	ZL	Medium
		28		ZL	Medium
		50 80	<u>80</u> 120	ZL ZL	Medium Medium
182	Т	0	38	hZCL	Low
.02		38		hZCL	Low
		40		hZCL	Low
		50 80		fS fS	High
183	Т	0	30	hZCL	High Low
103	'	30		hZCL	Low
		40	<u>70</u>	С	Low
		70		С	Low
184	Т	38	38 <u>60</u>	mSZL C	High Low
		60		С	Low
185	Т	0	38	mZCL	Medium
		38	<u>40</u>	mZCL	Medium
186	Т	40	120	C ZL	Low Medium
186	'	30		cSL	High
		45	<u>80</u>	С	Low
		80		С	Low
187	Т	0 28	28 45	mZCL C	Medium Low
		45		mZCL	Medium
		50	120	С	Low
188	Т	0	15	oZCL	Low
		15 60		hCL C	Low Low
		80		С	Low
192	Т	0	<u>40</u>	SCL	Medium
		40		C	Low
193	Т	0 38	38 <u>45</u>	SCL SCL	Medium Medium
		45		С	Low
194	Т	0	30	mCL	Medium
		30	45	mCL	Medium
		45 90		C C	Low Low
195	Т	0	30	SCL	Medium
		30	50	SCL	Medium
		50 90		SCL SCL	Medium
196	Т	0	27	LmS	Medium High
190	'	27	60	LmS	High
		60		LmS	High
		80		mS mSI	High
197	Т	0 27	27 50	mSL LmS	High High
		50		LmS	High
		72		LmS	High
		90		mS	High
198	Т	0 25	25 70	SCL SCL	Medium Medium
		<u>70</u>		SCL	Medium
199	Т	0	25	mCL	Medium
		25	55	mCL	Medium
		55 <u>80</u>		hCL hCL	Low Low
		<u>50</u>	120		LUVV

200					
	Т	0	25	mCL	Medium
		25	45	SCL	Medium
		45	55	SCL	Medium
		55	120	C/CL	Low
201	Т	0	25	mCL	Medium
		25	40	mCL	Medium
		40	120	С	Low
202	Т	0	25	mCL	Medium
		25	45	hCL	Low
		45	120	С	Low
203	Т	0	25	mSL	High
		25	47	LmS	High
		<u>47</u>	120	LmS	High
204	Т	0	40	LmS	High
Pit		40	120	LmS	High
205	Т	0	28	mCL	Medium
		28	65	С	Low
		65	120	С	Low
206	Т	0	32	SCL	Medium
		32	120	SCL	Medium
207	Т	0	28	SCL	Medium
		28	86	SCL	Medium
		<u>86</u>	120	SCL	Medium
211	Т	0	28	mSL	High
		28 45	45 120	mSL mSL	High
		<u>45</u>	120		High
212	Т	0 17	17 27	mSL mSL	High
		17 <u>27</u>	120	mSL mSL	High High
242	-	0	27	mSL	High
213	Т	27	51	mSL	High
		51	60	LmS	High
		<u>60</u>	120	LmS	High
214	Т	0	30	SCL	Medium
		30	50	SCL	Medium
		50	120	SCL	Medium
215	Т	0	28	mCL	Medium
		28	46	hCL	Low
		46	120	С	Low
238	Т	0	30	SZL	High
		30	70	hCL	Low
				hCl	Low
		<u>70</u>	120	hCL	
239	Т	0	26	mCL	Medium
239	Т	0 26	26 70	mCL C	Medium Low
		0 26 70	26 70 120	mCL C hCL	Medium Low Low
239	T	0 26 70 0	26 70 120 29	mCL C hCL mCL	Medium Low Low Medium
		0 26 70 0 29	26 70 120 29 70	mCL C hCL mCL C	Medium Low Low Medium Low
240	Т	0 26 70 0 29 70	26 70 120 29 70 120	mCL C hCL mCL C	Medium Low Low Medium Low Low
		0 26 70 0 29 70	26 70 120 29 70 120	mCL C hCL mCL C C	Medium Low Medium Low Low Low Medium
240	Т	0 26 70 0 29 70 0	26 70 120 29 70 120	mCL C hCL mCL C	Medium Low Medium Low Low Medium Medium Medium
240	T	0 26 70 0 29 70 0 27 55	26 70 120 29 70 120 27 55	mCL C hCL C C mCL fSCL C	Medium Low Medium Low Low Medium Low Medium Medium Low
240	Т	0 26 70 0 29 70 0 27 55	26 70 120 29 70 120 27 55 120	mCL C hCL C C mCL fSCL C mCL	Medium Low Low Low Low Medium Medium Medium Low Medium Medium Low Medium
240	T	0 26 70 0 29 70 0 27 55	26 70 120 29 70 120 27 55	mCL C hCL C C mCL fSCL C	Medium Low Low Low Low Medium Low Medium Medium Low Medium Medium Medium Medium
240 241 242	T	0 26 70 0 29 70 0 27 55 0 30 60	26 70 120 29 70 120 27 55 120 30 60 120	mCL C hCL C C mCL fSCL C	Medium Low Low Low Medium Low Medium Medium Low Medium Low Medium Low
240	T	0 26 70 0 29 70 0 27 55 0 30 60	26 70 120 29 70 120 27 55 120 30 60 120	mCL C hCL C C mCL fSCL C mCL fSCL C	Medium Low Low Low Medium Low Medium Medium Low Medium Low Medium Medium Medium Medium Medium Medium
240 241 242	T	0 26 70 0 29 70 0 27 55 0 30 60	26 70 120 29 70 120 27 55 120 30 60 120	mCL C hCL C C mCL fSCL C fSCL C SCL	Medium Low Low Low Medium Low Medium Medium Low Medium Medium Medium Medium Medium Medium Medium Medium Medium
240 241 242 250	T	0 26 70 0 29 70 0 27 55 0 30 60	26 70 120 29 70 120 27 55 120 30 60 120 30	mCL C hCL C C mCL fSCL C mCL fSCL SCL	Medium Low Low Low Medium Low Medium Medium Low Medium Medium Medium Low Medium Low Medium Low
240 241 242	T	0 26 70 0 29 70 0 27 55 0 30 60 0	26 70 120 29 70 120 27 55 120 30 60 120 30 58	mCL C hCL C C mCL fSCL C fSCL C/CL SCL SCL C	Medium Low Low Low Medium Low Medium Medium Low Medium Medium Medium Low Medium Medium Low Medium
240 241 242 250	T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58	26 70 120 29 70 120 27 55 120 30 60 120 30 58 120 31	mCL C hCL mCL C C mCL fSCL C mCL fSCL C/CL SCL SCL C mCL	Medium Low Low Low Medium Low Medium Medium Low Medium Medium Medium Low Medium Low Medium Low
240 241 242 250	T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58	26 70 120 29 70 120 27 55 120 30 60 120 30 58 120 31	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL	Medium Low Low Medium Low Medium Medium Low Medium Low Medium Medium Low Medium Low Medium Medium Low Medium Low Medium Low
240 241 242 250 251	T T T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58	26 70 120 29 70 120 27 55 120 30 60 120 30 58 120 31 55 120	mCL C hCL mCL C C mCL fSCL C MCL fSCL C/CL SCL C C MCL C C	Medium Low Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium Low Medium Low Medium Low
240 241 242 250 251	T T T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58 0 31 55 0	26 70 120 29 70 120 27 55 120 30 60 120 30 58 120 31 55 120 29	mCL C hCL mCL C C mCL fSCL C mCL fSCL C/CL SCL C mCL SCL SCL C mCL hCL C/CL SCL mSL mSL	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium High High
240 241 242 250 251	T T T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58 0 31 55	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60	mCL C hCL mCL C C mCL fSCL C/CL SCL SCL C mCL hCL SCL C/CL SCL L MSL MSL L MSL	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium Low Medium High High High
240 241 242 250 251	T T T	0 26 70 0 29 70 0 27 55 0 30 60 0 30 58 0 31 55 0	26 70 120 29 70 120 27 55 120 30 60 120 31 58 120 31 55 120 29 60 75	mCL C hCL mCL C C mCL fSCL C MCL fSCL C/CL SCL SCL C mCL hCL SCL L MSL MSL L MS SCL	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Medium Low Medium High High High Medium
240 241 242 250 251	T T T	0 26 70 0 29 70 0 30 58 0 31 55 0 0 29 60 75 0 33 33	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL SCL L SCL SCL SCL SCL SCL SCL SCL SCL	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Medium Low Medium High High High Medium Medium Medium High Medium Medium Medium High Medium Medium Medium Medium Medium Medium Medium Medium Medium
240 241 242 250 251	T T T	0 26 70 0 29 70 0 30 60 31 55 0 0 29 60 75 0 33 65	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL SCL SCL SCL SCL SCL SCL SCL SCL SCL S	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium High High High Medium Medium High High High High High High High High
240 241 242 250 251 257	T T T T	0 26 70 0 29 70 0 30 58 0 31 55 0 0 29 60 75 0 33 65 75	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75 120	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL SCL C mCL SCL SCL SCL SCL SCL MSL MSL MSL MSL MSL	Medium Low Low Medium Low Medium Low Medium Low Medium Low Medium Low Low Medium High High High High High High High High
240 241 242 250 251	T T T	0 26 70 0 29 70 0 30 60 0 31 55 0 0 29 60 75 0 33 65 75 0 0	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75 120 25	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL C/CL SCL SCL MSL MSL MSL MSL MSL MCL	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium High High High High High High High High
240 241 242 250 251 257	T T T T	0 26 70 0 29 70 0 30 58 0 31 55 0 0 29 60 75 0 33 65 75 0 25	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75 120 25 45	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL C/CL SCL MSL MSL MSL MSL MSL MSL MSL MSL MSL MS	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium High High High High High High High High
240 241 242 250 251 257	T T T T	0 26 70 0 29 70 0 30 60 0 31 55 0 0 29 60 75 0 33 65 75 0 0 25 45	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75 120 25 45	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL C/CL SCL SCL mSL mSL mSL mSL mSL mSL mSL mSL mSL mS	Medium Low Low Medium Low Medium Low Medium High High High High High High High High
240 241 242 250 251 257	T T T T	0 26 70 0 29 70 0 30 58 0 31 55 0 0 29 60 75 0 33 65 75 0 25	26 70 120 29 70 120 27 55 120 30 60 120 31 55 120 29 60 75 120 33 65 75 120 25 45	mCL C hCL mCL fSCL C mCL fSCL C/CL SCL SCL C mCL hCL C/CL SCL MSL MSL MSL MSL MSL MSL MSL MSL MSL MS	Medium Low Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Medium Low Medium High High High High High High High High

		28	40	hCL	Low
		40	54	hCL	Low
		54	75	fSCL	Medium
		75	120	С	Low
261	Т	0	27	mCL	Medium
		27	50	SCL	Medium
		50	70	mCL	Medium
		70	90	LmS	High
		90	120	LmS	High
262	Т	0	26	mCL	Medium
		26	45	SCL	Medium
		45	70	SC	Low
		70	120	hCL	Low
263	Т	0	28	mCL	Medium
		28	60	mCL	Medium
		60	92	hCL	Low
		92	120	С	Low
264	Т	0	26	mCL	Medium
		26	55	hCL	Low
		55	80	С	Low
		80	100	SCL	Medium
		<u>100</u>	120	SCL	Medium
265	Т	0	27	mCL	Medium
		27	40	hCL	Low
		40	50	С	Low
		50	70	hCL	Low
		70	120	С	Low
266	Т	0	30	mCL	Medium
		30	48	mCL	Medium
		48	120	C/CL	Low
267	Т	0	28	SCL	Medium
		28	52	LmS	High
		52	70	LmS	High
		<u>70</u>	120	Sandstone	N/A
268	Т	0	27	hCL	Low
		27	40	hCL	Low
		4.0	400	_	LOVA
		40	120	С	Low
269	Т	0	28	mCL	Medium
269	Т	0 28	28 45	mCL hCL	Medium Low
269	Т	0 28 45	28 45 55	mCL hCL C	Medium Low Low
269	Т	0 28 45 55	28 45	mCL hCL C C	Medium Low Low Low
269	T	0 28 45 55	28 45 55 120 30	mCL hCL C C	Medium Low Low Low Medium
		0 28 45 55 0 30	28 45 55 120 30 40	mCL hCL C C mCL	Medium Low Low Low Medium Medium
270	Т	0 28 45 55 0 30 40	28 45 55 120 30 <u>40</u> 120	mCL C C mCL mCL	Medium Low Low Low Medium Medium Low
		0 28 45 55 0 30 40	28 45 55 120 30 40 120	mCL C C mCL mCL C	Medium Low Low Medium Medium Low Medium Medium
270	Т	0 28 45 55 0 30 40 0	28 45 55 120 30 40 120	mCL C C mCL C mCL mCL mCL	Medium Low Low Medium Medium Low Medium Medium Medium Medium
270	Т	0 28 45 55 0 30 40 0 30	28 45 55 120 30 40 120 30 40	mCL C C mCL mCL C mCL mCL	Medium Low Low Medium Medium Low Medium Medium Medium Medium Medium
270	Т	0 28 45 55 0 30 40 0 30 40	28 45 55 120 30 40 120 30 40 45	mCL hCL C mCL mCL mCL mCL c c	Medium Low Low Medium Medium Low Medium Medium Medium Medium Medium Medium Low
270 271	Т	0 28 45 55 0 30 40 0 30 40 45 60	28 45 55 120 30 40 120 30 45 60 120	mCL hCL C mCL mCL c mCL c C	Medium Low Low Medium Medium Low Medium Medium Medium Medium Medium Low Low
270	Т	0 28 45 55 0 30 40 0 30 40 45 60	28 45 55 120 30 40 120 30 40 45 60 120	mCL hCL C mCL mCL mCL mCL C sCL	Medium Low Low Medium Medium Low Medium
270 271	Т	0 28 45 55 0 30 40 0 30 40 45 60	28 45 55 120 30 40 120 30 40 45 60 120 40 45	mCL hCL C C mCL mCL C C C C SCL SCL	Medium Low Low Medium Medium Low Medium Medium Medium Medium Medium Low Low Medium Medium Medium
270 271	Т	0 28 45 55 0 30 40 0 30 40 45 60	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55	mCL hCL C C mCL mCL c mCL C C SCL SCL C	Medium Low Low Medium Medium Low Medium Medium Medium Medium Medium Medium Low Medium Low Low Medium Medium Low
270 271	Т	0 28 45 55 0 30 40 0 30 45 60 0 45 55	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55	mCL hCL C C mCL mCL mCL c sCL C C C C	Medium Low Low Medium Medium Low Medium Medium Medium Medium Low Low Medium Low Low Low Medium Low Low
270 271 272	T	0 28 45 55 0 30 40 0 30 40 45 60 45 55 100	28 45 55 120 30 40 120 30 45 60 120 40 45 55 100 120	mCL hCL C mCL mCL mCL c sCL C C C C	Medium Low Low Medium Medium Low Medium Medium Medium Medium Low Low Medium Low Low Low Medium Low Low Low
270 271	Т	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120	mCL hCL C C mCL mCL mCL C C C mCL C C SCL SCL C C C mCL	Medium Low Low Medium Medium Low Medium Medium Medium Medium Low Low Medium Low Low Medium
270 271 272	T	0 28 45 55 0 30 40 40 45 60 0 40 45 55 100	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120 35 40	mCL hCL C C mCL mCL C C SCL SCL C C C mCL mCL	Medium Low Low Medium Medium Low Medium Medium Medium Medium Low Low Medium Low Low Medium
270 271 272 273	T	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100 0 35 40	28 45 55 120 30 40 120 30 45 60 120 40 45 55 100 120 35 40 120	mCL hCL C C mCL mCL C C C C C C C C C C C C C	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Low Low Medium Medium Medium Low Low Medium Low Low Low Low Low Low Medium Low Low
270 271 272	T	0 28 45 55 0 30 40 0 30 40 45 60 0 40 45 55 100 0 35 40	28 45 55 120 30 40 120 30 45 60 120 40 45 55 100 120 35 40 120	mCL hCL C C mCL mCL C C C C C C C C C SCL SCL C C C SCL SCL	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Low Medium Medium Low Low Medium Low Low Low Low Medium Low Low Medium
270 271 272 273	T	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100 0 35 40	28 45 55 120 30 40 120 30 45 60 120 40 45 55 100 120 35 40 120 35 40	mCL hCL C C mCL mCL mCL C C C C SCL SCL C C SCL SCL C SCL SCL	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Medium Medium Medium Low Low Medium Low Low Medium
270 271 272 273	T	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100 0 35 40	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120 35 40 120 35 40 50	mCL hCL C C mCL mCL mCL c C mCL mCL c C SCL SCL C C SCL SCL SCL SCL SCL SCL S	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Low Low Medium Low Low Medium Low Low Medium
270 271 272 273	T	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100 0 35 40	28 45 55 120 30 40 120 30 45 60 120 40 45 55 100 120 35 40 120 35 40	mCL hCL C C mCL mCL mCL C C C C SCL SCL C C SCL SCL C SCL SCL	Medium Low Low Medium Medium Medium Medium Medium Medium Low Medium Low Low Medium Medium Low Low Medium
270 271 272 273	T T	0 28 45 55 0 30 40 0 30 40 45 60 0 45 55 100 0 35 40 0 35 40	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120 35 40 120 35 40 50 70 120	mCL hCL C C mCL mCL mCL C C SCL SCL C SCL SCL SCL SCL SCL SCL	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Medium Low Low Medium Medium Low Medium Medium Low
270 271 272 273	T	0 28 45 55 0 30 40 0 30 40 45 60 0 40 45 55 100 0 35 40 0 35 40	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120 35 40 120 35 40 120 35 35 35 30 30 30	mCL hCL C C mCL mCL C C C C C SCL SCL C C C SCL SCL C C C MCL C C MCL MCL	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Low Low Medium Low Low Medium Low Low Medium Medium Low Low Medium Medium Medium Low Medium
270 271 272 273	T T	0 28 45 55 0 0 30 40 40 45 60 0 35 40 50 70 0 30 30 30	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 35 40 50 120 30 45	mCL hCL c c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Medium Low Medium
270 271 272 273	T T	0 28 45 55 0 0 30 40 45 60 0 35 40 0 35 40 70 0 30 45	28 45 55 120 30 40 120 30 40 45 60 120 40 45 55 100 120 35 40 120 35 40 120 35 40 50 70 120 30 45 75	mCL hCL hCL C mCL mCL mCL mCL mCL C SCL SCL SCL C SCL SCL SCL	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Low Medium Low Low Medium Medium Low Low Medium Medium Low Medium Low
270 271 272 273	T T	0 28 45 55 0 0 30 40 40 45 60 0 35 40 50 70 0 30 30 30	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 35 40 50 120 30 45	mCL hCL c c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Low Medium Medium Medium Low Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Medium Medium Low Medium Medium Medium Low Medium Low Medium Medium Medium Low Medium Low Medium Low
270 271 272 273 274	T T T	0 28 45 55 0 0 30 40 40 45 60 0 35 40 50 70 0 30 45 75 85	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 35 40 50 70 120 30 45 75	mCL hCL hCL c mCL mCL mCL mCL mCL mCL scl scl scl	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium Medium Low Medium Medium Low Medium Medium Medium Medium Medium Low Medium Medium Medium Low Medium Medium Low Medium Low Medium Medium Low Low Low Low Low Low Low
270 271 272 273	T T	0 28 45 55 0 0 30 40 40 45 55 100 0 35 40 50 70 0 30 45 75 85 0 0	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 35 40 50 70 120 30 45 75 85	mCL hCL hCL c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Medium Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium Medium Low Medium
270 271 272 273 274	T T T	0 28 45 55 0 0 30 40 40 45 60 0 35 40 50 70 0 30 45 75 85	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 35 40 50 70 120 30 45 75 85 120	mCL hCL hCL c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Low Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium Medium Low Medium Low Medium Medium Low Medium Medium Low Medium Low Medium Low Medium Low Low Low Low Low
270 271 272 273 274	T T T	0 28 45 55 0 0 30 40 40 45 60 100 0 35 40 50 70 0 30 45 75 85 0 0 35 45 75 85 0 0 35	28 45 55 120 30 40 120 30 40 45 55 100 120 35 40 120 35 40 120 35 40 120 36 40 40 45 40 45 40 40 45 40 40 40 40 40 40 40 40 40 40 40 40 40	mCL hCL hCL c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Medium Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium
270 271 272 273 274	T T T	0 28 45 55 0 0 30 40 40 45 60 0 35 40 50 70 0 30 45 75 85 0 0 35 48	28 45 55 120 30 40 120 30 40 45 60 120 35 40 120 35 40 120 35 40 50 70 120 36 45 75 85 120 36 48 90	mCL hCL hCL C mCL mCL mCL mCL mCL C sCL sCL sCL sCL </th <th>Medium Low Low Medium Medium Medium Medium Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium Low Medium Medium Low Medium Low Medium Low Low Low Low Low Low Low Low Low Low</th>	Medium Low Low Medium Medium Medium Medium Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Medium Low Medium Low Medium Medium Low Medium Low Medium Low
270 271 272 273 274 276	T T T T	0 28 45 55 0 0 30 40 40 45 55 100 0 35 40 50 70 0 30 45 75 85 0 0 35 48 90	28 45 55 120 30 40 120 30 40 45 60 120 35 40 120 35 40 120 35 40 120 35 40 120 35 40 120 35 40 120 36 40 120 37 40 40 40 41 41 40 40 41 40 40 40 40 40 40 40 40 40 40 40 40 40	mCL hCL hCL c mCL mCL mCL mCL mCL c scl scl scl	Medium Low Low Medium Medium Medium Medium Medium Medium Low Low Medium Medium Low Low Medium Medium Low Low Medium Low Medium Medium Low Medium Low Medium Low Medium Low

			_	_	_
		35	55		Low
		55	70	С	Low
		70 90		C C	Low
070	-	0		mCL	Low
279	Т	35	55	mCL	Medium Medium
		55	<u>80</u>	С	Low
		80		С	Low
280	Т	0	40	SCL	Medium
		40	<u>50</u>	С	Low
		50	120	С	Low
281	Т	0	38	mCL	Medium
		38	40	hCL	Low
		40		hCL	Low
		55	<u>70</u>	С	Low
		70		С	Low
282	Т	0	<u>30</u>	mCL mCL	Medium
		30 40	40 120	C	Medium Low
283	Т	0	30	mCL	Medium
203	'	30	<u>40</u>	mCL	Medium
		40		С	Low
284	Т	0	35	mCL	Medium
		35	60	hCL	Low
		60	80	С	Low
		80	120	С	Low
285	Т	0	35	mCL	Medium
		35	55	hCL	Low
		55	<u>70</u>	С	Low
		70	120	С	LOW
286	Т	0 35	35 45	mCL mCL	Medium
		45	55	hCL	Medium Low
		55	<u>100</u>	C	Low
		100		С	Low
287	Т	0	35	mSL	High
		35	75	mSL	High
		55	<u>95</u>	LmS	High
		95	120	LmS	High
288	Т	0	35	mCL	Medium
		35	45	mCL	Medium
		45	50	SCL	Medium
		50 60		C C	Low Low
289	Т	0	39	SCL	Medium
203	'	39	<u>40</u>	SCL	Medium
		40		С	Low
290	Т	0	35	mCL	Medium
		35	<u>70</u>	С	Low
		70	120	С	Low
291	Т	0	38	mCL	Medium
		38		hCL	Low
		40		С	Low
		80	120	C	Low
292	Т	0 40	<u>40</u> 120	SCL C	Medium Low
202	-	0	39	SCL	Medium
293	Т	39	40	hCL	Low
		40		C	Low
294	Т	0		SCL	Medium
_3.	,	40		SCL	Medium
		45	120	С	Low