

Wylfa Newydd Project

6.4.44 ES Volume D - WNDA Development

**App D9-11 - Breeding Bird Technical
Summary Report**

PINS Reference Number: EN010007

Application Reference Number: 6.4.44

June 2018

Revision 1.0

Regulation Number: 5(2)(a)

Planning Act 2008

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

[This page is intentionally blank]



Wylfa Newydd

Horizon Nuclear Power

Technical Summary Report – Breeding Birds

60PO8032/TER/REP/003 | 2

WN034-JAC-PAC-REP-0005

Document history and status

Revision	Date	Description	By	Review	Approved
		Technical Summary – Breeding Birds	Laura Gore	Dave Jones	
1	16/12/15	Minor changes following proof read	Suzanne Jenkins	Jonathan Jackson	Rob Bromley
2	17/03/16	Minor changes following HNP IC comments	Laura Gore	Nick Clark	
3	05/06/17	Minor changes following HNP IC comments	Jonathan Jackson	Nick Clark	

Distribution of copies

Revision	Issue approved	Date issued	Issued to	Comments

Wylfa Newydd

Project no: 60PO8032
Document title: Technical Summary Report – Breeding Birds
Document No.: 60PO8032/TER/REP/003
Revision: 3
Date: 5th June 2017
Client name: Horizon Nuclear Power
Client no: WN034-JAC-PAC-REP-0005
Project manager: Robert Bromley
Author: Laura Gore
File name: P:\\$PROJECTS\\$B1496000 Wylfa Marine Services\6. Reports\Jacobs 2015 Technical Summary Reports\60PO8032 Wylfa Breeding Birds Technical Summary Report 2015 issued to RB_after proof read.docx

Jacobs U.K. Limited

Churchill House
Churchill Way
Cardiff, CF10 2HH
United Kingdom
T +44 (0)29 2035 4200
F +44 (0)29 2035 3222
www.jacobs.com

© Copyright 2015 Jacobs U.K. Limited. The concepts and information contained in this document are the property of Jacobs. Use or copying of this document in whole or in part without the written permission of Jacobs constitutes an infringement of copyright.

Limitation: This report has been prepared on behalf of, and for the exclusive use of Jacobs' Client, and is subject to, and issued in accordance with, the provisions of the contract between Jacobs and the Client. Jacobs accepts no liability or responsibility whatsoever for, or in respect of, any use of, or reliance upon, this report by any third party.

Contents

Executive Summary.....	1
1. Introduction.....	3
1.1 Overview.....	3
1.2 Wylfa Newydd Project	3
1.3 Site Description	3
1.4 Aims and Objectives.....	4
1.5 Summary of Work to Date	4
1.6 Legal Status.....	4
1.7 Conservation Status	5
1.8 Notable Species	7
2. Methodology	8
2.1 Desk Survey	8
2.2 Field Survey.....	8
2.3 Limitations	10
3. Results.....	11
3.1 Desk Study	11
3.2 Field Survey.....	12
4. Discussion and Conclusions	16
4.1 Habitats	16
4.2 Breeding Species	16
4.3 Notable Breeding Species.....	17
4.4 Conclusions	18
5. References	19

Figures

Appendix A. Cofnod Data	29
Appendix B. Target Species Surveys – Additional Results	48
Appendix C. Combined Results – Summary	50

Executive Summary

This technical summary report provides a single resource regarding all survey and background data available for breeding bird species in the study area. The study area comprises the Wylfa Newydd Development Area and the surrounding 500 m. Breeding bird surveys of the study area have taken place in consecutive years between 2010 and 2014. Barn owl (*Tyto alba*) are discussed in a separate report.

Data gathering has included a review of:

- desk/background information;
- walked transect surveys;
- target species surveys; and
- incidental sightings.

The study area provides a wide variety of breeding and foraging habitat that supports a diverse bird population. Whilst a large proportion of the species recorded during the surveys were generally considered to be common and widespread, certain habitats provided nesting and foraging resources for notable species (i.e. species that are afforded special protection or are of conservation concern).

A total of 104 bird species were recorded in the study area during the breeding bird surveys, which included 53 notable species.

Twelve species are listed under Schedule 1 of the Wildlife and Countryside Act 1981 (as amended) and 11 species are listed under Annex I of the Directive on the Conservation of Wild Birds 79/409/EEC (the Birds Directive).

Twenty-one Species of Principal Importance in Wales in accordance with the requirements of Section 42 of the Natural Environment and Rural Communities (NERC) Act 2006, along with five Local Biodiversity Action Plan (LBAP) species (Anglesey, undated).

Seventeen species are included on the Red List and thirty species are on the Amber List of Birds of Conservation Concern (Eaton *et al*, 2015).

Thirty-one of the 53 notable species recorded in the study area were confirmed as breeding, with three probable and seven possible breeding species. Thirteen notable species were assessed as not breeding within the study area.

In addition to the species recorded during the breeding bird surveys, there is evidence of a further seven notable species of bird having been recorded between 2010 and 2015. These included records of calling corncrake, cuckoo and Manx shearwaters, and sightings of osprey, short-eared owl and hen harrier. None of these species have ever been recorded with any regularity, suggesting that none breed in the study area, or are resident for any period of time. It is unsurprising that additional notable species are occasionally recorded within a study area that is as large as that of the Project, and that has been studied so intensively for five years. These sightings are therefore considered to be insignificant in the context of determining the value and significance of breeding birds in the study area.

The most important habitats within the study area that provided resources for local populations of breeding species were those that were less intensively managed. These included:

- woodland and scrub/hedgerows;
- grassland (semi-improved and coastal areas in particular);
- marsh/marshy grassland;
- coastal heath/grassland mosaic;
- maritime hard cliff and crevice and ledge vegetation mosaic; and

- built-up areas.

The compiled species list of breeding birds from all five years' survey data is not considered to be exceptional for a site as large and complex as the study area. Although the study area gives a level of conservation importance of 'regional' significance (70+ species) using guidance by Fuller (1980), the surveys have been repeated over multiple years over a large site and a local importance valuation is considered to be more appropriate.

1. Introduction

This report provides a technical summary of the data collected on species of breeding birds within the Wylfa Newydd Development Area and within a 500m buffer zone around the boundary of the Wylfa Newydd Development Area.

1.1 Overview

Horizon Nuclear Power Wylfa Ltd. (Horizon) is currently planning to develop a new nuclear power station on Anglesey as identified in the National Policy Statement for Nuclear Power Generation (EN-6). The Wylfa Newydd Project (the Project) comprises the proposed new nuclear power station (the Wylfa Newydd Generating Station), including the reactors, associated plant and ancillary structures and features, together with all of the development needed to support its delivery, such as highway improvements, worker accommodation and specialist training facilities. The Project will require a number of applications to be made under different legislation to different regulators. As a nationally significant infrastructure project under the Planning Act 2008, the construction and operation must be authorised by a development consent order.

Jacobs UK Ltd (Jacobs) was commissioned by Horizon to undertake a full ecological survey programme within the vicinity of the Power Station Site. This work has included the gathering of baseline data to inform the various applications, assessments and permits that will be submitted for approval to construct and operate the Power Station and Associated Development.

1.2 Wylfa Newydd Project

The Project includes the Wylfa Newydd Generating Station and Associated Development¹. The Wylfa Newydd Generating Station includes two UK Advanced Boiling Water Reactors to be supplied by Hitachi-GE Nuclear Energy Ltd, associated plant and ancillary structures and features. In addition to the reactors, development on the Power Station Site (the indicative area of land and sea within which the majority of the permanent Wylfa Newydd Generating Station buildings, plant and structures would be situated) will include steam turbines, control and service buildings, operational plant, radioactive waste storage buildings, ancillary structures, offices and coastal developments. The coastal developments will include a Cooling Water System (CWS) and breakwater, and a Marine Off-Loading Facility (MOLF).

1.3 Site Description

The Wylfa Newydd Development Area (the indicative areas of land and sea, including the Power Station Site, the Wylfa NPS² Site and the surrounding areas that would be used for the construction and operation of the Wylfa Newydd Generating Station) covers an area of approximately 380ha. It is bounded to the north by the coast and the existing Magnox power station (the Existing Power Station). To the east, it is separated from Cemaes by a narrow corridor of agricultural land. The A5025 and residential properties define part of the south-east boundary, with a small parcel of land spanning the road to the north-east of Tregele. To the south and west, the Wylfa Newydd Development Area abuts agricultural land, and to the west it adjoins the coastal hinterland.

The Wylfa Newydd Development Area includes the headland south of Wylfa Head candidate Wildlife Site. There is one designated site for nature conservation within the Wylfa Newydd Development Area; Tre'r Gof Site of Special Scientific Interest (SSSI). It is also within 1km of the Cae Gwyn SSSI, Cemlyn Bay Special Area of Conservation (SAC) and SSSI, and the Ynys Feurig, the Skerries and Cemlyn Bay Special Protection Area (SPA).

¹ Development needed to support delivery of the Wylfa Newydd Generating Station is referred to as Associated Development. This includes highway improvements along the A5025, park and ride facilities for construction workers, Logistics Centre, Temporary Workers' Accommodation, specialist training facilities, Horizon's Visitor Centre and media briefing facilities.

² The site identified on Anglesey by the National Policy Statement for Energy EN-6/NPS EN-6 as potentially suitable for the deployment of a new nuclear power station.

Tre'r Gof is a small basin mire adjacent to the Existing Power Station, west of Cemaes. The area receives mineral-enriched waters from the surrounding boulder clay leading to the development of notable flora. It is the botanical interest that provides the reason for the designation of the site as a SSSI.

Cae Gwyn SSSI is located immediately to the south of the site to the west of Llanfechell. The site comprises two wetland areas separated by an outcrop of rock with heathland vegetation. The southern wetland is confined by a rock basin and is dominated by bogmoss (*Sphagnum* spp.) and a wide variety of common wetland herbs. The northern wetland has a different flora containing denser areas of willow (*Salix* spp.) and common reed (*Phragmites communis*).

1.4 Aims and Objectives

The purpose of this technical summary is to provide a single resource regarding all survey and background data available for breeding bird species present to inform and support the Ecological Chapter of the Environmental Impact Assessment (EIA) for development of the Wylfa Newydd Generating Station.

The specific aims of the surveys completed were to:

- identify all species present and identify breeding status;
- determine the most valuable habitats for breeding birds; and
- determine the value/sensitivity of the breeding bird assemblage of the study area.

Together, these will provide a robust baseline of breeding bird data to enable a future impact assessment to be made, and appropriate mitigation to be designed to limit the impact on breeding birds. N.B. Barn owl is discussed in a separate report (Jacobs, 2015).

1.5 Summary of Work to Date

A variety of bird surveys (breeding, over-wintering and marine) in the study area have taken place in consecutive years between 2010 and 2014. Specific breeding bird surveys were undertaken during:

- March to May 2010 and March to May 2011 (Arup, 2012);
- April to June 2012 (Arup, 2013);
- April to July 2013 (Jacobs, 2014); and
- April to July 2014 (Jacobs, 2014a).

In addition, a desk study has been undertaken which includes a review of biological records for the study area, including a 2.5km buffer.

1.6 Legal Status

Birds are protected by national and international legislation that is summarised below.

1.6.1 International Legislation

Many resident, breeding and migratory bird populations within the UK are protected under the following European legislation.

- The Wild Birds Directive 2009/147/EC (as amended) identifies and classifies SPAs for rare or vulnerable species, as well as for all regularly occurring migratory species, paying particular attention to the protection of wetlands of international importance as listed in Annex I of the Directive.
- Council Directive 92/43/EEC on the conservation of natural habitats and of wild fauna and flora, otherwise known as the 'Habitats Directive', was adopted in 1992. The directive is the means by which the European Union meets its obligations under the Bern Convention and highlights a legal obligation to protect over 500 wild plants and over 1000 wild animal species. The directive is implemented in UK legislation through the Wildlife and Countryside Act 1981 (as amended).

- The Bonn Convention on Conservation of Migratory Species of Wild Animals 1979 aims to achieve effective management of migratory species across national or jurisdictional boundaries. This is implemented in UK legislation by the Wildlife and Countryside Act 1981 (as amended).

1.6.2 National Legislation

The Wildlife and Countryside Act 1981 (as amended) is the principal mechanism for the legislative protection of wildlife in Great Britain.

All bird species are protected under Section 1 of the Wildlife and Countryside Act (as amended) which prohibits:

- intentionally injuring, killing and taking any wild bird species; and
- intentionally taking, damaging or destroying eggs or nests (that are in use or being built) of any wild bird species.

Some species listed on Schedule 1 of the Act are afforded additional protection which makes it an offence to intentionally or recklessly disturb these birds or their dependent young while they are building a nest or are on, in or near a nest containing eggs or young.

The NERC Act 2006 places a statutory duty on public bodies to take, or promote the taking by others, of steps to further the conservation of the listed habitats and species. In Wales, this is sanctioned by Section 42 which orders the lists of habitats and species of principal importance. These are material considerations in the planning process. There are currently 51 bird Species of Principal Importance in Wales listed in accordance with the requirements of Section 42 of the Natural Environment and Rural Communities (NERC) Act 2006.

1.7 Conservation Status

There are two mechanisms by which the relative conservation status of birds are categorised in the UK. These are the Birds of Conservation Concern classification devised by the Joint Nature Conservation Committee (JNCC) and Biodiversity Action Plans (BAPs). These are discussed below and referenced where relevant in this report.

1.7.1 Birds of Conservation Concern (BoCC)

In 1996, the UK's leading non-governmental bird conservation organisations, headed by the Royal Society for the Protection of Birds (RSPB), reviewed the status of all bird species regularly found in Britain. On the basis of several criteria relating to population status and relative importance to global conservation, each species was placed on one of three lists - 'Red' (highest conservation concern), 'Amber' (medium conservation concern) and 'Green' (lowest conservation concern) (Eaton *et al.*, 2015). The criteria for the Red and Amber lists are as follows:

Red list

- **International Union for Conservation of Nature (IUCN) Global Conservation Status** – species listed by BirdLife International as being Globally Threatened using IUCN criteria.
- **Historical Decline** – a severe decline in the UK between 1800 and 1995, without substantial recent recover.
- **Breeding Population Decline** – severe decline in the UK breeding population size, of more than 50% over 25 years or the entire period used for assessments since the first BoCC review, starting in 1969 ("longer-term").
- **Non-breeding Population Decline** – severe decline in the UK non-breeding population size, of more than 50%, over 25 years or the longer term.
- **Breeding Range Decline** – severe decline in the UK range, of more than 50%, as measured by number of 10km squares occupied by breeding birds, over 25 years or the longer term.

Amber list

- **SPEC European Conservation status** – categorised as a Species of European Conservation Concern (SPEC 1, 2 or 3).
- **Historical Decline** – recovery. Listed in the IUCN Red List of Threatened Species (“Red List” or “Red Listed”) for Historical Decline in a previous review but with substantial recent recovery (more than doubled in the last 25 years).
- **Breeding Population Decline** – as for Red List criteria, but with moderate decline (by more than 25% but less than 50%).
- **Non-breeding Population Decline** – as for Red List criteria, but with moderate decline (by more than 25% but less than 50%).
- **Breeding Range Decline** – as for Red List criteria, but with moderate decline (by more than 25% but less than 50%).
- **Rarity** – UK breeding population of less than 300 pairs, or non-breeding population of less than 900 individuals.
- **Localisation** – at least 50% of the UK breeding or non-breeding population found in 10 or fewer sites.
- **International Importance** – at least 20% of the European breeding or non-breeding population found in the UK.

The lists are reviewed every five years and are used to inform the BAP process and other conservation policy decisions.

1.7.2 UK Post-2010 Biodiversity Framework

The UK Biodiversity Action Plan (UK BAP), published in 1994, was the UK's response to the commitments of the Rio Convention on Biological Diversity (1992). The plan outlined action for 59 species of birds of conservation importance/concern (JNCC, 2013). This has since been replaced by the UK Post-2010 Biodiversity Framework. This framework covers the period 2011 to 2020 and forms the UK Government's response to the new strategic plan of the United Nations Convention on Biodiversity (CBD) published in 2010. The UK BAP partnership therefore no longer operates, with the framework that replaces it promoting a focus on individual countries delivering targets for protection for biodiversity through their own strategies.

In Wales the strategy that has been adopted has transferred the species and habitats listed under the defunct UK BAP to Species of Principal Importance in Wales listed in accordance with the requirements of Section 42 of the NERC Act (2006) (see section 1.6.2). However, many of the tools and resources originally developed under the UK BAP still remain of use. Background information on UK BAP priority habitats and species form the basis of county level biodiversity protection initiatives such as Local Biodiversity Action Plans (LBAP). Anglesey currently has LBAPs for seven bird species:

- barn owl (*Tyto alba*);
- bittern (*Botaurus stellaris*);
- chough (*Pyrrhocorax pyrrhocorax*);
- corncrake (*Crex crex*);
- grey partridge (*Perdix perdix*);
- skylark (*Alauda arvensis*); and
- song thrush (*Turdus philomelos*).

1.8 Notable Species

Reference to “notable” species is made in this report. Notable species are those that are afforded special protection under Schedule 1 of the Wildlife and Countryside Act 1981 (as amended) or are of conservation concern, as listed in section 1.7 above.

Notable species have been further classified into three separate groups reflecting their degree of conservation importance, as per Cofnod guidance. This is summarised in table 1.1.

Table 1.1: Notable Species - Definitions

	Notable	Category 1	Category 2	Category 3
Legal Protection – International (Set up of designated sites – not strict protection of the individual)	■	■	-	-
Legal Protection – National (Wildlife and Countryside Act, 1981 (as amended))	■	■	-	-
Annex I (Directive on the Conservation of Wild Birds 79/409/EEC)	■	-	-	-
Species of Principal Importance in Wales	■	■	-	-
Red List (BoCC)	■	-	■	-
Amber List (BoCC)	■	-	■	-
Local Biodiversity Action Plan Species (not listed elsewhere)	■	-	-	■

2. Methodology

Four sources of data have been used to establish the presence of breeding bird populations within the study area. The data sources are provided in table 2.1.

Table 2.1: Sources of Data

Data Source	2010	2011	2012	2013	2014
Desk/background information (including Cofnod data)	■	-	-	■	-
Walked transect surveys	■	■	■	■	■
Target species surveys	-	-	■	■	■
Incidental sightings	-	-	-	■	■

2.1 Desk Survey

A background data search was requested from Cofnod in order to inform this study. The information requested included all legally protected and notable species records within 2.5km of the study area. This data was then analysed and mapped. A desk study was also undertaken to identify any nature conservation sites specifically designated for bird species within 2.5km of the study area.

2.2 Field Survey

2.2.1 Transects

Transect surveys were undertaken between 2010 and 2014 with increasing frequency through the years: two transects were walked in 2010, four transects were walked 2011 and 2012 with six transects in 2013 and 2014. The methodology followed that described in Bibby *et al.*, (2000) and Gilbert *et al.* (1998).

The transects were designed to give good views of all fields, hedgerows, scrub, woodland, coastal heath and grassland, waterbodies/courses and, where possible, cliffs present in the study area. Each transect was surveyed once per month between April and July (with variance as listed in section 1.5) during weather conditions favourable for bird activity. This included avoiding periods of persistent or heavy rain, high wind or fog, as birds tend to be less active and therefore less visible during such conditions.

Each transect was walked at a constant pace and all species of birds observed within and considered to be using the study area were recorded. Particular attention was paid ahead of the observer to ensure, where possible, that birds were recorded before they were flushed. Surveyors stopped periodically at certain locations to listen for calls and observe any behaviour. Larger tracts of open land were also scanned from higher vantage points in order to accurately record numbers of large assemblages of birds, such as waders and wildfowl, before being flushed. The species, location, number and behaviour of all birds considered to be using the site were recorded. Birds observed flying directly overhead and through the study area, e.g. commuting or migrating, were not recorded.

2.2.2 Target Species Surveys

Additional surveys were undertaken in order to obtain further information on the distribution and breeding status of certain target species. These species are either listed on Schedule 1 of the Wildlife and Countryside Act 1981 (as amended) or are 'notable', as defined in section 1.8. where:

- observed breeding behaviour is considered to be difficult due to nest locations or timing of courtship displays e.g. goshawk or woodcock;
- habitat use by certain species is restricted to certain types e.g. crossbill or chough;
- species are particularly sensitive to disturbance or development activities; or

- rarely recorded in the study area.

Surveys comprised small transects, following the methodology as discussed above, or “vantage point” surveys which involved surveyors remaining in one location and recording all birds within 250m. Each vantage point was surveyed for one hour before sunrise until two hours after and for a second period of one hour before sunset and one hour after.

The target species comprised raptors, owls, waders, herons and certain passerines, which comprised:

- buzzard (*Buteo buteo*);
- chough;
- common crossbill (*Loxia curvirostra*);
- goshawk (*Accipiter gentilis*);
- grey heron (*Ardea cinerea*);
- kestrel (*Falco tinnunculus*);
- little egret (*Egretta garzetta*);
- merlin (*Falco columbarius*);
- peregrine (*Falco peregrinus*);
- short-eared owl (*Asio flammeus*);
- snipe (*Gallinago gallinago*);
- sparrowhawk (*Accipiter nisus*); and
- woodcock (*Scolopax rusticola*).

In 2012 numerous undefined vantage points were surveyed (Arup, 2013). In 2013 seven distinct vantage points were surveyed (Jacobs, 2014) while in 2014 the target species survey comprised two additional transects, four vantage point surveys covering two separate areas and a survey of the heron colony at the conifer plantation woodland to the south of the Existing Power Station (Jacobs, 2014a).

2.2.3 Incidental Records

Incidental records were made of additional notable bird species seen during target species surveys and other ecology surveys carried out in the breeding bird season.

2.2.4 Criteria for Assessment of Breeding Status

The breeding status for each bird species recorded within the study area was assessed. A set of criteria was devised for this assessment using evidence gathered during the surveys and based on those given in the Bird Atlas 2007-2011 (BTO, 2013), summarised below in table 2.2.

Table 2.2: Breeding Status Criteria (amended from BTO, 2013)

Confirmed Breeder (CB)	Probable Breeder (PB)	Possible Breeder (PsB)	Non-Breeder (NB)
Distraction display	Pair in suitable nesting habitat in breeding season	Observed in suitable nesting habitat in breeding season	Migrant/Flying over
Used nest or eggshells found from this season	Permanent territory – an individual bird in the same area or close to it, over two or more survey visits	Singing male in breeding season in suitable breeding habitat.	Over summering
Recently fledged young or downy young	Courtship and display	-	Observed in unsuitable nesting habitat

Confirmed Breeder (CB)	Probable Breeder (PB)	Possible Breeder (PsB)	Non-Breeder (NB)
Adults seen entering or leaving nest-site indicating occupied nest	Visiting probable nest site	-	-
Adults carrying faecal sac or food for young	Agitated behaviour	-	-
Nest containing eggs	Brood patch of incubating bird	-	-
Nest with young seen or heard	Nest building or excavating	-	-

2.2.5 Assessment of value of the breeding bird assemblage within the study area

The method used for assessment of the value of the assemblage of breeding birds that the study area supports was to compare the total number of breeding species to the values produced by Fuller (1980). The values produced by Fuller (1980) determine four levels of species richness according to the following numbers of confirmed breeding species:

- 1) Local = 25-49 species.
- 2) County = 50-69 species.
- 3) Regional = 70-84 species.
- 4) National = 85+ species.

The limitations of this approach are described below.

2.3 Limitations

The breeding bird survey methodology as given in Bibby *et al.* (2000) and Gilbert *et al.* (1998) is designed to give estimates of bird density across a landscape by sampling bird communities. It is not intended for accurately mapping the total number of birds or individual territories within a given area. However, the aim of the report is to provide a quantitative summary of breeding bird presence and so this is not considered a limitation.

Access was not granted for certain farms within the study area at the time of some surveys. These areas were surveyed from adjacent areas where possible. The habitats within these farms were also present in areas that were surveyed and therefore it is unlikely that additional species not recorded during surveys were present on these farms.

Survey and sampling methods were not consistent each year preventing accurate direct comparisons between the years. However, all habitat types in the study area were surveyed at some point and combining the results from five years of data has enabled robust conclusions to be drawn.

Assessment of the value of the assemblage of breeding birds by direct comparison to Fuller (1980) has a number of limitations. Primarily this is due to the figures for breeding species being dependant on the survey effort that is completed for any given site. In this instance surveys during the breeding season have been completed over five separate breeding seasons, when two is often the maximum number of seasons in which surveys are completed for environmental impact assessment. The size of the site is also a factor. This can influence the results as the likelihood of vagrants occurring in a given area increase proportionate to the area of land a site covers. However, the use of this comparison is considered valuable for determining the basis for future assessment, albeit in a limited way.

3. Results

3.1 Desk Study

3.1.1 Designated Sites

The Ynys Feurig, Cemlyn Bay and The Skerries SPA (incorporating Cemlyn Bay SSSI) is located approximately 250m west of the study area. This site is designated for its internationally important breeding populations of four species of tern: Arctic tern (*Sterna paradisaea*); common tern (*Sterna hirundo*); roseate tern (*Sterna dougallii*); and Sandwich tern (*Sterna sandvicensis*). These tern species breed at this location and represent between 1.5% and 5% of the populations in Great Britain (JNCC, 2001).

Wylfa Head candidate Wildlife Site, located within the Wylfa Newydd Development Area, is notable for chough which breed on the cliffs, a colony of gulls including black-headed gull (*Chroicocephalus ridibundus*) and herring gull (*Larus argentatus*), which nest near Porth Wnal. Two breeding pairs of chough at this location comprise approximately 1% of the Welsh Breeding Population.

3.1.2 Habitats

Land within and surrounding the Wylfa Newydd Development Area is predominantly in agricultural use for grazing by sheep or cattle. The study area is also crossed by a network of rural lanes, watercourses and overhead electricity infrastructure.

The main habitats within the study area comprise:

- improved grassland with areas of semi-improved grassland and arable fields also present;
- smaller parcels and isolated blocks of plantation coniferous woodland and dense and scattered scrub distributed across the study area with the potential to support breeding birds such as chaffinch (*Fringilla coelebs*) coal tit (*Periparus ater*) and woodpecker species;
- marsh/marshy grassland, coastal grassland, heathland and amenity grassland with potential to support ground nesting species such as lapwing (*Vanellus vanellus*), curlew (*Numenius arquata*) and snipe;
- several kilometres of hedgerow, (although generally species poor and/or defunct) with the potential to support breeding species such as greenfinch (*Chloris chloris*) and yellowhammer (*Emberiza citrinella*); and
- other habitats found within the study area which included running and standing water (including inundated grassland) that could support wetland bird species, built up areas that could support species such as swallow (*Hirundo rustica*) and house sparrow (*Passer domesticus*), introduced shrub, stone walls, maritime hard cliff and crevice and ledge vegetation with potential to support breeding bird species such as chough.

Figure 1 in the Figures section at the end of the report shows the locations of all habitats within the study area.

3.1.3 Species Records

Cofnod provided a total of 17,227 records of bird species within 2.5km of the study area between 1975 and 2013. This list was refined to those records between 1994 and 2013 and Category 1, 2 and 3 notable bird species (see table 1.1) as older records were considered historic and not representative of the current situation. This produced over 15,000 individual records from 175 species (plus 10 sub-species). These records are shown in figure 2 and detailed in appendix A.

In summary, 83 species recorded within 2.5km of the study area are either legally protected or are a Species of Principal Importance in Wales in accordance with Section 42 of the NERC Act (2006). These include: chough, kingfisher (*Alcedo atthis*), lapwing, marsh harrier (*Circus aeruginosus*) and redwing (*Turdus iliacus*). The breeding status of these species at the time of record was often not noted. It should also be noted that while some of these species are regularly recorded in the study area, many others were specifically recorded because they were uncommon in the area and are therefore not representative of the common baseline condition.

Eleven bird species had been previously recorded within the defined Wylfa Newydd Development Area: chough; grasshopper warbler (*Locustella naevia*); common crossbill; fieldfare (*Turdus pilaris*); kestrel; kingfisher; peregrine; redwing; reed bunting (*Emberiza schoeniclus*); spotted flycatcher (*Muscicapa striata*); and yellowhammer. Again, the breeding statuses of these species were absent from the records.

As of 2014 there were four known chough nest sites within the Wylfa Newydd Development Area used by three separate pairs (Cross and Stratford, 2015). Fledgling chicks were recorded each year between 2009 and 2014.

Surveyors have also received information from Horizon staff and local tenants/land owners during their field surveys. This information consisted of records of mostly common and garden species. However, in 2014 the tenant at Felin Gafnan informed the field survey team that a corncrake had been heard near the property. This is discussed further in section 4.3.

3.2 Field Survey

3.2.1 Transects

Transect routes are shown in figure 3. The main habitat types present on and adjacent to the six transects are provided in table 3.1.

Five years of combined transect data has recorded a total of 100 different bird species. Details are shown in table 3.2. In summary, during the five years of survey a total of 70 different bird species were classified as confirmed breeding species, as shown in table C.1, Appendix C. For the remaining species, five were probably breeding, nine were possibly breeding, and sixteen were non-breeding. Seventeen species were identified as confirmed breeding species for all five years of survey.

A total of 36 notable species were recorded during the breeding bird survey. Twenty-six of these species were confirmed breeding, with one probable and three possible breeding species. Six notable species were assessed as not breeding within the study area.

Table 3.1: Summary of main habitat types on each transect

Transect	Grassland - Improved	Grassland - Semi-improved	Grassland - Amenity	Grassland - Coastal	Marsh/Marshy Grassland	Plantation Woodland	Dense scrub/hedgerows	Coastal heath	Maritime hard cliff	Crevice and ledge vegetation	Arable	Built-up areas	Running water
Transect 1	■	■	■	-	■	■	■	-	■	■	■	-	-
Transect 2	■	■	■	■	■	■	■	■	-	-	-	-	■
Transect 3	■	■	■	-	■	-	■	-	-	-	■	■	-
Transect 4	■	■	-	-	■	-	■	-	-	-	-	-	■
Transect 5	■	■	-	-	■	-	■	-	-	-	■	-	■
Transect 6	■	■	■	-	■	-	■	-	-	-	-	-	■

Table 3.2: Number of Breeding Bird Species – Transect Summary (2010 – 2014)

Breeding Status	Number of Species				
	2010	2011	2012	2013	2014
Confirmed	27	29	63	44	41
Probable	7	4	4	8	14
Possible	14	12	3	9	13
Not Breeding	12	5	5	12	14
Total	60	50	75	73	82

3.2.2 Target Species Surveys

Figure 4 shows the location of the vantage point and additional small transects to capture records for specified bird species of interest. A compiled results table is provided below in table 3.3, with conformed breeding species highlighted in bold. The breeding status of each species is also given; where a species was seen on multiple occasions the highest breeding status is provided.

Table 3.3: Target species survey results and breeding status (CB = Confirmed Breeding; PB = Probable Breeding; PsB = Possible Breeding; NB = Not Breeding; and - = Not observed)

Species	2012	2013	2014
Buzzard	-	NB	PB
Chough	PB	-	CB
Common crossbill	NBB	-	-
Goshawk	PB	-	-
Grey heron	-	CB	CB
Kestrel	CB	NB	CB
Little egret	-	-	PsB
Merlin	NB	-	-
Peregrine	NB	-	NB
Short-eared owl	PsB	-	-
Snipe	CB	-	-
Sparrowhawk	-	-	PB
Woodcock	-	-	-

Forty-three additional bird species were recorded during the target species surveys that were identified as displaying behaviour characteristic of breeding; these are provided in appendix B. Eleven of these were confirmed as breeding: carrion crow (*Corvus corone*); chiffchaff (*Phylloscopus collybita*); herring gull; house sparrow; lesser redpoll (*Carduelis cabaret*); linnet (*Carduelis cannabina*); meadow pipit (*Anthus pratensis*); skylark; song thrush; starling (*Sturnus vulgaris*); and tawny owl (*Strix aluco*).

3.2.3 Incidental Sightings

Records of notable bird species made during other surveys than the specified transect and target species surveys are detailed in table 3.4. Eight species were recorded; two with confirmed breeding and three possible breeding species.

Table 3.4: Incidental sightings log

Species	Date	Comments	Breeding Status
2013			
Chough	April 2013	Breeding chough on Wylfa Head and Mynydd y Wylfa.	Confirmed breeder
Cuckoo (<i>Cuculus canorus</i>)	May 2013	Male heard calling at Porth y Wylfa.	Possible breeder
Stonechat (<i>Saxicola torquata</i>)	May 2013	Female carrying food to a nest at Trwyn Pencarreg.	Confirmed breeder
2014			
Hen harrier (<i>Circus cyaneus</i>)	April 2014	Female seen foraging. Cemlyn Bay.	Non-breeder
Short-eared owl	May 2014	Foraging. Cemaes Bay.	Non-breeder
Osprey (<i>Pandion haliaetus</i>)	May 2014	Commuting. Cemlyn Bay.	Non-breeder
Manx shearwater (<i>Puffinus puffinus</i>)	July 2014	Heard calling. At least two individuals. Wylfa Head.	Possible breeder

3.2.4 Results Summary

When combining the results for all field survey methods over the five years of survey, a total of 104 bird species have been identified within the study area. Full details for each species recorded are provided in appendix C.

During the five years of survey a total of 70 different bird species were classified as confirmed breeding species in the study area, as shown in table C.1, Appendix C. For the remaining 33 species, five species were probably breeding, 11 were possibly breeding and 18 species recorded were classified as non-breeding. Nineteen bird species were identified as confirmed breeding species during all five years of survey.

A summary of the number of species recorded is provided in table 3.5 along with the conservation status of each.

Twelve bird species recorded are listed under Schedule 1 of the Wildlife and Countryside Act 1981 (as amended), as shown in figure 5 (see Figure section at end of report). Barn owl and chough were confirmed as breeding in the study area (the barn owl survey results are reported separately). Peregrine and goshawk were possibly breeding in the study area. Common crossbill, fieldfare, merlin, hen harrier, redwing and whimbrel (*Numenius phaeopus*) were not breeding in the study area. Corncrake and osprey were recorded incidentally on single occasions with no specific grid reference that could be mapped; neither was thought to be breeding within the study area.

A total of 53 notable species were recorded across the various breeding bird surveys. Figure 6.1 and figure 6.2 (see Figures section at end of this report) show the annual distribution of these notable species in a density map (2013 – 2014). Thirty-one of these species were confirmed breeding, with three probable and seven possible breeding species. Ten notable species were assessed as not breeding within the study area.

The notable species recorded included 17 Red list species and 30 Amber list species. Eleven species are listed under Annex II of the Directive on the Conservation of Wild Birds 79/409/EEC (the Birds Directive) (European Commission, 2014). Twenty-one bird Species of Principal Importance in Wales listed in accordance with the requirements of Section 42 of the NERC Act (2006) (WBP, 2014) were recorded. Five species are listed on the Anglesey LBAP.

Table 3.5: All recorded species – breeding status

Protection / Conservation Status	Number of Species				
	Total	Confirmed Breeding	Probably Breeding	Possibly Breeding	Non-breeding
Schedule 1	12	2	2	0	8
Annex II	11	2	0	5	4
Section 42 List	21	12	2	1	6
Red List	17	8	2	1	7
Amber List	30	21	1	2	6
LBAP	5	4	0	0	1

N.B. Protection and conservation status are not discrete categories and there is considerable overlap between them; as such the totals of each column do not correlate with the total number of species recorded for those respective categories during the surveys.

4. Discussion and Conclusions

4.1 Habitats

The majority of notable bird records obtained from Cofnod relate to birds recorded outside of the Wylfa Newydd Development Area, specifically the marine or coastal habitats at Cemlyn Bay (these habitats/sites where captured due to the 2.5km wide search area used for the desk study). The presence of the nearby marine and coastal habitats therefore accounts for the high proportion of wader and waterfowl species of conservation interest generated by the data search. However, relatively few of these records were from inland and even fewer were specifically from within the Wylfa Newydd Development Area (only eleven of the notable species generated by the Cofnod data search were recorded within the Wylfa Newydd Development Area). This is consistent with the field data collected which identified a diverse range of passerines, birds of prey and gulls within the terrestrial inland study area, and few waders and waterfowl.

Improved grassland was the dominant habitat type in the study area; this habitat has limited value for breeding birds. Most birds recorded during the surveys were found in their preferred habitats. For example; birds of prey such as buzzard were recorded in woodland and along hedgerows and diverse habitats where small mammal prey would be found; ducks, geese and swans were found in association with inland water features (streams, ponds and ditches); and waders and waterfowl were recorded along the coast.

Figure 6.1 and figure 6.2, when viewed in combination with figure 1, show that the more diverse and less intensively managed semi-improved and coastal grassland habitats to the north-east of the Existing Power Station, and the woodlands and marshy grassland to its east (including Tre'r Gof SSSI) were where the most species were recorded within the Wylfa Newydd Development Area. These areas represent the optimal nesting habitat in the study area and consequently where most individual birds were recorded. Outside of the Wylfa Newydd Development Area but within the wider study area, birds were recorded in highest numbers in the mosaic of habitats to the far south (south of Tregele) and in marshy grassland south-east of Cemlyn Bay.

Specific habitats within the study area have increased importance for some particular species, for example chough on coastal habitats, reedbeds for grasshopper warbler, and built-up areas for house sparrow and starling. Gulls were recorded in high numbers across the study area, in a variety of habitats, especially coastal habitats and grassland. The 13 bird Species of Principal Importance in Wales in accordance with the requirements of Section 42 of the NERC Act (2006) and confirmed as breeding were recorded in woodland, scrub and hedgerows; coastal grassland and heathland; and marshy grassland and semi-improved grassland habitats. The use of these habitats shows a bias towards the more diverse and less agriculturally managed areas.

Species of least conservation concern were also recorded in additional habitat types. For example, breeding wheatear (*Oenanthe oenanthe*) were recorded using stone walls, foraging waterfowl were recorded in improved grassland, and built up areas supported breeding swallows and house martins. The presence of game birds reflected the agricultural uses of the study area while the seabirds, although recorded inland, were on passage towards the sea. Both of these groups of birds are considered insignificant in the study area.

4.2 Breeding Species

As of 7th February 2015, 598 species of bird had been recorded in Great Britain (Britain Ornithologists Union, 2015). Approximately 270 are thought to have been breeding in Great Britain from 2006 onwards (Musgrove *et al.* 2013). The 104 bird species recorded in the study area, 70 of which were confirmed as breeding, represents approximately 26% and 17% of the British totals, respectively. At around a quarter of the British species present within the study area this would suggest that the overall study area is of some importance for breeding birds.

Comparing the number of confirmed breeding species in the study area to value produced by Fuller (1980) suggests that the habitats present support an assemblage of regional significance. This is considered to be an over-valuation, caused by higher numbers following an extended survey effort and the size of the site. The total

number is therefore assessed as not being exceptional for a site as large as the study area, supporting the variety of habitats present. This includes the presence of notable and protected species which appeared in species numbers and densities which would not be exceptional for a site the size of the study area.

4.3 Notable Breeding Species

None of the four tern species listed as qualifying features from the nearby Ynys Feurig, Cemlyn Bay and The Skerries SPA were recorded within the study area during the breeding bird field surveys. This is likely to be due to the fact that these terns ordinarily forage and commute over the sea, and because they only nest on the island in Cemlyn Lagoon rather than in any other terrestrial habitats in the study area.

Chough and barn owl were the two Schedule 1 species in the study area with confirmed breeding (barn owl are considered in further detail in a separate report). Data obtained from the Welsh Chough Project (unpublished, Cross and Stratford, 2015) provides a much finer level of detail with respect to breeding success by the species within the study area. These data show that there are four nesting sites within the study area and since 2007, breeding has generally been attempted by two pairs of chough every year in at least one of these sites (two in a building in the Existing Power Station and two on cliffs on Wylfa Head), with the most recent attempts in 2015 failing. In Great Britain 250 - 350 pairs of chough are thought to be breeding (RSPB, 2015) with over 30 pairs recorded on Anglesey (Anglesey LBAP, undated), mainly on the north western coastline associated with the study area; the Anglesey population therefore represents approximately 10% of the Welsh population. The Welsh Chough Project data also reported that the condition of foraging habitat on Wylfa Head was less favourable compared to previous years, and that this was probably as a result of reduced grazing.

The remaining ten Schedule 1 bird species recorded in the study area were not recorded in significant numbers or with any regularity, suggesting that none breed in the study area, or are resident for any period of time. It is unsurprising that these species were occasionally recorded within such a large study area that has been studied intensively for five years.

The 13 bird Species of Principal Importance in Wales listed in accordance with the requirements of Section 42 of the NERC Act (2006) and confirmed as breeding were: bullfinch, chough, dunnock (*Prunella modularis*), grasshopper warbler, herring gull, house sparrow, kestrel, lesser redpoll, linnet, reed bunting, skylark, song thrush and starling.

Certain species recorded within the study area by the desk study can be discounted from this assessment; for example, over-wintering species such as greater scaup (*Aythya marila*) and purple sandpiper (*Calidris maritima*); summer vagrants such as bee-eater (*Merops apiaster*); or migrant sea birds such as the Arctic skua (*Stercorarius parasiticus*). Other rarer bird species and 'oddities' recorded in the study area, such as twite (*Carduelis flavirostris*) are considered unlikely to be breeding (or regularly breeding) and would be peripheral to main population concentrations elsewhere in the country.

The record of a corncrake from the tenant at Felin Gafnan was investigated further using an internet search of birding blogs (e.g. webirdnorthwales.blogspot.co.uk) in an attempt to substantiate the record. This search found that the most recent record was from 2012 and that the location of the bird was in the vicinity of Tregele. The record from 2014 is therefore the only record of the species since July 2012 to the time of publication. The evidence from the record suggests that the calls belonged to a single bird potentially in transit to other potential breeding sites and did not stay in the study area for any significant period of time. Should the bird have remained in the area then it is highly likely that its loud and distinctive call would have been recorded by Jacobs surveyors or local bird watchers in the area and would be reported in blogs and other online publications. The 2012 Tregele bird was well publicised in online literature including www.webirdnorthwales.blogspot.com, www.birdsinwales.org.uk, www.dailypost.co.uk, making it less likely that a corncrake with a territory in the local area would have gone unnoticed.

The physical evidence of corncrake being present in the study area consists of one male calling in 2012 (for one week (15 – 22 July³) and a single male call in July 2014 (from tenant of Felin Gafnan). This is not suggestive of

³ From www.webirdnorthwales.blogspot.com/2012/07/anglesey-corncrake.html

the study area supporting breeding pairs of the species. This is supported by the amount of habitat suitable for breeding by corncrake in the study area being extremely low, i.e. there are only small patches of cool, fairly thick and tall stands of grass or herbs present in the study area, due to the domination of heavily grazed pasture. However, some habitat does exist, and while it is not considered that there is enough evidence to include corncrake as a determining factor in the assessment of the value and sensitivity rating of the study area, the potential for the species to occupy suitable habitats in the future and immediately prior to any enabling works should not be discounted.

Manx shearwaters were also heard calling to the south of Wyfia Head during an evening Vantage Point Survey in 2014. Shearwaters are known to call as they drift over land, particularly between June and August (Lovegrove *et al.*, 1994). It is therefore considered that this record was from birds flying over the site and that it is extremely unlikely that the species has bred in the study area, with the most likely and nearest location for potential nesting sites being Ynys yr Wyn island in Porth Yr Ogof, outside of the study area.

A direct comparison between each year's data has not been attempted in this report as differences in methodology and survey extent across the survey time period are evident. However, the data does suggest that not all species are recorded each year and that breeding status can also change in this time. Of the 32 notable species with confirmed breeding status recorded during the five years of survey, just eight were recorded every year (between 2010 and 2014, inclusive) due to either species not being observed every year or where a species was recorded but a confirmed breeding status could not be established.

4.4 Conclusions

A total of 104 species were recorded in the study area during the breeding bird surveys, of which 70 were confirmed to be breeding. Within the 104 total, 53 were notable species, i.e. those afforded special protection or which are of conservation concern, of which 31 were confirmed breeding species.

In the context of using the assemblage valuation method suggested by Fuller (1980), this suggests that there is an assemblage present of regional importance. However, due to the size of the study area and level of survey effort, a local rating is considered to be more appropriate. This includes an acknowledgement of the species of notable species, including those listed on Schedule 1 of the WCA, which is also not surprising for a site the size of the study area.

The study area provided widespread breeding and foraging habitat that supported a diverse bird population. Whilst a large proportion of the species recorded during the surveys are generally considered to be common and widespread, certain habitats provided nesting and foraging resources for notable species. The most important habitats within the study area that provided resources for local populations of breeding species were considered to be those that were less intensively managed. These included woodland and scrub/hedgerows, grassland (semi-improved and coastal), marsh/marshy grassland, coastal heath/grassland mosaic, maritime hard cliff and crevice and ledge vegetation mosaic and built-up areas (see figure 1).

5. References

Anglesey Council. Undated. *Local Biodiversity Action Plan - Working for the Wealth of Wildlife II - Gweithio dros Cyfoeth Byd Natur II*.

Arup. 2012. *Breeding Bird Surveys 2010 and 2011*. Unpublished report on behalf of Horizon Nuclear Power (Wylfa) Ltd.

Arup. 2013. *Breeding Bird Survey Report 2012*. Unpublished report on behalf of Horizon Nuclear Power (Wylfa) Ltd.

Bibby, C., Burgess, N.D., Hill, D. and Mustoe, S. 2000. *Bird Census Techniques – Second Edition*, Academic Press, London, England.

British Ornithologists' Union. 2015. "British Ornithologists' Union Records Committee: 44th Report (January 2015)". *Ibis*. 157: 413-455.

British Trust for Ornithology. 2013. *Bird Atlas 2007-11: The Breeding and Wintering Birds of Britain and Ireland*. British Trust for Ornithology.

Cross and Stratford. 2015. *Welsh Chough Project Report*. Unpublished report supplied to Jacobs.

Eaton, M., Aebischer, N., Brown, A., Hearn, R., Lock, L., Musgrove, A., Noble, D., Stroud, D., and Gregory, R.D. 2015. Birds of Conservation Concern 4: the population status of birds in the United Kingdom, Channel Islands and Isle of Man, *British Birds*, 108: 708-746.

Fuller, R.J. 1980. A method for assessing the ornithological interest of sites for conservation. *Biological Conservation*. 17: 229-239.

Gilbert, G., Gibbons, D.W. and Evans, J. 1998. *Bird monitoring methods: a manual of techniques for key UK species*, Royal Society for the Protection of Birds.

Jacobs. 2014. *Consultancy Report - Breeding Bird Baseline Survey Report 2013*. Unpublished Report on behalf of Horizon Nuclear Power (Wylfa) Ltd. Ref. W202.01-S5-PAC-REP-00016.

Jacobs. 2014a. *Consultancy Report - Breeding Bird Survey Baseline Report 2014*. Unpublished Report on behalf of Horizon Nuclear Power (Wylfa) Ltd. Ref. WN03.01.01-S5-PAC-REP-00012.

Jacobs. 2015. *Consultancy Report - Technical Summary Report – Barn owl (*Tyto alba*)*. Unpublished Report on behalf of Horizon Nuclear Power (Wylfa) Ltd. Ref. WN034-JAC-PAC-REP-00004.

Joint Nature Conservation Committee. 2001. SPA description - Ynys Feurig, Cemlyn Bay and The Skerries Special Protection Area [<http://jncc.defra.gov.uk/page-2055-theme=default>] Accessed June 2015

Joint Nature Conservation Committee. 2013. UK BAP Priority Bird Species [<http://jncc.defra.gov.uk/page-5163>] Accessed June 2015.

Lovegrove, R., Williams, G. and Williams I. 1994. *Birds in Wales*, Poyser Ltd., London.

Musgrove, A., Aebischer, N., Eaton, M., Hearn, R., Newson, S., Noble, D., Parsons, M., Risely, K. and Stroud, D. 2013. Population estimates of birds in Great Britain and the United Kingdom. *British Birds*. 106: 64-100.

Royal Society for the Protection of Birds. 2015. Chough [<https://www.rspb.org.uk/discoverand-enjoy-nature/discover-and-learn/bird-guide/name/c/chough/index.aspx>] Accessed June 2015.

Wales Biodiversity Partnership. 2014. Section 42 list [<http://www.biodiversitywales.org.uk/Section-42-Lists>]
Accessed June 2015.

Figures

This page has been left blank.




Figure 1 Phase 1 Habitat Survey




Figure 2 Cofnod Records of Birds




Figure 3 Breeding Bird Survey – Transect Routes




Figure 4 Target Species Survey Locations




Figure 5 Recorded Bird Species – Schedule 1 Wildlife and Countryside Act 1981 (as amended)




Figure 6.1 Records of Notable Bird Species – 2013




Figure 6.2 Records of Notable Bird Species – 2014

Appendix A. Cofnod Data

This page has been left blank.

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Accipiter gentilis</i>	Goshawk	1	SH3793	Cemaes Bay	24/06/2000
<i>Alcedo atthis</i>	Kingfisher	1	SH33937	Cemlyn Bay	23/09/2004
<i>Alcedo atthis</i>	Kingfisher	1	SH334928	Cemlyn Bay; Lagoon	25/12/2000
<i>Alcedo atthis</i>	Kingfisher	1	SH3393	Cemlyn	16 records September 1994 - 01/07/2011
<i>Alcedo atthis</i>	Kingfisher	1	SH3793	Cemaes Bay	5 records 12/09/2000 - 08/08/2008
<i>Anas acuta</i>	Northern Pintail	1	SH3293	Cemlyn	5 records 30/08/1999 - 02/01/2006
<i>Anas querquedula</i>	Garganey	1	SH330932	Cemlyn	2 records 2002 - 2003
<i>Anas querquedula</i>	Garganey	1	SH333933	Cemlyn Bay	17/07/2006
<i>Anas querquedula</i>	Garganey	1	SH3393	Cemlyn Bay	5 records 29/05/1994 - 22/07/2006
<i>Anser anser</i>	Greylag Goose	1	SH3293	Cemlyn	27/05/1996
<i>Anser anser</i>	Greylag Goose	1	SH3302093234	Cemlyn	02/06/2012
<i>Anser anser</i>	Greylag Goose	1	SH330932	Cemlyn	6 species - 2002 - 09/05/2008
<i>Anser anser</i>	Greylag Goose	1	SH331932	Cemlyn NWWT Reserve	18/05/2013
<i>Anser anser</i>	Greylag Goose	1	SH3393	Cemlyn	123 records - May 1994 - 11/08/2013
<i>Anthus trivialis</i>	Tree Pipit	1	SH330932	Cemlyn	22/05/2003
<i>Anthus trivialis</i>	Tree Pipit	1	SH3393	Cemlyn	11 records - 10/05/1994 - 30/04/2012
<i>Aythya marila</i>	Greater Scaup	1	SH332928	Cemlyn	5 records - 28/10/2000 - 25/12/2000
<i>Aythya marila</i>	Greater Scaup	1	SH3393	Cemlyn	46 records - 12/06/1998 - 07/08/2010
<i>Branta bernicla subsp. bernicla</i>	Dark-bellied Brent Goose	1	SH3393	Cemlyn Bay	25/12/2000
<i>Bucephala clangula</i>	Goldeneye	1	SH329936	Cemlyn Bay	25/12/2004
<i>Bucephala clangula</i>	Goldeneye	1	SH331932	Cemlyn	2 records - 26/01/2008 - 25/03/2008
<i>Bucephala clangula</i>	Goldeneye	1	SH333933	Cemlyn Bay	4 records - 09/01/2003 - 08/12/2003
<i>Bucephala clangula</i>	Goldeneye	1	SH335935	Cemlyn	7 records - 30/01/2007 - 25/12/2008
<i>Bucephala clangula</i>	Goldeneye	1	SH3393	Cemlyn	81 records - 07/06/1994 - 02/03/2008
<i>Calcarius lapponicus</i>	Lapland Longspur	1	SH3393	Cemlyn	26 records - 26/03/1999 - 06/03/2011
<i>Calidris maritima</i>	Purple Sandpiper	1	SH329936	Cemlyn Bay	2 records - 21/01/2004 - 25/12/2004
<i>Calidris maritima</i>	Purple Sandpiper	1	SH330932	Cemlyn	14/05/2003
<i>Calidris maritima</i>	Purple Sandpiper	1	SH331932	Cemlyn NWWT Reserve	4 records - 03/01/2008 - 18/05/2013
<i>Calidris maritima</i>	Purple Sandpiper	1	SH333942	Cemlyn	25/12/2000
<i>Calidris maritima</i>	Purple Sandpiper	1	SH335935	Cemlyn	3 records - 25/12/2006 - 25/12/2007
<i>Calidris maritima</i>	Purple Sandpiper	1	SH3393	Cemlyn	65 records - May 1997 - 30/04/2012
<i>Carduelis cabaret</i>	Lesser Redpoll	1	SH330932	Cemlyn	2 records - 25/07/2008 - 18/05/2013
<i>Carduelis cabaret</i>	Lesser Redpoll	1	SH3393	Cemlyn	28 records - 05/05/1995 - 14/05/2013
<i>Carduelis cabaret</i>	Lesser Redpoll	1	SH3793	Cemaes Bay	2 records - 0/03/1999 - 13/01/2000
<i>Carpodacus erythrinus</i>	Common Rosefinch	1	SH3393	Cemlyn	2 records - 05/06/2010 - 06/06/2010
<i>Charadrius dubius</i>	Little Plover	1	SH3393	Cemlyn	3 records - 15/05/2005 - 03/06/2010
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH329933	Cemlyn; Shingle ridge	Spring 2011
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH3302093234	Cemlyn	2 records - all 02/06/2012
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH3309365	Cemlyn Bay Nature Reserve	18/05/2011
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH330932	Cemlyn	25 records - 2002 - 23/07/2008
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH330938	Cemlyn; Trwyn	2 records - 17/05/2011 - 22/05/2011
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH3317493825	Cemlyn	02/06/2012
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH331932	Cemlyn NWWT Reserve	6 records - 26/01/2008 - 18/05/2013
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH332932	Cemlyn; Shingle ridge	4 records - spring 2011 - 25/07/2011

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH333933	Cemlyn Bay	4 records - 29/04/2006 - 25/12/2006
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH335935	Cemlyn	2 records - 14/05/2007 - 13/09/2007
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH3393	Cemlyn	189 records - May 1994 - 08/08/2013
<i>Charadrius hiaticula</i>	Ringed Plover	1	SH3793	Cemaes Bay	26/12/2008
<i>Charadrius morinellus</i>	Dotterel	1	SH3393	Cemlyn; Fields north of Tyn Llan farm	5 records - 10/05/2005 - 23/05/2010
<i>Chlidonias niger</i>	Black Tern	1	SH329936	Cemlyn Bay	23/09/2004
<i>Chlidonias niger</i>	Black Tern	1	SH330932	Cemlyn; Lagoon Islands	02/05/2011
<i>Chlidonias niger</i>	Black Tern	1	SH3393	Cemlyn	13 records - April 1994 - 09/06/2011
<i>Circus aeruginosus</i>	Marsh Harrier	1	SH330932	Cemlyn	09/08/2003
<i>Circus aeruginosus</i>	Marsh Harrier	1	SH3393	Cemlyn	15 records - 06/05/1994 - 02/05/2012
<i>Circus cyaneus</i>	Hen Harrier	1	SH330932	Cemlyn	07/05/2008
<i>Circus cyaneus</i>	Hen Harrier	1	SH3393	Cemlyn	3 records - 05/05/2006 - 28/04/2011
<i>Clangula hyemalis</i>	Long-tailed Duck	1	SH3393	Cemlyn	2 records - 04/06/1994 - 31/05/1999
<i>Coturnix coturnix</i>	Quail	1	SH330932	Cemlyn	04/07/2008
<i>Coturnix coturnix</i>	Quail	1	SH3393	Cemlyn	2 records - 19/06/1997 - 13/05/2000
<i>Coturnix coturnix</i>	Quail	1	SH3793	Cemaes Bay	03/06/2005
<i>Cuculus canorus</i>	Cuckoo	1	SH329936	Cemlyn Bay	2 records - 24/05/2004-21/07/2004
<i>Cuculus canorus</i>	Cuckoo	1	SH330932	Cemlyn	4 records - 12/05/2002 - July 2008
<i>Cuculus canorus</i>	Cuckoo	1	SH333933	Cemlyn Bay	27/07/2006
<i>Cuculus canorus</i>	Cuckoo	1	SH3393	Cemlyn	34 records - 10/05/1994 - 16/07/2012
<i>Cygnus cygnus</i>	Whooper Swan	1	SH3393	Cemlyn	22/05/2004
<i>Emberiza citrinella</i>	Yellowhammer	1	SH3393	Cemlyn; Flying over	7 records - 16/02/1999 - 17/10/2008
<i>Emberiza citrinella</i>	Yellowhammer	1	SH3693	Cemaes Bay	2 records - 06/08/2010 - 16/05/2013
<i>Emberiza citrinella</i>	Yellowhammer	1	SH3793	Cemaes Bay	10 records - 27/01/1999 - 07/07/1999
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH330932	Cemlyn	20 records - 12/01/2000 - 12/04/2005
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH331932	Cemlyn NWWT Reserve	5 records - 2002 - 13/05/2008
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH3354392999	Cemlyn	4 records - 03/01/2008 - 18/05/2013
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH3393	Cemlyn	Jun-10
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH3393	Cemlyn	1 record - Spring 1999 – Summer 1999
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH3393	Cemlyn	73 records - May 1994 - 24/04/2012
<i>Emberiza schoeniclus</i>	Reed Bunting	1	SH3693	Cemaes Bay	12/02/1999
<i>Falco columbarius</i>	Merlin	1	SH3319389	Cemlyn	26/04/2012
<i>Falco columbarius</i>	Merlin	1	SH3393	Cemlyn	59 records - May 1997 - 26/05/2013
<i>Falco columbarius</i>	Merlin	1	SH3493	Cafnan, Cemlyn	15/01/2000
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH293	Cemlyn	1 record - 07/05/1996 – 05/08/1996
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH330932	Cemlyn	22 records - 10/05/2002 - 02/07/2008
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH331932	Cemlyn	03/01/2008
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH335935	Cemlyn Bay	25/12/2006
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH3393	Cemlyn	74 records - 08/05/1994 - 01/08/2013
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH3592	Tregelle	21/07/2000
<i>Falco peregrinus</i>	Peregrine Falcon	1	SH3793	Cemaes	5 records - 07/03/1999 - 29/07/2000
<i>Falco subbuteo</i>	Hobby	1	SH330932	Cemlyn	26/05/2003
<i>Falco subbuteo</i>	Hobby	1	SH3393	Cemlyn	2 records - 24/05/2003 - 02/06/2007
<i>Falco tinnunculus</i>	Kestrel	1	SH3282692991	Cemlyn	03/06/2012

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Falco tinnunculus</i>	Kestrel	1	SH3293	Cemlyn	2 records - Spring 1996 - Summer 1996
<i>Falco tinnunculus</i>	Kestrel	1	SH3308892907	Cemlyn	06/07/2013
<i>Falco tinnunculus</i>	Kestrel	1	SH330932	Cemlyn	4 records - 2002 - 15/07/2008
<i>Falco tinnunculus</i>	Kestrel	1	SH331932	Cemlyn	2 records - 03/01/2008 - 20/01/2008
<i>Falco tinnunculus</i>	Kestrel	1	SH3391	Tregele	18/06/2013
<i>Falco tinnunculus</i>	Kestrel	1	SH3393	Cemlyn	99 records - 03/05/1994 - 03/06/2012
<i>Falco tinnunculus</i>	Kestrel	1	SH3394	Trwyn Cemlyn	16/06/2010
<i>Falco tinnunculus</i>	Kestrel	1	SH3592	Tregele	3 records - 09/06/2008 - 01/12/2008
<i>Falco tinnunculus</i>	Kestrel	1	SH3793	Cemaes Bay	5 records - 06/07/2008 - 27/12/2008
<i>Ficedula hypoleuca</i>	Pied Flycatcher	1	SH330932	Cemlyn	2008
<i>Ficedula hypoleuca</i>	Pied Flycatcher	1	SH3393	Cemlyn	20/09/1995
<i>Fringilla montifringilla</i>	Brambling	1	SH3393	Cemlyn Bay	6 records - 17/10/2005 - 31/10/2005
<i>Gavia</i>	Indet. Diver	1	SH3393	Cemlyn; Trwyn Cemlyn	20/06/1994
<i>Gavia arctica</i>	Black-throated Diver	1	SH3393	Cemlyn	6 records - 17/02/1999 - 18/07/2005
<i>Gavia immer</i>	Great Northern Diver	1	SH330932	Cemlyn	19/05/2002
<i>Gavia immer</i>	Great Northern Diver	1	SH331932	Cemlyn	26/01/2008
<i>Gavia immer</i>	Great Northern Diver	1	SH333937	Cemlyn Bay	18/09/2004
<i>Gavia immer</i>	Great Northern Diver	1	SH3393	Cemlyn Bay	9 records - 07/11/1999 - 17/12/2005
<i>Gavia immer</i>	Great Northern Diver	1	SH3793	Cemaes Bay	19/01/2004
<i>Gavia stellata</i>	Red-throated Diver	1	SH329936	Cemlyn Bay	2 records - 17/03/2004 - 23/09/2004
<i>Gavia stellata</i>	Red-throated Diver	1	SH330930	Cemlyn	22/04/2008
<i>Gavia stellata</i>	Red-throated Diver	1	SH333936	Cemlyn Bay	3 records - 09/01/2003 - 15/03/2003
<i>Gavia stellata</i>	Red-throated Diver	1	SH335935	Cemlyn	3 records - 04/01/2007 - 25/12/2007
<i>Gavia stellata</i>	Red-throated Diver	1	SH3393	Cemlyn	55 records - 30/04/1998 - 31/05/2013
<i>Gavia stellata</i>	Red-throated Diver	1	SH355945	Wylfa; Head	08/10/2008
<i>Lanius collurio</i>	Red-backed Shrike	1	SH330932	Cemlyn	2002
<i>Lanius collurio</i>	Red-backed Shrike	1	SH3393	Cemlyn	23/08/2002
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH33059333	Cemlyn Bay Nature Reserve	18/05/2011
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH33069331	Cemlyn; Main Island	23/04/2012
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH330930	Cemlyn	29/04/2008
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH330932	Cemlyn	8 records - May 2002 - 01/06/2008
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH330933	Cemlyn; Main island	April 2011 – July 2011
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH331932	Cemlyn NWWT Reserve	4 records - 11/05/2013 - 18/05/2013
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH333933	Cemlyn Bay	2 records - 03/06/2006 - 28/06/2006
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH335935	Cemlyn	21/03/2007
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH338933	Cemlyn Bay	26/06/1999
<i>Larus melanocephalus</i>	Mediterranean Gull	1	SH3393	Cemlyn	82 records - 04/05/1995 - 08/05/2012
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH329936	Cemlyn Bay	3 records - 04/06/2004 - 18/09/2004
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH330932	Cemlyn	10 records - 17/05/2002 - June 2008
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH330933	Cemlyn; Main Island	May 2011 – June 2011
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH330937	Cemlyn Bay; Trwyn Cemlyn	01/09/2008
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH331932	Cemlyn NWWT Reserve	2 records - all 18/05/2013
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH335935	Cemlyn	30/04/2007
<i>Limosa lapponica</i>	Bar-tailed Godwit	1	SH3393	Cemlyn	47 records - 10/05/1994 - 28/07/2013

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH329936	Cemlyn Bay	2 records - 04/06/2004 - 03/07/2004
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH3304493305	Cemlyn	2 records - all 29/04/2013
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH330932	Cemlyn	8 records - 25/05/2002 - 06/07/2008
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH330936	Cemlyn Bay	23/04/2007
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH331932	Cemlyn NWWT Reserve	11/05/2013
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH332928	Cemlyn Bay	05/10/2000
<i>Limosa limosa</i>	Black-tailed Godwit	1	SH3393	Cemlyn	59 records - 10/05/1994 - 06/08/2013
<i>Locustella naevia</i>	Common Grasshopper Warbler	1	SH330932	Cemlyn	5 records - May 2002 - 28/07/2008
<i>Locustella naevia</i>	Common Grasshopper Warbler	1	SH3393	Cemlyn	33 records - 08/05/1994 - 23/04/2013
<i>Locustella naevia</i>	Common Grasshopper Warbler	1	SH344931	Cemlyn Bay	07/05/2004
<i>Loxia curvirostra</i>	Common Crossbill	1	SH3393	Cemlyn	19 records - 24/07/1994 - 01/08/2013
<i>Loxia curvirostra</i>	Common Crossbill	1	SH3593	Wylfa; Nature Trail	3 records - 19/03/2000 - 22/03/2000
<i>Loxia curvirostra</i>	Common Crossbill	1	SH3594	Wylfa	22/03/2000
<i>Luscinia svecica</i>	Bluethroat	1	SH3393	Cemlyn	25/04/2009
<i>Melanitta fusca</i>	Velvet Scoter	1	SH3393	Cemlyn	4 records - 27/06/1997 - 14/10/2004
<i>Melanitta nigra</i>	Common Scoter	1	SH3293	Cemlyn	4 records - 29/06/1996 - 12/07/1996
<i>Melanitta nigra</i>	Common Scoter	1	SH329936	Cemlyn Bay	3 records - 03/07/2004 - 23/09/2004
<i>Melanitta nigra</i>	Common Scoter	1	SH330932	Cemlyn	05/08/2002
<i>Melanitta nigra</i>	Common Scoter	1	SH333933	Cemlyn Bay	3 records - 03/06/2006 - 21/08/2006
<i>Melanitta nigra</i>	Common Scoter	1	SH335935	Cemlyn	5 records - 04/01/2007 - 19/07/2007
<i>Melanitta nigra</i>	Common Scoter	1	SH3393	Cemlyn	43 records - 06/07/1994 - 25/07/2013
<i>Merops apiaster</i>	Bee-eater	1	SH3393	Cemlyn	3 records - 13/06/2010 - 26/05/2012
<i>Milvus milvus</i>	Red Kite	1	SH330932	Cemlyn	24/07/2008
<i>Milvus milvus</i>	Red Kite	1	SH3393	Cemlyn	2 records - 23/04/2006 - 24/05/2009
<i>Motacilla flava subsp. <i>flavissima</i></i>	Yellow Wagtail	1	SH330932	Cemlyn	6 records - 02/05/2002 - July 2008
<i>Motacilla flava subsp. <i>flavissima</i></i>	Yellow Wagtail	1	SH3393	Cemlyn	43 records - 02/05/1994 - 31/07/2011
<i>Muscicapa striata</i>	Spotted Flycatcher	1	SH335935	Cemlyn	2 records - 02/06/2007 - 22/05/2008
<i>Muscicapa striata</i>	Spotted Flycatcher	1	SH3393	Cemlyn	36 records - 06/05/1994 - 25/04/2013
<i>Muscicapa striata</i>	Spotted Flycatcher	1	SH3592	Tregelle	31/07/1999
<i>Muscicapa striata</i>	Spotted Flycatcher	1	SH3793	Cemaes Bay	19/06/2008
<i>Numenius arquata</i>	Curlew	1	SH329917		2005 approx
<i>Numenius arquata</i>	Curlew	1	SH329936	Cemlyn Bay	2 records - 23/09/2004 - 30/09/2004
<i>Numenius arquata</i>	Curlew	1	SH330932	Cemlyn	6 records - May 2002 - 18/07/2008
<i>Numenius arquata</i>	Curlew	1	SH331932	Cemlyn NWWT Reserve	3 records - 26/01/2008 - 18/05/2013
<i>Numenius arquata</i>	Curlew	1	SH333933	Cemlyn Bay	08/06/2006
<i>Numenius arquata</i>	Curlew	1	SH335935	Cemlyn	4 records - 01/10/1999 - 01/01/2008
<i>Numenius arquata</i>	Curlew	1	SH3393	Cemlyn	259 records - May 1994 - 01/08/2013
<i>Numenius phaeopus</i>	Whimbrel	1	SH3293	Cemlyn/Henborth	26/04/2008
<i>Numenius phaeopus</i>	Whimbrel	1	SH329936	Cemlyn Bay	2 records - 07/05/2004 - 24/08/2004
<i>Numenius phaeopus</i>	Whimbrel	1	SH330932	Cemlyn	7 records - 12/05/2002 - 02/05/2008
<i>Numenius phaeopus</i>	Whimbrel	1	SH331932	Cemlyn NWWT Reserve	5 records - 24/04/2008 - 18/05/2013
<i>Numenius phaeopus</i>	Whimbrel	1	SH333933	Cemlyn Bay	4 records - 27/04/2006 - 03/08/2006
<i>Numenius phaeopus</i>	Whimbrel	1	SH335935	Cemlyn	7 records - 30/04/2007 - 03/06/2008
<i>Numenius phaeopus</i>	Whimbrel	1	SH3393	Cemlyn	96 records - May 1994 - 29/04/2013

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Numenius phaeopus</i>	Whimbrel	1	SH3793	Cemaes Bay	04/05/1999
<i>Numenius phaeopus</i>	Whimbrel	1	SH3794	Llanbadrig	27/04/2000
<i>Oceanodroma leucorhoa</i>	Leach's Storm-petrel	1	SH3393	Cemlyn Bay	7 records - 03/10/1999 - 02/10/2005
<i>Oriolus oriolus</i>	Golden Oriole	1	SH3393	Cemlyn	09/06/2007
<i>Pandion haliaetus</i>	Osprey	1	SH3393	Cemlyn	2 records - 02/06/2011 - 26/05/2013
<i>Passer domesticus</i>	House Sparrow	1	SH3294393545	Cemlyn – Car Park (North)	02/06/2012
<i>Passer domesticus</i>	House Sparrow	1	SH3303293555	Cemlyn	02/06/2012
<i>Passer domesticus</i>	House Sparrow	1	SH3308892907	Cemlyn	02/06/2012
<i>Passer domesticus</i>	House Sparrow	1	SH330932	Cemlyn	5 records - 2002 - 30/05/2008
<i>Passer domesticus</i>	House Sparrow	1	SH331932	Cemlyn NWWT Reserve	3 records - 26/01/2008 - 18/05/2013
<i>Passer domesticus</i>	House Sparrow	1	SH3393	Cemlyn	298 records - May 1994 - 08/08/2013
<i>Passer montanus</i>	Tree Sparrow	1	SH3393	Cemlyn Bay	2 records - 03/06/1999 - 30/09/2003
<i>Perdix perdix</i>	Grey Partridge	1	SH3393	Cemlyn	8 records - 14/06/1994 - 12/05/2012
<i>Pernis apivorus</i>	Honey-buzzard	1	SH3393	Cemlyn	27/07/2002
<i>Phalaropus lobatus</i>	Red-necked Phalarope	1	SH3393	Cemlyn	2 records - all 08/06/2006
<i>Philomachus pugnax</i>	Ruff	1	SH3302093234	Cemlyn	07/05/2013
<i>Philomachus pugnax</i>	Ruff	1	SH3304493305	Cemlyn	07/05/2013
<i>Philomachus pugnax</i>	Ruff	1	SH330933	Cemlyn; Main island	24/04/2011
<i>Philomachus pugnax</i>	Ruff	1	SH335935	Cemlyn	2 records - 25/12/2006 - 30/01/2007
<i>Phoenicurus ochruros</i>	Black Redstart	1	SH3393	Cemlyn	23 records - May 1994 - 09/05/2011
<i>Platalea leucorodia</i>	Spoonbill	1	SH330932	Cemlyn	8 records - 19/02/1999 - 02/05/2013
<i>Platalea leucorodia</i>	Spoonbill	1	SH3393	Cemlyn	2 records - 10/07/2002 - 04/05/2003
<i>Plectrophenax nivalis</i>	Snow Bunting	1	SH335935	Cemlyn	2 records - 19/06/2000 - 16/05/2009
<i>Plectrophenax nivalis</i>	Snow Bunting	1	SH3393	Cemlyn Bay	25/12/2007
<i>Pluvialis apricaria</i>	Golden Plover	1	SH328934	Cemlyn Bay	20 records - 23/10/1999 - 24/12/2005
<i>Pluvialis apricaria</i>	Golden Plover	1	SH329936	Cemlyn Bay	6 records - 09/01/2003 - 08/12/2003
<i>Pluvialis apricaria</i>	Golden Plover	1	SH3308892907	Cemlyn	4 records - 21/01/2004 - 30/09/2004
<i>Pluvialis apricaria</i>	Golden Plover	1	SH330932	Cemlyn	07/08/2013
<i>Pluvialis apricaria</i>	Golden Plover	1	SH330934	Cemlyn Bay	8 records - 26/04/2002 - 12/07/2008
<i>Pluvialis apricaria</i>	Golden Plover	1	SH330936	Cemlyn Bay	3 records - 03/03/2008 - 27/10/2008
<i>Pluvialis apricaria</i>	Golden Plover	1	SH331932	Cemlyn	2 records - 19/03/2007 - 24/09/2007
<i>Pluvialis apricaria</i>	Golden Plover	1	SH332928	Cemlyn	3 records - 26/01/2008 - 24/04/2008
<i>Pluvialis apricaria</i>	Golden Plover	1	SH333933	Cemlyn Bay	28/10/2000
<i>Pluvialis apricaria</i>	Golden Plover	1	SH335935	Cemlyn	3 records - 27/04/2006 - 03/09/2006
<i>Pluvialis apricaria</i>	Golden Plover	1	SH3393	Cemlyn	7 records - 30/07/2007 - 25/12/2007
<i>Podiceps auritus</i>	Slavonian Grebe	1	SH3349293702	Cemlyn	330 records - 10/05/1994 - 21/06/2013
<i>Podiceps auritus</i>	Slavonian Grebe	1	SH335935	Cemlyn Bay	02/06/2013
<i>Podiceps auritus</i>	Slavonian Grebe	1	SH3393	Cemlyn Bay	25/12/2006
<i>Puffinus mauretanicus</i>	Balearic Shearwater	1	SH3393	Cemlyn	58 records - 07/01/1999 - 12/03/2000
<i>Puffinus mauretanicus</i>	Balearic Shearwater	1	SH3594	Wylfa; Wylfa Head seawatches	8 records - 03/10/1999 - 14/08/2008
<i>Pyrrhocorax pyrrhocorax</i>	Chough	1	SH328934	Cemlyn Bay	3 records - 12/08/2006 - 02/09/2006
<i>Pyrrhocorax pyrrhocorax</i>	Chough	1	SH329936	Cemlyn Bay	25/07/2003
<i>Pyrrhocorax pyrrhocorax</i>	Chough	1	SH330932	Cemlyn	2 records - 30/09/2004 - 25/12/2004
					5 records - 08/06/2002 - June 2008

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH3314893316	Cemlyn	02/06/2012
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH331928	Cemlyn; Plas Cemlyn	Summer 2011
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH331932	Cemlyn	30/05/2008
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH3321993032	Cemlyn	02/06/2012
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH332939	Cemlyn Bay	15/01/2007
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH3393	Cemlyn	90 records - 18/05/1994 - June 2011
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH3594	Wylfa; Head	4 records - 05/02/2000 - 17/02/2008
<i>Pyrrhocorax pyrrhocorax</i>	Crough	1	SH3794	Llanbadrig	3 records - 10/03/1999 - 05/04/1999
<i>Recurvirostra avosetta</i>	Pied Avocet	1	SH330932	Cemlyn	2 records - 17/05/2008 - 18/05/2008
<i>Recurvirostra avosetta</i>	Pied Avocet	1	SH330935	Cemlyn	18/05/2008
<i>Recurvirostra avosetta</i>	Pied Avocet	1	SH3393	Cemlyn; Lagoon	2 records - 17/05/2008 - 18/05/2008
<i>Regulus ignicapilla</i>	Firecrest	1	SH3393	Cemlyn; In scrub by Bryn Abber	2 records - 31/10/2005 - 02/05/2013
<i>Stercorarius parasiticus</i>	Arctic Skua	1	SH329936	Cemlyn Bay	23/09/2004
<i>Stercorarius parasiticus</i>	Arctic Skua	1	SH330932	Cemlyn	3 records - 15/06/2002 - 2008
<i>Stercorarius parasiticus</i>	Arctic Skua	1	SH333933	Cemlyn Bay	03/06/2006
<i>Stercorarius parasiticus</i>	Arctic Skua	1	SH3393	Cemlyn	47 records - 15/05/1994 - 18/09/2011
<i>Stercorarius parasiticus</i>	Arctic Skua	1	SH3594	Wylfa; Wylfa Head seawatches	5 records - 02/08/2006 - 02/09/2006
<i>Sterna dougallii</i>	Roseate Tern	1	SH329936	Cemlyn Bay	5 records - 12/06/2004 - 02/08/2004
<i>Sterna dougallii</i>	Roseate Tern	1	SH3304493305	Cemlyn	3 records - 23/05/2013 - 27/06/2013
<i>Sterna dougallii</i>	Roseate Tern	1	SH330932	Cemlyn	11 records - 26/05/2002 - 17/06/2008
<i>Sterna dougallii</i>	Roseate Tern	1	SH330933	Cemlyn; Main Island	20/06/2011 - 11/07/2011
<i>Sterna dougallii</i>	Roseate Tern	1	SH332933	Cemlyn	01/07/2008
<i>Sterna dougallii</i>	Roseate Tern	1	SH333933	Cemlyn Bay	2 records - 28/06/2006 - 17/07/2006
<i>Sterna dougallii</i>	Roseate Tern	1	SH335935	Cemlyn	07/06/2007
<i>Sterna dougallii</i>	Roseate Tern	1	SH3393	Cemlyn	103 records - 1994 - 09/07/2011
<i>Sternula albifrons</i>	Little Tern	1	SH330932	Cemlyn	5 records - 31/05/2002 - 05/07/2008
<i>Sternula albifrons</i>	Little Tern	1	SH330933	Cemlyn; Main Island	13/05/2011
<i>Sternula albifrons</i>	Little Tern	1	SH3393	Cemlyn	36 records - 21/05/1994 - 25/05/2013
<i>Streptopelia turtur</i>	Turtle Dove	1	SH330932	Cemlyn	28/05/2003
<i>Streptopelia turtur</i>	Turtle Dove	1	SH3393	Cemlyn	3 records - 10/05/1994 - 23/05/2004
<i>Tringa glareola</i>	Wood Sandpiper	1	SH330932	Cemlyn; Small Island	3 records - 16/07/2002 - 06/05/2011
<i>Tringa glareola</i>	Wood Sandpiper	1	SH3393	Cemlyn	6 records - 06/05/1994 - 04/05/2008
<i>Tringa nebularia</i>	Common Greenshank	1	SH328934	Cemlyn Bay	11/08/2003
<i>Tringa nebularia</i>	Common Greenshank	1	SH329936	Cemlyn Bay	21/01/2004
<i>Tringa nebularia</i>	Common Greenshank	1	SH3304493305	Cemlyn	2 records - 07/05/2013 - 12/05/2013
<i>Tringa nebularia</i>	Common Greenshank	1	SH330932	Cemlyn	7 records - May 2002 - August 2003
<i>Tringa nebularia</i>	Common Greenshank	1	SH3393	Cemlyn	56 records - 01/05/1994 - 27/07/2013
<i>Tringa ochropus</i>	Green Sandpiper	1	SH3293	Cemlyn/Henborth	27/07/2004
<i>Tringa ochropus</i>	Green Sandpiper	1	SH329936	Cemlyn Bay	24/08/2004
<i>Tringa ochropus</i>	Green Sandpiper	1	SH330932	Cemlyn	4 records - 04/05/2002 - 05/07/2008
<i>Tringa ochropus</i>	Green Sandpiper	1	SH3393	Cemlyn	13 records - 13/06/1999 - 28/07/2011
<i>Turdus iliacus</i>	Redwing	1	SH331932	Cemlyn	03/01/2008
<i>Turdus iliacus</i>	Redwing	1	SH3393	Cemlyn Bay	39 records - 07/01/1999 - 16/10/2005
<i>Turdus iliacus</i>	Redwing	1	SH3593	Wylfa; Power Station Nature trail	3 records - 16/02/1999 - 23/02/1999

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Turdus iliacus</i>	Redwing	1	SH3691	Llanfechell	16/01/2005
<i>Turdus iliacus</i>	Redwing	1	SH3793	Cemaes Bay; Gadlyns	6 records - 12/10/2000 - 25/12/2008
<i>Turdus pilaris</i>	Fieldfare	1	SH330932	Cemlyn	29/05/2002
<i>Turdus pilaris</i>	Fieldfare	1	SH331932	Cemlyn	03/01/2008
<i>Turdus pilaris</i>	Fieldfare	1	SH3393	Cemlyn Bay	25 records - 07/01/1999 - 16/10/2005
<i>Turdus pilaris</i>	Fieldfare	1	SH3691	Llanfechell	16/01/2005
<i>Turdus pilaris</i>	Fieldfare	1	SH3693	Cemaes Bay	23/03/1999
<i>Turdus pilaris</i>	Fieldfare	1	SH3793	Cemaes Bay; Tae Hen	06/01/2008
<i>Turdus torquatus</i>	Ring Ouzel	1	SH3393	Cemlyn Bay	3 records - 30/03/1999 - 02/04/2005
<i>Turdus torquatus</i>	Ring Ouzel	1	SH3793	Cemaes; Park Lodge	17/02/2008 2005 approx
<i>Tyto alba</i>	Barn Owl	1	SH329917		3 records - 12/07/2002 - 2008
<i>Tyto alba</i>	Barn Owl	1	SH330932	Cemlyn	11/05/2013
<i>Tyto alba</i>	Barn Owl	1	SH331932	Cemlyn NWWT Reserve	12/06/2010
<i>Tyto alba</i>	Barn Owl	1	SH3332292965	Cemlyn	3 records - 14/05/2007 - 07/06/2007
<i>Tyto alba</i>	Barn Owl	1	SH335935	Cemlyn	10 records - 1994 - 24/05/2012
<i>Tyto alba</i>	Barn Owl	1	SH3393	Cemlyn	26/07/2001
<i>Tyto alba</i>	Barn Owl	1	SH343930	Cemlyn; Cafnan Farm	2 records - 17/01/2002 - 17/03/2006
<i>Tyto alba</i>	Barn Owl	1	SH3793	Cemaes Bay	1 record - Spring 1998 – Summer 1998
<i>Tyto alba</i> subsp. <i>guttata</i>	Dark-breasted Barn Owl	1	SH3393	Cemlyn	2005 approx
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH329917		26/12/2004
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH329936	Cemlyn Bay	17 records - 2002 - July 2008
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH330932	Cemlyn	26/01/2008
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH331932	Cemlyn	28/10/2000
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH332928	Cemlyn	2 records - 21/08/2006 - 25/12/2006
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH333933	Cemlyn Bay	3 records - 30/01/2007 - 25/12/2007
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH335935	Cemlyn	06/02/2006
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH336921	Cemlyn Bay	216 records - May 1994 - 22/07/2013
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH3393	Cemlyn	18/02/2002
<i>Vanellus vanellus</i>	Northern Lapwing	1	SH3793	Cemaes	26/04/2008
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH3293	Cemlyn/Henborth	04/08/2004
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH329936	Cemlyn Bay	13/05/2013
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH3302093234	Cemlyn	9 records May 2002 - 05/07/2008
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH330932	Cemlyn	18/05/2013
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH331932	Cemlyn NWWT Reserve	21/08/2006
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH333933	Cemlyn Bay	30/04/2007
<i>Actitis hypoleucos</i>	Common Sandpiper	2	SH335935	Cemlyn	64 records 03/05/1994 - 09/08/2013
<i>Aegithalos caudatus</i>	Long-tailed Tit	2	SH3393	Cemlyn	30/07/2005
<i>Aegithalos caudatus</i>	Long-tailed Tit	2	SH3793	Cemaes Bay	11/11/2008 2005
<i>Alauda arvensis</i>	Sky Lark	2	SH329917		5 records May 2002 - 12/11/2008
<i>Alauda arvensis</i>	Sky Lark	2	SH330932	Cemlyn	32 records 25/05/1994 - 03/08/2013
<i>Alauda arvensis</i>	Sky Lark	2	SH3393	Cemlyn	20/06/2002
<i>Anas clypeata</i>	Northern Shoveler	2	SH330932	Cemlyn	26/01/2008
<i>Anas clypeata</i>	Northern Shoveler	2	SH331932	Cemlyn	

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Anas clypeata</i>	Northern Shoveler	2	SH333933	Cemlyn Bay	3 records 09/01/2003 - 28/06/2006
<i>Anas clypeata</i>	Northern Shoveler	2	SH335935	Cemlyn	25/12/2007
<i>Anas clypeata</i>	Northern Shoveler	2	SH3393	Cemlyn	72 records 23/04/1994 - 23/04/2013
<i>Anas crecca</i>	Teal	2	SH3302093234	Cemlyn	8 records in 2013
<i>Anas crecca</i>	Teal	2	SH330932	Cemlyn	26/07/2008
<i>Anas crecca</i>	Teal	2	SH331932	Cemlyn	26/01/2008
<i>Anas crecca</i>	Teal	2	SH333933	Cemlyn Bay	27/07/2006
<i>Anas crecca</i>	Teal	2	SH333937	Cemlyn Bay	16/08/2004
<i>Anas crecca</i>	Teal	2	SH335935	Cemlyn	02/06/2007
<i>Anas crecca</i>	Teal	2	SH3393	Cemlyn	69 records 02/05/1994 - 28/04/2013
<i>Anas penelope</i>	Wigeon	2	SH328934	Cemlyn Bay	15/03/2003
<i>Anas penelope</i>	Wigeon	2	SH3302093234	Cemlyn	02/08/2013
<i>Anas penelope</i>	Wigeon	2	SH330932	Cemlyn	17/05/2002
<i>Anas penelope</i>	Wigeon	2	SH331932	Cemlyn	12/11/2008
<i>Anas penelope</i>	Wigeon	2	SH333933	Cemlyn Bay	6 records in 2006
<i>Anas penelope</i>	Wigeon	2	SH333937	Cemlyn Bay	4 records in 2004
<i>Anas penelope</i>	Wigeon	2	SH335935	Cemlyn	6 records in 2007
<i>Anas penelope</i>	Wigeon	2	SH3393	Cemlyn	238 records 07/05/1994 - 23/10/2009
<i>Anas penelope</i>	Wigeon	2	SH3793	Cemaes Bay	20/09/2002
<i>Anas platyrhynchos</i>	Mallard	2	SH3293	Cemlyn	6 records in 1996
<i>Anas platyrhynchos</i>	Mallard	2	SH3302093234	Cemlyn	02/06/2012
<i>Anas platyrhynchos</i>	Mallard	2	SH3308892907	Cemlyn	02/06/2012
<i>Anas platyrhynchos</i>	Mallard	2	SH330932	Cemlyn	10 records - 2002 - 03/07/2008
<i>Anas platyrhynchos</i>	Mallard	2	SH331932	Cemlyn NWWT Reserve	4 records 2008 - 2013
<i>Anas platyrhynchos</i>	Mallard	2	SH33579312	Cemlyn Bay	4 record 2003
<i>Anas platyrhynchos</i>	Mallard	2	SH3393	Cemlyn	218 records - May 1994 - 03/06/2012
<i>Anas platyrhynchos</i>	Mallard	2	SH37279354	Anglesey	24/04/2010
<i>Anas platyrhynchos</i>	Mallard	2	SH3793	Cemaes Bay	03/05/2008
<i>Anas strepera</i>	Gadwall	2	SH3302093234	Cemlyn	1 record - 26/04/2013 – 30/04/2013
<i>Anas strepera</i>	Gadwall	2	SH331932	Cemlyn NWWT Reserve	18/05/2013
<i>Anas strepera</i>	Gadwall	2	SH3393	Cemlyn	9 records 06/08/1998 - 22/05/2012
<i>Anser albifrons</i>	Greater White-fronted Goose	2	SH3393	Cemlyn Bay	3 records - 2000
<i>Anthus pratensis</i>	Meadow Pipit	2	SH330932	Cemlyn	8 records 2002 - 28/07/2008
<i>Anthus pratensis</i>	Meadow Pipit	2	SH3311193874	Cemlyn	02/06/2012
<i>Anthus pratensis</i>	Meadow Pipit	2	SH331932	Cemlyn NWWT Reserve	18/05/2013
<i>Anthus pratensis</i>	Meadow Pipit	2	SH331932	Cemlyn	26/01/2008
<i>Anthus pratensis</i>	Meadow Pipit	2	SH3393	Cemlyn	100 records - June 1994 - 28/04/2012
<i>Anthus pratensis</i>	Meadow Pipit	2	SH3793	Cemaes Bay	18/03/2005
<i>Apus apus</i>	Common Swift	2	SH3294393545	Cemlyn – Car Park (North)	03/06/2012
<i>Apus apus</i>	Common Swift	2	SH330932	Cemlyn	3 records - 19/06/2002 - 22/07/2008
<i>Apus apus</i>	Common Swift	2	SH331932	Cemlyn NWWT Reserve	18/05/2013
<i>Apus apus</i>	Common Swift	2	SH333933	Cemlyn Bay	27/04/2006
<i>Apus apus</i>	Common Swift	2	SH3393	Cemlyn	42 records - 07/05/1994 - 16/05/2013
<i>Apus apus</i>	Common Swift	2	SH3793	Cemaes Bay	10 records 05/05/1999 - 28/07/2008

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Arenaria interpres</i>	Turnstone	2	SH30932	Cemlyn	6 records - 30/04/2002 - 30/05/2008
<i>Arenaria interpres</i>	Turnstone	2	SH3317493825	Cemlyn	02/06/2012
<i>Arenaria interpres</i>	Turnstone	2	SH331932	Cemlyn NWWT Reserve	6 records - 03/01/2008 - 18/05/2013
<i>Arenaria interpres</i>	Turnstone	2	SH333933	Cemlyn Bay	4 records - 29/04/2006 - 25/12/2006
<i>Arenaria interpres</i>	Turnstone	2	SH333937	Cemlyn Bay	5 records - 02/08/2004 - 30/09/2004
<i>Arenaria interpres</i>	Turnstone	2	SH335935	Cemlyn	6 records - 30/01/2007 - 25/12/2007
<i>Arenaria interpres</i>	Turnstone	2	SH3393	Cemlyn	177 records - May 1994 - 26/07/2013
<i>Arenaria interpres</i>	Turnstone	2	SH3793	Cemaes Bay	3 records - 28/02/2008 - 26/12/2008
<i>Asio flammeus</i>	Short-eared Owl	2	SH30932	Cemlyn	2008
<i>Asio flammeus</i>	Short-eared Owl	2	SH332928	Cemlyn Bay	22/06/2000
<i>Asio flammeus</i>	Short-eared Owl	2	SH3393	Cemlyn	15 records - 03/05/1995 - 11/06/2009
<i>Aythya ferina</i>	Pochard	2	SH3293	Cemlyn	22/07/1996
<i>Aythya ferina</i>	Pochard	2	SH3393	Cemlyn	6 records - 24/05/1994 - 27/04/2010
<i>Aythya fuligula</i>	Tufted Duck	2	SH3293	Cemlyn	2 records - 17/05/1996 - 03/07/1996
<i>Aythya fuligula</i>	Tufted Duck	2	SH3302093234	Cemlyn	3 records - 05/07/2013 - 28/07/2013
<i>Aythya fuligula</i>	Tufted Duck	2	SH330932	Cemlyn	2 records - 10/06/2002 - 08/07/2003
<i>Aythya fuligula</i>	Tufted Duck	2	SH3393	Cemlyn	39 records - 03/08/1991 - 01/08/2011
<i>Branta bernicla</i>	Brent Goose	2	SH3293	Cemlyn	25/05/1996
<i>Branta bernicla</i>	Brent Goose	2	SH3393	Cemlyn	3 records - 01/07/1998 - 24/04/2012
<i>Branta bernicla</i> subsp. <i>hrota</i>	Pale-Breasted Brent Goose	2	SH30932	Cemlyn	1 record - 03/06/2008 - 07/06/2008
<i>Branta bernicla</i> subsp. <i>hrota</i>	Pale-Breasted Brent Goose	2	SH30933	Cemlyn Bay	28/04/2008
<i>Branta bernicla</i> subsp. <i>hrota</i>	Pale-Breasted Brent Goose	2	SH311932	Cemlyn	04/06/2008
<i>Branta bernicla</i> subsp. <i>hrota</i>	Pale-Breasted Brent Goose	2	SH3393	Cemlyn	6 records - 02/11/1999 - 03/06/2008
<i>Branta leucopsis</i>	Barnacle Goose	2	SH3393	Cemlyn	2 records - 06/05/1997 - 27/04/1998
<i>Calidris alba</i>	Sanderling	2	SH30932	Cemlyn	16 records - 12/05/2002 - 17/07/2008
<i>Calidris alba</i>	Sanderling	2	SH3317493825	Cemlyn – Compartment 64	3 records - all 02/06/2012
<i>Calidris alba</i>	Sanderling	2	SH331932	Cemlyn NWWT Reserve	3 records - 11/05/2013 - 18/05/2013
<i>Calidris alba</i>	Sanderling	2	SH332934	Cemlyn	23/05/2000
<i>Calidris alba</i>	Sanderling	2	SH333937	Cemlyn Bay	18/09/2004
<i>Calidris alba</i>	Sanderling	2	SH335935	Cemlyn	25/12/2008
<i>Calidris alba</i>	Sanderling	2	SH3393	Cemlyn	67 records - May 1994 - 05/07/2013
<i>Calidris alpina</i>	Dunlin	2	SH3302093234	Cemlyn	03/06/2012
<i>Calidris alpina</i>	Dunlin	2	SH3304493305	Cemlyn	02/06/2012
<i>Calidris alpina</i>	Dunlin	2	SH330932	Cemlyn	10 records - 2002-17/07/2008
<i>Calidris alpina</i>	Dunlin	2	SH3317493825	Cemlyn	02/06/2012
<i>Calidris alpina</i>	Dunlin	2	SH331932	Cemlyn NWWT Reserve	7 records - 26/01/2008 - 18/05/2013
<i>Calidris alpina</i>	Dunlin	2	SH333933	Cemlyn Bay	2 records - 29/04/2006 - 23/05/2006
<i>Calidris alpina</i>	Dunlin	2	SH335935	Cemlyn	3 records - 14/05/2007 - 23/11/2007
<i>Calidris alpina</i>	Dunlin	2	SH3393	Cemlyn	198 records - May 1994 - 28/07/2013
<i>Calidris alpina</i> subsp. <i>schinzii</i>	<i>Calidris alpina</i> subsp. <i>schinzii</i>	2	SH3393	Cemlyn	Jun-10
<i>Calidris canutus</i>	Knot	2	SH30932	Cemlyn	5 records - 17/05/2002 - 24/07/2008
<i>Calidris canutus</i>	Knot	2	SH331932	Cemlyn NWWT Reserve	3 records - 03/01/2008 - 18/05/2013
<i>Calidris canutus</i>	Knot	2	SH333933	Cemlyn Bay	21/08/2006
<i>Calidris canutus</i>	Knot	2	SH335935	Cemlyn Bay	13/09/2007

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Calidris canutus</i>	Knot	2	SH3393	Cemlyn	58 records - 09/05/1994 - 27/07/2013
<i>Carduelis cannabina</i>	Linnet	2	SH3294393545	Cemlyn – Car Park (North)	02/06/2012
<i>Carduelis cannabina</i>	Linnet	2	SH3308892907	Cemlyn	02/06/2012
<i>Carduelis cannabina</i>	Linnet	2	SH330932	Cemlyn	6 records - 02/07/2002 - July 2008
<i>Carduelis cannabina</i>	Linnet	2	SH331932	Cemlyn NWWT Reserve	5 records - 03/01/2008 - 18/05/2013
<i>Carduelis cannabina</i>	Linnet	2	SH335935	Cemlyn	09/04/2008
<i>Carduelis cannabina</i>	Linnet	2	SH3393	Cemlyn	54 records - May 1994 - 29/04/2013
<i>Carduelis cannabina</i>	Twite	2	SH329936	Cemlyn Bay	05/11/2000
<i>Carduelis flavirostris</i>	Twite	2	SH3393	Cemlyn Bay	5 records - 27/06/1996 - 03/11/2000
<i>Carduelis flavirostris</i>	Black Guillemot	2	SH330932	Cemlyn	7 records - 25/05/2002 - 2008
<i>Cephus grylle</i>	Black Guillemot	2	SH331932	Cemlyn NWWT Reserve	11/05/2013
<i>Cephus grylle</i>	Black Guillemot	2	SH3349293702	Cemlyn	02/06/2012
<i>Cephus grylle</i>	Black Guillemot	2	SH3393	Cemlyn; Bay area	20 records - 06/07/1994 - 03/06/2012
<i>Corvus cornix</i>	Hooded Crow	2	SH331934	SSSI: Cemlyn Bay	Winter 1995
<i>Corvus cornix</i>	Hooded Crow	2	SH3393	Cemlyn	12 records - 10/05/1994 - 26/05/2013
<i>Corvus cornix</i> subsp. <i>cornix</i>	Hooded Crow	2	SH331934	SSSI: Cemlyn Bay	Summer 1997
<i>Corvus cornix</i> subsp. <i>cornix</i>	Hooded Crow	2	SH3393	Cemlyn	29/04/2007
<i>Cygnus olor</i>	Mute Swan	2	SH3293	Cemlyn	2 records - 09/05/1996 - Summer 1996
<i>Cygnus olor</i>	Mute Swan	2	SH330932	Cemlyn	8 records - 2002 - 21/05/2008
<i>Cygnus olor</i>	Mute Swan	2	SH331932	Cemlyn NWWT Reserve	3 records - 11/05/2013 - 18/05/2013
<i>Cygnus olor</i>	Mute Swan	2	SH335925	Cemlyn Bay	Jun-06
<i>Cygnus olor</i>	Mute Swan	2	SH3393	Cemlyn	91 records - May 1994 - 03/06/2012
<i>Cygnus olor</i>	Mute Swan	2	SH3592	Tregele	07/03/2008
<i>Delichon urbicum</i>	House Martin	2	SH3294393545	Cemlyn – Car Park (North)	02/06/2012
<i>Delichon urbicum</i>	House Martin	2	SH330932	Cemlyn	3 records - 2002 - 23/05/2008
<i>Delichon urbicum</i>	House Martin	2	SH331932	Cemlyn NWWT Reserve	2 records - all 18/05/2013
<i>Delichon urbicum</i>	House Martin	2	SH333933	Cemlyn Bay	27/04/2006
<i>Delichon urbicum</i>	House Martin	2	SH335935	Cemlyn	09/04/2008
<i>Delichon urbicum</i>	House Martin	2	SH337928	Cemlyn	2011
<i>Delichon urbicum</i>	House Martin	2	SH3393	Cemlyn	44 records - 06/05/1994 - 17/05/2012
<i>Fratercula arctica</i>	Puffin	2	SH330932	Cemlyn	6 records - 13/05/2002 - 2008
<i>Fratercula arctica</i>	Puffin	2	SH3349293702	Cemlyn	04/05/2013
<i>Fratercula arctica</i>	Puffin	2	SH3393	Cemlyn	22 records - 28/06/1994 - 08/08/2010
<i>Fratercula arctica</i>	Puffin	2	SH3394	Cemlyn; Off headland	2011
<i>Gallinago gallinago</i>	Common Snipe	2	SH330932	Cemlyn	26/07/2008
<i>Gallinago gallinago</i>	Common Snipe	2	SH331932	Cemlyn	26/01/2008
<i>Gallinago gallinago</i>	Common Snipe	2	SH335935	Cemlyn	2 records - 30/01/2007 - 19/07/2007
<i>Gallinago gallinago</i>	Common Snipe	2	SH3393	Cemlyn	67 records - 25/04/1994 - 28/07/2013
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3293993356	Cemlyn	02/06/2012
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH329934	Cemlyn; Bryn Aber and the Weir	2011
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3302093234	Cemlyn	4 records - 02/06/2012 - 26/04/2013
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3303293555	Cemlyn	02/06/2012
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH330932	Cemlyn; Small Island	17 records - 2002 - 17/05/2011
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH330933	Cemlyn; Main Island	2011

Scientific Name	Common Name	Importance	Grid Category	Reference	Location	Records Summary
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3317493825	Cemlyn	02/06/2012	
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH331932	Cemlyn NWWT Reserve	5 records - 26/01/2008 - 18/05/2013	
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH332932	Cemlyn; Ridge	22/05/2011	
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH33579312	Cemlyn Bay	2 records - November 2003 - 15/11/2003	
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3393	Cemlyn	154 records - May 1994 - 03/06/2012	
<i>Haematopus ostralegus</i>	Oystercatcher	2	SH3793	Cemaes	2 records - 07/03/1999 - 09/07/2000	
<i>Hirundo rustica</i>	Swallow	2	SH3302093234	Cemlyn	02/06/2012	
<i>Hirundo rustica</i>	Swallow	2	SH3303293555	Cemlyn	02/06/2012	
<i>Hirundo rustica</i>	Swallow	2	SH330932	Cemlyn	8 records - 11/05/2002 - 2008	
<i>Hirundo rustica</i>	Swallow	2	SH331932	Cemlyn NWWT Reserve	4 records - 12/11/2008 - 18/05/2013	
<i>Hirundo rustica</i>	Swallow	2	SH333933	Cemlyn Bay	27/04/2006	
<i>Hirundo rustica</i>	Swallow	2	SH335935	Cemlyn	2 records - 04/04/2007 - 09/04/2008	
<i>Hirundo rustica</i>	Swallow	2	SH3393	Cemlyn	87 records - May 1994 - 08/08/2013	
<i>Hirundo rustica</i>	Swallow	2	SH3592	Tregle	05/04/1999	
<i>Hirundo rustica</i>	Swallow	2	SH3793	Cemaes Bay	19/04/2005	
<i>Hydrobates pelagicus</i>	Storm-petrel	2	SH3293	Cemlyn	2 records - 29/06/1996 - 01/07/1996	
<i>Hydrobates pelagicus</i>	Storm-petrel	2	SH329936	Cemlyn Bay	03/07/2004	
<i>Hydrobates pelagicus</i>	Storm-petrel	2	SH330932	Cemlyn	3 records - 14/05/2002 - 2008	
<i>Hydrobates pelagicus</i>	Storm-petrel	2	SH3393	Cemlyn	13 records - 10/07/2000 - 14/06/2010	
<i>Hydrobates pelagicus</i>	Storm-petrel	2	SH3594	Wylfa; Wylfa Head seawatches	2 records - 02/08/2006 - 28/08/2006	
<i>Larus argentatus</i>	Herring Gull	2	SH330932	Cemlyn	6 records - 2002 - 2008	
<i>Larus argentatus</i>	Herring Gull	2	SH331932	Cemlyn NWWT Reserve	4 records - 26/01/2008 - 18/05/2013	
<i>Larus argentatus</i>	Herring Gull	2	SH3393	Cemlyn	33 records - May 1994 - 08/08/2013	
<i>Larus argentatus</i>	Herring Gull	2	SH3592	Tregle	18/02/2002	
<i>Larus argentatus</i>	Herring Gull	2	SH37299354	Anglesey	24/04/2010	
<i>Larus canus</i>	Common Gull	2	SH3304493305	Cemlyn	7 records - 23/04/2013 - 15/05/2013	
<i>Larus canus</i>	Common Gull	2	SH330932	Cemlyn	8 records - May 2002 - 01/07/2008	
<i>Larus canus</i>	Common Gull	2	SH331932	Cemlyn	26/01/2008	
<i>Larus canus</i>	Common Gull	2	SH335935	Cemlyn	21/03/2007	
<i>Larus canus</i>	Common Gull	2	SH3393	Cemlyn	28 records - 05/06/1995 - 17/05/2013	
<i>Larus canus</i>	Common Gull	2	SH3592	Tregle	18/02/2002	
<i>Larus fuscus</i>	Lesser Black-backed Gull	2	SH3302093234	Cemlyn	02/06/2012	
<i>Larus fuscus</i>	Lesser Black-backed Gull	2	SH330932	Cemlyn	5 records - 2002 - 12/05/2008	
<i>Larus fuscus</i>	Lesser Black-backed Gull	2	SH331932	Cemlyn NWWT Reserve	2 records - 26/01/2008 - 18/05/2013	
<i>Larus fuscus</i>	Lesser Black-backed Gull	2	SH3393	Cemlyn	25 records - 05/05/1994 - 08/08/2013	
<i>Larus marinus</i>	Great Black-backed Gull	2	SH3303293555	Cemlyn	02/06/2012	
<i>Larus marinus</i>	Great Black-backed Gull	2	SH330932	Cemlyn	5 records - 2002-2008	
<i>Larus marinus</i>	Great Black-backed Gull	2	SH331932	Cemlyn NWWT Reserve	6 records - 03/01/2008 - 18/05/2013	
<i>Larus marinus</i>	Great Black-backed Gull	2	SH3393	Cemlyn	27 records - May 1994 - 08/08/2013	
<i>Lymnocryptes minimus</i>	Jack Snipe	2	SH3393	Cemlyn Bay	3 records - 17/01/2002 - 24/12/2005	
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3293	Cemlyn	3 records - May 1996 - July 1996	
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3302093234	Cemlyn	4 records - 02/06/2012 - 09/08/2013	
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH330932	Cemlyn	12 records - 2002 - 12/07/2008	
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3317493825	Cemlyn	02/06/2012	

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH331932	Cemlyn NWWT Reserve	5 records - 23/01/2008 - 18/05/2013
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH333933	Cemlyn Bay	2 records - 27/07/2006 - 21/08/2006
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3349293702	Cemlyn	2 records - all 02/06/2012
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH335935	Cemlyn	2 records - 30/04/2007 - 14/05/2007
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3393	Cemlyn	147 records - 06/06/1994 - 03/06/2012
<i>Mergus serrator</i>	Red-breasted Merganser	2	SH3793	Cemaes Bay	05/04/1999
<i>Morus bassanus</i>	Northern Gannet	2	SH3293	Cemlyn	2 records - Spring 1996 - Summer 1996
<i>Morus bassanus</i>	Northern Gannet	2	SH330932	Cemlyn	5 records - 03/06/2002 - 12/07/2008
<i>Morus bassanus</i>	Northern Gannet	2	SH331932	Cemlyn NWWT Reserve	4 records - 11/05/2013 - 18/05/2013
<i>Morus bassanus</i>	Northern Gannet	2	SH333933	Cemlyn Bay	27/04/2006
<i>Morus bassanus</i>	Northern Gannet	2	SH3393	Cemlyn	80 records - 27/08/1994 - 23/06/2013
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH330932	Cemlyn	7 records - 02/05/2002 - 03/05/2008
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH3311193874	Cemlyn	02/06/2012
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH331932	Cemlyn NWWT Reserve	4 records - 11/05/2013 - 18/05/2013
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH333933	Cemlyn Bay	27/04/2006
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH333937	Cemlyn Bay	4 records - 17/03/2004 - 30/09/2004
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH335935	Cemlyn	4 records - 21/03/2007 - 09/04/2008
<i>Oenanthe oenanthe</i>	Northern Wheatear	2	SH3393	Cemlyn	104 records - 02/05/1994 - 07/05/2013
<i>Oenanthe oenanthe subsp. leucorhoa</i>	Greenland Wheatear	2	SH3393	Cemlyn; Tyn Llan Track	01/05/1994
<i>Periparus ater</i>	Coal Tit	2	SH331928	Cemlyn; Plas Cemlyn	2 records - 18/06/2011 - 20/06/2011
<i>Periparus ater</i>	Coal Tit	2	SH3393	Cemlyn Bay	8 records - 21/06/1995 - 03/11/2000
<i>Periparus ater</i>	Coal Tit	2	SH3793	Cemaes Bay	2 records - 04/10/2005 - 29/10/2008
<i>Phalacrocorax carbo</i>	Great Cormorant	2	SH3293	Cemlyn	Spring 1996 - Summer 1996
<i>Phalacrocorax carbo</i>	Great Cormorant	2	SH3302093234	Cemlyn	24/04/2013 - 08/08/2013
<i>Phalacrocorax carbo</i>	Great Cormorant	2	SH330932	Cemlyn	3 records - 05/08/2002 - 08/06/2008
<i>Phalacrocorax carbo</i>	Great Cormorant	2	SH331932	Cemlyn NWWT Reserve	6 records - 03/01/2008 - 18/05/2013
<i>Phalacrocorax carbo</i>	Great Cormorant	2	SH3393	Cemlyn	131 records - 26/08/1994 - 03/06/2012
<i>Phoenicurus phoenicurus</i>	Common Redstart	2	SH3393	Cemlyn	3 records - 12/10/2005 - 11/05/2013
<i>Phylloscopus trochilus</i>	Willow Warbler	2	SH330932	Cemlyn	6 records - 2002 - 26/07/2008
<i>Phylloscopus trochilus</i>	Willow Warbler	2	SH331932	Cemlyn NWWT Reserve	2 records - all 18/05/2013
<i>Phylloscopus trochilus</i>	Willow Warbler	2	SH333933	Cemlyn Bay	27/04/2006
<i>Phylloscopus trochilus</i>	Willow Warbler	2	SH3393	Cemlyn	63 records - May 1994 - 28/04/2013
<i>Phylloscopus trochilus</i>	Willow Warbler	2	SH3693	Cemaes Bay	29/03/1999
<i>Pluvialis squatarola</i>	Grey Plover	2	SH329936	Cemlyn Bay	3 records - 21/01/2004 - 25/12/2004
<i>Pluvialis squatarola</i>	Grey Plover	2	SH330932	Cemlyn	5 records - 30/04/2002 - June 2003
<i>Pluvialis squatarola</i>	Grey Plover	2	SH330933	Cemlyn Bay	2 records - 15/01/2007 - 17/12/2007
<i>Pluvialis squatarola</i>	Grey Plover	2	SH331932	Cemlyn NWWT Reserve	4 records - 26/01/2008 - 18/05/2013
<i>Pluvialis squatarola</i>	Grey Plover	2	SH332928	Cemlyn	3 records - 05/10/2000 - 07/12/2000
<i>Pluvialis squatarola</i>	Grey Plover	2	SH333933	Cemlyn Bay	29/04/2006
<i>Pluvialis squatarola</i>	Grey Plover	2	SH333942	Cemlyn	25/12/2000
<i>Pluvialis squatarola</i>	Grey Plover	2	SH335935	Cemlyn	10 records - 25/12/2006 - 25/12/2008
<i>Pluvialis squatarola</i>	Grey Plover	2	SH3393	Cemlyn	106 records - 14/05/1994 - 18/05/2013
<i>Podiceps grisegena</i>	Red-necked Grebe	2	SH3393	Cemlyn Bay	4 records - 30/01/1999 - 28/03/1999
<i>Puffinus griseus</i>	Sooty Shearwater	2	SH3293	Cemlyn	2 records - 26/06/1996 - 13/07/1996

Scientific Name	Common Name	Importance	Grid Category	Reference	Location	Records Summary
<i>Puffinus griseus</i>	Sooty Shearwater	2	SH32940	SSSI: Cemlyn Bay; Headland	Cemlyn Bay	Dec-01
<i>Puffinus griseus</i>	Sooty Shearwater	2	SH333933	Cemlyn Bay	Cemlyn	21/08/2006
<i>Puffinus griseus</i>	Sooty Shearwater	2	SH3393	Cemlyn	Cemlyn	9 records - 07/07/1995 - 14/08/2008
<i>Puffinus griseus</i>	Sooty Shearwater	2	SH3594	Wylfa; Wylfa Head seawatches	Cemlyn	2 records - 02/08/2006 - 02/09/2006
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH3293	Cemlyn	Cemlyn	1 record - Spring 1996 – Summer 1996
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH330930	Cemlyn	Cemlyn	29/04/2008
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH330932	Cemlyn	Cemlyn	6 records - 2002 - 17/07/2008
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH331932	Cemlyn NWWT Reserve	Cemlyn	3 records - 11/05/2013 - 18/05/2013
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH333933	Cemlyn Bay	Cemlyn Bay	6 records - 27/04/2006 - 03/08/2006
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH335935	Cemlyn	Cemlyn	30/07/2007
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH3393	Cemlyn	Cemlyn	60 records - May 1994 - 21/05/2013
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH3594	Wylfa; Wylfa Head seawatches	Cemaeas Bay	4 records - 12/08/2006 - 02/09/2006
<i>Puffinus puffinus</i>	Manx Shearwater	2	SH3793	Cemaeas Bay	Cemaeas Bay	23/06/1999
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	2	SH3393	Cemlyn	Cemlyn	40 records - 05/05/1998 - 11/07/2009
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	2	SH3592	Tregelle	Tregelle	25/11/2002
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	2	SH3594	Wylfa	Wylfa	3 records - 23/03/2000 - 14/05/2002
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	2	SH3693	Cemaeas Bay	Cemaeas Bay	17/08/1999
<i>Pyrrhula pyrrhula</i>	Common Bullfinch	2	SH3793	Cemaeas Bay	Cemaeas Bay	10 records - 12/01/2002 - 27/12/2008
<i>Regulus regulus</i>	Goldcrest	2	SH3393	Cemlyn	Cemlyn	21 records - 28/04/1998 - 05/08/2010
<i>Riparia riparia</i>	Sand Martin	2	SH330932	Cemlyn	Cemlyn	4 records - 04/05/2002 - 25/07/2008
<i>Riparia riparia</i>	Sand Martin	2	SH331932	Cemlyn NWWT Reserve	Cemlyn	3 records - 11/05/2013 - 18/05/2013
<i>Riparia riparia</i>	Sand Martin	2	SH333933	Cemlyn Bay	Cemlyn Bay	4 records - 27/04/2006 - 03/08/2006
<i>Riparia riparia</i>	Sand Martin	2	SH335935	Cemlyn	Cemlyn	3 records - 04/04/2007 - 09/04/2008
<i>Riparia riparia</i>	Sand Martin	2	SH3393	Cemlyn	Cemlyn	71 records - 1994 - 28/06/2013
<i>Riparia riparia</i>	Sand Martin	2	SH3594	Wylfa	Wylfa	22/03/2000
<i>Riparia riparia</i>	Sand Martin	2	SH3793	Cemaeas Bay	Cemaeas Bay	05/04/2002
<i>Scolopax rusticola</i>	Woodcock	2	SH329917	Cemaeas Bay	Cemaeas Bay	2005 approx
<i>Scolopax rusticola</i>	Woodcock	2	SH3393	Cemlyn	Cemlyn	01/01/2008
<i>Scolopax rusticola</i>	Woodcock	2	SH3793	Cemaeas Bay	Cemaeas Bay	29/01/1999
<i>Somateria mollissima</i>	Common Eider	2	SH329936	Cemlyn Bay	Cemlyn Bay	01/05/2004
<i>Somateria mollissima</i>	Common Eider	2	SH3393	Cemlyn	Cemlyn	13 records - 14/06/1994 - 15/05/2013
<i>Stercorarius longicaudus</i>	Long-tailed Skua	2	SH330932	Cemlyn	Cemlyn	2008
<i>Stercorarius longicaudus</i>	Long-tailed Skua	2	SH3594	Wylfa; Wylfa Head seawatches	Cemlyn	12/08/2006
<i>Sterna hirundo</i>	Common Tern	2	SH3302093234	Cemlyn	Cemlyn	02/06/2012
<i>Sterna hirundo</i>	Common Tern	2	SH3304493305	Cemlyn	Cemlyn	02/06/2012
<i>Sterna hirundo</i>	Common Tern	2	SH33069330	SSSI: Cemlyn Bay; Islands	Cemlyn	1996
<i>Sterna hirundo</i>	Common Tern	2	SH330932	Cemlyn	Cemlyn	20 records - 2002 - 2008
<i>Sterna hirundo</i>	Common Tern	2	SH33149324	Cemlyn Bay Nature Reserve	Cemlyn	18/05/2011
<i>Sterna hirundo</i>	Common Tern	2	SH331934	Cemlyn Lagoon 1	Cemlyn	2000
<i>Sterna hirundo</i>	Common Tern	2	SH335935	Cemlyn	Cemlyn	30/04/2007
<i>Sterna hirundo</i>	Common Tern	2	SH3393	Cemlyn	Cemlyn	65 records - 1994 - 24/04/2012
<i>Sterna paradisaea</i>	Arctic Tern	2	SH329936	Cemlyn Bay	Cemlyn	01/05/2004
<i>Sterna paradisaea</i>	Arctic Tern	2	SH3302093234	Cemlyn	Cemlyn	02/06/2012
<i>Sterna paradisaea</i>	Arctic Tern	2	SH3304493305	Cemlyn	Cemlyn	02/06/2012

Scientific Name	Common Name	Importance	Grid Category	Reference	Location	Records Summary
<i>Sterna paradisaea</i>	Arctic Tern	2	SH33069330	SSSI: Cemlyn Bay; Islands	1996	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH330930	Cemlyn	29/04/2008	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH330932	Cemlyn	11 records - 2002 - 2008	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH33149324	Cemlyn Bay Nature Reserve	18/05/2011	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH331934	Cemlyn Lagoon 1	2000	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH332934	Cemlyn Bay	25/04/2000	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH333933	Cemlyn Bay	2 records - 27/04/2006 - 29/04/2006	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH3349293702	Cemlyn	02/06/2012	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH335935	Cemlyn Bay	30/04/2007	
<i>Sterna paradisaea</i>	Arctic Tern	2	SH3393	Cemlyn	61 records - 1994 - 14/05/2011	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH328934	Cemlyn Bay	10/04/2003	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH3302093234	Cemlyn	02/06/2012	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH3304493305	Cemlyn	3 records - 02/06/2012 - June 2013	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH33069330	SSSI: Cemlyn Bay; Islands	1996	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH330932	Cemlyn	13 records - 2002 - 2008	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH331932	Cemlyn NWWT Reserve	5 records - 24/04/2008 - 18/05/2013	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH331934	Cemlyn Lagoon 1	2000	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH333933	Cemlyn; Bay	2 records - 27/04/2006 - 01/06/2011	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH335935	Cemlyn	2 records - 04/04/2007 - 09/04/2008	
<i>Sterna sandvicensis</i>	Sandwich Tern	2	SH3393	Cemlyn	123 records - 1994 - 23/04/2012	
<i>Sturnus vulgaris</i>	Common Starling	2	SH330932	Cemlyn	4 records - 29/06/2002 - 28/06/2008	
<i>Sturnus vulgaris</i>	Common Starling	2	SH3393	Cemlyn	192 records - May 1994 - 08/07/2013	
<i>Sturnus vulgaris</i>	Common Starling	2	SH3593	Wylfa; Power Station Nature trail	5 records - 14/02/1999 - 03/03/1999	
<i>Sturnus vulgaris</i>	Common Starling	2	SH3691	Llanfachell	05/11/2004	
<i>Sylvia borin</i>	Garden Warbler	2	SH3393	Cemlyn; Along coastal path	3 records - 06/05/2006 - 05/08/2011	
<i>Sylvia borin</i>	Garden Warbler	2	SH343932	Cemlyn Bay	15/05/2003	
<i>Sylvia borin</i>	Garden Warbler	2	SH3594	Wylfa	11/10/2002	
<i>Sylvia communis</i>	Common Whitethroat	2	SH3282692991	Cemlyn	02/06/2012	
<i>Sylvia communis</i>	Common Whitethroat	2	SH3302093234	Cemlyn	02/06/2012	
<i>Sylvia communis</i>	Common Whitethroat	2	SH330932	Cemlyn	6 records - 2002 - 12/07/2008	
<i>Sylvia communis</i>	Common Whitethroat	2	SH331928	Cemlyn; Plas Cemlyn	16/06/2011	
<i>Sylvia communis</i>	Common Whitethroat	2	SH331932	Cemlyn NWWT Reserve	5 records - 24/04/2008 - 18/05/2013	
<i>Sylvia communis</i>	Common Whitethroat	2	SH333933	Cemlyn Bay	2 records - 27/04/2006 - 23/05/2006	
<i>Sylvia communis</i>	Common Whitethroat	2	SH3393	Cemlyn	92 records - May 1994 - 03/06/2012	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH3293	Cemlyn	3 records - Spring 1996 - Summer 1996	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH3294393545	Cemlyn – Car Park (North)	02/06/2012	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH3302093234	Cemlyn	3 records - 02/06/2012 - 03/06/2012	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH330932	Cemlyn	10 records - 10/05/2002 - 2008	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH331932	Cemlyn NWWT Reserve	5 records - 26/01/2008 - 18/05/2013	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH333933	Cemlyn Bay	08/06/2006	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH33579312	Cemlyn Bay	2 records - 2003-15/112003	
<i>Tadorna tadorna</i>	Common Shelduck	2	SH3393	Cemlyn	253 records - 08/05/1994 - 30/04/2013	
<i>Tringa erythropus</i>	Spotted Redshank	2	SH335935	Cemlyn	01/10/2007	
<i>Tringa erythropus</i>	Spotted Redshank	2	SH3393	Cemlyn	4 records - 01/09/1994 - 02/10/2002	

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Tringa totanus</i>	Common Redshank	2	SH3302093234	Cemlyn	2 records - 02/06/2012 - 03/06/2012
<i>Tringa totanus</i>	Common Redshank	2	SH330932	Cemlyn	13 records - 06/05/2002 - 19/07/2008
<i>Tringa totanus</i>	Common Redshank	2	SH3317493825	Cemlyn	02/06/2012
<i>Tringa totanus</i>	Common Redshank	2	SH331932	Cemlyn NWWT Reserve	5 records - 26/01/2008 - 18/05/2013
<i>Tringa totanus</i>	Common Redshank	2	SH3393	Cemlyn	189 records - May 1994 - 23/07/2013
<i>Turdus philomelos</i>	Song Thrush	2	SH330932	Cemlyn	4 records - 2002 - 2008
<i>Turdus philomelos</i>	Song Thrush	2	SH3393	Cemlyn	214 records - 13/08/1994 - June 2011
<i>Turdus philomelos</i>	Song Thrush	2	SH3593	Wylfa; Power Station nature Trail	5 records - 14/02/1999 - 03/03/1999
<i>Uria aalge</i>	Common Guillemot	2	SH330932	Cemlyn	6 records - 08/05/2002 - 28/05/2008
<i>Uria aalge</i>	Common Guillemot	2	SH331932	Cemlyn	3 records - 03/01/2008 - 12/11/2008
<i>Uria aalge</i>	Common Guillemot	2	SH3393	Cemlyn	23 records - 28/06/1994 - 08/08/2010
<i>Uria aalge</i>	Common Guillemot	2	SH3394	Cemlyn; Off shore	2011
<i>Accipiter nisus</i>	Sparrowhawk	3	SH293993356	Cemlyn	4 records 02/06/1996 - 24/07/1996
<i>Accipiter nisus</i>	Sparrowhawk	3	SH330932	Cemlyn	02/06/2012
<i>Accipiter nisus</i>	Sparrowhawk	3	SH3346893038	Cemlyn	9 records 05/05/2002 - 18/05/2013
<i>Accipiter nisus</i>	Sparrowhawk	3	SH3393	Cemlyn	02/06/2012
<i>Accipiter nisus</i>	Sparrowhawk	3	SH3592	Tregele	59 records 19/05/1994 - July 2011
<i>Accipiter nisus</i>	Sparrowhawk	3	SH3594	Wylfa	06/12/2008
<i>Accipiter nisus</i>	Sparrowhawk	3	SH3793	Cemaes Bay	15/03/2006
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH3293	Cemlyn/Henborth	14 records 09/04/2000 - 24/09/2008
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH330932	Cemlyn	27/07/2004
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH331932	Cemlyn NWWT Reserve	7 records 2002 - 22/07/2008
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH333933	Cemlyn Bay	18/05/2013
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH335935	Cemlyn	29/04/2006
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH3393	Cemlyn	14/05/2007
<i>Acrocephalus schoenobaenus</i>	Sedge Warbler	3	SH330932	Cemlyn	70 records 1999 - Spring 2011
<i>Acrocephalus scirpaceus</i>	Reed Warbler	3	SH330932	Cemlyn	01/06/2008
<i>Acrocephalus scirpaceus</i>	Wylfa	3	SH3393	Cemlyn	6 records 10/05/1997 - 39/07/2010
<i>Alca torda</i>	Razorbill	3	SH330932	Cemlyn	5 records 26/05/2002 - 26/01/2008
<i>Alca torda</i>	Razorbill	3	SH3393	Cemlyn	19 records 04/06/1994 - 03/06/2012
<i>Alca torda</i>	Razorbill	3	SH3394	Cemlyn; Off shore	2011
<i>Anthus petrosus</i>	Rock Pipit	3	SH330932	Cemlyn	7 records 04/05/2002 - July 2008
<i>Anthus petrosus</i>	Rock Pipit	3	SH3311193874	Cemlyn	12/05/2013
<i>Anthus petrosus</i>	Rock Pipit	3	SH331932	Cemlyn NWWT Reserve	3 records 2005 - 2008
<i>Anthus petrosus</i>	Rock Pipit	3	SH335935	Cemlyn	6 records 2008
<i>Anthus petrosus</i>	Rock Pipit	3	SH3393	Cemlyn	24 records - 13/06/1994 - 29/04/2013
<i>Athene noctua</i>	Little Owl	3	SH332928	Cemlyn Bay	23/06/2000
<i>Athene noctua</i>	Little Owl	3	SH333933	Cemlyn Bay	29/04/2006
<i>Athene noctua</i>	Little Owl	3	SH335935	Cemlyn	4 records - 14/05/2007 - 13/09/2007
<i>Athene noctua</i>	Little Owl	3	SH3393	Cemlyn	35 records - 1994 - 08/08/2010
<i>Athene noctua</i>	Little Owl	3	SH343932	Cafnan, Cemlyn	15/05/2003
<i>Athene noctua</i>	Little Owl	3	SH344931	Cemlyn Bay	01/05/2004
<i>Athene noctua</i>	Little Owl	3	SH3691	Llanfechell	18/07/2005
<i>Athene noctua</i>	Little Owl	3	SH3793	Cemaes Bay	23/03/1999

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Buteo buteo</i>	Buzzard	3	SH330932	Cemlyn	6 records - 18/07/2002 - 2003
<i>Buteo buteo</i>	Buzzard	3	SH331932	Cemlyn NWWT Reserve	4 records - 26/01/2008 - 18/05/2013
<i>Buteo buteo</i>	Buzzard	3	SH335935	Cemlyn	09/04/2008
<i>Buteo buteo</i>	Buzzard	3	SH3393	Cemlyn	134 records - 12/05/1994 - 08/08/2013
<i>Buteo buteo</i>	Buzzard	3	SH3592	Tregale	3 records - 10/06/2008 - 20/06/2008
<i>Buteo buteo</i>	Buzzard	3	SH3594	Wylfa	17/02/2008
<i>Buteo buteo</i>	Buzzard	3	SH3793	Cemaes Bay	8 records - 03/03/1999 - 25/09/2008
<i>Calidris ferruginea</i>	Curlew Sandpiper	3	SH330932	Cemlyn	3 records - 20/05/2002 - 25/07/2002
<i>Calidris ferruginea</i>	Curlew Sandpiper	3	SH335935	Cemlyn	13/09/2007
<i>Calidris ferruginea</i>	Curlew Sandpiper	3	SH3393	Cemlyn	18 records - 31/05/1997 - 27/05/2012
<i>Calidris minuta</i>	Little Stint	3	SH330931	Cemlyn; Lagoon area	2 records - 26/05/2011 - 03/06/2011
<i>Calidris minuta</i>	Little Stint	3	SH3393	Cemlyn	11 records - 12/05/1994 - 02/08/2010
<i>Carduelis carduelis</i>	Goldfinch	3	SH3308892907	Cemlyn	02/06/2012
<i>Carduelis carduelis</i>	Goldfinch	3	SH330932	Cemlyn	3 records - 03/05/2002 - 20/07/2008
<i>Carduelis carduelis</i>	Goldfinch	3	SH331932	Cemlyn NWWT Reserve	4 records - 03/01/2008 - 18/05/2013
<i>Carduelis carduelis</i>	Goldfinch	3	SH3393	Cemlyn	36 records - 04/05/1994 - 31/07/2013
<i>Carduelis carduelis</i>	Goldfinch	3	SH3793	Cemaes Bay	25/04/2008
<i>Carduelis chloris</i>	Greenfinch	3	SH330932	Cemlyn	6 records - June 2002 - 20/07/2008
<i>Carduelis chloris</i>	Greenfinch	3	SH3393	Cemlyn	127 records - May 1994 - 08/08/2010
<i>Carduelis chloris</i>	Greenfinch	3	SH3593	Wylfa; Power Station Nature Trail	4 records - 16/02/1999 - 03/03/1999
<i>Carduelis flammea</i>	Mealy Redpoll	3	SH3393	Cemlyn	9 records - 03/05/1994 - 18/06/1999
<i>Carduelis spinus</i>	Siskin	3	SH3393	Cemlyn	20 records - 17/05/1994 - 16/05/2013
<i>Carduelis spinus</i>	Siskin	3	SH3693	Cemaes Bay	27/03/1999
<i>Carduelis spinus</i>	Siskin	3	SH3793	Cemaes Bay	9 records - 13/01/2000 - 28/04/2008
<i>Certhia familiaris</i>	Treecreeper	3	SH3793	Cemaes Bay	2 records - 12/01/2000 - 13/01/2000
<i>Columba oenas</i>	Stock Pigeon	3	SH331932	Cemlyn	2 records - all 26/01/2008
<i>Columba oenas</i>	Stock Pigeon	3	SH3393	Cemlyn	4 records - 30/05/1998 - 13/07/2011
<i>Corvus corax</i>	Common Raven	3	SH328927	Cemlyn; Bwthyn Penreos	2011
<i>Corvus corax</i>	Common Raven	3	SH330932	Cemlyn	5 records - 23/06/2002 - 2008
<i>Corvus corax</i>	Common Raven	3	SH331932	Cemlyn NWWT Reserve	3 records - 26/01/2008 - 18/05/2013
<i>Corvus corax</i>	Common Raven	3	SH333933	Cemlyn Bay	6 records - 27/04/2006 - 25/12/2006
<i>Corvus corax</i>	Common Raven	3	SH335935	Cemlyn	7 records - 30/01/2007 - 25/12/2007
<i>Corvus corax</i>	Common Raven	3	SH3393	Cemlyn	123 records - 23/06/1994 - 24/04/2012
<i>Corvus corax</i>	Common Raven	3	SH3593	Wylfa; Power Station Nature trail	3 records - 21/02/1999 - 03/03/1999
<i>Corvus corax</i>	Common Raven	3	SH3793	Cemaes Bay	20 records - 11/02/2002 - 09/09/2002
<i>Corvus corax</i>	Common Raven	3	SH3794	Llanbadrig	7 records - 15/02/1999 - 18/04/1999
<i>Cyanistes caeruleus</i>	Blue Tit	3	SH330932	Cemlyn	5 records - 2002 - 2008
<i>Cyanistes caeruleus</i>	Blue Tit	3	SH331932	Cemlyn NWWT Reserve	2 records - 26/01/2008 - 18/05/2013
<i>Cyanistes caeruleus</i>	Blue Tit	3	SH3393	Cemlyn	240 records - 20/06/1994 - 08/08/2013
<i>Cyanistes caeruleus</i>	Blue Tit	3	SH3593	Wylfa; Power station nature trail	6 records - 14/02/1999 - 03-03-1999
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH327928	Cemlyn; Bwthyn Penreos	4 records - 21/06/2011 - 07/07/2011
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH330932	Cemlyn	2 records - 12/07/2003 - 15/07/2008
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH335935	Cemlyn	01/10/2007
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH3393	Cemlyn	9 records - 06/06/1998 - 01/05/2012

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH3493	Cemlyn Bay; Cafnan	18/01/2000
<i>Dendrocopos major</i>	Great Spotted Woodpecker	3	SH3793	Cemaes Bay	2 records - 27/02/2002 - 27/09/2005
<i>Egretta garzetta</i>	Little Egret	3	SH3302093234	Cemlyn	4 records - 19/07/2013 - 02/08/2013
<i>Egretta garzetta</i>	Little Egret	3	SH3304493305	Cemlyn; In lagoon	23/04/2013 - 26/05/2013
<i>Egretta garzetta</i>	Little Egret	3	SH330932	Cemlyn	29/04/2008 - 10/05/2008
<i>Egretta garzetta</i>	Little Egret	3	SH330933	Cemlyn Bay	15/01/2007
<i>Egretta garzetta</i>	Little Egret	3	SH331932	Cemlyn NWWT Reserve	6 records - 26/01/2008 - 18/05/2013
<i>Egretta garzetta</i>	Little Egret	3	SH333933	Cemlyn Bay	17/07/2006
<i>Egretta garzetta</i>	Little Egret	3	SH335935	Cemlyn	4 records - 25/12/2006 - 25/12/2008
<i>Egretta garzetta</i>	Little Egret	3	SH3393	Cemlyn	72 records - 02/05/1994 - 17/05/2012
<i>Egretta garzetta</i>	Little Egret	3	SH3793	Cemaes Bay	17/12/2008
<i>Mergus merganser</i>	Goosander	3	SH3393	Cemlyn	3 records - 21/07/2005 - 09/06/2011
<i>Motacilla alba</i>	Pied Wagtail	3	SH3308792863	Cemlyn; Outside Warden's house	02/06/2012
<i>Motacilla alba</i>	Pied Wagtail	3	SH331932	Cemlyn NWWT Reserve	2 records - all 18/05/2013
<i>Motacilla alba</i>	Pied Wagtail	3	SH3393	Cemlyn	4 records - May 1998 - 03/06/2012
<i>Motacilla alba subsp. alba</i>	White Wagtail	3	SH3293	Cemlyn/Henborth	26/04/2008
<i>Motacilla alba subsp. alba</i>	White Wagtail	3	SH330932	Cemlyn	03/05/2008
<i>Motacilla alba subsp. alba</i>	White Wagtail	3	SH335935	Cemlyn	09/04/2008
<i>Motacilla alba subsp. alba</i>	White Wagtail	3	SH3393	Cemlyn	51 records - May 1994 - 03/06/2012
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH328934	Cemlyn; Bryn Aber	Spring 2011
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH3294393545	Cemlyn - Car Park (North)	02/06/2012
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH330932	Cemlyn	8 records - 2002 - July 2008
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH331928	Cemlyn; Plas Cemlyn	Spring 2011
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH331932	Cemlyn NWWT Reserve	3 records - 26/01/2008 - 18/05/2013
<i>Motacilla alba subsp. yarrellii</i>	Pied Wagtail	3	SH3393	Cemlyn	63 records - May 1994 - 03/06/2012
<i>Motacilla cinerea</i>	Grey Wagtail	3	SH330932	Cemlyn	20/07/2008
<i>Motacilla cinerea</i>	Grey Wagtail	3	SH3393	Cemlyn	43 records - 26/06/1995 - 28/06/2013
<i>Motacilla cinerea</i>	Grey Wagtail	3	SH3793	Cemaes Bay	48 records - 10/04/1999 - 27/12/2008
<i>Motacilla flava</i>	Yellow Wagtail	3	SH3393	Cemlyn	26 records - 30/04/1998 - 15/05/2013
<i>Motacilla flava subsp. flava</i>	Blue-Headed Wagtail	3	SH3393	Cemlyn	11 records - 14/05/1994 - 06/05/2011
<i>Parus major</i>	Great Tit	3	SH328934	Cemlyn; Bryn Aber	Jun-11
<i>Parus major</i>	Great Tit	3	SH330932	Cemlyn	5 records - 2002 - 2008
<i>Parus major</i>	Great Tit	3	SH331932	Cemlyn NWWT Reserve	2 records - 26/01/2008 - 18/05/2013
<i>Parus major</i>	Great Tit	3	SH335929	Cemlyn; Tyddyn Sidney	Jun-11
<i>Parus major</i>	Great Tit	3	SH3393	Cemlyn	136 records - May 1994 - 08/08/2013
<i>Parus major</i>	Great Tit	3	SH3593	Wylfa; Power station nature trail	6 records - 14/02/1999 - 03-03-1999
<i>Phalacrocorax aristotelis</i>	Shag	3	SH3293	Cemlyn	2 records - 06/05/1996 - 27/06/1996
<i>Phalacrocorax aristotelis</i>	Shag	3	SH330932	Cemlyn	4 records - 05/08/2002 - 20/06/2008
<i>Phalacrocorax aristotelis</i>	Shag	3	SH331932	Cemlyn NWWT Reserve	5 records - 03/01/2008 - 18/05/2013
<i>Phalacrocorax aristotelis</i>	Shag	3	SH3393	Cemlyn	29 records - 30/06/1994 - 03/06/2012
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH330932	Cemlyn	21/05/2002
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH331932	Cemlyn NWWT Reserve	18/05/2013
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH335935	Cemlyn	2 records - 14/05/2007 - 09/04/2008
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH3393	Cemlyn	43 records - 02/05/1994 - 01/06/2013

Scientific Name	Common Name	Importance Category	Grid Reference	Location	Records Summary
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH3594	Wylfa	2 records - 30/03/2002 - 14/05/2002
<i>Phylloscopus collybita</i>	Common Chiffchaff	3	SH3793	Cemaes Bay	3 records - 31/03/2002 - 26/03/2005
<i>Podiceps cristatus</i>	Great Crested Grebe	3	SH330932	Cemlyn	17/05/2008
<i>Podiceps cristatus</i>	Great Crested Grebe	3	SH3349293702	Cemlyn	3 records - 24/04/2013 - 21/05/2013
<i>Podiceps cristatus</i>	Great Crested Grebe	3	SH3393	Cemlyn	24 records - 26/08/1994 - 07/05/2013
<i>Prunella modularis</i>	Dunnock	3	SH330932	Cemlyn	5 records - 2002 - 2008
<i>Prunella modularis</i>	Dunnock	3	SH331932	Cemlyn NWWT Reserve	4 records - 26/01/2008 - 18/05/2013
<i>Prunella modularis</i>	Dunnock	3	SH3393	Cemlyn	205 records - 1994 - 03/06/2012
<i>Prunella modularis</i>	Dunnock	3	SH3594	Wylfa; Power Station nature Trail	5 records - 14/02/1999 - 03/03/1999
<i>Rallus aquaticus</i>	Water Rail	3	SH335935	Cemlyn	4 records - 25/12/2006 - 23/11/2007
<i>Rallus aquaticus</i>	Water Rail	3	SH3393	Cemlyn Bay	12 records - 18/09/1995 - 22/12/2000
<i>Rallus aquaticus</i>	Water Rail	3	SH3493	Cafnan, Cemlyn	10 records - 06/01/2000 - 17/12/2000
<i>Rissa tridactyla</i>	Kittiwake	3	SH3304493305	Cemlyn	3 records - 29/04/2013 - 10/05/2013
<i>Rissa tridactyla</i>	Kittiwake	3	SH330931	Cemlyn; Lagoon	2011
<i>Rissa tridactyla</i>	Kittiwake	3	SH330932	Cemlyn	5 records - 26/05/2002 - 29/06/2008
<i>Rissa tridactyla</i>	Kittiwake	3	SH331932	Cemlyn NWWT Reserve	4 records - 03/01/2008 - 18/05/2013
<i>Rissa tridactyla</i>	Kittiwake	3	SH3393	Cemlyn	48 records - May 1994 - 03/06/2012
<i>Rissa tridactyla</i>	Kittiwake	3	SH3594	Wylfa; Wylfa Head seawatches	4 records - 12/08/2006 - 02/09/2006
<i>Saxicola rubetra</i>	Whinchat	3	SH330932	Cemlyn	02/05/2002
<i>Saxicola rubetra</i>	Whinchat	3	SH333933	Cemlyn Bay	27/07/2006
<i>Saxicola rubetra</i>	Whinchat	3	SH335935	Cemlyn	30/07/2007
<i>Saxicola rubetra</i>	Whinchat	3	SH3393	Cemlyn	51 records - 02/05/1994 - 17/05/2013
<i>Saxicola torquata</i>	Stonechat	3	SH330932	Cemlyn	8 records - 2002 - June 2008
<i>Saxicola torquata</i>	Stonechat	3	SH331932	Cemlyn NWWT Reserve	6 records - 03/01/2008 - 18/05/2013
<i>Saxicola torquata</i>	Stonechat	3	SH3393	Cemlyn	138 records - 1994 - 2011
<i>Stercorarius skua</i>	Great Skua	3	SH330932	Cemlyn	29/05/2002
<i>Stercorarius skua</i>	Great Skua	3	SH3393	Cemlyn	15 records - 08/07/1994 - 18/07/2011
<i>Stercorarius skua</i>	Great Skua	3	SH3594	Wylfa; Wylfa Head seawatches	3 records - 28/08/2006 - 02/09/2006
<i>Strix aluco</i>	Tawny Owl	3	SH330932	Cemlyn	May-08
<i>Strix aluco</i>	Tawny Owl	3	SH3393	Cemlyn	4 records - 01/06/1996 - 31/07/2007
<i>Sylvia atricapilla</i>	Blackcap	3	SH330932	Cemlyn	2 records - 28/04/2008 - 03/05/2008
<i>Sylvia atricapilla</i>	Blackcap	3	SH3393	Cemlyn	14 records - 18/05/1998 - 08/07/2013
<i>Sylvia atricapilla</i>	Blackcap	3	SH3592	Tregele; The Firs	02/05/1999
<i>Sylvia atricapilla</i>	Blackcap	3	SH3793	Cemaes Bay	19 records - 19/01/2000 - 31/03/2008
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH330932	Cemlyn	3 records - 09/05/2002 - 04/05/2008
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH333933	Cemlyn Bay	17/07/2006
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH335929	Cemlyn; Tyddyn Sidney	11/07/2011
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH335935	Cemlyn	14/05/2007
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH3393	Cemlyn	15 records - 20/05/1996 - 03/08/2013
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH344931	Cemlyn Bay	07/05/2004
<i>Sylvia curruca</i>	Lesser Whitethroat	3	SH3594	Wylfa	14/05/2002

Appendix B. Target Species Surveys – Additional Results

Species	2012	2013	2014
(CB = Confirmed Breeding; PB = Probable Breeding; PsB = Possible Breeding; - = not seen)			
Blackcap (<i>Sylvia atricapilla</i>)	-	PsB	-
Blackbird (<i>Turdus merula</i>)	-	PB	-
Blue tit (<i>Cyanistes caeruleus</i>)	-	PsB	-
Bullfinch (<i>Pyrrhula pyrrhula</i>)	-	PB	-
Carrion crow (<i>Corvus corone</i>)	-	CB	-
Chaffinch (<i>Fringilla coelebs</i>)	-	PsB	-
Chiffchaff (<i>Phylloscopus collybita</i>)	-	CB	-
Coal tit (<i>Periparus ater</i>)	-	PsB	-
Collared dove (<i>Streptopelia decaocto</i>)	-	PsB	-
Cuckoo (<i>Cuculus canorus</i>)	PB	-	-
Dunnock (<i>Prunella modularis</i>)	-	PB	-
Goldfinch (<i>Carduelis carduelis</i>)	-	PsB	-
Gold crest (<i>Regulus regulus</i>)	-	PB	-
Grasshopper warbler (<i>Locustella naevia</i>)	PB	PB	-
Great tit (<i>Parus major</i>)	-	PsB	-
Greater spotted woodpecker (<i>Dendrocopos major</i>)	-	PsB	-
Greenfinch (<i>Chloris chloris</i>)	-	PsB	-
Herring gull (<i>Larus argentatus</i>)	CB	-	-
House sparrow (<i>Passer domesticus</i>)	CB	PsB	-
Jackdaw (<i>Coloeus monedula</i>)	-	PsB	-
Lesser redpoll (<i>Carduelis cabaret</i>)	CB	-	-
Lesser whitethroat (<i>Sylvia curruca</i>)	-	PsB	-
Linnet (<i>Carduelis cannabina</i>)	CB	CB	-
Long tailed tit (<i>Aegithalos caudatus</i>)	-	PsB	-
Magpie (<i>Pica pica</i>)	-	PB	-
Meadow pipit (<i>Anthus pratensis</i>)	-	CB	-
Moorhen (<i>Gallinula chloropus</i>)	-	PsB	-
Pied wagtail (<i>Motacilla alba</i>)	-	PsB	-
Raven (<i>Corvus corax</i>)	-	PsB	-
Reed bunting (<i>Emberiza schoeniclus</i>)	-	PB	-
Robin (<i>Erithacus rubecula</i>)	-	PsB	-
Rock pipit (<i>Anthus petrosus</i>)	-	PB	-
Sedge warbler (<i>Acrocephalus schoenobaenus</i>)	-	PsB	-

Species	2012	2013	2014
(CB = Confirmed Breeding; PB = Probable Breeding; PsB = Possible Breeding; - = not seen)			
Skylark (<i>Alauda arvensis</i>)	CB	-	-
Song thrush (<i>Turdus philomelos</i>)	CB	PB	-
Spotted flycatcher (<i>Muscicapa striata</i>)	PB	-	-
Starling (<i>Sturnus vulgaris</i>)	CB	-	-
Stonechat (<i>Saxicola torquata</i>)	-	PsB	-
Tawny owl (<i>Strix aluco</i>)	-	CB	CB
White throat (<i>Sylvia communis</i>)	-	PB	-
Willow warbler (<i>Phylloscopus trochilus</i>)	-	PB	-
Wood pigeon (<i>Columba palumbus</i>)	-	PsB	-
Wren (<i>Troglodytes troglodytes</i>)	-	PB	-

Appendix C. Combined Results – Summary

Table C.1 : Breeding Birds - Results Summary (X = Relevant legal protection or policy; CB = Confirmed Breeding; PB = Probable Breeding; PsB = Possible Breeding; NB = Not Breeding; and - = Not observed).

Species	Protection/Conservation Status						Breeding Status				
	Annex I	Schedule 1 (WCA, 1998)	Section 42 (NERC Act, 2006)	LBAP	Red List	Amber List	2010	2011	2012	2013	2014
Barn owl	-	X	-	X	-	X	PB	-	CB	CB	CB
Blackbird	-	-	-	-	-	-	CB	CB	CB	CB	CB
Blackcap	-	-	-	-	-	-	PsB	PsB	CB	PB	CB
Black-headed gull	-	-	-	-	-	-	-	-	-	NB	NB
Black-tailed godwit	-	-	-	-	-	-	-	-	-	-	NB
Blue tit	-	-	-	-	-	-	CB	CB	CB	CB	CB
Bullfinch	-	-	-	-	X	-	CB	CB	CB	PB	CB
Buzzard	-	-	-	-	-	-	PsB	PsB	CB	CB	CB
Canada goose	-	-	-	-	-	-	-	-	CB	CB	CB
Carrion crow	-	-	-	-	-	-	-	-	CB	CB	CB
Chaffinch	-	-	-	-	-	-	CB	CB	CB	CB	CB
Chiffchaff	-	-	-	-	-	-	CB	CB	CB	CB	CB
Chough	X	X	-	X	X	X	CB	CB	CB	CB	CB
Coal tit	-	-	-	-	-	-	PsB	PsB	CB	CB	PB
Collared dove	-	-	-	-	-	-	CB	CB	CB	PB	PB
Common crossbill	-	X	-	-	-	-	-	-	NB	-	-
Common sandpiper	-	-	-	-	-	-	-	-	-	-	PsB
Cormorant	-	-	-	-	-	-	-	-	-	NB	NO
Corncrake	X	X	X	X	X	X	-	-	-	-	NB
Cuckoo	-	-	X	-	X	-	-	-	-	PsB	PsB
Curlew	-	-	-	-	X	-	NB	-	-	NB	NB

Species	Protection/Conservation Status					Breeding Status					
	Annex I	Schedule 1 (WCA, 1998)	Section 42 (NERC Act, 2006)	LBAP	Red List	Amber List	2010	2011	2012	2013	2014
Dunnock	-	-	-	-	X	-	PsB	PsB	CB	CB	CB
Feral pigeon	-	-	-	-	-	-	-	-	CB	PB	PB
Fieldfare	-	X	X	-	-	-	NB	NB	-	-	-
Garden warbler	-	-	-	-	-	-	PsB	PsB	CB	-	-
Goldcrest	-	-	-	-	-	-	PsB	PsB	CB	CB	CB
Goldfinch	-	-	-	-	-	-	CB	CB	CB	CB	CB
Goshawk	X	X	-	-	-	-	NB	-	PsB	NB	-
Grasshopper warbler	-	-	X	-	X	-	CB	PB	PB	PB	PB
Great black-backed gull	-	-	-	-	-	-	-	-	CB	NB	NB
Great spotted woodpecker	X	-	-	-	-	-	PB	PB	CB	CB	PB
Great tit	-	-	-	-	-	-	CB	CB	CB	CB	CB
Green woodpecker	-	-	-	-	-	-	-	-	CB	-	-
Greenfinch	-	-	-	-	-	-	CB	CB	-	CB	CB
Grey heron	-	-	-	-	-	-	CB	CB	CB	CB	CB
Grey wagtail	-	-	-	-	-	-	-	-	-	NB	PsB
Greylag goose	-	-	-	-	-	-	NB	-	CB	PsB	NB
Herring gull	-	-	X	-	X	-	-	-	CB	CB	CB
Hen harrier	X	X	X	-	X	-	-	-	-	-	NB
House martin	-	-	-	-	-	-	CB	CB	-	CB	CB
House sparrow	-	-	X	-	X	-	CB	CB	CB	CB	CB
Jackdaw	-	-	-	-	-	-	NB	NB	CB	CB	CB
Jay	-	-	-	-	-	-	-	-	CB	-	-
Kestrel	-	-	-	-	X	-	PsB	PsB	CB	PsB	CB
Lesser black-backed gull	-	-	-	-	-	-	-	-	CB	CB	CB

Species	Protection/Conservation Status					Breeding Status					
	Annex I	Schedule 1 (WCA, 1998)	Section 42 (NERC Act, 2006)	LBAP	Red List	Amber List	2010	2011	2012	2013	2014
Lesser redpoll	-	-	X	-	X	-	-	-	CB	CB	NB
Lesser whitethroat	-	-	-	-	-	-	PsB	PsB	-	PB	PB
Linnet	-	-	X	-	X	-	PB	-	CB	CB	CB
Little egret	X	-	-	-	-	-	-	-	-	-	NB
Long-tailed tit	-	-	-	-	-	-	PsB	PsB	CB	PsB	PB
Magpie	-	-	-	-	-	-	-	CB	CB	CB	CB
Mallard	-	-	-	-	-	-	CB	CB	CB	CB	PB
Manx shearwater	X	-	-	-	-	-	-	-	-	-	PsB
Meadow pipit	-	-	-	-	-	-	CB	CB	CB	-	CB
Merlin	-	X	-	-	-	-	-	-	NB	NB	-
Mistle thrush	-	-	-	-	-	-	CB	CB	CB	CB	PsB
Moorhen	-	-	-	-	-	-	-	-	-	CB	-
Mute swan	-	-	-	-	-	-	-	-	CB	-	-
Nuthatch	-	-	-	-	-	-	-	-	CB	-	PsB
Osprey	X	X	-	-	-	-	-	-	-	-	NB
Oystercatcher	-	-	-	-	-	-	NB	NB	CB	CB	PB
Peregrine	X	X	-	-	-	-	NB	NB	NB	PsB	PsB
Pheasant	-	-	-	-	-	-	PsB	PsB	CB	CB	PB
Pied wagtail	-	-	-	-	-	-	CB	CB	CB	PB	CB
Raven	-	-	-	-	-	-	NB	CB	CB	CB	CB
Red-breasted merganser	-	-	-	-	-	-	NB	NB	-	-	-
Red-legged partridge	-	-	-	-	-	-	-	-	-	-	PsB
Redshank	-	-	-	-	-	-	NB	-	PB	PsB	NB
Redstart	-	-	-	-	-	-	-	-	-	-	PsB

Species	Protection/Conservation Status					Breeding Status					
	Annex I	Schedule 1 (WCA, 1998)	Section 42 (NERC Act, 2006)	LBAP	Red List	Amber List	2010	2011	2012	2013	2014
Redwing	-	X	X	-	-	-	NB	-	-	-	-
Reed bunting	-	-	-	-	X	-	PB	-	CB	CB	CB
Ring ouzel	-	-	X	-	X	-	-	-	-	-	NB
Robin	-	-	-	-	-	-	CB	CB	CB	CB	CB
Rock pipit	-	-	-	-	-	-	-	-	CB	CB	PB
Rook	-	-	-	-	-	-	CB	CB	CB	CB	CB
Sand martin	-	-	-	-	-	-	-	-	-	-	PsB
Sedge warbler	-	-	-	-	-	-	CB	CB	CB	CB	CB
Shag	-	-	-	-	-	-	-	-	-	-	NB
Shelduck	-	-	-	-	-	-	-	-	-	-	NB
Short-eared owl	X	-	-	-	-	-	-	-	-	-	NB
Siskin	-	-	-	-	-	-	PsB	PsB	CB	PsB	PsB
Skylark	-	-	X	X	X	X	PsB	-	CB	PsB	NB
Snipe	-	-	-	-	-	-	PB	-	CB	PsB	PsB
Song thrush	-	-	X	X	X	X	CB	CB	CB	CB	CB
Sparrowhawk	-	-	-	-	-	-	PsB	PsB	PsB	PsB	PB
Spotted flycatcher	-	-	X	-	X	-	-	-	PB	-	PsB
Starling	-	-	X	-	X	-	CB	CB	CB	CB	CB
Stock dove	-	-	-	-	-	-	-	-	-	NB	CB
Stonechat	-	-	-	-	-	-	CB	CB	CB	CB	CB
Swallow	-	-	-	-	-	-	CB	CB	CB	CB	CB
Swift	-	-	-	-	-	-	-	-	-	NB	CB
Tawny owl	-	-	-	-	-	-	-	-	-	CB	-
Tree creeper	-	-	-	-	-	-	-	-	CB	-	PsB

Species	Protection/Conservation Status				Breeding Status				
	Amber List	Red List	LBAP	Section 42 (NERC Act, 2006)	2010	2011	2012	2013	2014
Annex I									
Turnstone	-	-	-	-	-	-	-	-	NB
Twite	-	-	X	-	X	-	-	-	NB
Wheatear	-	-	-	-	-	-	CB	CB	CB
Whimbrel	-	X	X	-	-	-	NB	-	NB
Whinchat	-	-	-	-	-	-	-	-	CB
Whitethroat	-	-	-	-	-	-	-	CB	CB
Willow warbler	-	-	-	-	-	-	CB	CB	CB
Wood pigeon	-	-	-	-	-	-	PB	PB	PB
Woodcock	-	-	-	-	-	-	-	CB	NB
Wren	-	-	-	-	-	-	PB	PB	CB
Yellowhammer	-	-	X	-	X	-	PsB	-	-