

From: Dave.Adams2@hse.gov.uk on behalf of NSIP.Applications@hse.gov.uk
To: Wylfa Newydd; Wylfa Newydd
Cc: beiseip@beis.gov.uk; ONR-Land.Use-Planning@onr.gov.uk
Subject: NSIP - Wylfa Newydd (EN010007) - HSE response to a question from the Secretary of State
Date: 30 October 2019 14:11:02

WYLF-EIA024

Dear Planning Inspectorate,

Thank you for your email accompanying a letter from BEIS dated 23/10/19 which includes a question from the Secretary of State requiring a response from HSE.

Question

The Secretary of State also invites comments from **NRW, Office for Nuclear Regulation, Isle of Anglesey County Council (“IACC”), the Health and Safety Executive, Welsh Water and any other consenting or licencing body** on any risks or impediments to the management of impacts that may result from the withdrawal by the Applicant of the licence and/or permit applications.

HSE Response

As this NSIP is for a Nuclear Power Station, it is for the Office for Nuclear Regulation (ONR) not HSE to respond, as outside our vires. We appreciate that there is a Statutory obligation to contact HSE for all NSIPs.

Kind regards,

Dave Adams
Dave.MHPD.Adams

Major Hazards Policy – Chemicals & Land Use Planning | Chemicals, Explosives & Microbiological Hazards Division | Health and Safety Executive.

Please note that on 24/9/18 I moved to 1.2 Redgrave Court.

1.2 Redgrave Court, Merton Road, Bootle, Merseyside L20 7HS

+44 (0) 20 3028 3408 dave.mhpd.adams@hse.gov.uk

www.hse.gov.uk | <http://hse.gov.uk/landuseplanning>

Please note : Incoming and outgoing email messages are routinely monitored for compliance with our policy on the use of electronic communications and may be automatically logged, monitored and / or recorded for lawful purposes by the GSI service provider.

Interested in Occupational Health and Safety information?

Please visit the HSE website at the following address to keep yourself up to date

www.hse.gov.uk
