

## **CLEVE HILL SOLAR PARK**

THE APPLICANT'S RESPONSES TO SUBMISSIONS RECEIVED AT DEADLINE 4


**Appendix 3 - Topographical Survey Results** 

September 2019 Revision A

Document Reference: 13.4.4


Submitted: Deadline 5 www.clevehillsolar.com





- GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table							
Station	Description	Easting	Northing	Level			
S1	ROAD NAIL	605719.441	163678.590	3.577			
S2	ROAD NAIL	605712.195	163619.298	3.458			
S3	ROAD NAIL	605505.929	163313.225	8.103			
S4	ROAD NAIL	605522.674	163353.411	7.167			
S5	ROAD NAIL	605467.328	163062.019	7.497			
S6	ROAD NAIL	605472.136	163108.353	7.020			
S7	ROAD NAIL	605346.648	162701.458	12.063			
S8	ROAD NAIL	605368.859	162734.494	12.025			
S9	ROAD NAIL	604731.022	161579.625	4.431			
S10	ROAD NAIL	604693.254	161527.951	4.280			
S11	ROAD NAIL	604603.539	161284.245	8.360			
S12	ROAD NAIL	604590.043	161326.574	7.125			
S13	ROAD NAIL	605069.622	162163.946	12.104			
S14	ROAD NAIL	605059.160	162182.072	12.635			



0m 2 4 6 8 10 12 14 16 18 20 22




Tel 01908 565561
Tel 01865 594979
Tel 0116 2849127
Tel 01384 404203
Tel 01403 243162

Milton Keynes Oxford East Midlands West Midlands Horsham www.mksurveys.com www.surveys4bim.co.uk



Head Hill Road Site 1 Faversham Kent

Scale	Sheet Size		Sheet Number:	Date:
Ocale	Officet Oize	•	Officer Number.	
1:200	Α	.1	1	July 2019
Project Number:		Rev:	Surveyed By:	Approved By:
27361		-	JM	AJ / NL
RIBERT	THE SU ASSOCI	RVEY SS	INV-GL	. Chang



- GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- NATIONAL GRSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
   TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY
  AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table Description Northing Level **ROAD NAIL** 605719.441 | 163678.590 | 3.577 ROAD NAIL 605712.195 | 163619.298 | 3.458 605505.929 | 163313.225 | 8.103 ROAD NAIL ROAD NAIL 605522.674 | 163353.411 | 7.167 ROAD NAIL 605467.328 | 163062.019 | 7.497 605472.136 | 163108.353 | 7.020 ROAD NAIL 605346.648 | 162701.458 | 12.063 ROAD NAIL 605368.859 | 162734.494 | 12.025 ROAD NAIL 604731.022 | 161579.625 | 4.431 ROAD NAIL S10 ROAD NAIL 604693.254 | 161527.951 | 4.280 S11 ROAD NAIL 604603.539 | 161284.245 | 8.360 S12 ROAD NAIL 604590.043 | 161326.574 | 7.125 S13 ROAD NAIL 605069.622 | 162163.946 | 12.104 ROAD NAIL 605059.160 | 162182.072 | 12.635

TOPOGRAPHICAL KEY **GENERAL ABBREVIATIONS** AIR CONDITIONING UNIT
AIR VALVE
AVERAGE
BACK DROP
BASE LEVEL
BELISHA BEACON
BOLLARD
BOLLARD
BOLLARD LIGHT
BRICK
BUS STOP SURVEY STATION HEDGE SPREADS BUS STOP
CABLE RISER
CABLE TV COVER
CABLES TO GROUND
CATCH PIT
CONTROL BOX
COVER LEVEL
CROSSING CONTROL BUTTON
DAMP PROOF COURSE
DRAINAGE CHANNEL
DROP KERB
ELECTRICITY POLE
EARTH ROD
FIRE HYDRANT
ELOGR LEVEL WOODLAND CANOPY TREES GATE FLOOR LEVEL FOOTPATH FOUL WATER GAS RISER GAS VALVE KERB CHANNEL ROAD UNKERBED FOOTPATH CHANGE IN SURFACE -----FENCE WALL OVERHEAD ELECTRIC ——— N——— OVERHEAD TELECOM ————— **FOUL SEWER** RAIN WATER PIPE P-TRAP RETAINING WALL
SOFT BED
STOP COCK
STREET NAME PLATE
STOP VALVE
SOIL PIPE
SOIL VENT PIPE
SURFACE WATER
TACTILE PAVING BACK DROP (EXTERNAL) ----BACK DROP (INTERNAL) — ——————— OPEN SIDED BUILDING TELECOM POLE
TELECOM INSPECTION COVER
TELEPHONE CALL BOX OVERHANG / CANOPY TICKET MACHINE
TOP OF WALL
TRAFFIC LIGHT
TRAFFIC LIGHT COVER CONTOUR UNABLE TO LOCATE UNABLE TO RAISE UNABLE TO SURVEY SPOT LEVEL BORE HOLE TRIAL HOLE BARBED WIRE FENCE CLOSE BOARDED FENCE CONCRETE PANEL FENCE CORRUGATED IRON FENCE CHAIN LINK FENCE CHESTNUT PALING IRON RAILINGS LARCH LAP FENCE POST AND RAIL FENCE POST AND WIRE FENCE WIRE MESH FENCE



Tel 01908 565561
Tel 01865 594979
Tel 0116 2849127
Tel 01384 404203
Tel 01403 243162

www.mksurveys.com

Milton Keynes
Oxford
East Midlands
West Midlands
Horsham

horsham@mksurvey www.surveys4bim.co.uk



Head Hill Road Site 2 Faversham Kent

Topographical Survey

- Topograpinoai Garv

cale	Sheet Size:		Sheet Number:	Date:
1:200	А	.1	2	July 2019
oject Number:		Rev:	Surveyed By:	Approved By:
27361		-	JM	AJ / NL
		<b>™</b>	orksafe 🖍	<b>de</b> ,

SMALL TREES PRESENT IN THE GARDEN RIDGE 20.11 12.47 FLOWER BED C/L FENCE HT 1.4m

162200 N


162150 N

Notes:

- GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- 2. TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY
  AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table							
Station	Description	Easting	Northing	Level			
S1	ROAD NAIL	605719.441	163678.590	3.577			
S2	ROAD NAIL	605712.195	163619.298	3.458			
S3	ROAD NAIL	605505.929	163313.225	8.103			
S4	ROAD NAIL	605522.674	163353.411	7.167			
S5	ROAD NAIL	605467.328	163062.019	7.497			
S6	ROAD NAIL	605472.136	163108.353	7.020			
S7	ROAD NAIL	605346.648	162701.458	12.063			
S8	ROAD NAIL	605368.859	162734.494	12.025			
S9	ROAD NAIL	604731.022	161579.625	4.431			
S10	ROAD NAIL	604693.254	161527.951	4.280			
S11	ROAD NAIL	604603.539	161284.245	8.360			
S12	ROAD NAIL	604590.043	161326.574	7.125			
S13	ROAD NAIL	605069.622	162163.946	12.104			
S14	ROAD NAIL	605059.160	162182.072	12.635			

162200 N



mksurveys

Tel 01908 565561
Tel 01865 594979
Tel 0116 2849127
Tel 01384 404203
Tel 01403 243162

www.mksurveys.com


Milton Keynes Oxford East Midlands West Midlands Horsham

westmidlands@mksurvey: horsham@mksurvey: www.surveys4bim.co.uk




Head Hill Road Site 3 Faversham Kent

Scale	Sheet Size:		Sheet Number:	Date:
1:200	A1		3	July 2019
Project Number:		Rev:	Surveyed By:	Approved By:
27361		-	JM	AJ / NL
RIESE	THE SU ASSOCI	IRVEY CON	emaild.com	T. N. A.S.



- . GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table							
Station	Description	Easting	Northing	Level			
S1	ROAD NAIL	605719.441	163678.590	3.577			
S2	ROAD NAIL	605712.195	163619.298	3.458			
S3	ROAD NAIL	605505.929	163313.225	8.103			
S4	ROAD NAIL	605522.674	163353.411	7.167			
S5	ROAD NAIL	605467.328	163062.019	7.497			
S6	ROAD NAIL	605472.136	163108.353	7.020			
S7	ROAD NAIL	605346.648	162701.458	12.063			
S8	ROAD NAIL	605368.859	162734.494	12.025			
S9	ROAD NAIL	604731.022	161579.625	4.431			
S10	ROAD NAIL	604693.254	161527.951	4.280			
S11	ROAD NAIL	604603.539	161284.245	8.360			
S12	ROAD NAIL	604590.043	161326.574	7.125			
S13	ROAD NAIL	605069.622	162163.946	12.104			
S14	ROAD NAIL	605059.160	162182.072	12.635			



162700 N

0m 2 4 6 8 10 12 14 16 18 20 22



Tel 01908 565561
Tel 01865 594979
Tel 0116 2849127
Tel 01384 404203
Tel 01403 243162 www.mksurveys.com


Milton Keynes Oxford East Midlands West Midlands Horsham

www.surveys4bim.co.uk




Head Hill Road Site 4 Faversham Kent

Scale	Scale Sheet Size:		Sheet Number:	Date:
1:200	А	.1	4	July 2019
Project Number:		Rev:	Surveyed By:	Approved By:
27361		-	JM	AJ / NL
RIEDE	THE SU ASSOCI	JRVEY SC	Amandald.com	T. K.A.S.



- . GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- 2. TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table							
Station	Description	Easting	Northing	Level			
S1	ROAD NAIL	605719.441	163678.590	3.577			
S2	ROAD NAIL	605712.195	163619.298	3.458			
S3	ROAD NAIL	605505.929	163313.225	8.103			
S4	ROAD NAIL	605522.674	163353.411	7.167			
S5	ROAD NAIL	605467.328	163062.019	7.497			
S6	ROAD NAIL	605472.136	163108.353	7.020			
S7	ROAD NAIL	605346.648	162701.458	12.063			
S8	ROAD NAIL	605368.859	162734.494	12.025			
S9	ROAD NAIL	604731.022	161579.625	4.431			
S10	ROAD NAIL	604693.254	161527.951	4.280			
S11	ROAD NAIL	604603.539	161284.245	8.360			
S12	ROAD NAIL	604590.043	161326.574	7.125			
S13	ROAD NAIL	605069.622	162163.946	12.104			
S14	ROAD NAIL	605059.160	162182.072	12.635			



0m 2 4 6 8 10 12 14 16 18 20 22



www.mksurveys.com

163300 N



www.surveys4bim.co.uk

Head Hill Road Site 6 Faversham Kent


Scale	Sheet Size:		Sheet Number:	Date:
1:200	A1		6	July 2019
Project Number:		Rev:	Surveyed By:	Approved By:
27361		-	JM	AJ / NL
RISSIE	THE SU ASSOCI	JRVEY CON	Amatid.com	· Char

163100 N DENLEY HALL 7.49 P/R FENCE HT 1.2m +7.49 +7.57 7.66 P/W FENCE HT 1.2m 163050 N 7.93 + 86.7 7.96 × 7.50

Not

- 1. GRID AND LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK. LOCAL SCALE FACTOR APPLIED (1.00012).
- TREE AND HEDGE SPECIES HAVE BEEN IDENTIFIED AS ACCURATELY
  AS POSSIBLE BUT SHOULD BE CROSS CHECKED IN CRITICAL AREAS.

Coordinate Table							
Station	Description	Easting	Northing	Level			
S1	ROAD NAIL	605719.441	163678.590	3.577			
S2	ROAD NAIL	605712.195	163619.298	3.458			
S3	ROAD NAIL	605505.929	163313.225	8.103			
S4	ROAD NAIL	605522.674	163353.411	7.167			
S5	ROAD NAIL	605467.328	163062.019	7.497			
S6	ROAD NAIL	605472.136	163108.353	7.020			
S7	ROAD NAIL	605346.648	162701.458	12.063			
S8	ROAD NAIL	605368.859	162734.494	12.025			
S9	ROAD NAIL	604731.022	161579.625	4.431			
S10	ROAD NAIL	604693.254	161527.951	4.280			
S11	ROAD NAIL	604603.539	161284.245	8.360			
S12	ROAD NAIL	604590.043	161326.574	7.125			
S13	ROAD NAIL	605069.622	162163.946	12.104			
S14	ROAD NAIL	605059.160	162182.072	12.635			





1620E0 N

Tel 01908 565561 Milton Keynes enquiries@mksurveys
Tel 01865 594979 Oxford oxford@mksurveys
Tel 0116 2849127 East Midlands eastmidlands@mksurveys
Tel 01384 404203 West Midlands westmidlands@mksurveys
Tel 01403 243162 Horsham horsham@mksurveys

www.mksurveys.com www.surveys4bim.co.uk



Head Hill Road Site 5 Faversham Kent

Scale	Sheet Size:		Sheet Number:	Date:	
1:200	A1		5	July 2019	
Project Number:		Rev:	Surveyed By:	Approved By:	
27361		-	JM	AJ / NL	
	THE SU ASSOCI	JRVEY CONTRACTOR CONTR	Acros alto, com	, kas	

