



TRINITY HOUSE

The Planning Inspectorate
Temple Quay House
Temple Quay
Bristol
BS1 6PN

Your Ref: EN010121
Identification No. 20049503

14 January 2025

Dear Sir / Madam,

**The Morecambe Offshore Wind Farm Generation Assets
Written Response to Examining Authority's First Round of Written Questions (ExQ1) for
Deadline 3**

We refer to the above application for Development Consent and the Examining Authority's First Round of Written Questions issued on 18 December 2024.

Question:- 1DCO8

Micro-siting

a) Within condition 9(1)(a)(ii) should there be a maximum limit for micro-siting within the two lines of orientation? If so, what should this be?

b) Should this be allowed to be varied by consent, and if so, who should grant this consent, and should there be any limits on variation?

Trinity House Response:-

a) We consider that the maximum limit for micro-siting should be up to 55 metres.

We understand that this would be consistent with other proposed offshore wind farm developments in the Irish Sea.

b) Trinity House considers that any proposed variation to micro-siting distance that exceeds 55 metres should be subject to prior agreement with the Marine Management Organisation in consultation with the Maritime and Coastguard Agency and Trinity House.

We trust that this response is helpful and would ask that all correspondence regarding this matter is addressed to myself at [REDACTED]@trinityhouse.co.uk and to Mr Steve Vanstone at navigation@trinityhouse.co.uk

Yours faithfully,

[Redacted Signature]

Russell Dunham ACII
Legal Advisor

Email: [Redacted]@trinityhouse.co.uk