

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 19/05/2022 @ 15:01
 OS grid reference - 519136, 344386

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 443m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260


FIGURE 7.3 RVAA PHOTOMONTAGES

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)

VIEWPOINT 5 - EXISTING





© Crown Copyright. All Rights Reserved. Ordnance Survey Licence No. 100019200

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 19/05/2022 @ 15:01
 OS grid reference - 519136, 344386

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 443m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 5- PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





© 2022 Pegasus Group

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 19/05/2022 @ 15:01
 OS grid reference - 519136, 344386

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 443m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 5- PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 14:10
 OS grid reference - 519322, 344455


Viewpoint height (AOD) - 4m
 Distance from Energy Park - 319m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAA PHOTOMONTAGES **VIEWPOINT 6 - EXISTING**

DCO Reference Number: 6.2.6
 PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 14:10
 OS grid reference - 519322, 344455

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 319m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 6- PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 14:10
 OS grid reference - 519322, 344455

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 319m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters

FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 6- PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:52
 OS grid reference - 519635, 344209


Viewpoint height (AOD) - 4m
 Distance from Energy Park - 352m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAA PHOTOMONTAGES **VIEWPOINT 7 – EXISTING**

DCO Reference Number: 6.2.6
 PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:52
 OS grid reference - 519635, 344209

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 352m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAА PHOTOMONTAGES

VIEWPOINT 7 - PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:52
 OS grid reference - 519635, 344209

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 352m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 7 - PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853, 344045


Viewpoint height (AOD) - 4m
 Distance from site - 267m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAА PHOTOMONTAGES **VIEWPOINT 8A - EXISTING**

DCO Reference Number: 6.2.6
 PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853, 344045

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 463m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 8A - PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853 , 344045

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 463m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 8A - PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Copyright © 2022 by Pegasus Group, Inc. All rights reserved. PEGASUS GROUP

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853 , 344045


Viewpoint height (AOD) - 4m
 Distance from Energy Park - 463m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAA PHOTOMONTAGES **VIEWPOINT 8B – EXISTING**

DCO Reference Number: 6.2.6 PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853, 344045

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 463m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 8B - PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 11:38
 OS grid reference - 519853, 344045

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 463m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAА PHOTOMONTAGES

VIEWPOINT 8B - PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





© 2022 Pegasus Group, Inc. All rights reserved.

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 08/04/2022 @ 13:20
 OS grid reference - 520615 , 343721

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 217m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAA PHOTOMONTAGES


DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)

VIEWPOINT 9 - EXISTING



RVA FIGURE 7.3 | P20-2370_59A PHOTOMONTAGES



© 2023 Pegasus Group. All rights reserved.

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 08/04/2022 @ 13:20
 OS grid reference - 520615, 343721

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 217m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 9 - PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





© 2023 Pegasus Group, Inc. All rights reserved.

Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 08/04/2022 @ 13:20
 OS grid reference - 520615 , 343721

Viewpoint height (AOD) - 4m
 Distance from Energy Park - 217m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 9 - PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 10:57
 OS grid reference - 521814, 343541


Viewpoint height (AOD) - 2m
 Distance from Energy Park - 1006m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 1
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

FIGURE 7.3 RVAА PHOTOMONTAGES **VIEWPOINT 10 – EXISTING**

DCO Reference Number: 6.2.6
 PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 10:57
 OS grid reference - 521814, 343541

Viewpoint height (AOD) - 2m
 Distance from Energy Park - 1006m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters


FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 10 - PHOTOMONTAGE (YEAR 1)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)





Camera make & model - Canon 6D
 Lens make & focal length - Canon EF 50mm, f/1.4 USM
 Date & time of photograph - 05/04/2022 @ 10:57
 OS grid reference - 521814, 343541

Viewpoint height (AOD) - 2m
 Distance from Energy Park - 1006m
 Projection - Cylindrical
 Sheet Size - A1

Visualisation Type - Type 3
 Horizontal Field of View - 75°
 Height of camera AGL - 1.5m
 Page size / Image size (mm) - 841 x 297 / 820 x 260

Key
 - - - - Substation and Energy Storage - Maximum Height and Footprint Parameters

FIGURE 7.3 RVAA PHOTOMONTAGES

VIEWPOINT 10 - PHOTOMONTAGE (YEAR 5)

DCO Reference Number: 6.2.6

PINS Reference Number: EN010123
 APFP Regulation: 5(2)(a)

