

RWE Renewables UK Dogger Bank South (West) Limited RWE Renewables UK Dogger Bank South (East) Limited

Dogger Bank South Offshore Wind Farms

Environmental Statement

Volume 7

Appendix 11-4 iPCoD Modelling (Revision 3) (Tracked)

May 2025

Application Reference: 7.11.11.4

APFP Regulation: 5(2)(a)

Revision: 03



Company:	RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited	Asset:	Development	
Project:	Dogger Bank South Offshore Wind Farms	Sub Project/Package:	Consents	
Document Title or Description:	Appendix 11-4 - Population Modelling Methodology (Revision 3) (Tracked)			
Document Number:	004300152-03	Contractor Reference Number:	PC2340-RHD-OF- ZZ-AX-Z-0083	

COPYRIGHT © RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited, 2024. All rights reserved.

This document is supplied on and subject to the terms and conditions of the Contractual Agreement relating to this work, under which this document has been supplied, in particular:

LIABILITY

In preparation of this document RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited has made reasonable efforts to ensure that the content is accurate, up to date and complete for the purpose for which it was contracted. RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited makes no warranty as to the accuracy or completeness of material supplied by the client or their agent.

Other than any liability on RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited detailed in the contracts between the parties for this work RWE Renewables UK Dogger Bank South (West) Limited and RWE Renewables UK Dogger Bank South (East) Limited shall have no liability for any loss, damage, injury, claim, expense, cost or other consequence arising as a result of use or reliance upon any information contained in or omitted from this document.

Any persons intending to use this document should satisfy themselves as to its applicability for their intended purpose.

The user of this document has the obligation to employ safe working practices for any activities referred to and to adopt specific practices appropriate to local conditions.

Rev No.	Date	Status/Reason for Issue	Author	Checked by	Approved by
01	May 2024	Final for DCO Application	RHDHV	RWE	RWE
02	November 2024	Project Change Request 1 - Targeted Non-Statutory Consultation	RHDHV	RWE	RWE
03	May 2025	Submission for Deadline 5	RHDHV	RWE	RWE



Revision Change Log					
Rev No.	Page	Section	Description		
01	N/A	N/A	Submission for DCO application		
02	N/A	N/A	Document updated for Project Change Request		
02	6-8	N/A	Glossary and acronyms tables updated.		
02	9	11.4.1	Minor text updates.		
02	9-10	11.4.2	Minor text updates.		
02	13	11.4.3.1	Added in 'disturbance days' for clarification.		
02	14	11.4.3.1	Updated numbers in text and in Table 11-4-1.		
02	15	11.4.3.3	Minor text updates.		
02	17-19	11.4.3.6	Minor text updates and the removal of numbers fror the Offshore Export Cable Corridor (Table 11-4-4).		
02	19-20	11.4.3.7	Updated text and numbers in Table 11-4-5.		
02	20-21	11.4.3.7.2	Updated text and the correction of a number for Bottlenose dolphin in Table 11-4-6.		
02	23	11.4.3.7.3	Added new section on population modelling for the Report to Inform Appropriate Assessment (RIAA).		
02	24	11.4.3.7.3	Added in Table 11-4-8.		
02	25	11.4.3.8	Updated text.		
02	25	11.4.4	Updated text.		
02	26-27	References	Added new reference.		
03	23	11.4.3.7.3	Updated reference number.		
03	25-27	11.4.4.1	In response to Natural England REP3-058: A16 a new section on presentation of results has been added		
03	28-29	References	Added new reference.		



Contents

L1.4	Popu	ulation modelling for disturbance	9
11.4.	1 I	Introduction	9
11.4.	2 <i>A</i>	Assumptions and limitations	9
11.	4.2.1	Duration of disturbance	10
11.	4.2.2	Lack of density dependence	11
11.	4.2.3	Environmental and demographic stochasticity	12
11.4.	3 N	Methodology	13
11.	4.3.1	Piling Parameters	13
11.	4.3.2	Model inputs	15
11.	4.3.3	Demographic Parameters	15
11.	4.3.4	Reference Populations	17
11.	4.3.5	Residual Days Disturbance	17
1	1.4.3.	5.5.1 Population modelling for disturbance from DBS Projects	17
	.4.3.6 er pro	Cumulative population consequences of disturbance from pile drivi	•
11.	4.3.7	Number of animals with PTS or Disturbed	19
1	1.4.3.	5.7.1 Population modelling for disturbance from the DBS Projects	19
1	1.4.3.	5.7.2 Population Modelling of Cumulative Impacts for all Offshore Wind	
1	1.4.3.	5.7.3 Population Modelling for the Report to Inform Appropriate Asses	sment
11.	4.3.8	Piling schedule	25
11.4.	4 F	Results from Population modelling	25
11.	4.4.1	Presentation of Results	25



Tables	
Table 11-4-1 Piling Parameters Used as Inputs to the iPCoD Model	.14
Table 11-4-2 Demographic parameters recommended for each species for the relevant Management Unit (MU) (Sinclair et al. 2019)	
Table 11-4-3 Reference Population Uses in the iPCoD Modelling	.17
Table 11-4-4 Piling Parameters for Other OWF Projects Screened into the Cumulative iPCoD Modelling	.18
Table 11-4-5 Estimated Number of Potential Marine Mammals to have PTS or to be Disturbed During Each Piling Event (percentage of reference population in brackets)	.20
Table 11-4-6 Estimated Number of Marine Mammals to have PTS During Each Piling Ev	ent 21
Table 11-4-7 Estimated Number of Marine Mammals to have Disturbance During Each Piling Event	
Table 11-4-8 Estimated Number of seals in SACs to have PTS and Disturbance During	

Plates

Plate 11-4-1 Simulated Un-impacted (baseline) Population Size over the 25 Years	
Modelled	13

Each Piling Event......24



Glossary

Term	Definition
Array Areas	The DBS East and DBS West offshore Array Areas, where the wind turbines, offshore platforms and array cables will be located. The Array Areas do not include the Offshore Export Cable Corridor or that part of the Inter-Platform Cable Corridor within which no wind turbines are proposed. Each area is referred to separately as an Array Area.
Concurrent Scenario	A potential construction scenario for the Projects where DBS East and DBS West are both constructed at the same time.
Dogger Bank South (DBS) Offshore Wind Farms	The collective name for the two Projects, DBS East and DBS West.
Environmental Impact Assessment (EIA)	A statutory process by which certain planned projects must be assessed before a formal decision to proceed can be made. It involves the collection and consideration of environmental information, which fulfils the assessment requirements of the EIA Directive and EIA Regulations, including the publication of an Environmental Statement (ES).
Environmental Statement (ES)	A document reporting the findings of the EIA and produced in accordance with the EIA Directive as transposed into UK law by the EIA Regulations.
Impact	Used to describe a change resulting from an activity via the Projects, i.e. increased suspended sediments / increased noise.
In Isolation Scenario	A potential construction scenario for one Project which includes either DBS East or DBS West array, associated offshore and onshore cabling and only the eastern Onshore Converter Station within the Onshore Substation Zone and only the northern route of the onward cable route to the proposed Birkhill Wood National Grid Substation.

Unrestricted 004300152



Term	Definition
Offshore Converter Platforms (OCPs)	The OCPs are fixed structures located within the Array Areas that collect the AC power generated by the wind turbines and convert the power to DC, before transmission through the Offshore Export Cables to the Project's Onshore Grid Connection Points.
Offshore Export Cable Corridor	This is the area which will contain the Offshore Export Cables between the Offshore Converter Platforms and Transition Joint Bays at the landfall.
Offshore platforms	Collective term which refers to all potential offshore platforms found within the Projects' Offshore Development Area (i.e. OCPs, CPs, ESP and Accommodation Platform).
Sequential Scenario	A potential construction scenario for the Projects where DBS East and DBS West are constructed with a lag between the commencement of construction activities. Either Project could be built first.
Special Area of Conservation (SAC)	Strictly protected sites designated pursuant to Article 3 of the Habitats Directive (via the Habitats Regulations) for habitats listed on Annex I and species listed on Annex II of the Directive.
The Applicants	The Applicants for the Projects are RWE Renewables UK Dogger Bank South (East) Limited and RWE Renewables UK Dogger Bank South (West) Limited. The Applicants are themselves jointly owned by the RWE Group of companies (51% stake) and Masdar (49% stake).
The Projects	DBS East and DBS West (collectively referred to as the Dogger Bank South Offshore Wind Farms).



Acronyms

Term	Definition	
CGNS	Celtic Greater North Sea	
DBS	Dogger Bank South	
EDRs	Effective Deterrent Ranges	
ES	Environment Statement	
GNS	Greater North Sea	
HRA	Habitats Regulations Assessment	
iPCoD	Interim Population Consequence of Disturbance	
ми	Management Unit	
NE	North East	
NS	North Sea	
OWF	Offshore Wind Farm	
PEIR	Preliminary Environmental Impact Report	
PTS	Permanent Threshold Shift	
RIAA	Report to Inform Appropriate Assessment	
SAC	Special Area of Conservation	
scos	Special Committee on Seals	
SE	South East	



11.4 Population modelling for disturbance.

11.4.1 Introduction

- This appendix provides the method used for the interim Population Consequences of Disturbance (iPCoD) model. In Volume 7, Chapter 11 Marine Mammals (application ref: 7.11), results for disturbance (section 11.6.1.2), conclude that elevations in subsea noise due to piling could potentially lead to the behavioural disturbance of a large number of individuals of the key species identified within the marine mammal study area.
- 2. Population modelling has therefore been conducted for harbour porpoise, bottlenose dolphin, minke whale, grey seal and harbour seal. The iPCoD framework (Harwood *et al.* 2014; King *et al.* 2015) has been used to predict the potential medium- and long-term population consequences of the predicted amount of disturbance resulting from piling during construction of the Projects.
- 3. iPCoD uses a stage-structured model of population dynamics with nine age classes and one stage class (adults 10 years and older). The model is used to run a number of simulations of future population trajectory with and without the predicted level of impact to allow an understanding of the potential future population-level consequences of predicted behavioural responses and auditory injury.

11.4.2 Assumptions and limitations

4. The iPCoD framework (Harwood *et al.* 2014; King *et al.* 2015) has been used to predict the potential medium- and long-term population consequences of the predicted amount of disturbance resulting from the piling during construction of the Projects¹.

¹ iPCoD version 5.2



5. There is a lack of empirical data on the way in which changes in behaviour and hearing sensitivity may affect the ability of individual marine mammals to survive and reproduce. Therefore, in the absence of empirical data, the iPCoD framework uses the results of an expert elicitation process described in Donovan et al. (2016) to predict the effects of disturbance and permanent threshold shift (PTS) on survival and reproductive rates. The process generates a set of statistical distributions for these effects and then simulations are conducted using values randomly selected from these distributions that represent the opinions of a "virtual" expert. This process is repeated thousands of times to capture the uncertainty among experts. While the iPCoD model is subject to many assumptions and uncertainties relating to the link between impacts and vital rates, the model presents the best available scientific expert opinion at this time.

11.4.2.1 Duration of disturbance

- 6. The iPCoD model for minke whale and bottlenose dolphin disturbance was last updated following the expert elicitation in 2013 (Harwood *et al.* 2014). When this expert elicitation was conducted, the experts provided responses on the assumption that a disturbed individual would not forage for 24 hours. However, the most recent expert elicitation in 2018 highlighted that this was an unrealistic assumption for harbour porpoises (generally considered to be more responsive than minke whales and bottlenose dolphin), and was amended to assume that disturbance resulted in 6 hours of non-foraging time (Booth *et al.* 2019).
- 7. Minke whales and bottlenose dolphins were not included in the updated expert elicitation for disturbance, and, thus, the iPCoD model still assumes 24 hours of non-foraging time for minke whales and bottlenose dolphin. Given the current understanding of marine mammal reactions to pile driving, this scenario appears unrealistic. A recent study estimated energetic costs associated with disturbance from sonar, where it was assumed that one hour of feeding cessation was classified as a mild response, two hours of feeding cessation was classified as a strong response and eight hours of feeding cessation was classified as an extreme response (Czapanskiy et al. 2021).
- 8. The presumption of a 24-hour feeding cessation for minke whale and bottlenose dolphin surpasses what is typically deemed an extreme response. Hence, it is regarded as unrealistic and likely to inflate the actual disturbance levels anticipated from the Projects. For this reason, the current version of iPCoD is not deemed appropriate for minke whale and bottlenose dolphin.

Unrestricted 004300152



9. Despite these limitations and uncertainties, this assessment has been carried out according to best practice, using the best available scientific information, and the latest expert elicitation results from Sinclair *et al.* (2020). The information provided is therefore considered to be sufficient to carry out an adequate assessment for harbour porpoise, bottlenose dolphin, minke whale, grey seal, and harbour seal.

11.4.2.2 Lack of density dependence

- 10. Another potential limitation of the iPCoD model is that no form of density dependence has been incorporated due to the uncertainties as to how this may occur. Density dependence is described as 'the process whereby demographic rates change in response to changes in population density, resulting in an increase in the population growth rate when density decreases, and a decrease in that growth rate when density increases' (Harwood *et al.* 2014).
- 11. The iPCoD scenario run for bottlenose dolphin assumes no density dependence since there is insufficient data to parameterise this relationship. Essentially, this means that there is no ability for the modelled impacted population to increase in size and return to carrying capacity following disturbance.
- 12. At a recent expert elicitation on bottlenose dolphins, conducted for the purpose of modelling population impacts of the Deepwater Horizon oil spill (Schwacke *et al.* 2022), experts agreed that there would likely be a concave density dependence on fertility, which means that, in reality, it would be expected that the impacted population would recover to carrying capacity (which is assumed to be equal to the size of un-impacted population i.e. it is assumed the un-impacted population is at carrying capacity) rather than continuing at a stable trajectory that is smaller than that of the un-impacted population.
- 13. The limitations for assuming a simple linear ratio between the maximum net productivity level and carrying capacity have been highlighted by Taylor & Master (1993) as simple models demonstrate that density dependence is likely to involve several biological parameters which themselves have biological limits (e.g. fecundity and survival). For UK populations of harbour porpoise (and other marine mammal species) however, there is no published evidence for density dependence and therefore, density dependence assumptions are not currently included within the iPCoD protocol.



11.4.2.3 Environmental and demographic stochasticity

- 14. The iPCoD model attempts to model some of the sources of uncertainty inherent in the calculation of the potential effects of disturbance on marine mammal populations. This includes demographic stochasticity and environmental variation. Environmental variation is defined as 'the variation in demographic rates among years as a result of changes in environmental conditions' (Harwood et al. 2014). Demographic stochasticity is defined as 'variation among individuals in their realised vital rates as a result of random processes' (Harwood et al. 2014).
- 15. The iPCoD protocol describes this in further detail: 'Demographic stochasticity is caused by the fact that, even if survival and fertility rates are constant, the number of animals in a population that die and give birth will vary from year to year because of chance events'. Demographic stochasticity has its greatest effect on the dynamics of relatively small populations, and we have incorporated it in models for all situations where the estimated population within a Management Unit (MU) is less than 3,000 individuals. One consequence of demographic stochasticity is that two otherwise identical populations that experience exactly the same sequence of environmental conditions will follow slightly different trajectories over time. As a result, it is possible for a "lucky" population that experiences disturbance effects to increase, whereas an identical undisturbed but "unlucky" population may decrease' (Harwood *et al.* 2014).
- 16. This is clearly evidenced in the outputs of iPCoD where the un-impacted (baseline) population size varies greatly between iterations, not as a result of disturbance but simply as a result on environmental and demographic stochasticity. In the example provided in **Plate 11-4-1**, after 25 years of simulation, the un-impacted population size varies between 176 (lower 2.5%) and 418 (upper 97.5%). Thus, the change in population size resulting from the impact of disturbance is significantly smaller than that driven by the environmental and demographic stochasticity in the model.

RWE

Dogger Bank South Offshore Wind Farms




Plate 11-4-1 Simulated Un-impacted (baseline) Population Size over the 25 Years Modelled

17. Despite these limitations and uncertainties, this assessment has been carried out according to best practice, using the best available scientific information, and the latest expert elicitation results from Booth & Heinis (2018). The information provided is therefore considered to be sufficient to carry out an adequate assessment for harbour porpoise, bottlenose dolphin, minke whale, grey and harbour seal.

11.4.3 Methodology

11.4.3.1 Piling Parameters

18. The amount of piling required for the Projects is dependent on the construction scenario taken forwards and the final design of the Project(s): DBS East or DBS West In Isolation, or DBS East and DBS West (Sequentially or Concurrently). The construction scenario of constructing the Projects sequentially has been taken forward for modelling in iPCoD as it was considered the worst case, with more distinct disturbance days, resulting in the largest number of disturbed animals over time. If results had shown there was a consequence of disturbance, other project scenarios would have been modelled.



- 19. The amount of piling required is also dependent on the foundations selected and the final piling schedule. The worst case scenario for the Projects (maximum number of monopiles with the highest strike rate) has been taken forward for modelling in iPCoD.
- 20. The number of marine mammals that are at potential risk of PTS is taken from a single pile event, using cumulative sound exposure level (SEL_{cum}) for the worse location at DBS East and DBS West.
- 21. Whilst there is potential that piling for DBS East and DBS West could occur concurrently, thereby reducing the number of days in which disturbance can occur, as a worst case it has been assumed that the Projects would be constructed sequentially, therefore there would be approximately 204 days of disturbance within the four-year construction period that has been modelled.
- 22. Therefore, the actual piling days for each construction scenario have been distributed randomly within the summer period where piling is most likely to occur (**Table 11-4-1**). Piling for monopiles (over jacket pin-piles) has been modelled as it is the worst case.

Table 11-4-1 Piling Parameters Used as Inputs to the iPCoD Model

Parameters	Location	Value
Number of manapiles	DBS East	102
Number of monopiles	DBS West	102
Number of piling days	DBS East	102
Number of piling days	DBS West	102
Diling Schodula	DBS East	Q2 2027 to Q3 2029 - days selected randomly
Piling Schedule	DBS West	Q2 2030 to Q3 2032 - days selected randomly



11.4.3.2 Model inputs

- 23. The iPCoD model² was set up using the program R v4.2.3 (2023) with RStudio as the user interface. To enable the iPCoD model to be run, the following data were provided:
 - Demographic parameters for each key species.
 - User specified input parameters.
 - o Vulnerable subpopulations.
 - Residual days of disturbance.
 - Number of animals predicted to experience PTS and/or disturbance during piling; and
 - Estimated piling schedule during the proposed construction programme.

11.4.3.3 Demographic Parameters

- 24. Demographic parameters for the key species assessed in the population model are presented in **Table 11-4-2**. In the case of harbour seal, evidence for demographic parameters for the English populations is lacking (Sinclair et al., 2020). The combined counts for harbour seal in the south east (SE) England MU in 2019 (3,081) was 27.6% lower than the 2012 to 2018 mean count. Additional surveys in 2020 and 2021 confirmed the decrease (SCOS, 2021). Given that the south east (SE) England MU appears to be decreasing in recent years, the worst case demographic parameters for the similarly decreasing population on the Scottish East coast have been utilised in the modelling as well as the numbers for the SE England harbour seal population.
- 25. There are no parameters within the iPCoD model for common dolphin or white-beaked dolphin so these were the only two species that population modelling could not be carried out.

² https://www.smruconsulting.com/population-consequences-of-disturbance-pcod



Table 11-4-2 Demographic parameters recommended for each species for the relevant Management Unit (MU) (Sinclair et al. 2019)

Species	MU	Age calf/pup becomes independent	Age of first birth	Calf / Pup Survival	Juvenile Survival	Adult Survival	Fertility	Growth Rate
		age1	age2	Surv [1]	Surv [7]	Surv [13]		
Harbour porpoise	346,601	1	5	0.8455	0.85	0.925	0.34	1.000
Bottlenose dolphin	2,022	2	9	0.8	0.94	0.94	0.25	1.000
Minke whale	20,118	1	9	0.70	0.77	0.96	0.91	1.000
Grey seal	30,592 (56,505)	1	6	0.222	0.94	0.94	0.84	1.01
Harbour seal (stable population)	4,868	1	4	0.354	0.86	0.95	0.91	1.000
Harbour seal (declining population)	4,868	1	4	0.24	0.86	0.80	0.90	0.8956

Unrestricted 004300152



11.4.3.4 Reference Populations

26. Table 11-4-3 provides the reference populations used in the iPCoD modelling, which are the same as what has been referenced in Volume 7, Chapter 11 Marine Mammals (application ref: 7.11) and Volume 7, Appendix 11-2 Marine Mammal Information (application ref: 7.11.11.2).

Table 11-4-3 Reference Population Uses in the iPCoD Modelling

Marine mammal species	Area	Population
Harbour porpoise	North Sea (NS)	346,601
Bottlenose dolphin	Greater North Sea (GNS)	2,022
Minke whale	Celtic Greater North Sea (CGNS)	20,118
	SE England	30,592
Grey seal	SE and northeast (NE) England	56,505
Harbour seal	SE England	4,868

11.4.3.5 Residual Days Disturbance

11.4.3.5.1 Population modelling for disturbance from DBS Projects

27. Empirical evidence from constructed wind farms (e.g. Graham et al. 2019; Brandt et al. 2011) suggests that the detection of animals returns to baseline levels in the hours following a disturbance from piling and therefore, for the most part, it can be assumed that the disturbance occurs only on the day (24 hours) that piling takes place (at least in the case of harbour porpoise which was the focus of these studies). However, the number of residual days of disturbance has, conservatively, been selected as one, meaning that the model assumes that disturbance occurs on the day of piling and persists for a period of 24 hours after piling has ceased.

11.4.3.6 Cumulative population consequences of disturbance from pile driving at other projects

28. A review of the data available for screened in offshore wind farm (OWF) projects has been undertaken, and project specific worst case pile driving, PTS, and disturbance data have been incorporated into a cumulative iPCoD modelling run for each species considered, namely harbour porpoise, bottlenose dolphin, minke whale, grey and harbour seal.



- 29. The demographic parameters, reference populations, and residual days of disturbance remained the same as for Projects alone modelling. Piling days were distributed at random within the stated piling schedules for each project.
- 30. The piling parameters assessed for other projects in the iPCoD modelling are set out in **Table 11-4-4**.
- 31. A number of projects did not report PTS or disturbance numbers for some, or all, species considered within this assessment. In these cases, the worst case PTS or disturbance numbers from the Projects were assumed to also occur for projects where information was lacking.

Table 11-4-4 Piling Parameters for Other OWF Projects Screened into the Cumulative iPCoD Modelling

Parameters	Project	Value	
Number of piling days	DBS East	102	
	DBS West	102	
	Berwick Bank	307	
	Dudgeon Extension	34	
	East Anglia Hub	88	
	Five Estuaries	79	
	Hornsea Project Three	319	
	Hornsea Project Four	180	
	North Falls	140	
	Outer Dowsing	93	
	Rampion 2	325	
	Seagreen 1A	36	
	Sheringham Shoal Extension	27	
	West of Orkney	125	
Piling Schedule	DBS East	Q2 2027 to Q3 2029	
	DBS West	Q2 2030 to Q3 2032	



Parameters	Project	Value	
	Berwick Bank	2024-2027	
	Dudgeon Extension	2026-2027	
	East Anglia Hub	2024/2025 to 2027	
	Five Estuaries	2028-2030	
	Hornsea Project Three	2023 to 2027	
	Hornsea Project Four	2027-2028	
	North Falls	2027-2030	
	Outer Dowsing	2028-2030	
	Rampion 2	2025-2029	
	Seagreen 1A	2026-2027	
	Sheringham Shoal Extension	2027-2028	
	West of Orkney	2028-2031	

11.4.3.7 Number of animals with PTS or Disturbed

11.4.3.7.1 Population modelling for disturbance from the DBS Projects

- The number of animals predicted to experience PTS and / or disturbance during piling was based on the density values provided as part of the baseline assessment of the Environment Statement (ES) (Volume 7, Chapter 11 Marine Mammals (application ref: 7.11)) for harbour porpoise. In the case of disturbance, the estimated number of animals affected are based on Effective Deterrent Ranges (EDRs). Whilst this report provides alternative estimates of the number of animals disturbed, based on a dose-response analysis (which can be considered more realistic), the estimates resulting from EDRs are greater, and therefore have been used in the iPCoD model as a conservative worst case.
- 33. **Table 11-4-5** presents the number of individuals that could potentially be disturbed due to piling at DBS East and DBS West, which was used for the Projects Alone assessments as well as included in the cumulative assessments.

Unrestricted 004300152



Table 11-4-5 Estimated Number of Potential Marine Mammals to have PTS or to be Disturbed During Each Piling Event (percentage of reference population in brackets)

Marine mammal	DBS East		DBS West		
species	PTS	Disturbance	PTS	Disturbance	
Harbour por-	144	4,295.5	132	5,097.7	
poise	(0.415%)	(1.24%)	(0.038%)	(1.47%)	
Bottlenose	0.004	0.1	0.004	0.1 (0.006%)	
dolphin	(0.00002%)	(0.006%)	(0.00002%		
Minke whale	5.6	28.3	9.4	56.5	
	(0.027%)	(0.14%)	(0.05%	(0.281%)	
Grey seal	1.1	3,124.2	1.1	2,378.7	
	(0.003% &	(10.21% &	(0.003% &	(7.78% &	
	0.001%)	5.53%)	0.001%)	4.21%)	
Harbour seal	0.01 (0.002%)	8.1 (0.17%)	0.004 (0.00008%)	7.0 (0.14%)	

11.4.3.7.2 Population Modelling of Cumulative Impacts for all Offshore Wind Farms

34. For the cumulative assessment, in addition to the numbers presented in **Table 11-4-5** the number of animals predicted to experience PTS and / or disturbance from other OWF projects during piling was based on the density values that were published in the Preliminary Environmental Impact Report (PEIR) or ES chapters for the respective projects (**Table 11-4-6** and **Table 11-4-7**).



Table 11-4-6 Estimated Number of Marine Mammals to have PTS During Each Piling Event

OWE Project	Number of animals affected					
OWF Project	Harbour porpoise	Bottlenose dolphin	Minke whale	Grey seal	Harbour seal	
Berwick Bank	-	-	1	-	-	
Dudgeon Extension	100	0.003	1.5	0.13	0.3	
East Anglia Hub	573	0.004	42.5	0.1	0.05	
Five Estuaries	237	0.004	42.5	0.9	0.9	
GreenVolt	0.013	0.00003	0.14	0.0004	0.00000002	
Hornsea Project Three	-	-	-	-	-	
Hornsea Project Four	-	-	-	-	-	
North Falls	62.1	0.004	1.9	0.02	0.0003	
Outer Dowsing	64	0	1	0	0	
Rampion 2	26	-	1	-	-	
Seagreen 1A	-	-	-	-	-	
Sheringham Shoal Extension	0.13	0.003	0.92	0.39	0.2	
West of Orkney	93	-	22	-	-	



Table 11-4-7 Estimated Number of Marine Mammals to have Disturbance During Each Piling Event

OWF Project	Number of animals affected					
OWF Project	Harbour porpoise	Bottlenose dolphin	Minke whale	Grey seal	Harbour seal	
Berwick Bank	1754	64	82	705	2	
Dudgeon Extension	804	0.011	11	347	43	
East Anglia Hub	1289	0.5	56.5	2	1	
Five Estuaries	7031	0.5	56.5	112	3	
GreenVolt	29.1	1.14	1.5	13.9	0.00008	
Hornsea Project Three	2507	0.5	38	48.2	3.3	
Hornsea Project Four	6417	14	56.5	1489	5	
North Falls	1289.1	0.5	56.5	217.9	2.7	
Outer Dowsing	5229	4	22	615	35	
Rampion 2	752	-	8	-	-	
Seagreen 1A	1403	4.1	91	51	0.28	
Sheringham Shoal Extension	582	0.01	7.2	338	84	
West of Orkney	1,349	-	90	-	-	



11.4.3.7.3 Population Modelling for the Report to Inform Appropriate Assessment

- 35. In addition, population modelling was undertaken for the Report to Inform Appropriate Assessment (RIAA) (**RIAA Habitats Regulations Assessment** (**HRA) Part 3 of 4 (application ref: 6.1)**), to assess for Projects' alone effect and in-combination effects from other OWF projects.
- 36. Population modelling was carried out for:
 - Grey seal -The Humber Estuary Special Area of Conservation (SAC)
 - Harbour seal The Wash and North Norfolk coast SAC
 - Grey seal Berwickshire and North Northumberland Coast SAC
- 37. For harbour porpoise and the Southern North Sea SAC assessment, the number of individuals are based on the North Sea MU (the same as presented in **Table 11-4-5**; **Table 11-4-6** and **Table 11-4-7**), and the results are the same as presented in **Appendix B Marine Mammal Environmental Statement Update (document reference: C1.1.210.51)**].
- 38. Within the population modelling for the seal SACs, the number of animals predicted to experience PTS and/or disturbance from the Projects, and other projects during piling, was based on the density values that were published in the RIAA, PEIR or ES chapters for the respective schemes (**Table 11-4-8**).
- 39. Populating modelling for harbour seal in the Wash and North Norfolk Coast SAC used the declining harbour seal population parameters (presented in **Table 11-4-2**) as the population in this SAC has been recorded as declining (SCOS 2023).





Table 11-4-8 Estimated Number of seals in SACs to have PTS and Disturbance During Each Piling Event

	Number of animals affected					
OWF Project	Grey seal of the Humber Estuary SAC		Harbour seal of The Wash and North Nor- folk Coast SAC		Grey seal of the Berwickshire North Northumberland Coast SAC	
	PTS	Disturbance	PTS	Disturbance	PTS	Disturbance
DBS East	0.3	106.0	0.01	3.5	0.2	281.0
DBS West	0.4	279.0	0.004	3.0	0.2	1,154.8
Berwick Bank	-	-	-	-	25	532.0
Dudgeon Extension	0.13	166	0.3	31.0	-	-
East Anglia Hub	0	42.5	0.039	1.5	-	-
Five Estuaries	0	168	0.039	3.0	-	-
Hornsea Project Three	0	53	0.039	8.3	0	48.2
Hornsea Project Four	0	580.7	0.2	5.0	0	476.5
North Falls	0	70.7	0	0.39	-	-
Outer Dowsing	0.39	615.0	0	35.0	-	-
Sheringham Shoal Extension	0.9	157.0	0.002	62.0	-	-



11.4.3.8 Piling schedule

40. The piling schedule was developed from the Projects' Design Envelope which provided an estimate of the number of days piling for the wind turbine generator foundations and offshore platforms within a defined piling phase, which is scheduled to take place within an overall offshore piling construction window, as described in the **Project Change Request –**Environmental Assessment Update [(document reference: C1.110.49)].

11.4.4 Results from Population modelling

- The results from the updated iPCoD modelling further to those presented in Volume 7, Chapter 11 Marine Mammals (application ref: 7.11) for the Projects and the cumulative assessment are presented in Appendix B Marine Mammal Environmental Statement Update {(document reference: C1.1.210.51)}.
- The results from the updated iPCoD modelling further to those presented in the RIAA HRA Part 3 of 4 (application ref: 6.1) for the Projects and the incombination assessment are presented in Appendix C Marine Mammal RIAA HRA Update {(document reference: C1.1.310.52)}.

11.4.4.1 Presentation of Results

13. In relation to the assessment of the population consequences of pile driving noise disturbance on marine mammal receptors, further information and clarification is provided in this section. The iPCoD modelling results presented in Volume 7, Chapter 11 Marine Mammals (application ref: 7.11) and RIAA HRA Part 3 of 4 (application ref: 6.1) considered the median of the ratio of impacted: unimpacted population sizes for the relevant marine mammal populations as the key metric to determine effect significance using the iPCoD method. This is due to the fact that the median of the ratio of impacted: unimpacted population sizes is considered more robust to the effects of extreme outliers than the mean value, particularly with lower sample sizes (Sinclair et al. 2019).



- 44. In addition, this metric is considered least sensitive to misspecification of demographic parameters, therefore enabling more robust assessment of offshore renewable effects (Jital et al. 2017; Sinclair et al. 2019).

 Evaluations of the sensitivity of outputs to misspecification of demographic parameters have demonstrated that the ratio output metric of the counterfactual of population size (the median of the ratio of the impacted to un-impacted population size across all simulated matched replicate pairs) is a robust metric, and is therefore recommended for population viability type analyses that compare modelled populations with counterfactual populations in the context of offshore wind EIA (Jital et al. 2017; Sinclair et al. 2019). The approach taken in the Chapter 11 Marine Mammals (application ref: 7.11) and the RIAA HRA Part 3 of 4 (application ref: 6.1) is therefore in line with the guidance set out by the iPCoD developers (Sinclair et al. 2019) and others (Jital et al. 2017).
- 45. This rationale, developed by the authors of the iPCoD code, has resulted in the median of the ratio of impacted: unimpacted population sizes being used and accepted for other recent OWF EIAs, such as Moray West, Seagreen Alpha and Bravo Wind farms, the Sheringham and Dudgeon Extension Projects, and North Falls- which all presented the median of the ratio of impacted to un-impacted population size.
- 46. It is important to note that iPCoD runs 1,000 permutations of a population growth projection for impacted and unimpacted populations. This results in 1,000 impacted: unimpacted population pairs for each time-point in the modelling period (often 25 years). Calculating the ratio between each pair and then taking the median of all ratios results in the "median of the ratio of impacted: unimpacted population sizes", which is expressed in percentage terms in the iPCoD results tables. Crucially, this is not the same process as taking the median of the 1,000 impacted populations sizes at a given time point, the median of the unimpacted population sizes, and then comparing the ratio between these two medians. In short, one method results in the median of all modelled population differences, whilst the other calculates the median of all impacted and unimpacted populations sizes and presents the difference between the two medians. Therefore, it is not possible to use the median population values presented within iPCoD tables to calculate the median of the ratio of impacted: unimpacted population sizes, which is also presented in the same tables and is the primary metric for assessing effect significance (applies to the ES Chapter only).

Unrestricted 004300152



- 47. It is important to note that it should not be expected that calculating the percentage difference between the mean impacted and un-impacted population sizes at a given timepoint (presented in the result tables in Chapter 11 Marine Mammals (application ref: 7.11)) and in the RIAA HRA Part 3 of 4 (application ref: 6.1) will result in the same value as the mean ratio of impacted: un-impacted population sizes presented in the same tables.
- 43.48. Chapter 11 Marine Mammals (application ref: 7.11) and RIAA HRA Part 3
 of 4 (application ref: 6.1) displays both the mean and the median values
 for completeness.



References

Booth, C.G, and Heinis, F. (2018). Updating the Interim PCoD Model: Workshop Report – New transfer functions for the effects of permanent threshold shifts on vital rates in marine mammal species. 2018. Report Code SMRUC-UOA-2018-006, submitted to the University of Aberdeen and Department for Business, Energy and Industrial Strategy (BEIS), June 2018 (unpublished).

Booth, C. G., F. Heinis, and H. J (2019). Updating the Interim PCoD Model: Workshop Report - New transfer functions for the effects of disturbance on vital rates in marine mammal species. Report Code SMRUC-BEI-2018-011, submitted to the Department for Business, Energy and Industrial Strategy (BEIS), February 2019 (unpublished).

Brandt, M. J., Diederichs, A., Betke, K. and Nehls, G. (2011). Responses of harbour porpoises to pile driving at the Horns Rev II offshore wind farm in the Danish North Sea. Marine Ecology Progress Series, 421, 205-216.

Czapanskiy, M. F., M. S. Savoca, W. T. Gough, P. S. Segre, D. M. Wisniewska, D. E. Cade, and J. A. Goldbogen (2021). Modelling short-term energetic costs of sonar disturbance to cetaceans using high-resolution foraging data. Journal of Applied Ecology.

Donovan, C., J. Harwood, S. King, C. Booth, B. Caneco, and C. Walker (2016). Expert elicitation methods in quantifying the consequences of acoustic disturbance from offshore renewable energy developments. Pages 231-237. The Effects of Noise on Aquatic Life II. Springer. Scottish Marine And Freshwater Science, 5(2).

Graham, I. M., Merchant, N. D., Farcas, A., Barton, T. R., Cheney, B., Bono, S., & Thompson, P. M. (2019). Harbour porpoise responses to pile-driving diminish over time. Royal Society Open Science, 6(6), 190335.

Harwood, J., S. King, R. Schick, C. Donovan, and C. Booth. 2014. A Protocol For Implementing The Interim Population Consequences Of Disturbance (PCoD) Approach: Quantifying And Assessing The Effects Of UK Offshore Renewable Energy Developments On Marine Mammal Populations. Report Number SMRULTCE-2013-014.

Jital, M., Burthe, S., Freeman, S., and Daunt, F. (2017). Testing and Validating Metrics of Change Produced by Population Viability Analysis (PVA). Scottish Marine and Freshwater Science: 8(23).

King, S. L., R. S. Schick, C. Donovan, C. G. Booth, M. Burgman, L. Thomas, and J. Harwood. (2015). An interim framework for assessing the population consequences of disturbance. Methods in Ecology and Evolution 6:1150-1158.

Unrestricted 004300152



Schwacke, L.H., Marques, T.A., Thomas, L., Booth, C.G., Balmer, B.C., Barratclough, A., Colegrove, K., De Guise, S., Garrison, L.P., Gomez, F.M. and Morey, J.S., (2022). Modeling population effects of the Deepwater Horizon oil spill on a long-lived species. Conservation Biology, 36(4), p.e13878.

SCOS (2021). Scientific Advice on Matters Related to the Management of Seal Populations: 2021

SCOS (2023). Scientific Advice on Matters Related to the Management of Seal Populations: 2023

Sinclair, R., Booth, C., Harwood, J. & Sparling, C. (2019). Helpfile for the interim PCoD v5 model. March 2019.

Sinclair, R. R., Sparling, C. E., and Harwood, J. (2020). Review Of Demographic Parameters and Sensitivity Analysis To Inform Inputs And Outputs Of Population Consequences Of Disturbance Assessments For Marine Mammals. Scottish Marine and Freshwater Science, 11(14), 74. https://doi.org/10.7489/12331-1

Taylor, B. L., and Master, D. P. (1993). Implications of Non-Linear Density Dependence. Marine Mammal Science, 9(4), 360-371.

RWE Renewables UK Dogger Bank South (West) Limited

RWE Renewables UK Dogger Bank South (East) Limited

Windmill Hill Business Park Whitehill Way Swindon Wiltshire, SN5 6PB