



| Company: Out | | er Dowsing Offshore W | Asset: | | Whole Asset | | | |
|--------------------------------|-------------------|-----------------------|--|--|----------------------------|--------------------------|-------------|------------------|
| Project: W | | Wh | ole Wind Farm | Sub Project/Package: | | Whole | Whole Asset | |
| Document Title or Description: | | | im Population Consequences of Disturbance Modelling Report | | | | | |
| Internal | | P1-0 | ODOW-DEV-CS-REP-022 | 3 rd Party Doc No (If applicable): | | N/A | | |
| Rev No. | Date | | Status / Reason for Issue | Author | Checked by | Reviewed by | | Approved by |
| 1.0 | September 2024 | | Procedural Deadline 19 September | SMRUC | GoBe | Shepherd & Wedderburn | | Outer Dowsing |
| 2.0 | February 2025 | | Deadline 4 submission | SMRUC | GoBe Shepherd & Wedderburn | | | Outer Dowsing |
| 3.0 | February 2025 | | Deadline 4a submission | SMRUC | GoBe | Shepherd & Wedderburn | | Outer Dowsing |



Executive Summary

Within the Relevant Representation submitted by Natural England, a request was made for the Applicant to undertake a project-alone interim Population Consequences of Disturbance (iPCoD) modelling to aid in informing the impact assessment for marine mammals. This report sets out the methodology and results for the modelling. The modelling has confirmed that there is no potential for disturbance associated with piling activity at Outer Dowsing Offshore Wind (the Project) to affect the population trajectories of any marine mammal species, supporting the conclusions of no significant effects drawn within ES Chapter 11 Marine Mammals (APP-066).



Table of Contents

| E | kecutive | Summary | 3 |
|---|----------|---|--------------------------|
| Α | cronym | s & Definitions | 6 |
| | Abbrev | viations / Acronyms | 6 |
| | Termin | ology | 6 |
| 1 | Intro | oduction | 8 |
| | 1.1 | Overview | 8 |
| | 1.2 | Project Background | 8 |
| 2 | Metl | hod | 9 |
| 3 | iPCo | D Model Limitations | 10 |
| | 3.1 | Overview | 10 |
| | 3.2 | Duration of disturbance: minke whales and bottlenose dolphins | 11 |
| | 3.3 | Lack of density dependence | 11 |
| | 3.4 | Environmental and demographic stochasticity | 12 |
| | 3.5 | Summary | 13 |
| 4 | iPCo | D inputs | 14 |
| | 4.1 | Piling schedules | 14 |
| | 4.2 | Number disturbed | 14 |
| | 4.3 | Demographic parameters | 15 |
| 5 | Resu | lts | 16 |
| | 5.1 | Harbour porpoise | 16 |
| | 5.2 | Bottlenose dolphin | 24 |
| | 5.3 | Minke whale | 27 |
| | 5.4 | Harbour seal | 30 |
| | 5.5 | Grey seal | <u>38</u> 36 |
| 6 | Cond | clusion | <u>42</u> 4 0 |
| 7 | Refe | rences | <u>43</u> 41 |
| | | | |

Table of Tables

| Table 1: Outer Dowsing piling schedule (number of piling days per month) for monop | iles and jackets |
|---|------------------|
| (ANS and WTG). | 14 |
| Table 2: Number of animals predicted to be disturbed per piling day for monopile W7 | ΓGs and ANS.15 |



| Table 3: Number of animals predicted to be disturbed per piling day for jacket WTGs and ANS15 |
|---|
| Table 4: Demographic parameters used in the iPCoD modelling from Sinclair et al. (2020)15 |
| Table 5: Results of the harbour porpoise iPCoD simulations using the disturbance values from the ES |
| chapter |
| Table 6: Results of the harbour porpoise iPCoD simulations using the new disturbance values (based |
| on site-specific density estimates)20 |
| Table 7: Results of the bottlenose dolphin iPCoD simulations25 |
| Table 8: Results of the minke whale iPCoD simulations |
| Table 9: Results of the harbour seal iPCoD simulations assuming a stable population31 |
| Table 10: Results of the harbour seal iPCoD simulations assuming a declining population3534 |
| Table 11: Results of the grey seal iPCoD simulations. |
| Table 12: Magnitude score assigned in the ES chapter (APP-066) compared to those assigned given |
| the iPCoD modelling |
| |
| |
| Table of Figures |
| Figure 1: Simulated un-impacted (baseline) population size over the 25 years modelled13 |
| Figure 2: Results of the harbour porpoise iPCoD simulations for jacket foundations using the ES |
| disturbance values |
| Figure 3: Results of the harbour porpoise iPCoD simulations for monopile foundations using the ES |
| disturbance values. |
| Figure 4: Results of the harbour porpoise iPCoD simulations for jacket foundations using the new |
| disturbance values23 |
| Figure 5: Results of the harbour porpoise iPCoD simulations for monopile foundations using the new |
| disturbance values23 |
| Figure 6: Results of the bottlenose dolphin iPCoD simulations for jacket foundations27 |
| Figure 7: Results of the bottlenose dolphin iPCoD simulations for monopile foundations27 |
| Figure 8: Results of the minke whale iPCoD simulations for jacket foundations30 |
| Figure 9: Results of the minke whale iPCoD simulations for monopile foundations30 |
| Figure 10: Results of the harbour seal iPCoD simulations for jacket foundations, assuming a stable |
| population <u>34</u> 33 |
| Figure 11: Results of the harbour seal iPCoD simulations for monopile foundations, assuming a stable |
| population <u>34</u> 33 |
| Figure 12: Results of the harbour seal iPCoD simulations for jacket foundations, assuming a declining |
| population <u>38</u> 36 |
| Figure 13: Results of the harbour seal iPCoD simulations for monopile foundations, assuming a |
| declining population3834 |
| Figure 14: Results of the grey seal iPCoD simulations for jacket foundations |
| Figure 15: Results of the grev seal iPCoD simulations for monopile foundations |



Acronyms & Definitions

Abbreviations / Acronyms

| Abbreviation / Acronym | Description |
|------------------------|--|
| ANS | Artificial Nesting Structure |
| BND | Bottlenosed Dolphin |
| ES | Environmental Statement |
| GS | Grey Seal |
| HP | Harbour Porpoise |
| HS | Harbour Seal |
| iPCoD | interim Population Consequences of Disturbance |
| MU | Management Unit |
| MW | Minke Whale |
| ODOW | Outer Dowsing Offshore Wind (The Project) |
| PTS | Permanent Threshold Shift |
| WTG | Wind Turbine Generator |

Terminology

| Term | Definition | | | | | | |
|---------------|--|--|--|--|--|--|--|
| The Applicant | GTR4 Limited (a joint venture between Corio Generation (and its affiliates), | | | | | | |
| | TotalEnergies and Gulf Energy Development), trading as Outer Dowsing | | | | | | |
| | Offshore Wind. GT R4 Ltd. The Applicant making the application for a | | | | | | |
| | DCO. | | | | | | |
| | The Applicant is GT R4 Limited (a joint venture between Corio Generation, | | | | | | |
| | Total Energies and Gulf Energy Development (GULF)), trading as Outer | | | | | | |
| | Dowsing Offshore Wind. The Project is being developed by Corio | | | | | | |
| | Generation (a wholly owned Green Investment Group portfolio company), | | | | | | |
| | TotalEnergies and GULF. | | | | | | |
| Array area | The area offshore within which the generating station (including wind | | | | | | |
| | turbine generators (WTG) and inter array cables), offshore | | | | | | |
| | accommodation platforms, offshore transformer substations and | | | | | | |
| | associated cabling will be positioned. | | | | | | |
| Baseline | The status of the environment at the time of assessment without the | | | | | | |
| | development in place. | | | | | | |
| Development | An order made under the Planning Act 2008 granting development consent | | | | | | |
| Consent Order | for a Nationally Significant Infrastructure Project (NSIP). | | | | | | |
| (DCO) | | | | | | | |
| Effect | Term used to express the consequence of an impact. The significance of an | | | | | | |
| | effect is determined by correlating the magnitude of the impact with the | | | | | | |
| | sensitivity of the receptor, in accordance with defined | | | | | | |
| | significance criteria. | | | | | | |



| Term | Definition |
|----------------------|---|
| Environmental | A statutory process by which certain planned projects must be assessed |
| Impact Assessment | before a formal decision to proceed can be made. It involves the collection |
| (EIA) | and consideration of environmental information, which fulfils the |
| | assessment requirements of the EIA Regulations, including the publication |
| | of an Environmental Statement (ES). |
| Environmental | The suite of documents that detail the processes and results of the EIA. |
| Statement (ES) | |
| Habitats Regulations | A process which helps determine likely significant effects and (where |
| Assessment (HRA) | appropriate) assesses adverse impacts on the integrity of European |
| | conservation sites and Ramsar sites. The process consists of up to four |
| | stages of assessment: screening, appropriate assessment, assessment of |
| | alternative solutions and assessment of imperative reasons of over-riding |
| | public interest (IROPI) and compensatory measures. |
| Outer Dowsing | The Project. |
| Offshore Wind | |
| (ODOW) | |
| The Project | Outer Dowsing Offshore Wind, an offshore wind generating station |
| | together with associated onshore and offshore infrastructure. |
| Wind Turbine | A structure comprising a tower, rotor with three blades connected at the |
| Generator (WTG) | hub, nacelle and ancillary electrical and other equipment which may |
| | include J-tube(s), transition piece, access and rest platforms, access |
| | ladders, boat access systems, corrosion protection systems, fenders and |
| | maintenance equipment, helicopter landing facilities and other associated |
| - | equipment, fixed to a foundation |



1 Introduction

1.1 Overview

- 1. This report was produced to address the following Relevant Representations from Natural England (RR-045):
 - RR-045 Comment E1: Natural England strongly advises the average summer density for harbour porpoise (2.63 individuals/km) is used in the impact assessment to reflect the importance of the project area during the summer.
 - RR-045 Comment E2: Natural England advises the Applicant uses population modelling, for example interim Population Consequences of Disturbance (iPCoD), to understand the impacts of the project alone and in combination with other plans and projects at a population level to inform the conclusions of the Environmental Impact Assessment and Habitats Regulations Assessment.
- 2. This report provides population modelling for disturbance from pile driving for the offshore infrastructure (Wind Turbine Generators (WTG) and Offshore Platforms (Offshore Reactive Compensation Platforms (ORCP), Offshore Platforms and Artificial Nesting Structures (ANS))) at Outer Dowsing Offshore Wind (the Project), using disturbance values presented in the ES Chapter 11 Marine Mammals (APP-066) as well as revised disturbance values as recommended by Natural England.

1.2 Project Background

- 3. GT R4 Limited (trading as Outer Dowsing Offshore Wind) hereafter referred to as the 'Applicant', is proposing to develop the Project. The Applicant submitted an application for a DCO ('the Application') for the Project to the Planning Inspectorate in March 2024, which was accepted for Examination in April 2024.
- 4. The Project array will be located approximately 54km from the Lincolnshire coastline in the southern North Sea. The Project will include both offshore and onshore infrastructure including an offshore generating station (windfarm), export cables to landfall, ORCPs, onshore cables, connection to the electricity transmission network, ancillary and associated development and areas for the delivery of up to two ANS and the creation of a biogenic reef (if these compensation measures are deemed to be required by the Secretary of State) (see ES Chapter 3: Project Description (APP-058) for full details).
- 5. The maximum design scenario (MDS) for the Project is detailed in ES Chapter 3: Project Description (APP-058), with up to 100 WTG and two ANS structures being piled. All foundation type MDS is provided within the Chapter for piled and non-piled bases, both piled foundation types (monopile and jacket pin-piles) are assessed within this report.



2 Method

- 6. The iPCoD framework (Harwood *et al.*, 2014, King *et al.*, 2015) was used to predict the potential population consequences of the predicted amount of PTS and disturbance resulting from the piling. The iPCoD uses a stage structured model of population dynamics with nine age classes and one stage class (adults 10 years and older). The model is used to run a number of simulations of future population trajectory with and without the predicted level of impact, to allow an understanding of the potential future population level consequences of predicted behavioural responses and auditory injury.
- 7. Simulations were run comparing projections of the baseline population (i.e., under current conditions, assuming current estimates of demographic parameters persist into the future) with a series of paired 'impact' scenarios with identical demographic parameters, incorporating a range of estimates for disturbance. Each simulation was repeated 1,000 times and each simulation draws parameter values from a distribution describing the uncertainty in the parameters. This creates 1,000 matched pairs of population trajectories, differing only with respect to the effect of the disturbance and the distributions of the two trajectories can be compared to demonstrate the magnitude of the long-term effect of the predicted impact on the population, as well as demonstrating the uncertainty in predictions.
- 8. The effects of disturbance on vital rates (survival and reproduction) are currently unknown. Therefore, expert elicitation was used to construct a probability distribution to represent the knowledge and beliefs of a group of experts regarding a specific Quantity of Interest. In this case, the quantity of interest is the effect of disturbance on the probability of survival and fertility in harbour porpoise, harbour seal and grey seals (Booth *et al.*, 2019). The elicitation assumed that the behaviour of the disturbed porpoise would be altered for 6 hours on the day of disturbance, and that no feeding (or nursing) would occur during the 6 hours of disturbance. For seals, the experts assumed that on average, the behaviour of the disturbed seals would be impacted for much less than 24 hours, but did not define an exact duration.



3 iPCoD Model Limitations

3.1 Overview

- 9. There is a lack of empirical data on the way in which changes in behaviour and hearing sensitivity may affect the ability of individual marine mammals to survive and reproduce. Therefore, in the absence of empirical data, the iPCoD framework uses the results of an expert elicitation process conducted according to the protocol described in Donovan *et al.* (2016) to predict the effects of disturbance and PTS on survival and reproductive rate. The process generates a set of statistical distributions for these effects and then simulations are conducted using values randomly selected from these distributions that represent the opinions of a "virtual" expert. This process is repeated many 100s of times to capture the uncertainty among experts.
- 10. There are several precautions built into the iPCoD model and this specific scenario that mean that the results are considered to be highly precautionary and likely over-estimate the true population level effects. These include:
 - The fact that the model assumes a minke whales will not forage for 24 hours after being disturbed;
 - The lack of density dependence in the model (meaning the population will not respond to any reduction in population size);
 - The level of environmental and demographic stochasticity in the model; and
 - The estimates of the number of animals disturbed come from noise impact assessments with many levels of precaution.



3.2 Duration of disturbance: minke whales and bottlenose dolphins

11. The iPCoD model for minke whale and bottlenose dolphin disturbance was last updated following the expert elicitation in 2013 (Harwood et al., 2014). When this expert elicitation was conducted, the experts provided responses on the assumption that a disturbed individual would not forage for 24 hours. However, the most recent expert elicitation in 2018 highlighted that this was an unrealistic assumption for harbour porpoises (generally considered to be more responsive than minke whales and bottlenose dolphins), and was amended to assume that disturbance resulted in 6 hours of non-foraging time (Booth et al., 2019). Unfortunately, neither minke whale nor bottlenose dolphins were included in the updated expert elicitation for disturbance, and thus the iPCoD model still assumes 24 hours of non-foraging time for both minke whales and bottlenose dolphins. This is unrealistic considering what we now know about marine mammal behavioural responses to pile driving. A recent study estimated energetic costs associated with disturbance from sonar, where it was assumed that 1 hour of feeding cessation was classified as a mild response, 2 hours of feeding cessation was classified as a strong response and 8 hours of feeding cessation was classified as an extreme response (Czapanskiy et al., 2021). Assuming 24 hours of feeding cessation for both minke whales and bottlenose dolphins in the iPCoD model is significantly beyond that which is considered to be an extreme response, and is therefore considered to be unrealistic and will over-estimate the true disturbance levels expected from the Project.

3.3 Lack of density dependence

- 12. Density dependence is described as "the process whereby demographic rates change in response to changes in population density, resulting in an increase in the population growth rate when density decreases and a decrease in that growth rate when density increases" (Harwood et al., 2014). The iPCoD assumes no density dependence for any of the species available in the model, since there is insufficient data to parameterise this relationship. Essentially, this means that there is no ability for the modelled, impacted population to increase in size and return to carrying capacity following disturbance. It is possible that populations with a positive growth rate (i.e. an increasing population) will continue to increase in the absence of disturbance.
- 13. At a recent expert elicitation, conducted for the purpose of modelling population impacts of the Deepwater Horizon oil spill (Schwacke *et al.*, 2021), experts agreed that there would likely be a concave density dependence on fertility. That means, for a population which is assumed to be stable (i.e., neither increasing or decreasing), it would be expected that if the impacted population declines, it would later recover to carrying capacity, rather than continuing at a stable trajectory that is smaller than that of the un-impacted population. Note that in the iPCoD model, for stable populations, carrying capacity is assumed to be equal to the size of unimpacted population i.e., it is assumed the un-impacted population is at carrying capacity.



3.4 Environmental and demographic stochasticity

- 14. The iPCoD model attempts to model some of the sources of uncertainty inherent in the calculation of the potential effects of disturbance on marine mammal population. This includes demographic stochasticity and environmental variation. Environmental variation is defined as "the variation in demographic rates among years as a result of changes in environmental conditions" (Harwood et al., 2014). Demographic stochasticity is defined as "variation among individuals in their realised vital rates as a result of random processes" (Harwood et al., 2014).
- 15. The iPCoD protocol describes this in further detail: "Demographic stochasticity is caused by the fact that, even if survival and fertility rates are constant, the number of animals in a population that die and give birth will vary from year to year because of chance events. Demographic stochasticity has its greatest effect on the dynamics of relatively small populations, and we have incorporated it in models for all situations where the estimated population within an MU is less than 3000 individuals. One consequence of demographic stochasticity is that two otherwise identical populations that experience exactly the same sequence of environmental conditions will follow slightly different trajectories over time. As a result, it is possible for a "lucky" population that experiences disturbance effects to increase, whereas an identical undisturbed but "unlucky" population may decrease" (Harwood et al., 2014).
- 16. This is clearly evidenced in the outputs of iPCoD where the un-impacted (baseline) population size varies greatly between iterations, not as a result of disturbance but simply as a result on environmental and demographic stochasticity. In the example provided in <a href="Figure 1-Figure 1-Figure






Figure 1: Simulated un-impacted (baseline) population size over the 25 years modelled.

3.5 Summary

17. All of these precautions built into the iPCoD model mean that the results are considered to be highly conservative. Despite these limitations and uncertainties, this assessment has been carried out according to best practice and using the best available scientific information. The information provided is therefore considered to be sufficient to carry out an adequate assessment, though a level of precaution around the results should be taken into account when drawing conclusions.



4 iPCoD inputs

4.1 Piling schedules

18. The Project provided two indicative piling schedules, one for monopiles and one for jacket pinpiles, for piling of the artificial nesting structures (ANS) and wind turbine generators (WTGs) (Table 1Table 1). The number of piling days were randomly distributed across each month listed. It should be noted that during the period when the WTG foundations may be installed, up to seven OP foundations may also be installed. The numbers within Table 1 are inclusive of these seven OP foundations.

Table 1: Outer Dowsing indicative piling schedule (number of piling days per month) for monopiles and jackets (ANS and WTG).

| Month | Foundation | Monopile | Jacket |
|-------|------------|----------|--------|
| Feb | ANS | 2 | 4 |
| Jul | WTGs | 4 | 8 |
| Aug | WTGs | 6 | 12 |
| Sep | WTGs | 4 | 8 |
| Oct | WTGs | 0 | 0 |
| Nov | WTGs | 8 | 15 |
| Dec | WTGs | 8 | 16 |
| Jan | WTGs | 4 | 9 |
| Feb | WTGs | 8 | 16 |
| Mar | WTGs | 8 | 16 |
| Apr | WTGs | 9 | 17 |
| May | WTGs | 11 | 23 |
| Jun | WTGs | 12 | 24 |
| Jul | WTGs | 15 | 29 |
| Aug | WTGs | 10 | 21 |
| Sep | WTGs | 0 | 0 |
| Total | | 109 | 218 |

4.2 Number disturbed

19. The iPCoD model was run using the maximum number of animals disturbed per day by WTG or ANS piling as presented in APP-066. In addition to this, in response to Natural England's relevant representation regarding porpoise density (Natural England Comment E1 from RR-045), porpoise were also assessed using the average summer density from the site-specific surveys (2.63 porpoise/km²). It is important to note here that while the site-specific density estimate has been used as requested, there is no evidence that the density estimate is valid for impacted areas beyond the boundary of the site-specific surveys (i.e.: most of the disturbance contours).



Table 2: Number of animals predicted to be disturbed per piling day for monopile WTGs and ANS.

| Species | MU | Source | WTG monopile | ANS monopile |
|---------|---------|--------------|--------------|--------------|
| HP | 346,601 | ES values | 2,012 | 2,758 |
| | | 2.63 density | 3,989 | 5,263 |
| BND | 2,022 | ES values | 27 | 31 |
| MW | 20,118 | ES values | 15 | 23 |
| HS | 4,868 | ES values | 21 | 9 |
| GS | 65,505 | ES values | 342 | 724 |

Table 3: Number of animals predicted to be disturbed per piling day for jacket WTGs and ANS.

| Species | MU | Source | WTG Jacket | ANS jacket |
|---------|---------|--------------|------------|------------|
| HP | 346,601 | ES values | 1,799 | 2,720 |
| | | 2.63 density | 3,567 | 5,190 |
| BND | 2,022 | ES values | 23 | 30 |
| MW | 20,118 | ES values | 13 | 22 |
| HS | 4,868 | ES values | 18 | 9 |
| GS | 65,505 | ES values | 291 | 709 |

4.3 Demographic parameters

20. The MU specific demographic parameters used in the iPCoD modelling were obtained from Sinclair *et al.* (2020) and are summarised in <u>Table 4Table 4</u>. In Sinclair *et al.* (2020) the southeast England harbour seal MU was modelled to be stable, however, recent counts show that this population is now in decline (SCOS, 2023). Therefore, both a stable and a declining population has been modelled.

Table 4: Demographic parameters used in the iPCoD modelling from Sinclair et al. (2020).

| | Harbour porpoise | Bottlenose dolphin | Minke whale | Harbour s | eal | Grey seal |
|---------------------|---------------------|-----------------------|----------------|-----------|------------------------|------------|
| Trend | Stable | Stable | Stable | Stable | Declining ¹ | Increasing |
| Calf/pup survival | 0.8455 | 0.86 | 0.7 | 0.4 | 0.24 | 0.222 |
| Juvenile survival | 0.85 | 0.94 | 0.77 | 0.78 | 0.86 | 0.94 |
| Adult survival | 0.925 | 0.94 | 0.96 | 0.92 | 0.8 | 0.94 |
| Fertility | 0.34 | 0.25 | 0.91 | 0.85 | 0.9 | 0.84 |
| Age at independence | 1 | 2 | 1 | 1 | 1 | 1 |
| Age at first birth | 5 | 9 | 9 | 4 | 4 | 6 |

Interim Population Consequences of Disturbance Modelling Report

Page 15 of 43

Document Reference: 15.12

¹ Using demographic parameters for the declining North Coast and Orkney harbour seal MU in the absence of declining parameters specific to the southeast England MU



5 Results

5.1 Harbour porpoise

21. <u>Table 5Table 5</u>, <u>Figure 2Figure 2</u> and <u>Figure 3Figure 3</u> show the results for the iPCoD simulations for harbour porpoise using the ES disturbance values. The counter-factual metric indicates that the impacted population size remains at 99.7-99.9% of the unimpacted population size, and the population continues on a stable trajectory. **Therefore, disturbance from piling at the Project will not result in a population level effect.**



Table 5: Results of the harbour porpoise iPCoD simulations using the disturbance values from the ES chapter.

| Mean | | | | | | | Median | | | |
|----------------------------|-----------------|--------------------|--------------------------|--------------------|--------------------------|-----------------------------|--------------------------|--------------------------|--|--|
| | Un- impacted | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un- | Un-impacted population size | Impacted population size | Impacted as % of un- | | |
| | population size | | populationolis | | impacted population size | | popularion 0.20 | impacted population size | | |
| | 3120 | | | Jacke [.] | | | | population size | | |
| Before piling | 346,602 | N/A | 346,602 | N/A | 100.00% | 346,602 | 346,602 | 100.00% | | |
| End year 1 piling | 346,964 | 318,586 373,099 | 346,962 | 318,586 373,099 | 100.00% | 347,699 | 347,699 | 100.00% | | |
| End year 2 piling | 346,849 | 308,638 382,008 | 346,752 | 308,461 382,008 | 99.97% | 347,849 | 347,812 | 99.99% | | |
| 1 year after pilings ends | 346,661 | 305,460 386,388 | 346,542 | 305,219 386,388 | 99.97% | 346,654 | 346,539 | 99.97% | | |
| 6 years after piling ends | 346,789 | 286,543 411,225 | 346,701 | 286,525 411,225 | 99.97% | 344,641 | 344,417 | 99.94% | | |
| 12 years after piling ends | 347,267 | 270,716 441,671 | 347,179 | 270,715 441,178 | 99.97% | 344,207 | 344,087 | 99.97% | | |
| 18 years after piling ends | 347,337 | 255,764 460,571 | 347,248 | 255,764 460,571 | 99.97% | 343,649 | 343,610 | 99.99% | | |
| | | | | Monop | iles | | | | | |
| Before piling | 346,602 | N/A | 346,602 | N/A | 100.00% | 346,602 | 346,602 | 100.00% | | |



| | | | Mean | | | | Median | |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|
| End Year 1 | 346,236 | 318,597 | 346,234 | 318,597 | 100.00% | 346,516 | 346,511 | 100.00% |
| piling | | 370,580 | | 370,568 | | | | |
| End year 2 | 346,149 | 308,851 | 346,103 | 308,851 | 99.99% | 347,426 | 347,426 | 100.00% |
| piling | | 379,965 | | 379,963 | | | | |
| | | | | | | | | |
| 1 year after | 346,530 | 304,323 | 346,467 | 304,322 | 99.98% | 346,492 | 346,342 | 99.96% |
| pilings ends | | 388,104 | | 388,103 | | | | |
| | | | | | | | | |
| 6 years after | 346,048 | 286,140 | 346,003 | 286,140 | 99.99% | 345,087 | 345,011 | 99.98% |
| piling ends | | 412,420 | | 412,363 | | | | |
| 12 years | 348,120 | 272,039 | 348,075 | 271,918 | 99.99% | 347,836 | 347,799 | 99.99% |
| after piling | | 433,751 | | 433,313 | | | | |
| ends | | | | | | | | |
| 18 years | 347,720 | 256,663 | 347,674 | 256,596 | 99.99% | 346,385 | 346,385 | 100.00% |
| after piling | | 443,940 | | 443,040 | | | | |
| ends | | | | | | | | |






Figure 2: Results of the harbour porpoise iPCoD simulations for jacket foundations using the ES disturbance values.




Figure 3: Results of the harbour porpoise iPCoD simulations for monopile foundations using the ES disturbance values.

22. <u>Table 6Table 6</u>, <u>Figure 4Figure 4</u> and <u>Figure 5Figure 5</u> show the results for the iPCoD simulations for harbour porpoise using the new disturbance values (using the average summer site specific density of 2.63 porpoise/km²). The counter-factual metric indicates that the impacted population size remains at 99.1-99.7% of the unimpacted population size, and the population continues on a stable trajectory. **Therefore, disturbance from piling at ODOW will not result in a population level effect.**



Table 6: Results of the harbour porpoise iPCoD simulations using the new disturbance values (based on site-specific density estimates).

| | | | Mean | | | | Median | |
|---------------------------|-----------------------------|--------------------|--------------------------|--------------------|--|-------------------------|--------------------------|---|
| | Un-impacted population size | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un- impacted population size | as % of un- impacted | Impacted population size | Impacted as % of un- impacted population size |
| | | | | Jackets | | | | |
| Before piling | 346,602 | N/A | 346,602 | N/A | 100.00% | 346,602 | 346,602 | 100.00% |
| End Year 1 piling | 345,993 | 315,426 369,434 | 345,988 | 315,426 369,434 | 100.00% | 346,953 | 346,953 | 100.00% |
| End year 2 piling | 346,242 | 309,347 379,209 | 346,004 | 309,305 379,090 | 99.93% | 346,464 | 346,101 | 99.90% |
| 1 year after pilings ends | 346,920 | 307,362 385,678 | 346,615 | 307,170 385,678 | 99.91% | 347,473 | 346,878 | 99.83% |
| 6 years after piling ends | 347,060 | 282,456 410,095 | 346,839 | 282,445 410,095 | 99.94% | 347,135 | 346,888 | 99.93% |
| 12 years after | 348,453 | 272,464 430,372 | 348,229 | 271,624 430,372 | 99.94% | 346,173 | 345,941 | 99.93% |



| | | | Mean | | | | Median | |
|-------------------------------------|---------|--------------------|---------|--------------------|---------|---------|---------|---------|
| piling ends | | | | | | | | |
| 18 years after piling ends | 347,592 | 255,285 453,363 | 347,368 | 255,285 453,363 | 99.94% | 345,091 | 345,083 | 100.00% |
| | | | | Monopile | es | | | |
| Before piling | 346,602 | N/A | 346,602 | N/A | 100.00% | 346,602 | 346,602 | 100.00% |
| End Year 1 piling | 346,728 | 317,968 373,388 | 346,725 | 317,968 373,384 | 100.00% | 347,531 | 347,531 | 100.00% |
| End year 2 piling | 346,796 | 309,116 379,559 | 346,671 | 309,044 379,559 | 99.96% | 347,335 | 347,229 | 99.97% |
| 1 year after pilings ends | 346,399 | 303,468 386,552 | 346,250 | 303,455 386,144 | 99.96% | 346,926 | 346,926 | 100.00% |
| 6 years after piling ends | 346,203 | 281,342 411,802 | 346,093 | 281,341 411,210 | 99.97% | 345,798 | 345,622 | 99.95% |
| 12 years after piling ends | 344,786 | 267,725 433,337 | 344,676 | 267,609 433,337 | 99.97% | 343,798 | 343,739 | 99.98% |
| 18 years after | 344,828 | 255,587 456,581 | 344,718 | 255,581 456,581 | 99.97% | 342,758 | 342,740 | 99.99% |



| | Mean | | | | | | Median | |
|--------|------|--|--|--|--|--|--------|--|
| piling | | | | | | | | |
| ends | | | | | | | | |






Figure 4: Results of the harbour porpoise iPCoD simulations for jacket foundations using the new disturbance values.




Figure 5: Results of the harbour porpoise iPCoD simulations for monopile foundations using the new disturbance values.



5.2 Bottlenose dolphin

23. <u>Table 7</u> Figure 6 Figure 6 and Figure 7 Show the results for the iPCoD simulations for bottlenose dolphins. The counter-factual metric indicates that the impacted population size remains at 99.85-100.00% of the unimpacted population size, and the population continues on a stable trajectory. Therefore, disturbance from piling at ODOW will not result in a population level effect.



Table 7: Results of the bottlenose dolphin iPCoD simulations.

| | | | Mean | | | | Median | |
|----------------------------|--|----------------|--------------------------|----------------|--|-----------------------------|--------------------------|--|
| | Un- impacted populatio n size | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un-impacted population size | Un-impacted population size | Impacted population size | Impacted as % of un-impacted population size |
| | | | | Jac | ckets | | | |
| Before piling | 2,024 | N/A | 2,024 | N/A | 100.00% | 2,024 | 2,024 | 100.00% |
| End Year 1 piling | 2,025 | 1,834 2,158 | 2,025 | 1,834 2,158 | 100.00% | 2,034 | 2,034 | 100.00% |
| End year 2 piling | 2,027 | 1,784 2,206 | 2,024 | 1,784 2,194 | 99.85% | 2,038 | 2,036 | 99.90% |
| 1 year after pilings ends | 2,024 | 1,730 2,238 | 2,021 | 1,724 2,238 | 99.85% | 2,040 | 2,038 | 99.90% |
| 6 years after piling ends | 2,032 | 1,596 2,416 | 2,029 | 1,594 2,408 | 99.85% | 2,052 | 2,049 | 99.85% |
| 12 years after piling ends | 2,032 | 1,516 2,568 | 2,030 | 1,512 2,556 | 99.90% | 2,048 | 2,046 | 99.90% |



| | | | Mean | | | | Median | |
|----------------------------|-------|--|-------|----------------|------------|-------|--------|---------|
| 18 years after piling ends | 2,036 | 1,4601,436 2,6182,668 | 2,034 | 1,436 2,668 | 99.90% | 2,036 | 2,034 | 99.90% |
| | | | | N | /lonopiles | | | |
| Before piling | 2,024 | N/A | 2,024 | N/A | 100.00% | 2,024 | 2,024 | 100.00% |
| End Year 1 piling | 2,023 | 1,804 2,152 | 2,023 | 1,804 2,152 | 100.00% | 2,034 | 2,034 | 100.00% |
| End year 2 piling | 2,024 | 1,748 2,204 | 2,023 | 1,748 2,204 | 99.95% | 2,036 | 2,036 | 100.00% |
| 1 year after pilings ends | 2,025 | 1,702 2,246 | 2,024 | 1,700 2,246 | 99.95% | 2,038 | 2,037 | 99.95% |
| 6 years after piling ends | 2,015 | 1,588 2,378 | 2,015 | 1,586 2,376 | 100.00% | 2,028 | 2,028 | 100.00% |
| 12 years after piling ends | 2,018 | 1, 552 492 2, 470 550 | 2,017 | 1,492 2,546 | 99.95% | 2,026 | 2,025 | 99.95% |
| 18 years after piling ends | 2,014 | 1, 424 <u>434</u> 2, 580 <u>652</u> | 2,013 | 1,434 2,650 | 99.95% | 2,001 | 2,001 | 100.00% |






Figure 6: Results of the bottlenose dolphin iPCoD simulations for jacket foundations.




Figure 7: Results of the bottlenose dolphin iPCoD simulations for monopile foundations.

5.3 Minke whale

24. <u>Table 8 Table 8</u>, <u>Figure 8 Figure 8</u> and <u>Figure 9 Figure 9</u> show the results for the iPCoD simulations for minke whales. The counter-factual metric indicates that the impacted population size remains at 100% of the unimpacted population size, and the population continues on a stable trajectory. **Therefore, disturbance from piling at ODOW will not result in a population level effect.**



Table 8: Results of the minke whale iPCoD simulations.

| | | | Mean | | | | Median | |
|----------------------------|--|------------------|--------------------------|------------------|--|-----------------------------|--------------------------|--|
| | Un- impacted populatio n size | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un- impacted population size | Un-impacted population size | Impacted population size | Impacted as % of un-impacted population size |
| | | | | Jackets | S | | | |
| Before piling | 20,120 | N/A | 20,120 | N/A | 100% | 20,120 | 20,120 | 100.00% |
| End Year 1 piling | 20,128 | 17,881 21,934 | 20,128 | 17,881 21,934 | 100% | 20,179 | 20,179 | 100.00% |
| End year 2 piling | 20,140 | 17,662 22,526 | 20,140 | 17,662 22,526 | 100% | 20,148 | 20,148 | 100.00% |
| 1 year after pilings ends | 20,125 | 17,188 23,093 | 20,125 | 17,188 23,093 | 100% | 20,097 | 20,097 | 100.00% |
| 6 years after piling ends | 20,036 | 16,386 24,147 | 20,036 | 16,386 24,147 | 100% | 19,942 | 19,942 | 100.00% |
| 12 years after piling ends | 20,038 | 15,517 25,907 | 20,038 | 15,517 25,907 | 100% | 19,843 | 19,843 | 100.00% |



| | | 1 | Mean | | | Median 19,779 | | | |
|----------------------------|--------|--|--------|------------------|------|----------------|--------|---------|--|
| 18 years after piling ends | 19,943 | 14,827 15,312 26,581 26,029 | 19,943 | 14,827 26,581 | 100% | 19,779 | 19,779 | 100.00% | |
| | | | | Monopil | es | | | | |
| Before piling | 20,120 | N/A | 20,120 | N/A | 100% | 20,120 | 20,120 | 100.00% | |
| End Year 1 piling | 20,105 | 17,837 21,860 | 20,105 | 17,837 21,860 | 100% | 20,191 | 20,191 | 100.00% | |
| End year 2 piling | 20,042 | 17,430 22,538 | 20,042 | 17,430 22,538 | 100% | 20,088 | 20,088 | 100.00% | |
| 1 year after pilings ends | 20,094 | 17,204 22,876 | 20,094 | 17,204 22,876 | 100% | 20,074 | 20,074 | 100.00% | |
| 6 years after piling ends | 20,097 | 16,754 24,077 | 20,097 | 16,754 24,077 | 100% | 19,980 | 19,980 | 100.00% | |
| 12 years after piling ends | 20,067 | 15,923 25,517 | 20,067 | 15,923 25,517 | 100% | 19,823 | 19,823 | 100.00% | |
| 18 years after piling ends | 20,092 | 15,044 26,953 | 20,092 | 15,044 26,953 | 100% | 19,885 | 19,885 | 100.00% | |






Figure 8: Results of the minke whale iPCoD simulations for jacket foundations.




Figure 9: Results of the minke whale iPCoD simulations for monopile foundations.

5.4 Harbour seal

25. <u>Table 9Table 9</u>, <u>Figure 10Figure 10</u> and <u>Figure 11Figure 11</u> show the results for the iPCoD simulations for harbour seals assuming a stable population. The counter-factual metric indicates that the impacted population size remains at 100% of the unimpacted population size, and the population continues on a stable trajectory. **Therefore, disturbance from piling at ODOW will not result in a population level effect.**



Table 9: Results of the harbour seal iPCoD simulations assuming a stable population.

| | Un- impacted populatio n size | 95% CIs | Mean Impacted populatio n size | 95% Cls | Impacted as % of un-impacted population size | Un-impacted population size | Median Impacted population size | Impacted as % of un-impacted population size |
|----------------------------|--|----------------|---|----------------|--|--------------------------------|---------------------------------------|--|
| | | | | 1 | ckets | | | |
| Before piling | 4,866 | N/A | 4,866 | N/A | 100% | 4,866 | 4,866 | 100.00% |
| End Year 1 piling | 4,855 | 4,424 5,202 | 4,855 | 4,424 5,202 | 100% | 4,864 | 4,864 | 100.00% |
| End year 2 piling | 4,862 | 4,364 5,290 | 4,862 | 4,364 5,290 | 100% | 4,883 | 4,883 | 100.00% |
| 1 year after pilings ends | 4,854 | 4,298 5,370 | 4,854 | 4,298 5,370 | 100% | 4,863 | 4,863 | 100.00% |
| 6 years after piling ends | 4,870 | 4,082 5,734 | 4,870 | 4,082 5,734 | 100% | 4,870 | 4,870 | 100.00% |
| 12 years after piling ends | 4,910 | 3,896 6,026 | 4,910 | 3,896 6,026 | 100% | 4,862 | 4,862 | 100.00% |
| 18 years after | 4,929 | 3,758 6,338 | 4,929 | 3,758 6,338 | 100% | 4,900 | 4,900 | 100.00% |

Interim Population Consequences of Disturbance Modelling Report

Document Reference: 15.12



| | | | Mean | Median | | | | |
|-------------------------------------|-------|--|-------|----------------|-----------|-------|-------|---------|
| piling ends | | | | | | | | |
| | | | | 1 | Monopiles | | | |
| Before piling | 4,866 | N/A | 4,866 | N/A | 100% | 4,866 | 4,866 | 100.00% |
| End Year 1 piling | 4,870 | 4,472 5,206 | 4,870 | 4,472 5,206 | 100% | 4,876 | 4,876 | 100.00% |
| End year 2 piling | 4,870 | 4,376 5,338 | 4,870 | 4,376 5,338 | 100% | 4,870 | 4,870 | 100.00% |
| 1 year after pilings ends | 4,869 | 4,308 5,430 | 4,869 | 4,308 5,430 | 100% | 4,852 | 4,852 | 100.00% |
| 6 years after piling ends | 4,857 | 4,042 5,810 | 4,857 | 4,042 5,810 | 100% | 4,824 | 4,824 | 100.00% |
| 12 years after piling ends | 4,869 | 3,842 5,990 | 4,869 | 3,842 5,990 | 100% | 4,829 | 4,829 | 100.00% |
| 18 years after piling ends | 4,900 | 3, 750 <u>632</u> 6, 236 <u>408</u> | 4,900 | 3,632 6,408 | 100% | 4,804 | 4,804 | 100.00% |








Figure 10: Results of the harbour seal iPCoD simulations for jacket foundations, assuming a stable population.




Figure 11: Results of the harbour seal iPCoD simulations for monopile foundations, assuming a stable population.

26. Because the southeast England MU has shown a decline in recent years, the modelling was also conducted assuming a declining harbour seal population. Table 10Table 10, Figure 12Figure 12 and Figure 13Figure 13 show the results for the iPCoD simulations for harbour seals assuming a declining population. The counter-factual metric indicates that the impacted population size remains at 100% of the unimpacted population size, and the population continues on the same declining trajectory. Therefore, disturbance from piling at ODOW will not result in a population level effect.



Table 10: Results of the harbour seal iPCoD simulations assuming a declining population.

| | | Mea | n | | | | Median | |
|----------------------------|-----------------------------|----------------|--------------------------|---------------------------------------|--|--------------------------|-----------------------------|---|
| | Un-impacted population size | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un-impacted population size | Impacted population size | Un-impacted population size | Impacted as % of un- impacted Population size |
| | | | | Jac | ckets | | | |
| Before piling | 4,868 | N/A | 4,868 | N/A | 100% | 4,868 | 4,868 | 100.00% |
| End Year 1 piling | 4,365 | 3,986 4,692 | 4,365 | 3,986 4,692 | 100% | 4,376 | 4,376 | 100.00% |
| End year 2 piling | 3,908 | 3,484 4,320 | 3,908 | 3, 483 <u>484</u> 4,320 | 100% | 3,906 | 3,906 | 100.00% |
| 1 year after pilings ends | 3,515 | 3,090 3,956 | 3,515 | 3,090 3,956 | 100% | 3,504 | 3,504 | 100.00% |
| 6 years after piling ends | 2,022 | 1,588 2,494 | 2,022 | 1,588 2,494 | 100% | 2,017 | 2,017 | 100.00% |
| 12 years after piling ends | 1,037 | 736 1,408 | 1,037 | 736 1,408 | 100% | 1,020 | 1,020 | 100.00% |



| | | Mea | | | Median | | | |
|-------------------------------------|-------|------------------------------|-------|----------------------------|---------|-------|-------|---------|
| 18 years after piling ends | 534 | 340 788 | 534 | 340 788 | 100% | 527 | 527 | 100.00% |
| | | | | Mo | nopiles | | | |
| Before piling | 4,868 | N/A | 4,868 | N/A | 100% | 4,868 | 4,868 | 100.00% |
| End Year 1 piling | 4,360 | 3,976 4,678 | 4,360 | 3,976 4,678 | 100% | 4,368 | 4,368 | 100.00% |
| End year 2 piling | 3,904 | 3,464 4,308 | 3,904 | 3,464 4,308 | 100% | 3,914 | 3,914 | 100.00% |
| 1 year after pilings ends | 3,501 | 3,044 3,962 | 3,501 | 3,044 3,962 | 100% | 3,498 | 3,498 | 100.00% |
| 6 years after piling ends | 2,012 | 2,3761,592 2,514 3,330 | 2,012 | 1,592 2,514 | 100% | 2,000 | 2,000 | 100.00% |
| 12 years after piling ends | 1,040 | 7 , 48 1,396 | 1,040 | 7 , 48 1,396 | 100% | 1,030 | 1,030 | 100.00% |
| 18 years after piling ends | 533 | 340 758 | 533 | 340 758 | 100% | 528 | 528 | 100.00% |

Interim Population Consequences of Disturbance Modelling Report Document Reference: 15.12 Page 36 of 43

February 2025








Figure 12: Results of the harbour seal iPCoD simulations for jacket foundations, assuming a declining population.




Figure 13: Results of the harbour seal iPCoD simulations for monopile foundations, assuming a declining population.

5.5 Grey seal

27. <u>Table 11Table 11</u>, <u>Figure 14Figure 14</u> and <u>Figure 15Figure 15</u> show the results for the iPCoD simulations for grey seals. The counter-factual metric indicates that the impacted population size remains at 100% of the unimpacted population size, and the population continues on the same increasing trajectory. **Therefore, disturbance from piling at ODOW will not result in a population level effect.**



Table 11: Results of the grey seal iPCoD simulations.

| Mean | | | | | Median | | | |
|-----------------------------|---|-------------------------------------|--|---|---|---|--|--|
| Un-impacted population size | 95% CIs | Impacted population size | 95% CIs | Impacted as % of un-impacted population size | Impacted population | Un-impacted population size | Impacted as % of un- impacted Population size | |
| | | | Jacket | rs . | | | | |
| 10,788 | N/A | 10,788 | N/A | 100% | 10,788 | 10,788 | 100.00% | |
| 10,866 | 9,912 11,526 | 10,866 | 9,912 11,526 | 100% | 10,920 | 10,920 | 100.00% | |
| 10,912 | 9,698 11,824 | 10,912 | 9,698 11,824 | 100% | 10,954 | 10,954 | 100.00% | |
| 10,996 | 9,562 12,072 | 10,996 | 9,562 12,072 | 100% | 11,057 | 11,057 | 100.00% | |
| 11,364 | 9,139 13,306 | 11,364 | 9,139 13,306 | 100% | 11,392 | 11,392 | 100.00% | |
| 11,858 | 9,030 14,750 | 11,858 | 9,030 14,750 | 100% | 11,809 | 11,809 | 100.00% | |
| 12,275 | 9,090 15,901 | 12,275 | 9,090 15,901 | 100% | 12,242 | 12,242 | 100.00% | |
| | 10,788 10,866 10,912 10,996 11,364 11,858 | Un-impacted population size 10,788 | Un-impacted population size 95% CIs Impacted population size 10,788 N/A 10,788 10,866 9,912 10,866 10,912 9,698 10,912 11,824 10,996 9,562 12,072 10,996 11,364 9,139 11,364 11,364 13,306 14,750 11,858 11,858 9,030 11,858 14,750 12,275 12,275 9,090 12,275 | Un-impacted population size 95% CIs Impacted population size 95% CIs 10,788 N/A 10,788 N/A 10,866 9,912 | Un-impacted population size 95% CIs Impacted population size 95% CIs Impacted as % of un-impacted population size 10,788 N/A 10,788 N/A 100% 10,866 9,912 | Un-impacted population size 95% Cls population size Impacted sof un-impacted population size Impacted sof un-impacted population size Impacted population size 10,788 N/A 10,788 N/A 100% 10,788 10,866 9,912 11,526 10,866 9,912 11,526 100% 10,920 10,912 9,698 11,824 11,824 100% 10,954 10,954 10,996 9,562 12,072 12,072 12,072 100% 11,057 11,057 11,364 9,139 13,306 13,306 13,306 14,750 14,750 11,858 14,750 14,750 100% 14,750 11,809 11,809 12,275 9,090 15,901 15,901 15,901 100% 12,242 12,242 12,242 12,242 | Un-impacted population size 95% CIs Impacted of un-impacted population size Impacted of un-impacted population size Un-impacted population size Un-impacted population size 10,788 N/A 10,788 N/A 100% 10,788 10,788 10,866 9,912 11,526 10,866 9,912 11,526 100% 10,920 10,920 10,912 9,698 11,824 10,912 9,698 11,824 100% 10,954 10,954 10,996 9,562 12,072 10,996 9,562 12,072 100% 11,057 11,057 11,364 9,139 13,306 11,364 9,139 13,306 100% 11,392 11,392 11,858 9,030 14,750 14,750 100% 11,809 11,809 12,275 9,090 15,901 15,901 100% 12,242 12,242 | |

Monopiles

Interim Population Consequences of Disturbance Modelling Report Document Reference: 15.12 Page 39 of 43

February 2025



| | | M | ean | | | | Median | |
|----------------------------------|--------|---------------------------------------|--------|-----------------|------|--------|--------|---------|
| Before piling | 10,788 | N/A | 10,788 | N/A | 100% | 10,788 | 10,788 | 100.00% |
| End Year 1 piling | 10,868 | 9,892 11,560 | 10,868 | 9,892 11,560 | 100% | 10,908 | 10,908 | 100.00% |
| End year 2 piling | 10,937 | 9,790 11,888 | 10,937 | 9,790 11,888 | 100% | 10,980 | 10,980 | 100.00% |
| 1 year after pilings ends | 11,020 | 9,699 12,098 | 11,020 | 9,699 12,098 | 100% | 11,082 | 11,082 | 100.00% |
| 6 years after piling ends | 11,354 | 9,262 13,302 | 11,354 | 9,262 13,302 | 100% | 11,403 | 11,403 | 100.00% |
| 12 years after piling ends | 11,820 | 9,261 14,717 | 11,820 | 9,261 14,717 | 100% | 11,773 | 11,773 | 100.00% |
| 18 years after piling ends | 12,238 | 9, <u>053033</u> 15,4 <u>24938</u> | 12,238 | 9,033 15,938 | 100% | 12,054 | 12,054 | 100.00% |






Figure 14: Results of the grey seal iPCoD simulations for jacket foundations.




Figure 15: Results of the grey seal iPCoD simulations for monopile foundations.



6 Conclusion

28. The iPCoD modelling shows that for disturbance from piling of ANS and WTGs at the Project, the magnitude score is Low for all species, whereby there is short-term and/or intermittent and temporary behavioural effects in a small proportion of the population, where survival and reproductive rates are very unlikely to be impacted to the extent that the population trajectory would be altered. This aligns with the magnitude scores assigned in the ES chapter (APP-066) (Table 12Table 12).

Table 12: Magnitude score assigned in the ES chapter (APP-066) compared to those assigned given the iPCoD modelling.

| Species | Magnitude conclusion in ES | Magnitude conclusion from iPCoD |
|--------------------|----------------------------|----------------------------------|
| Harbour porpoise | Low | Low – no population level impact |
| Bottlenose dolphin | Low | Low – no population level impact |
| Minke whale | Low | Low – no population level impact |
| Harbour seal | Low | Low – no population level impact |
| Grey seal | Low | Low – no population level impact |



7 References

Booth, C. G., F. Heinis, and H. J. (2019). Updating the Interim PCoD Model: Workshop Report - New transfer functions for the effects of disturbance on vital rates in marine mammal species. Report Code SMRUC-BEI-2018-011, submitted to the Department for Business, Energy and Industrial Strategy (BEIS), February 2019 (unpublished).

Czapanskiy, M. F., M. S. Savoca, W. T. Gough, P. S. Segre, D. M. Wisniewska, D. E. Cade, and J. A. Goldbogen. (2021). Modelling short-term energetic costs of sonar disturbance to cetaceans using high-resolution foraging data. Journal of Applied Ecology **58**:1643-1657.

Donovan, C., J. Harwood, S. King, C. Booth, B. Caneco, and C. Walker. (2016). Expert elicitation methods in quantifying the consequences of acoustic disturbance from offshore renewable energy developments. Advances in Experimental Medicine and Biology.

Harwood, J., S. King, R. Schick, C. Donovan, and C. Booth. (2014). A protocol for Implementing the Interim Population Consequences of Disturbance (PCoD) approach: Quantifying and assessing the effects of UK offshore renewable energy developments on marine mammal populations. Report Number SMRUL-TCE-2013-014. Scottish Marine And Freshwater Science, 5(2).

King, S. L., R. S. Schick, C. Donovan, C. G. Booth, M. Burgman, L. Thomas, and J. Harwood. (2015). An interim framework for assessing the population consequences of disturbance. Methods in Ecology and Evolution **6**:1150-1158.

Schwacke, L. H., T. A. Marques, L. Thomas, C. Booth, B. C. Balmer, A. Barratclough, K. Colegrove, S. De Guise, L. P. Garrison, and F. M. Gomez. (2021). Modeling population impacts of the Deepwater Horizon oil spill on a long-lived species with implications and recommendations for future environmental disasters. Conservation Biology.

SCOS. (2023). Scientific Advice on Matters Related to the Management of Seal Populations: 2022.

Sinclair, R., J. Harwood, and C. Sparling. (2020). Review of demographic parameters and sensitivity analysis to inform inputs and outputs of population consequences of disturbance assessments for marine mammals. **11**:74.