



EAST PARK ENERGY

East Park Energy

EN010141

Environmental Statement

Volume 3 - Figures

Chapter 5 Figures – Landscape and Visual
Part 4 of 14

Document Reference: EN010141/DR/6.3

Infrastructure Planning (Applications: Prescribed Forms and
Procedure) Regulations 2009: Regulation 5(2)(a)

September 2025

Version P01

EAST PARK ENERGY

Planning Act 2008

Infrastructure Planning (Applications: Prescribed
Forms and Procedure) Regulations 2009

Environmental Statement Volume 3 – Figures

Chapter 5 Figures Part 4 of 14

APFP Regulation Reference:	Regulation 5(2)(a)
Planning Inspectorate Scheme Reference:	EN010141
Application Document Number:	EN010141/DR/6.3
Author:	Axis PED Ltd

Version	Date	Status
P01	September 2025	DCO Submission

© AXIS P.E.D. Ltd 2025. All rights reserved.

This document and its accompanying documents contain information which is confidential and is intended only for the use of the client. If you are not one of the intended recipients any disclosure, copying, distribution or action taken in reliance on the contents of the information is strictly prohibited.

Unless expressly agreed, any reproduction of material from this document must be requested and authorised in writing from AXIS P.E.D. Ltd. Authorised reproduction of material must include all copyright and proprietary notices in the same form and manner as the original and must not be modified in any way. Acknowledgement of the source of the material must also be included in all references.

ES Volume 3 – Chapter 5 Figures:

Figure 5-20a	Viewpoint 16 (Existing Winter View) (Rev P01)
Figure 5-20b	Viewpoint 16 (Existing Winter View) (Rev P01)
Figure 5-20c	Viewpoint 16 (Existing Winter View) (Rev P01)
Figure 5-20d	Viewpoint 16 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-20e	Viewpoint 16 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-20f	Viewpoint 16 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-20g	Viewpoint 16 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-20h	Viewpoint 16 (Existing Summer View) (Rev P01)
Figure 5-20i	Viewpoint 16 (Existing Summer View) (Rev P01)
Figure 5-20j	Viewpoint 16 (Existing Summer View) (Rev P01)
Figure 5-20k	Viewpoint 16 (Proposed Year 0 Summer View) (Rev P01)
Figure 5-20l	Viewpoint 16 (Proposed Year 0 Summer View) (Rev P01)
Figure 5-20m	Viewpoint 16 (Proposed Year 10 Summer View) (Rev P01)
Figure 5-20n	Viewpoint 16 (Proposed Year 10 Summer View) (Rev P01)
Figure 5-21a	Viewpoint 17 (Existing Winter View) (Rev P01)
Figure 5-21b	Viewpoint 17 (Existing Winter View) (Rev P01)
Figure 5-21c	Viewpoint 17 (Existing Summer View) (Rev P01)
Figure 5-21d	Viewpoint 17 (Existing Summer View) (Rev P01)
Figure 5-22a	Viewpoint 18 (Existing Winter View) (Rev P01)

Figure 5-22b	Viewpoint 18 (Existing Winter View) (Rev P01)
Figure 5-22c	Viewpoint 18 (Existing Summer View) (Rev P01)
Figure 5-22d	Viewpoint 18 (Existing Summer View) (Rev P01)
Figure 5-23a	Viewpoint 19 (Existing Winter View) (Rev P01)
Figure 5-23b	Viewpoint 19 (Existing Winter View) (Rev P01)
Figure 5-23c	Viewpoint 19 (Existing Summer View) (Rev P01)
Figure 5-23d	Viewpoint 19 (Existing Summer View) (Rev P01)
Figure 5-24a	Viewpoint 20 (Existing Winter View) (Rev P01)
Figure 5-24b	Viewpoint 20 (Existing Winter View) (Rev P01)
Figure 5-24c	Viewpoint 20 (Existing Summer View) (Rev P01)
Figure 5-24d	Viewpoint 20 (Existing Summer View) (Rev P01)
Figure 5-25a	Viewpoint 21 (Existing Winter View) (Rev P01)
Figure 5-25b	Viewpoint 21 (Existing Winter View) (Rev P01)
Figure 5-25c	Viewpoint 21 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-25d	Viewpoint 21 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-25e	Viewpoint 21 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-25f	Viewpoint 21 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-25g	Viewpoint 21 (Existing Summer View) (Rev P01)
Figure 5-25h	Viewpoint 21 (Existing Summer View) (Rev P01)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	115°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20a: Viewpoint 16 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20b: Viewpoint 16 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20c: Viewpoint 16 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20d: Viewpoint 16 (Proposed Year 0 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20e: Viewpoint 16 (Proposed Year 0 Winter View)



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20f: Viewpoint 16 (Proposed Year 10 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.899,265426.744	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:20	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20g: Viewpoint 16 (Proposed Year 10 Winter View)





Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	115°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20j: Viewpoint 16 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20k: Viewpoint 16 (Proposed Year 0 Summer View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-20I: Viewpoint 16 (Proposed Year 0 Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507903.903,265426.796	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:57	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	34.45m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508000.159,265900.368	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:37	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	41.69m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508000.159,265900.368	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:37	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	41.69m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-21b: Viewpoint 17 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508000.161,265900.4	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:34	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	41.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-21c: Viewpoint 17 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508000.161,265900.4	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:34	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	41.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-21d: Viewpoint 17 (Existing Summer View)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507733.186,266177.565	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:51	Lens:	50mm	Direction of View:	140°	Elevation (AOD):	44.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507733.186,266177.565	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:51	Lens:	50mm	Direction of View:	230°	Elevation (AOD):	44.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-22b: Viewpoint 18 (Existing Winter View)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507733.186,266177.596	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:20	Lens:	50mm	Direction of View:	140°	Elevation (AOD):	44.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-22c: Viewpoint 18 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507733.186,266177.596	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:20	Lens:	50mm	Direction of View:	230°	Elevation (AOD):	44.73m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-22d: Viewpoint 18 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508049.597,266417.835	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 15:06	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	61.83m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-23a: Viewpoint 19 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508049.597,266417.835	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 15:06	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	61.83m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-23b: Viewpoint 19 (Existing Winter View)





Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508049.559,266417.929	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:01	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	61.85m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-23c: Viewpoint 19 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508049.559,266417.929	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 12:01	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	61.85m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-23d: Viewpoint 19 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508851.976,265858.494	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:49	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	45.31m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-24a: Viewpoint 20 (Existing Winter View)





Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508851.976,265858.494	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:49	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	45.31m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508851.981,265858.522	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:52	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	45.28m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-24c: Viewpoint 20 (Existing Summer View)





Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508851.981,265858.522	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:52	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	45.28m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-24d: Viewpoint 20 (Existing Summer View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25b: Viewpoint 21 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25c: Viewpoint 21 (Proposed Year 0 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25d: Viewpoint 21 (Proposed Year 0 Winter View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25e: Viewpoint 21 (Proposed Year 10 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.077,265789.34	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 12:34	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	58.70m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25f: Viewpoint 21 (Proposed Year 10 Winter View)



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.016,265789.321	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:41	Lens:	50mm	Direction of View:	150°	Elevation (AOD):	58.69m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25g: Viewpoint 21 (Existing Summer View)



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509043.016,265789.321	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:41	Lens:	50mm	Direction of View:	240°	Elevation (AOD):	58.69m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3