



EAST PARK ENERGY

East Park Energy

EN010141

Environmental Statement

Volume 3 - Figures

Chapter 5 Figures – Landscape and Visual
Part 5 of 14

Document Reference: EN010141/DR/6.3

Infrastructure Planning (Applications: Prescribed Forms and
Procedure) Regulations 2009: Regulation 5(2)(a)

September 2025

Version P01

EAST PARK ENERGY

Planning Act 2008

Infrastructure Planning (Applications: Prescribed
Forms and Procedure) Regulations 2009

Environmental Statement Volume 3 – Figures

Chapter 5 Figures Part 5 of 14

APFP Regulation Reference:	Regulation 5(2)(a)
Planning Inspectorate Scheme Reference:	EN010141
Application Document Number:	EN010141/DR/6.3
Author:	Axis PED Ltd

Version	Date	Status
P01	September 2025	DCO Submission

© AXIS P.E.D. Ltd 2025. All rights reserved.

This document and its accompanying documents contain information which is confidential and is intended only for the use of the client. If you are not one of the intended recipients any disclosure, copying, distribution or action taken in reliance on the contents of the information is strictly prohibited.

Unless expressly agreed, any reproduction of material from this document must be requested and authorised in writing from AXIS P.E.D. Ltd. Authorised reproduction of material must include all copyright and proprietary notices in the same form and manner as the original and must not be modified in any way. Acknowledgement of the source of the material must also be included in all references.

ES Volume 3 – Chapter 5 Figures:

Figure 5-26a	Viewpoint 22 (Existing Winter View) (Rev P01)
Figure 5-26b	Viewpoint 22 (Existing Winter View) (Rev P01)
Figure 5-27a	Viewpoint 23 (Existing Winter View) (Rev P01)
Figure 5-27b	Viewpoint 23 (Existing Winter View) (Rev P01)
Figure 5-27c	Viewpoint 23 (Existing Winter View) (Rev P01)
Figure 5-27d	Viewpoint 23 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-27e	Viewpoint 23 (Proposed Year 0 Winter View) (Rev P01)
Figure 5-27f	Viewpoint 23 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-27g	Viewpoint 23 (Proposed Year 10 Winter View) (Rev P01)
Figure 5-27h	Viewpoint 23 (Existing Summer View) (Rev P01)
Figure 5-27i	Viewpoint 23 (Existing Summer View) (Rev P01)
Figure 5-27j	Viewpoint 23 (Existing Summer View) (Rev P01)
Figure 5-28a	Viewpoint 24 (Existing Winter View) (Rev P01)
Figure 5-28b	Viewpoint 24 (Existing Winter View) (Rev P01)
Figure 5-28c	Viewpoint 24 (Existing Winter View) (Rev P01)
Figure 5-28d	Viewpoint 24 (Existing Summer View) (Rev P01)
Figure 5-28e	Viewpoint 24 (Existing Summer View) (Rev P01)
Figure 5-28f	Viewpoint 24 (Existing Summer View) (Rev P01)
Figure 5-29a	Viewpoint 25 (Existing Winter View) (Rev P01)

Figure 5-29b	Viewpoint 25 (Existing Winter View) (Rev P01)
Figure 5-29c	Viewpoint 25 (Existing Winter View) (Rev P01)
Figure 5-29d	Viewpoint 25 (Existing Summer View) (Rev P01)
Figure 5-29e	Viewpoint 25 (Existing Summer View) (Rev P01)
Figure 5-29f	Viewpoint 25 (Existing Summer View) (Rev P01)
Figure 5-30a	Viewpoint 26 (Existing Winter View) (Rev P01)
Figure 5-30b	Viewpoint 26 (Existing Winter View) (Rev P01)
Figure 5-30c	Viewpoint 26 (Existing Winter View) (Rev P01)
Figure 5-30d	Viewpoint 26 (Existing Summer View) (Rev P01)
Figure 5-30e	Viewpoint 26 (Existing Summer View) (Rev P01)
Figure 5-30f	Viewpoint 26 (Existing Summer View) (Rev P01)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508406.709,265418.879	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:05	Lens:	50mm	Direction of View:	161°	Elevation (AOD):	39.89m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508406.709,265418.879	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	07/03/24 14:05	Lens:	50mm	Direction of View:	251°	Elevation (AOD):	39.89m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	90°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-27a: Viewpoint 23 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	180°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-27b: Viewpoint 23 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	270°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-27c: Viewpoint 23 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	180°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25d: Viewpoint 23 (Proposed Year 0 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	270°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25e: Viewpoint 23 (Proposed Year 0 Winter View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	180°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25f: Viewpoint 23 (Proposed Year 10 Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 4	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.371,265223.201	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:09	Lens:	50mm	Direction of View:	270°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-25g: Viewpoint 23 (Proposed Year 10 Winter View)





Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.346,265223.248	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:19	Lens:	50mm	Direction of View:	90°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-27h: Viewpoint 23 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.346,265223.248	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:19	Lens:	50mm	Direction of View:	180°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	509307.346,265223.248	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 16:19	Lens:	50mm	Direction of View:	270°	Elevation (AOD):	59.02m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-27j: Viewpoint 23 (Existing Summer View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.587,264694.603	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:49	Lens:	50mm	Direction of View:	120°	Elevation (AOD):	35.22m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.587,264694.603	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:49	Lens:	50mm	Direction of View:	210°	Elevation (AOD):	35.22m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-28b: Viewpoint 24 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.587,264694.603	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:49	Lens:	50mm	Direction of View:	300°	Elevation (AOD):	35.22m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.59,264694.608	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 14:56	Lens:	50mm	Direction of View:	120°	Elevation (AOD):	35.16m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-28d: Viewpoint 24 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.59,264694.608	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 14:56	Lens:	50mm	Direction of View:	210°	Elevation (AOD):	35.16m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-28e: Viewpoint 24 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508515.59,264694.608	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 14:56	Lens:	50mm	Direction of View:	300°	Elevation (AOD):	35.16m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-28f: Viewpoint 24 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.737,264548.304	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:39	Lens:	50mm	Direction of View:	115°	Elevation (AOD):	32.42m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-29a: Viewpoint 25 (Existing Winter View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.737,264548.304	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:39	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	32.42m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-29b: Viewpoint 25 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.737,264548.304	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 13:39	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	32.42m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.745,264548.275	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 15:11	Lens:	50mm	Direction of View:	115°	Elevation (AOD):	32.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-29d: Viewpoint 25 (Existing Summer View)



View at a comfortable arm's length.
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.745,264548.275	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 15:11	Lens:	50mm	Direction of View:	205°	Elevation (AOD):	32.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-29e: Viewpoint 25 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	508796.745,264548.275	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 15:11	Lens:	50mm	Direction of View:	295°	Elevation (AOD):	32.41m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-29f: Viewpoint 25 (Existing Summer View)



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507643.112,263975.128	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 16:04	Lens:	50mm	Direction of View:	286°	Elevation (AOD):	42.60m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507643.112,263975.128	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 16:04	Lens:	50mm	Direction of View:	16°	Elevation (AOD):	42.60m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3



View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507643.112,263975.128	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	27/02/24 16:04	Lens:	50mm	Direction of View:	106°	Elevation (AOD):	42.60m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-30c: Viewpoint 26 (Existing Winter View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507643.059,263975.109	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 14:32	Lens:	50mm	Direction of View:	286°	Elevation (AOD):	42.55m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-30d: Viewpoint 26 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size: 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type:	Type 1	Enlargement Factor:	96%	Camera:	Canon 5D Mark IV	HFoV:	90°	British National Grid Co-ordinates:	507643.059,263975.109	Issue Status:	ES	APFP Reference:	Regulation 5(2)(a)
Projection:	Cylindrical	Date and Time of Photograph:	03/10/24 14:32	Lens:	50mm	Direction of View:	16°	Elevation (AOD):	42.55m	Revision:	P01 - 22/09/2025	Submission Reference:	EN010141/DR/6.3

East Park Energy
Figure 5-30e: Viewpoint 26 (Existing Summer View)





View at a comfortable arm's length
Print on paper at the following size. 841mm width x 420mm height (A1 width x A3 height)



Visualisation Type: Type 1
Enlargement Factor: 96%
Camera: Canon 5D Mark IV
HfOV: 90°
British National Grid Co-ordinates: 507643.059,263975.109
Issue Status: ES
APFP Reference: Regulation 5(2)(a)
Projection: Cylindrical
Date and Time of Photograph: 03/10/24 14:32
Lens: 50mm
Direction of View: 106°
Elevation (AOD): 42.55m
Revision: P01 - 22/09/2025
Submission Reference: EN010141/DR/6.3

East Park Energy
Figure 5-30f: Viewpoint 26 (Existing Summer View)

