



Botley West Solar Farm

Schedule of Changes to the draft DCO

September 2025 (Change Request 2)

PINS Ref: EN010147

Document Ref: EN010147/APP/8.3 Rev 6

**Infrastructure Planning (Applications: Prescribed Forms and Procedure)
Regulations 2009**

APFP Regulation 5(2)(q)

Planning Act 2008

The table below details the changes made to the dDCO since its submission [APP-015]. The table below does not detail minor changes made in relation to typographical errors, consistency checks and updates in cross-referencing.

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
Articles			
Article 2	Deletion of the definition of “crown land plans”.	<p>The Order land does not include Crown Land. The Applicant has identified, as shown in See Plots 13-01 and 13-03 in the Book of Reference [EN010147/APP/4.3], a restriction on title number BK120529 for the benefit of the Secretary of State for the Environment (“Defra”). The Applicant had recognised this land as ‘Crown Land’ on a precautionary basis for the purposes of the DCO submission on the basis that Defra is a Government Department. The Applicant continued to liaise with Defra post-submission to seek a consent under section 135 of the Planning Act 2008 (PA 2008) on that precautionary basis.</p> <p>However, Defra has confirmed since submission that consent under section 135 is not required in respect of the restriction. The Applicant’s understanding, following its</p>	Section 51 Response (Pre-Examination)

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		discussions with Defra, Thames Water (as the freeholder of that title) and the Environment Agency, is that the restriction is a regulatory constraint under section 156 of the Water Industry Act 1991. Therefore, the Applicant's view is that the land does not constitute 'Crown Land' under section 227 of the PA 2008. The Applicant has therefore removed reference to Crown Land from its application.	
	Definition of "permitted preliminary works" amended as follows: "...(c) works in relation to construction compounds and accesses to construction compounds (including above and below ground site preparation for temporary facilities for the use of contractors);..."	The Applicant has reduced the scope of the permitted preliminary works to ensure that 'works in relation to construction compounds and accesses to construction compounds (including below ground site preparation for temporary facilities for the use of contractors)' will constitute commencement and trigger the need to have discharged the pre-commencement requirements.	Deadline 1
	Definition of "undertaker" amended as follows:	Registered office address of the undertaker added in response to REP1-072.	Deadline 2

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<p><i>“undertaker” means SolarFive Ltd of 16 Great Queen Street, Covent Garden, London, United Kingdom, WC2B 5AH (company number 12602740) and any other person who for the time being has the benefit of this Order in accordance with article 34 (benefit of the Order) or article 35 (consent to transfer the benefit of the Order);</i></p>		
	<p>Sub-paragraph (3) amended as follows:</p> <p><i>In this Order, references to the purposes of the authorised development includes the construction, maintenance, operation, use and decommissioning of the authorised development.</i></p>	In response to REP1-072.	Deadline 2
	<p>Insertion of new definition of ‘National Grid connection works’:</p> <p><i>“means those parts of the authorised development identified in work numbers 4(a)(ii), 4(a)(iii), 7, 8 and 9 (to the extent work numbers 7, 8 and 9 are necessary</i></p>	See the explanation for the Deadline 4 amendment to Article 34(2) below, where the new definition is used.	Deadline 4

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>in connection with work numbers 4(a)(ii) or 4(a)(iii));...</i>		
Article 6	<p>Insertion of new sub-paragraph (4) as follows:</p> <p><i>“(4) Regulation 5 of The Management of Hedgerows (England) Regulations 2024 is modified so as to read for the purposes of this Order only as if there were inserted after paragraph 5(e)-</i></p> <p><i>“(f) the carrying out of any development or in the exercise of any functions that are authorised by the Botley West Solar Farm Order 202[];”</i>”</p>	To modify the 2024 Hedgerow Regulations to ensure beyond any doubt that there is no conflict between the activities authorised under the DCO and the provisions of the 2024 Regulations.	Deadline 1
Article 10	<p>Sub-paragraphs (2), (3) and (6) have been amended as follows:</p> <p><i>“(2) Subject to paragraph (3), the temporary alterations to each of the streets specified in Part 2 (temporary alteration of layout) of Schedule 5 (alteration of streets):</i></p>	<p>In response to ExQ1.7.5.</p> <p>In summary, this is to ensure that the maintenance obligations under the DCO will apply to the undertaker in the circumstances where the undertaker’s status as a street authority would not otherwise obligate the undertaker to carry out such maintenance. As the maintenance obligations will apply under the DCO, it is no longer</p>	Deadline 2

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<p><i>(a) must be completed to the reasonable satisfaction of the street authority; and</i></p> <p><i>(b) the temporary alterations must be maintained by and at the expense of the undertaker for the duration that the temporary alterations are used by the undertaker.”</i></p> <p><i>“(3) Those restoration works carried out pursuant to article 9(3) (power to alter layout, etc., of streets):</i></p> <p><i>(a) must be completed to the reasonable satisfaction of the highway authority or street authority; and</i></p> <p><i>(b) must be maintained by the undertaker for a period of 12 months from their completion and from the expiry of that period by and at the expense of the highway authority or street authority.”</i></p> <p><i>“(6) Paragraphs (2)(a) and (3)(a) (2) to (5) do not apply where the undertaker is</i></p>	<p>appropriate to seek the disapplication of the defence provisions under sub-paragraph (4) and (5) which should continue to apply.</p>	

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>the street authority for a street in which the works are being carried out."</i>		
Article 12	Updates to amend the article to reference permanent 'stopping up' of public rights of way as opposed to 'closure'.	In response to ExQ1.7.1. The Applicant agrees that 'stopping up' is appropriate in relation to powers to permanently close (or 'stop up') PRow.	Deadline 2
Article 12	Deletion of article 12.	As a result of Change 8 (<i>Refinement of Project layout and design to reposition the Public Rights of Way currently proposed to be stopped up and diverted back to definitive alignment</i>) in the Applicant's Second Change Request, the Applicant no longer requires powers of permanent stopping up and diversion.	Change Request 2
Article 16	Insertion of new sub-paragraph (8): <i>"(8) As soon as reasonably practicable following the making of a provision under paragraphs (1) or (2), the undertaker must serve a copy of the written instrument pursuant to paragraph 7(a) in respect of any such provision on the highway authority."</i>	In response to a request from the Oxfordshire Host Authority's (OHA's) [REP4-074].	Deadline 5

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
Article 29	<p>Sub-paragraph (1)(a)(ii) amended as follows:</p> <p><i>“any other Order land in respect of which no notice of entry has been served under section 11 (powers of entry) of the 1965 Act and no declaration has been made under section 4 (execution of declaration) of the 1981 Act,”</i></p>	<p>The preceding text at sub-paragraph (1)(a)(i) refers to the land specified in column (1) of the table in Schedule 11 (land of which temporary possession may be taken). This land at Schedule 11 does not constitute Order Land and therefore the Applicant has removed ‘other’ for the avoidance of any doubt. The intention is for temporary possession powers to be available over the land in Schedule 11 (shaded Green on the Land Plans, where temporary possession powers only arise and it is not Order Land); <u>and</u> over the Order Land (i.e. shaded Pink or Blue on the Land Plans, where other temporary possession powers arise in addition to other freehold or permanent rights acquisition powers respectively).</p>	Deadline 2
Article 34	<p>Sub-paragraph (2) amended as follows:</p> <p><i>“Sub-paragraph (1) does not apply to Work No. 2 or the National Grid connection works, 4(a)(ii) and 4(a)(iii) in respect of which the provisions of this</i></p>	<p>To ensure that the benefit of the Order applies to National Grid in relation to the full scope of potential works required to connect the Project to the National Grid network. The National Grid connection works includes:</p>	Deadline 4

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>Order are for the benefit of the undertaker and National Grid.”</i>	<ul style="list-style-type: none"> • Work No. 4(a)(ii) – to connect the main Project substation to the new National Grid substation (if delivered under the DCO powers) – this is not a change from the previous iteration; • Work No. 4(a)(iii) – to connect the new National Grid substation to the National Grid network (if delivered under the Work No. 2 DCO powers); or to facilitate a connection of the main Project substation to the National Grid network (if the new National Grid substation is delivered by National Grid) – this is not a change from the previous iteration; • Any parts of Work Nos. 7 (temporary construction and decommissioning compounds), 8 (areas of landscape management, protection and enhancement) and 9 (works to facilitate access to Work No. 1 to Work No. 8) to the extent 	

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		those work numbers are necessary in connection with Work No. 4(a)(ii) or Work No. 4(a)(iii).	
Article 35	Insertion of new sub-paragraph (8): <i>“(8) A copy of any decision by the Secretary of State to approve a transfer or grant under paragraph (3) or the notification of a transfer or grant issued under paragraph (4) must be provided by the undertaker to the relevant authority as soon as reasonably practicable following issuance.”</i>	In response to a request from the OHA’s [REP4-074].	Deadline 5
Article 38	Sub-paragraph (6) amended as follows: <i>“(6) The undertaker may not pursuant to paragraphs (1) and (5) fell or lop a tree or remove hedgerows within the extent of the publicly maintainable highway without the prior written consent of the highway authority”</i>	In response to a request from the host authorities.	Deadline 2
Old Article 47	Deletion of Crown Rights article.	See the reason for the Article 2 change: “Deletion of the definition of “crown land plans””.	Section 51 Response (Pre-Examination)

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
New Article 47	<p>Insertion of new Article 47:</p> <p><i>“National Grid substation works</i></p> <p><i>(1) If National Grid elects to undertake any elements of the works described in Works No. 2, 4(a)(ii) and 4(a)(iii) pursuant to planning permission granted under Part 3 of the 1990 Act or Article 3 of the Town and Country Planning (General Permitted Development) (England) Order 2015 then the requirements contained in Schedule 2 will not be enforceable in so far as they relate to those works and National Grid will serve written notice of the same on the relevant planning authority.”</i></p>	<p>Inserted following ongoing engagement with National Grid and to provide clarity that if the New National Grid Substation is to be consented and delivered under a separate planning permission outside of the DCO process, then the Requirements under Schedule 2 of the dDCO will not apply because the conditions of that separate planning permission will otherwise suitably control the development. This is to remove any risk of unnecessary duplication of controls over the works and follows precedent in The Heckington Fen Solar Park Order 2025.</p>	Deadline 3
	<p>Amended as follows:</p> <p><i>“National Grid substation works</i></p> <p><i>(1) If National Grid elects to undertake any elements of the works described in Works No. 2 or the National Grid connection works, 4(a)(ii) and 4(a)(iii) pursuant to planning permission granted under Part 3 of the 1990 Act or Article 3</i></p>	<p>For consistency with the Deadline 4 amendment to Article 34(2), whereby the DCO powers in relation to all works related to the delivery of the National Grid substation and/or connection to the National Grid network are for the benefit of National Grid and the undertaker.</p>	Deadline 4

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>of the Town and Country Planning (General Permitted Development) (England) Order 2015 then the requirements contained in Schedule 2 will not be enforceable in so far as they relate to those works and National Grid will serve written notice of the same on the relevant planning authority."</i>		
Schedule 1	Work No. 4(a) amended as follows: “(vi) marker posts, underground cable marker, tiles and tape, communications chambers, <i>optical</i> fibre optic cables and lighting and other works associated with cable laying;”	In response to ExQ1.7.21.	Deadline 2
	Work No. 4(a)(iii) amended as follows: “grid connection infrastructure, including works to lay up to and including 400kV electrical cables, to connect Work No. 2 <i>or Work No. 3A</i> to the National Grid network”	To clarify that the DCO includes the powers for high voltage electrical cabling from the main Project substation to the edge of the Order Limits, to facilitate grid connection in the event that the new National Grid substation is delivered on adjacent land by National Grid. This is already captured on Sheet 13b of the Works Plans [AS-005] but was omitted from the wording in Schedule 1.	Deadline 4

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		<p>Prior to this amendment, the DCO wording only facilitated connection between Work No. 2 (New National Grid Substation) to the National Grid network, although that wording assumes that the new National Grid substation would be delivered under Work No. 2 (i.e. utilising the DCO powers). The DCO also needs to ensure that connection works area available from the main Project substation (Work No. 3A) to the edge of the Order limits to facilitate a connection to the National Grid network in the event that the new National Grid substation is delivered offsite.</p>	
Schedule 2 (Requirement 9)	<p>New sub-paragraph (3) inserted:</p> <p><i>“(3) Before approving the written details under sub-paragraph (1) the relevant planning authority must consult with Thames Water Utilities Limited or its successor in function as the relevant water undertaker.”</i></p>	<p>In response to the request from Thames Water Utilities Limited in its relevant representation [RR-1045].</p>	Deadline 1

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
Schedule 2 (Requirement 10)	Sub-paragraph (1) amended: <i>"No part of the authorised development may commence and no part of the permitted preliminary works for that part comprising the intrusive archaeological surveys may start, until an archaeological written scheme of investigation for that part has been submitted to and approved in writing by the relevant planning authority".</i>	Sub-paragraph (2) of Requirement 10 already confirms that for the purposes of that requirement, "commence" includes part (a) of the permitted preliminary works insofar as the works relate to intrusive archaeological surveys. Therefore, any intrusive archaeological surveys will be caught by the requirement still but the amendment removes duplication in the drafting.	Deadline 4
Schedule 2 (Requirement 11)	Sub-paragraph (1) amended as follows: <i>"No part of the authorised development may commence until a code of construction practice for that part has been submitted to and approved by the relevant planning authority, such approval to be in consultation with the planning waste authority and the relevant highway authority (as appropriate)."</i>	To give absolute clarity that it is not proposed for the obligation on the relevant planning authority to require consultation with both the planning waste authority and the relevant highway authority in respect of all matters submitted pursuant to Requirement 11 (Code of Construction Practice). The intention is for the relevant planning authority to consult with the planning waste authority and/or the relevant highway authority only in respect of matters that are relevant to those bodies. For example,	Deadline 1

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		consultation with the planning waste authority in respect of approving the 'Site resources and waste management plan' (Requirement 11(2)(d)).	
	Deletion of sub-paragraph (5).	The scope of the definition of permitted preliminary works has been reduced to remove " <i>works in relation to construction compounds and accesses to construction compounds</i> " and " <i>below ground site preparation for temporary facilities for the use of contractors</i> ". Therefore, such works are no longer excluded from the definition of commencement and would therefore trigger Requirement 11 without the need for sub-paragraph (5).	Deadline 1
	Sub-paragraph (1) amended and sub-paragraph (3) inserted, as follows: “(1) <i>No part of the authorised development may commence until a code of construction practice for that part has been submitted to and approved by the relevant planning authority, such</i> ”	In response to ExQ2.7.5 and in response to engagement with interested parties. Sub-paragraph (3) lists on the face of the Order the named consultees for the purposes of the discharge of this Requirement 11, in relation to which	Deadline 4

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<p>approval to be in consultation with the planning waste authority and the relevant highway authority (as appropriate).</p> <p>...</p> <p><i>(5) Approval from the relevant planning authority pursuant to sub-paragraph (1) is to be in consultation with:</i></p> <p><i>(a) the planning waste authority in respect of the site resources and waste management plan;</i></p> <p><i>(b) the relevant highway authority;</i></p> <p><i>(c) National Highways in respect of the construction traffic management plan; and</i></p> <p><i>(d) the Environment Agency in respect of flood risk."</i></p>	<p>specific parts of the Code of Construction Practice. The deletion at sub-paragraph (1) is to remove duplication as the consultee is now secured under sub—paragraph (3).</p>	
Schedule 2 (Requirement 14)	<p>Insertion of sub-paragraph (2):</p> <p><i>"(2) Unless otherwise agreed with the relevant planning authority to which this</i></p>	<p>In response to REP1-072, accepting the request of the host authorities.</p>	<p>Deadline 2</p>

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>requirement applies, no later than 12 months prior to the date the undertaker intends to decommission any part of the authorised development, the undertaker must notify that relevant planning authority of the intended date of decommissioning for that part of the authorised development."</i>		
	Sub-paragraph (3) amended as follows: “(3) Unless otherwise agreed with the relevant planning authority, no later than eight <i>ten</i> weeks prior to the intended date of decommissioning of any part of the authorised development’ the undertaker must submit to the relevant planning authority for that part a decommissioning plan for approval.”	In response to a request from the OHA’s [REP4-074].	Deadline 5
Schedule 6	References to “stopped up” in Part 2 (Public Rights of Way to be Temporarily Closed and Diverted) amended to “closed”.	References to ‘stopping up’ are only appropriate in relation to powers to permanently close (or ‘stop up’) PRoW. As Part 2 of Schedule relates to temporary closure, the use of ‘closed’ is appropriate.	Deadline 5

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	Deletion of Part 6 (Public Rights Of Way To Be Permanently Stopped Up And Diverted).	As a result of Change 8 (<i>Refinement of Project layout and design to reposition the Public Rights of Way currently proposed to be stopped up and diverted back to definitive alignment</i>) in the Applicant's Second Change Request, the Applicant no longer proposes to stop up and divert public footpaths 416/24/10, 132/4/10, or 152/8/10 or the Oxford Green Belt Way Long Distance Footpath.	Change Request 2
Schedule 9	Removal of Plot 6-17 from Schedule 9 (Land in Which Only New Rights Etc. May Be Acquired).	Following further engagement with the landowner, the redline boundary has been reduced to remove Plot 6-17 from the Order Limits as access rights are no longer required over that land.	Section 51 Response (Pre-Examination)
	Deletion of the following plots: <ul style="list-style-type: none"> 4-09; 4-11; 4-13; 5-17; 5-18; 5-19; 5-20; 5-23; 8-09; 8-13 	Following Change Request 2 and consequential amendments to the Order Limits, the Applicant no longer requires powers of acquisition of new rights only over these plots. This is shown on the updated Land Plans.	Change Request 2
	Insertion of the following plots: <ul style="list-style-type: none"> 5-12b; 5-12c; 6-12; 9-05 	Following Change Request 2 and consequential amendments to the Order Limits, the Applicant now requires powers of acquisition of new	Change Request 2

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		rights only over these plots. This is shown on the updated Land Plans.	
Schedule 11	Insertion of Plot 5-12a.	Following Change Request 2 and consequential amendments to the Order Limits, the Applicant now requires powers of temporary possession only over this plot, to facilitate the construction of Work No. 7. This is shown on the updated Land Plans.	Change Request 2
Schedule 12	<p>Number of hedgerow and extent of removal column (2) amended in respect of the following four hedgerows:</p> <ul style="list-style-type: none"> • “Removal of up to 11m of the hedgerow H2.02 within the Order limits as shown approximately within the Hedgerow removal plans Sheet 2 of 13.” • “Removal of up to 58.5m of the hedgerow H2.04 within the Order limits as shown approximately within the Hedgerow removal plans Sheet 2 of 13.” 	<p>The Applicant has updated Schedule 12 to clarify that for the four specific and limited areas of hedgerow identified (where the hedges extend beyond the Order limits), the drafting does not inadvertently prevent the removal of those hedgerows in full.</p> <p>The intention of the Applicant is for the DCO to include the power to remove the specific hedgerows identified in Schedule 12, if required. This is facilitated through Article 38(5) and is shown on the Hedgerow Removal Plans [AS-007]. The EIA has been carried out on the assumption of full removal and therefore it is justified for</p>	Deadline 2

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<ul style="list-style-type: none"> “Removal of up to 55m of the hedgerow H3.01 within the Order limits as shown approximately within the Hedgerow removal plans Sheet 3 of 13.” “Removal of up to 29m of the hedgerow H3.07 within the Order limits as shown approximately within the Hedgerow removal plans Sheet 3 of 13.” 	<p>the DCO to facilitate that power. Notably, it is likely that most of the hedgerows identified will only be lowered for visibility splays and not removed entirely, therefore any practical limitations will be limited.</p> <p>The base mapping software used identifies that those four hedgerows areas are partially within the redline boundary and partially extend beyond the redline boundary. This mapping software may not be 100% reliable as the thickness of the hedgerows may depend on the season / growth of the vegetation, as well as the recent maintenance practices of the existing landowner(s), causing the thickness of the hedgerows to fall partially outside the redline boundary. This amendment therefore removes any doubt as to whether the DCO powers facilitate removal of the full width of hedgerows.</p>	
	Deletion of the H5.03; H5.18; H5.19; H6.04 and H6.05.	Following Change Request 2 and consequential amendments to the Order Limits, the Applicant no longer	Change Request 2

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		requires powers to remove these hedgerows. This is shown on the updated Hedgerow Removal Plans.	
	Insertion of H5.20.	Following Change Request 2 and consequential amendments to the Order Limits, the Applicant now requires powers to remove this hedgerows. This is shown on the updated Hedgerow Removal Plans.	Change Request 2
Schedule 13	Updates to document references, revision numbers and dates of latest documents.	General updates to reflect latest documents submitted alongside this Schedule of Changes.	Each deadline.
Schedule 15 (Part 5)	Removal of paragraph 4(1).	Consequential amendment as a result of the deletion of Article 12.	Change Request 2
Schedule 15 (Part 6)	Various updates.	Amendments to the protective provisions to reflect the agreed position with SGN.	Deadline 3
	Removal of paragraph 4(1).	Consequential amendment as a result of the deletion of Article 12.	Change Request 2
Schedule 16	Insertion of new sub-paragraph (6) as follows: <i>“Anticipatory steps towards compliance with any requirements</i>	To make it clear that any engagement carried out before the Order is ‘in force’ will count for the purposes of discharging the requirements. This is to enable the Applicant to progress the process for discharging the	Deadline 1

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<p>6. <i>If before the coming into force of this Order the undertaker or any other person has taken any steps that were intended to be steps towards compliance with any provision of Schedule 2 of this Order, those steps may be taken into account for the purpose of determining compliance with that provision if they would have been valid steps for that purpose had they been taken after this Order came into force.</i></p>	<p>requirements as efficiently as possible. This wording has precedent in various made DCOs including the A47 Blofield to North Burlingham Development Consent Order 2022, the A428 Black Cat to Caxton Gibbet Development Consent Order 2022, the M25 Junction 10/A3 Wisley Interchange Development Consent Order 2022, and the A47 Wansford to Sutton Development Consent Order 2023.</p>	
	<p>Insertion of new sub-paragraph (7) as follows:</p> <p>“Register of Requirements</p> <p>7.—(1) <i>The undertaker must, prior to first submitting an application for discharge under this Schedule, establish and maintain in an electronic form suitable for inspection by members of the public a register of those requirements contained in this Schedule that provide for further approvals to be given by the relevant planning authority.</i></p>	<p>In response to ExQ2.7.12.</p> <p>The drafting largely aligns with the precedent in The A12 Chelmsford to A120 Widening Development Consent Order 2024 but has been amended slightly as follows:</p> <ul style="list-style-type: none"> (1) the obligation applies before first submitting an application for discharge (rather than as soon as practicable following the making of the DCO); and (2) the obligation to apply until a period of 3 years following the 	<p>Deadline 4</p>

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<p><i>(2) The register must set out in relation to each such requirement the status of the requirement, in terms of whether any approval to be given by the relevant planning authority has been applied for or given, providing an electronic link to any document containing any approved details.</i></p> <p><i>(3) The register must be maintained by the undertaker for a period of 3 years following the date of final commissioning.”</i></p>	<p>date of final commissioning (rather than following completion of the authorised development).</p> <p>The first amendment is considered appropriate because it is not necessary for the undertaker to establish the register straight away post-consent. The new drafting still ensures that there will be transparency of the discharge process as and when the process is about to be engaged, by requiring the register to be in place prior to an application for discharge being made. Otherwise, the wording is unreasonably burdensome because it would require a register to be in place even where an application for discharge may not be about to be made.</p> <p>The second amendment is considered appropriate because the intention here is to show a clear audit trail on the path to commissioning. It's therefore unreasonable and unnecessary to</p>	

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
		require the register to be available throughout the entire Project's lifespan and then even post-decommissioning. The new wording ensures that it will remain available for a limited period after the Project enters operation, as the date of final commissioning is defined as <i>"the date on which the authorised development commences operation by generating electricity on a commercial basis but excluding the generation of electricity during commissioning and testing"</i> . However, the new wording is more balanced by limiting the obligation on the undertaker by not requiring the register to be maintained unnecessarily throughout the rest of the operational and decommissioning periods.	
	Insertion of new sub-paragraph 2(1): <i>"Where an application has been made to the relevant planning authority for any consent, agreement or approval required by a requirement, the undertaker will also submit a copy of that</i>	This has been added in response to consultee feedback to ensure that requirement consultees receive a submission for discharge at the same time as the LPA (as approving authority), so that the consultee has	Deadline 5

ARTICLE / PARAGRAPH	CHANGE	REASON FOR CHANGE	DEADLINE CHANGE WAS MADE AT
	<i>application to any requirement consultee."</i>	<p>longer to consider any comments it may wish to provide the LPA.</p> <p>The Applicant recognises that this wording has strong precedent in recent made solar DCOs, including the East Yorkshire Solar Farm Order 2025, the Heckington Fen Solar Park Order 2025 and the West Burton Solar Project Order 2025.</p>	
	<p>Insertion of new sub-paragraph 6(2):</p> <p><i>"(2) Any document submitted to the relevant planning authority which the undertaker considers may constitute a step referred to at sub-paragraph (1) must include a statement that it is likely to engage sub-paragraph (1)".</i></p>	<p>Further to the Applicant's response to ExQ2.7.11, this has been added in an attempt to give greater clarity to the local authorities on when the Applicant is intending to initiate the discharge of requirement process prior to the making of the DCO.</p> <p>This wording has precedent in the North Lincolnshire Green Energy Park Order 2025 and the South Humber Bank Energy Centre Order 2021.</p>	Deadline 5