FENWICK SOLAR FARM

Fenwick Solar Farm EN010152

Environmental Statement

Volume III Appendix 14-5: Pre-Desk Study Assessment for UXO

Document Reference: EN010152/APP/6.3

Regulation 5(2)(a)

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

October 2024 Revision Number: 00



Revision History

Revision Number	Date	Details
00	October 2024	DCO application

Prepared for:

Fenwick Solar Project Limited

Prepared by: AECOM Limited

© 2024 AECOM Limited. All Rights Reserved.

This document has been prepared by AECOM Limited ("AECOM") for sole use of our client (the "Client") in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.



Pre-Desk Study Assessment			
Site:	Fenwick Solar Farm, South Yorkshire		
Client:	AECOM		
Contact:	Maria Vigano		
Date:	16 th July 2024		
Pre-WWI Military Activity on or Affecting the Site	None identified.		
WWI Military Activity on or Affecting the Site	None identified.		
WWI Strategic Targets (within 5km of Site)	The following strategic targets were located in the vicinity of the Site: ■ Transport infrastructure and public utilities. ■ Industries important to the war effort, including engineering and metal works.		
WWI Bombing	None identified on the Site.		
Interwar Military Activity on or Affecting the Site	None identified.		
WWII Military Activity on or Affecting the Site	None identified.		
WWII Strategic Targets (within 5km of Site)	 The following strategic targets were located in the vicinity of the Site: Transport infrastructure and public utilities. Industries important to the war effort, including engineering and metal works. Royal Air Force (RAF) Snaith. Anti-Aircraft (AA) and anti-invasion defences. 		
WWII Bombing Decoys (within 5km of Site)	None.		
WWII Bombing	During WWII the Site was located in the Rural District (RD) of Doncaster, close to the Rural District (RD) of Thorne. Doncaster RD officially recorded 103No. High Explosive (HE) bombs with a bombing density of 1.4 bombs per 405 hectares (ha). Thorne RD officially recorded 33No. HE bombs with a bombing density of 0.9 bombs per 405ha. No readily available records have been found to indicate that the Site was bombed.		
Post-WWII Military Activity on or Affecting the Site	None identified.		
Recommendation	A detailed desk study, whilst always prudent, is not considered essential in this instance.		
Further information	For information about Zetica's detailed UXO desk studies and other UXO services, please visit our website: $\underline{\text{www.zeticauxo.com}}.$		
	Details and downloadable resources covering the most common sources of UXO hazard affecting sites in the UK can be found $\underline{\text{here}}$.		
	If you have any further queries, please don't hesitate to get in contact with us at uxo@zetica.com or 01993 886 682.		

This summary is based on a cursory review of readily available records. Caution is advised if you plan to action work based on this summary. It should be noted that where a potentially significant source of UXO hazard has been identified on the Site, the requirement for a detailed desk study and risk assessment has been confirmed and no further research will be undertaken at this stage. It is possible that further in-depth research as part of a detailed UXO desk study and risk assessment may identify other potential sources of UXO hazard on the Site.



BUILD | OWN | OPERATE | MAINTAIN

BOOM-POWER.CO.UK