



One Earth Solar Farm

Volume 6.0: Environmental Statement [EN010159]

Volume 3

Figure 11.13: Winter Photomontages (Part 2)

August 2025

Document Reference: EN010159/APP/6.20.2

Revision 03

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009
– Reg 5 (2) (a)

Revisions		
Rev.	Description	Date
02	Title block amendments	14/03/2025
03	Updated Order Limits in viewpoint locations thumbnails	20/08/2025



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 16:11	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 483971 , 371692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.5A - VIEWPOINT 9 (PART A) - PHOTOMONTAGE YEAR 1

VIEW FROM MOOR FARM ON PUBLIC BRIDLEWAY (NT/NORTH CLIFTON/BW10)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 16:11	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 483971 , 371692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.5B - VIEWPOINT 9 (PART A) - PHOTOMONTAGE YEAR 15

VIEW FROM MOOR FARM ON PUBLIC BRIDLEWAY (NT/NORTH CLIFTON/BW10)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 16:11	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 483971 , 371692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.6 - VIEWPOINT 9 (PART B) - EXISTING VIEW

VIEW FROM MOOR FARM ON PUBLIC BRIDLEWAY (NT/NORTH CLIFTON/BW10)



Camera make & model - Canon EOS 6D MkII
Lens make & focal length - Canon EF 50mm, f/1.4 USM
Date & time of photograph - 18/03/2024 @ 16:11
OS grid reference - 483971 , 371692

To be viewed at a comfortable arm's length

Viewpoint height (AOD) - 7m
Distance from site - 0m
Projection - Cylindrical
Enlargement factor - 96%

Visualisation Type - Type 3 (LI TGN 06/19)
Horizontal Field of View - 90°
Height of camera AGL - 1.5m
Page size / Image size (mm) - 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.6A - VIEWPOINT 9 (PART B) - PHOTOMONTAGE YEAR 1

VIEW FROM MOOR FARM ON PUBLIC BRIDLEWAY (NT/NORTH CLIFTON/BW10)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 7m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 16:11	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 483971 , 371692	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.6B - VIEWPOINT 9 (PART B) - PHOTOMONTAGE YEAR 15

VIEW FROM MOOR FARM ON PUBLIC BRIDLEWAY (NT/NORTH CLIFTON/BW10)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 9m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:04	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481761 , 371537	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.7 - VIEWPOINT 25 (PART B) - EXISTING VIEW

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 9m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:04	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481761 , 371537	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.7A - VIEWPOINT 25 (PART B) - PHOTOMONTAGE YEAR 1

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 9m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 0m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:04	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481761 , 371537	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

To be viewed at a comfortable arm's length

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.7B - VIEWPOINT 25 (PART B) - PHOTOMONTAGE YEAR 15

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 8m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 150m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:30	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481567 , 371574	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.8 - VIEWPOINT 26 (PART A) - EXISTING VIEW

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



To be viewed at a comfortable arm's length

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 8m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 150m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:30	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481567 , 371574	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13.8A - VIEWPOINT 26 (PART A) - PHOTOMONTAGE YEAR 1

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



To be viewed at a comfortable arm's length

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 8m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 150m	Horizontal Field of View	- 90°
Date & time of photograph	- 08/03/2024 @ 11:30	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 481567 , 371574	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13.8B - VIEWPOINT 26 (PART A) - PHOTOMONTAGE YEAR 15

VIEWS FROM FLEDBOROUGH VIADUCT, EAST OF THE RIVER TRENT



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 35m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 2.49km	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 13:34	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 476068 , 371731	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.9 - VIEWPOINT 36 - EXISTING VIEW

VIEW FROM PUBLIC BRIDLEWAY (NT/DARLTON/BW4)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 35m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 2.49km	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 13:34	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 476068 , 371731	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.9A - VIEWPOINT 36 - PHOTOMONTAGE YEAR 1

VIEW FROM PUBLIC BRIDLEWAY (NT/DARLTON/BW4)



Camera make & model	- Canon EOS 6D MkII	Viewpoint height (AOD)	- 35m	Visualisation Type	- Type 3 (LI TGN 06/19)
Lens make & focal length	- Canon EF 50mm, f/1.4 USM	Distance from site	- 2.49km	Horizontal Field of View	- 90°
Date & time of photograph	- 18/03/2024 @ 13:34	Projection	- Cylindrical	Height of camera AGL	- 1.5m
OS grid reference	- 476068 , 371731	Enlargement factor	- 96%	Page size / Image size (mm)	- 841 x 297 / 820 x 235

FIGURE 11.13: WINTER PHOTOMONTAGES [EN010159/APP/6.20.2/11.13]

FIGURE 11.13.9B - VIEWPOINT 36 - PHOTOMONTAGE YEAR 15

VIEW FROM PUBLIC BRIDLEWAY (NT/DARLTON/BW4)