Lime Down
Solar Park

Environmental Statement

Volume 3, Appendix 19-7: Cable Corridor Central Desk Study

September 2025

Revision 1

Planning Inspectorate Reference: EN010168

Document Reference: APP/6.3

APFP Regulation 5(2)(a)

List of Contents

Appendix 19-7: Lime Down Central Corridor, Phase 1 Desk Study, Conceptual Site Model and Preliminary Risk Assessment 1
1.1 Introduction 1
1.2 Site Context 2
1.3 Conceptual Site Model and Preliminary Risk Assessment 13
1.4 Conclusions and Recommendations 20
Annex 19-7-1 Central Cable Corridor Historical Mapping 25
Annex 19-7-2 Central Cable Corridor Groundsure Report 26
Annex 19-7-3 Central Cable Corridor Photolog 27

List of Tables

Table 1: Sources of Information 1
Table 2: Site Location and Description 2
Table 3: Summary of Historical Uses 5
Table 4: Summary of Characteristics 6
Table 5: Summary of Environmental Information 10
Table 6: Summary of Regulatory Information 11
Table 7: Potential Sources, Pathways and Receptors 16

Appendix 19-7: Lime Down Central Corridor, Phase 1 Desk Study, Conceptual Site Model and Preliminary Risk Assessment

1.1 Introduction

1.1.1 Geosyntec Consultants Limited (Geosyntec) was commissioned by the Applicant prepare the Ground Conditions chapter of the Environmental Statement (ES) for the Scheme. The PV and BESS infrastructure would be located across five land parcels (Lime Down A–E), collectively known as the Solar PV Sites. **Appendix 19-16: Preliminary Risk Assessment Approach and Methodology [EN010168/APP/6.3** presents the Phase 1 desk study information to allow the development of the initial Conceptual Site Model (CSM) and Preliminary Risk Assessment (PRA) to inform the baseline for **ES Volume 1, Chapter 19: Ground Conditions [EN010168/APP/6.1]**.

Sources of Information

1.1.2 This report has been prepared using a combination of published records (e.g., British Geological Survey (BGS), Environment Agency, Defra) and information provided by the Applicant. These include statutory records and historical mapping supplied within a Groundsure Report, published geological and hydrogeological mapping and historical borehole records.

1.1.3 Specific information sources are referenced throughout the document and are summarised in **Table 1** below. Copies of historical mapping can be found in Annex 19-7-1.

Table 1: Sources of Information

Information	Source Reference	Date Obtained / Accessed
Environmental data and historical maps	Groundsure Report Reference GSYN-Q68-1HQ-7HJ-JRD	7/10/2024
Geological plans	BGS GeoIndex [redacted] BGS Sheet 265 Bath BGS Sheet ST87NE BGS Sheet ST87SE	10/10/2024
Aerial images	Google Earth [redacted]	10/10/2024
Mining Resources	Coal Authority [redacted]	10/10/2024
Water Framework Directive	Environment Agency (environment.data.gov.uk)	10/10/2024
Surface Water Flood Risk	Flood map for planning (flood-map-for-planning.service.gov.uk)	10/10/2024

Information	Source Reference	Date Obtained / Accessed
Groundwater flood risk	Long term flood risk (gov.uk)	10/10/2024
Aquifer Designation	Magic Map (defra.gov.uk)	10/10/2024
Topographic Maps	Topographic-Map [redacted]	10/10/2024
Unexploded Ordnance Risk	Zetica Quick Report ([redacted]	10/10/2024
Radon Exposure Maps	UKRadon [redacted]	10/10/2024
Heritage Sites	Historic England [redacted]	10/10/2024
Footpaths/Bridleways	FootpathMap [redacted]	10/10/2024
Utilities	OpenInfra [redacted]	10/10/2024
Soil information	UK Soil Observatory The Soils of England and Wales | UK Soil Observatory | UK Research and Innovation	10/10/2024
Provisional Agricultural Land Classification	Natural England Provisional Agricultural Land Classification (ALC) (England) | Natural England Open Data Geoportal [redacted]	10/10/2024



1.2 Site Context

Site Location and Description

1.2.1 The Site location and description for the Central Corridor are included in **Table 2** below.

Table 2: Site Location and Description

Site Location and Description	
Site Location	Land to the south of the M4 and to the north of the A4, west of Chippenham and east of Yatton Keynall in Wiltshire.

Site Location and Description	
	 
Site Description	The cable corridor route comprises an irregular shaped piece of approximately 7 km length. The Site is predominantly agricultural comprising fields, hedges and trees including pockets of woodland and sporadic ponds and ditches/streams. An unnamed commercial/industrial property off an access road to Broomfield and Cherrypatch Cottage off Chippenham Lane is included within the Site boundaries.
Infrastructure	There are several road crossings including the Sevington, access road to Broomfield House, Cromhall Lane, Coldharbour, A420, Chippenham Lane and Bath Road (A4).

Site Location and Description	
	There are several footpaths across the Site. There is a public footpath from Sevington House to Broomfield House and Farm in the northeast of the Site, to the east near Park Farm, two from Yatton Keynell in the west to Kington St Michael in the east, to the south of the A420, two at the bottom and top of Fagot Heath, and in the south of the Site. There are several utilities along the central corridor route including but not limited to overhead electricity pylons, telecoms and water pipes along roads and a gas main which crosses Cromhall Lane.
Topography	The Site generally falls gently from 125 m above Ordnance Datum (AOD) in the northwest, down to 65 m AOD at Bath Road in the southeast, with Fagot Heath rising up to 134 m AOD towards the center of the Site.
Adjacent and Surrounding Land Use (pertinent features)	North: M4 with agricultural land beyond and a woodland named Sevington Covert.
	East: Predominantly agricultural land with Broomfield residential properties and farm to the northeast, Grove Farm, woodland (Lanhill Brake and Fox Covert), solar farm, Greenacres Farm, Fowlswick Cottages, Fir Tree Farm and Sparrow Farm, Lanhill Barrow, Sheldon Corner including Farm and business park and West Cephan Way with commercial properties beyond to the southeast.
	South: A4 Bath Road with agricultural land beyond.
	West: Predominantly agricultural land with a commercial/industrial property to the very northwest, Rathill Cottages, Park Farm, Springfield Farm and water tower reservoir, Yatton Keynell village, Golf driving range, woodland (Chapscroft Wood) and Starveall Farm to the southwest.

Historical Setting

1.2.2 Historical Ordnance Survey (OS) maps of the Site and the wider environs were provided in the Groundsure Report (scales 1:10,000 and 1:10,560) and viewed from Google Earth Pro and these are reviewed in this section. Copies of these maps are presented as Annex 19-7-1.

1.2.3 The historical Ordnance Survey (OS) maps obtained with the Groundsure report date between 1885 and 2024.

1.2.4 **Table 3** presents a summary of the main features present on and within approximately 250 m radius of the Site boundary. Geosyntec notes that only indicative map scales are provided. Where dates are stated, these refer to the dates of maps on which the features are present, have changed use or are no longer annotated, and do not necessarily refer to the exact dates of existence of

a particular feature. Development that may have occurred between map editions is recorded as occurring on the latter published map, hence there are some limitations to the accuracy to the date of development unless supplementary evidence is available.

Table 3: Summary of Historical Uses

Historical Use of Site and Surroundings		
On-site	1885-6	Agricultural land comprising several fields, hedges and a number of small ponds and ditches/streams and roads. A cottage is present near Sheldon Corner. The southern border is marked by Bath Road. Footpaths cross the Site at several locations.
	1899-1901	A well is recorded at the cottage. Owls Grove now named Fagot Heath. Spring no longer shown.
	1921-1923	A Spring is recorded adjacent to Sparrow Farm. Rises are now labelled on site, in the vicinity of Bristol Road and to the south of the Site.
	1949	M4 now constructed along the northern boundary, including cuttings and embankments.
	1977	Layby has been built on Bristol Road. Overhead electricity pylons are now shown.
	1980	Pond near Rathill Cottages no longer marked.
	1993-1994	Circular feature shown were spring was historically shown near Chapscroft Wood.
	2001	No significant changes.
	2010	No significant changes.
	2024	No significant changes.
Off-site (within 250 m)	1885	Predominantly agricultural land with sporadic cottages and farms and Yatton Keynell village. Fish Ponds, pump and Boat House are present in the north, adjacent to Sevington Farm, well, residential properties and school. A footbridge and well is labelled at Broomfield. Frequent wells are recorded. 'Holy Well' is recorded to the southwest. Footbridge is present near Lanhill Barrow. Quarries are present to the north of Cromhall Lane and at Springfield House. Pudding Brook is to the south of the Site.
	1899-1901	Allotments are present to the northeast. Quarry and Rises are marked at Broomfield. Quarry to the northeast is no longer marked. Quarry marked to the southwest.
	1922-1923	Pumping Station and sheep wash recorded at the Ponds at Sevington Farm. Allotments are present to the south of Yatton Keynell. Rises are labeled at Sheldon Corner. Quarry to the southwest now labelled 'Old Limekiln'. A new quarry is present to the north.
	1949	A Water Tower is now shown at Springfield House.

Historical Use of Site and Surroundings		
	1977	Holy Well is referenced as Issues.
	1980	Yatton Keynell has extended including Garage and residential properties to the north and an electricity substation where the Allotments were. Fir Tree Farm and Villas have been constructed opposite Sparrow Farm to the east of the Site and the Spring is no longer labelled.
	1994	No significant changes.
	2001	Bull Stud labelled to the east at Sheldon Corner.
	2010	Bodies of water are marked at the northwest boundary. Golf Driving range is present where the electricity substation was at Yatton Keynell. Greenacre Farm has been constructed to the east. Fowlswick Farm has been extended with Fowleswick Industrial Estate. Bull Stud now labelled Sheldon Business Park.
	2024	Warehouses constructed at the northwest boundary.

1.2.5 The maps show that Lime Down Central Corridor has been farmland since the earliest available in 1885, with Sevington Farm, well, school, Fish Ponds and Boat House present in the north and Cherrypatch Cottage to the centre of the Site. The M4 was constructed by 1949 edition map. Several ponds and a spring later shown as a circular depression are recorded between Chapscroft Wood and Fagot Heath. In the surrounding area, several farms, residential properties, wells and quarries have been located in the area. A water tower was constructed by 1949. An electricity sub-station was present to the west from 1980 and no longer labelled by the 2010 edition map. Industrial and business parks have been more recently developed to the east and northwest of the Site. Quarries have been recorded adjacent to the Site.

Physical and Environmental Setting

1.2.6 The physical setting including the topography, geology, hydrogeology and hydrology are the key factors that influence the way in which contaminants in the soil or groundwater can be transported on or off site, and also the way in which contamination can affect applicable receptors including controlled waters and users of the Site.

1.2.7 The physical and environmental setting of the Site, in **Table 4** and **Table 5** below, has been assessed by making reference to the information sources detailed in Table 1: Sources of Information.

Table 4: Summary of Characteristics

Physical Setting	
Anticipated Ground Conditions, Geology and Geohazards	
	Anthropogenic Strata – made ground or backfill:

Physical Setting	
Geology	Made ground is not recorded on the BGS Mapping for the Site. However, there may be made ground associated with historical land uses such as, agricultural activities, field entrances and roads.
	Soils: The soils anticipated on the Site are shallow lime-rich loamy soils over limestone or lime-rich and clayey soils with impeded drainage. Further information is contained within **ES Volume 1, Chapter 17: Soils and Agriculture, [EN010168/APP/6.1]**.
	Superficial Geology: Superficial Deposits are absent from most of the Site. Alluvium is present in a localised area adjacent to Cromhall Lane and at the very southern boundary, along the A4.
	Solid Geology: The Site is underlain by Kellaways Formation, Cornbrash Formation and Forest Marble Formation. The Kellaways Formation comprises grey sandstone, siltstone and mudstone and the Kellaways Clay Member (mudstone) is indicated at the Site. The Cornbrash Formation comprises bluish grey limestone. The Forest Marble Formation comprises greenish grey mudstone with lenticular typically cross-bedded and shelly limestone units. The depth to engineering rockhead is unknown, however, it is anticipated that the upper stratum will be completely weathered to a clay, becoming rock strength at relatively shallow depths.
	Geological Structures: There are three geological faults across the Site, generally in an east-northeast to west-southwest orientation. The most northern fault is located at Broomfield, followed by a fault at Cromhall Lane which are downthrown to the north. The Corsham Fault is adjacent to the southern boundary, downthrown to the south. There is also a fault along the southwestern boundary in a northwest to southeast orientation. The solid geology is indicated to dip down to the southeast.
	Borehole Records: There are eight BGS boreholes are recorded on Site. Most of the borehole in the vicinity of the Site are located along the M4 and West Cephan Way. The boreholes indicate 0.6 m to 2.6 m of firm to stiff silty clay with rare clayey sand band, overlying limestone and mudstone. Limestone

<table>
<tr><th colspan="3">Physical Setting</th></tr>
<tr><td></td><td colspan="2">boulders were recorded in one log at the M4 from 0.2 m bgl, however, it is likely that limestone engineering rock is interbedded with mudstone which has weathered to a clay given that there are no superficial deposits anticipated at this location.</td></tr>
<tr><td rowspan="7">Geohazards</td><td>Hazard Type</td><td>Hazard Potential</td></tr>
<tr><td>Collapsible Ground</td><td>Negligible to very low</td></tr>
<tr><td>Compressible Ground</td><td>Negligible or moderate (Alluvium)</td></tr>
<tr><td>Ground Dissolution</td><td>Negligible to moderate (feather edge of the Kellaways Clay Member over Cornbrash Formation at Fagot Heath)</td></tr>
<tr><td>Landslide</td><td>Very low to moderate (topographical high, Fagot Heath)</td></tr>
<tr><td>Running Sand</td><td>Negligible to low</td></tr>
<tr><td>Shrinking or Swelling Clay</td><td>Negligible to moderate (Kellaways Clay Member)</td></tr>
<tr><td>Ground Cavities and Sinkholes</td><td colspan="2">There are four records of karst (ground cavities and sinkholes) within 500m of the Site, which relate to the Forest Marble Formation at West Sevington Farm to the northwest and at the feather edge of the Kellaways Clay Member, overlying the Corsham Formation at Corsham Wood to the southeast.

It is noted that there is a low risk designated for ground dissolution where four records of karst have been identified within 500m. There is a moderate risk which corresponds to the feather edge of the Kellaways Clay Member at higher elevations, down dip of bedding and at higher slope gradients which may result in high surface water flow. There are several ponds and a spring which was later shown as a possible depression identified in this area on the historical maps, however, not identified on current OS maps.</td></tr>
<tr><td>Radon</td><td colspan="2">The Site is typically within an area of less than <1% radon potential. Where Alluvium is present, between 1% and 3% radon potential is identified.</td></tr>
<tr><td>Coal Mining</td><td colspan="2">The Coal Authority interactive map viewer shows that the Site is not within a Coal Mining Reporting Area, and therefore is not in a Development High Risk Area. No Coal Mining Risk Assessment (CMRA) is considered necessary.</td></tr>
<tr><td>Non-Coal Mining/Minerals</td><td colspan="2">The Groundsure report identifies four BritPit records within 250 m which correspond to limestone Quarries identified on the historical OS maps which have now ceased.

There is one record of mining cavities, located 931 m northwest at Yatton Keynell for limestone.

There are 12 recorded surface ground workings on the Site. The workings relate to the M4, fish ponds in the north, ponds and an unspecific pit to the very northeast and quarry on Site.</td></tr>
<tr><td>Evidence of Land Contamination</td><td colspan="2">A site walkover has not been carried out.</td></tr>
</table>

Physical Setting	
Hydrogeology	
Aquifer Designation	The Alluvium is designated a Secondary A aquifer. The Cornbrash Formation and Forest Marble Formation are designated as a Secondary A aquifer. The Kellaways Clay Member is unproductive.
Groundwater Vulnerability	Secondary A bedrock aquifers are stated as being high vulnerability. The groundwater bodies have a good chemical rating.
Source Protection Zone Status	The Site is within a Source Protection Zone 2 (SPZ2)– outer catchment and Zone 3 – total catchment.
Licensed Groundwater Abstraction	There is one active licensed groundwater abstraction license recorded within 2000 m of the Site, located 457 m northwest at Brooms Farm for general use.
Local Authority Registered Private Water Supply Abstractions	Wiltshire Council were contacted for information on private water supply abstractions. There are no recorded private water supplies on or within 100 m of the Site.
Groundwater Flooding Potential	Flooding from groundwater is typically negligible to low on Site, with moderate to high risk recorded at Sevington, Fowlswick and Bath Road (A4).
Hydrology	
Surface Water Courses and Drainage	The Groundsure report identifies 188 water bodies within 250 m. In summary, there is a pond and a stream in the north of the Site, a stream/ditch to the north of Fir Tree Farm, a ditch along the A420, a stream/ditch to the north of Cherrypatch Cottage and in the southeast and along the southwest of the Site for tributaries to Pudding Brook. From the Ordnance Survey plans there are a number of small ponds on the Site, not identified on the Groundsure plan, possibly due to scale.
Catchment Information	The Site is within five surface water catchments, including Pudding Brook, Avon, By Brook, Rodbourne Brook and Sutton Benger Brook. Pudding Brook and Sutton Benger Brook have a good ecological rating whereas By Brook, Avon and Rodbourne Brook have a moderate rating.
Licensed Surface Water Abstractions	No Licensed Surface Water Abstractions have been identified within 2 km of the site.
Local Authority Registered Surface Water Abstractions	Wiltshire Council were contacted for information on private water supply abstractions. There are no recorded public water supplies on or within 100 m of the Site.
Risk of Flooding from Surface Waters	There is a moderate to high risk of flooding in the very north of the Site, adjacent to the M4 and moderate along the southwest and south of the Site associated with Pudding Brook. Refer to **ES Volume 1, Chapter 11: Hydrology, Flood Risk and Drainage [EN010168/APP/6.1]** for additional detail.

Table 5: Summary of Environmental Information

Environmental Setting	
Protected Areas	
Sensitive Sites (within 250m)	**Protected Woodland:** Ancient Woodland is present in the vicinity of the Site with Chapscroft Wood being directly adjacent to the Site. Deciduous woodland priority habitat is located towards the centre and adjacent to the Site. **SSSI/SPA/SAC etc:** The Site is adjacent to the Cotswolds Area of Outstanding Natural Beauty (AONB). Refer to **ES Volume 1, Chapter 9: Ecology and Biodiversity [EN010168/APP/6.1]** and **ES Volume 1, Chapter 10: Arboriculture [EN010168/APP/6.1]** for additional detail.
Cultural Heritage	There are 25 records of Grade II listed buildings in the vicinity of the Site. Sevington and Yatton Keynell are conservation areas. The medieval settlement of Sheldon is 56 m to the south and Lanhill Barrow is recorded 234 m to the south of the Site. Refer to **ES Volume 1, Chapter 12 Cultural Heritage [EN010168/APP/6.1]** for additional detail.
Other	
Asbestos	No asbestos surveys are available for the Site. Note that it is common for buried asbestos to be found on farmland or in spoil bunds. The Discovery and Inspection Strategy within the Outline Construction Environmental Management Plan (CEMP) [EN010168/APP/7.12], contains a procedure for addressing unexpected contamination.
Invasive Plants	No ecological report has been made available at this stage. Detailed information is contained within **ES Volume 1, Chapter 9: Ecology and Biodiversity [EN010168/APP/6.1]**
Unexploded Ordnance	Zetica UXO maps show a low risk of unexploded ordnance.
Nitrate Vulnerability	The Site is located in a nitrate vulnerable zone.

Regulated Activities

1.2.8 The key relevant features that characterise the Site and surrounding area are summarised in this section, along with an indication of the risk to the land quality of the Site.

1.2.9 Information on groundwater and surface water abstractions is detailed in above sections and is not repeated here.

1.2.10 Generally, any regulated activities, i.e. those covered by national legislation to control industrial emissions such as the Environmental Permitting Regulations 2016, within 250 m of the Site could, depending upon their nature, represent potential off-site sources of contamination. Typically, at distances greater than 250 m risks are not likely to be unacceptable with respect to the site development.

Regulated Processes

1.2.11 **Table 6** summarises information on regulated processes contained in the Groundsure report (Annex 19-1-2). The report collates data from a variety of sources including the Environment Agency (EA) and the British Geological Survey (BGS). Processes, incidents and inventories not present on or within 250 m of the Site boundary have been excluded from the table. A full list of screening criteria can be found within Annex 19-1-2.

Table 6: Summary of Regulatory Information

Subject	Number present		Details
	On Site	Off Site to 250m	
Agency and Hydrological			
Active Discharge Consents	0	8	For sewage discharges.
Licensed Pollution Release	-	1	Timpson dry cleaners 220 m to the southeast.
Pollution Incidents	2	1	Two pollution incidents recorded on Site, at Sevington Farm and Chippenham Lane. A non-identified incident in 2009 with significant impact (Category 2) to water occurred on Site. A slurry pollution incident with minor impact (Category 3) to water, land and air occurred in 2002 on Site. Outside of the Site there has been a hydrocarbon pollution incident in 2001 with minor impact to water, slurry pollution incident in

Subject	Number present		Details
	On Site	Off Site to 250m	
			2014 with significant impact to water, and soil pollution with minor impact to land in 2002.

1.2.12 There are no additional contaminated land register entries, pollution incidents, pollution prevention controls, prosecutions relating to controlled waters or authorised processes, registered radioactive substances or hazardous substances, identified on or within 250 m of the site.

Licensed Waste Management Facilities

1.2.13 An attempt has been made to identify any landfilling operations, past and present that have taken place in the vicinity of the Site. There are no active or historic landfills or waste sites on or within 250 m.

1.2.14 There are 175 waste exemption records within 500 m, six of which are on Site relating to farming and agricultural waste including for storage of sludge, storage of waste, preparatory treatments (bailing, sorting and shredding), use of waste, cleaning of waste and disposal by incineration. Off-site waste exemptions relate to farming.

Industrial Land Use

1.2.15 According to the Groundsure Report, there are 37 recent contemporary trade directory entries within 250 m of the Site. On Site there are pylons and a water pumping station. An unspecified tank was also recorded on the 1977 OS map. Offsite there are several pylons, a water tower, business park, slurry bed, silos, vehicle repair garage, gas governor, electricity substations and commercial/industrial sites for measurement equipment and chemicals.

Site Walkover

General Description

1.2.16 Site walkovers of the northwestern cable route area were completed on 28th May and 28th July 2025. A photolog documenting this visit has been created and is appended to this appendix as Annex 19-7-3.

1.2.17 It was not possible to access every field along the route due to landowner permissions, but where access was not possible fields were observed from gateways on public roads.

1.2.18 The area comprises agricultural fields, which during the site walkover were observed to contain grain crops, meadows and livestock fields. Some fields had been recently harvested during the July visit.

1.2.19 Topography varies across the area.

Notable Features

1.2.20 Markers for an oil pipeline were observed in a field to the southwest of Coldharbour road and north of the A420 Bristol Road. In the same field, a dry ditch was observed running east-west across the center of the field.

1.2.21 In the area to the southwest of Sheldon, between Chippenham Lane and the A4 Bath Road, there were a number of pylons and telegraph poles with overhead wires, generally running northwest to southeast.

1.2.22 The land sloped down south towards Bath Road, with a stream running parallel with the pylon route, north of the Chequers cross roads. Himalayan Balsam was observed growing along the banks of the stream.

1.2.23 A rusted chest freezer was observed in the hedge on the southern side of the stream.

1.2.24 In the same area, in the field of a proposed compound, a collapsed inspection chamber was observed. It was not possible to see if this was for sewage, water or other services.

1.2.25 Along the A4 Bath Road, a layby was present which was being used for the storage of construction waste, presumed to be related to ongoing major roadworks along the A350 road to the east.

1.3 Conceptual Site Model and Preliminary Risk Assessment

Introduction

1.3.1 This section is aimed at identifying possible risks, if any, arising from substances used or deposited on-site, or from other sources of land contamination. Both past and current potentially contaminative land uses have been considered. It is based on the proposed site redevelopment detailed in **Volume 1, Chapter 2: The Order Limits [EN010168/APP/6.1]** and **Chapter 3: The Scheme [EN010168/APP/6.1]**.

Assessment Framework

1.3.2 The risk assessment framework that will be used for this assessment is described in **Annex 19-9: Preliminary Risk Assessment Approach and Methodology,** appended to the ES.

Conceptual Site Model

1.3.3 The potential sources of contamination, potential pathways and receptors which relate to the proposed cable route are described below.

Potential Contamination Sources

On Site:

S1. Potential made ground associated with the farmland, quarry, potential backfilled ponds and M4.

S2. Possible small-scale spills/leaks of fuels and oils associated with the agricultural use and roads.

S3. Historical elevated pesticides and herbicides associated with the agricultural use of the Site.

S4. Historic elevated nutrients, pathogens, heavy metals and ammonia from historic slurry spills.

Off-Site:

S5. Farmland in the wider surrounding area may also be sources of elevated nutrients, pesticides and herbicides and hydrocarbons with records of slurry and hydrocarbon spills.

S6. Dry cleaners located 220 m to the southeast.

Potential Pathways

P1. Dermal contact, ingestion or inhalation of soil or dust.

P2. Inhalation of gases or vapours.

P3. Leaching and migration of contaminants in groundwater. There is a ground dissolution risk which may provide preferential pathways to aquifers.

P4. Direct contact.

Potential Receptors

R1. Construction Workers.

R2. Residential and commercial neighbours on and adjacent to Site.

R3. Surface waters including ponds and streams on Site.

R4. The underlying Secondary A aquifers and SPZ 2.

R5. Licensed groundwater abstraction for general use located 457 m northwest at Brooms Farm.

R6. Infrastructure including cables.

R7. Public access including footpaths.

Preliminary Risk Assessment

1.3.4 An initial Conceptual Site Model (iCSM) illustrating plausible contaminant linkages has been formulated for the proposed cable route across the site. The qualitative preliminary risk assessment of the possible linkages of the above sources (S1 to S6), transport pathways (P1 to P4) and receptors (R1 to R7) are provided in the Table 7. Where there are no source-pathway-receptor linkages relating to the scheme, these have been excluded from the table.

1.3.5 The level of risk is determined based on the current condition of the Site (i.e. the effects of mitigation measures are not included).

1.3.6 The preliminary risk assessment undertaken with in this section applies to the construction, operation, and decommissioning phases. The assessment focuses on chronic risks to future end users and off-site receptors. While acute risks to human health exposure for construction, maintenance, and decommissioning workers are considered, it is assumed that these linkages will be managed by appropriate health and safety measures as identified in the **Outline Construction Environmental Management Plan (CEMP) [EN010168/APP/7.12], Outline Operation Environmental Management Plan (OEMP) [EN010168/APP/7.13],** and **Outline Decommissioning Strategy [EN010168/APP/7.14].**

1.3.7 The proposals include buried electricity cables only. There are no anticipated buried concrete or water supply pipes related to the proposed electricity cable. Electricity cables are not considered to be at risk from contaminated land and therefore are not included in the preliminary risk assessment.

1.3.8 There are no confined spaces as part of the scheme and therefore there is no human health receptor to a buildup of ground gas.

1.3.9 S6, the ‘dry cleaners’ has not been included in **Table 7** as there is no credible source-pathway-receptor linkage. The dry cleaner is over 200 m topographically downhill from Site.

1.3.10 An unnamed commercial/industrial property off an access road to Broomfield. However, it is not envisaged that the cable route will extend onto these properties for these to represent a source. They are however included in the potential receptors under R3 residential and commercial neighbours.

Table 7: Potential Sources, Pathways and Receptors

Source	Pathway	Receptor	Potential Severity	Likelihood of Occurrence	Potential Risk	Linkage Reference	Justification
S1: Potential for localised made ground (MG)	**P1**: Dermal contact, ingestion or inhalation of soil or dust	**R7:** Public access via footpaths	Mild	Unlikely	Very Low	S1-P1-R7	Soils in top 0.5m bgl potentially containing contaminants may impact the public via footpaths. Based on the information reviewed there are not considered to be any significant sources of contamination, and the exposure times would be limited. The risk will be lower post construction as unforeseen contamination encountered during the construction phase would be dealt with appropriately though a discovery strategy as detailed in the **Outline Construction Environmental Management Plan (CEMP) [EN010168/APP/7.12]**.. In addition, the Site will be subject to an appropriate planting scheme and there will be no bare areas for dust generation to create exposure.
	P3: Leaching and migration	**R3**: Surface waters	Mild	Low	Low	S1-P3-R3	Small surface watercourses are present across the Site, however, a contaminant linkage is not considered likely as the potential sources are considered to be isolated and minor and unlikely to present a risk to controlled waters.
		R4: Secondary A Aquifers, SPZ 2	Mild	Low	Low	S1-P3-R4	No significant sources of made ground have been identified in the desk study. However, given the sensitivity of the receptor beneath the entire Site, a discovery strategy will be carried out to ensure the proposed cable route does not pose a potential pathway.
		R5: Brooms Farm	Mild	Unlikely	Very Low	S1-P3-R5	No significant sources of made ground have been identified in the desk study. Given the distance

Source	Pathway	Receptor	Potential Severity	Likelihood of Occurrence	Potential Risk	Linkage Reference	Justification
		groundwater abstraction					from Site and the anticipated groundwater flow anticipated to be southeast following the topography and strata dip direction, which is away from the abstraction, the likelihood of a risk is improbable.
	P2: Inhalation of gases or vapours	**R3:** Residential and commercial neighbours	Medium	Unlikely	Low	S1-P2-R3	Made ground is anticipated to be of limited extent and generation potential. However, if a ground gas source was identified, this may pose a risk to off-site neighbours.
S2: Possible small-scale spills/leaks of fuels associated with the agricultural use of the Site and roads.	**P1**: Dermal contact ingestion or inhalation	**R7:** Public access via footpath	Mild	Unlikely	Very Low	S2-P1-R7	Leaks or spills of fuel could adversely affect health. However, the likelihood of contact and limited exposure time suggests a very low potential risk to the public.
	P3: Leaching and Migration	**R3**: Surface waters	Minor	Low	Very Low	S2-P3-R3	Small surface watercourses are present across the Site. However, sources of contamination which could migrate and leach to cause significant harm is considered low.
		R4: Secondary A aquifer and SPZ2	Minor	Low	Very Low	S2-P3-R4	Contaminants can be mobilised via shallow groundwater. Groundwater levels may be shallow, based on the streams beginning in the south of the Site. Given the anticipated geology groundwater is likely to be perched on cohesive layers. However, the potential sources are considered to be isolated and minor and unlikely to present a risk to controlled waters. A discovery strategy will be developed for the works to mitigate these risks.

Source	Pathway	Receptor	Potential Severity	Likelihood of Occurrence	Potential Risk	Linkage Reference	Justification
		R5: Brooms Farm groundwater abstraction	Mild	Unlikely	Very Low	S2-P3-R5	No significant sources of fuels or oils have been identified in the desk study. Given the distance from Site and the anticipated groundwater flow anticipated to be southeast following the topography and strata dip direction, which is away from the abstraction, the likelihood of a risk is improbable.
S3 and S6: Historic elevated pesticides and herbicides from on and off-site sources	**P1**: Dermal contact, ingestion or inhalation of soil or dust	**R7:** Public access via footpath	Mild	Unlikely	Very Low	S3-P1-R7	Elevated pesticides and herbicides could cause adverse effects to health. However, the likelihood of contact and limited exposure time suggests a very low potential risk to the public.
	P3: Leaching and Migration	**R3**: Surface waters	Mild	Low	Low	S3-P3-R3	Small surface watercourses are present across the Site. Excess herbicides or pesticides could flow into it and cause increased contamination.
		R4: Secondary A aquifer and SPZ 2	Mild	Unlikely	Very Low	S3-P3-R4	Excess herbicides and pesticides can be encountered in agricultural areas.
		R5: Brooms Farm groundwater abstraction	Mild	Unlikely	Very Low	S3-P3-R5	Given the distance from Site and the anticipated groundwater flow anticipated to be southeast following the topography and strata dip direction, which is away from the abstraction, the likelihood of a risk is improbable.
S4 and S5: Potential elevated nutrients, heavy metals and ammonia from	**P1**: Dermal contact, ingestion or inhalation of soil or dust	**R7:** Public access via footpath	Mild	Unlikely	Very Low	S3-P1-R7	Elevated pesticides and herbicides could cause adverse effects to health. However, the likelihood of contact and limited exposure time suggests a very low potential risk to the public.

Source	Pathway	Receptor	Potential Severity	Likelihood of Occurrence	Potential Risk	Linkage Reference	Justification
historic slurry spills on and off site	**P3**: Leaching and Migration	**R3**: Surface waters	Mild	Low	Low	S4-P3-R3	Elevated nutrients could flow into surface waters and cause increased nutrient loading and impact ecology. However, given the spills are historic the likelihood is considered low.
		R4: Secondary A aquifer and SPZ 2	Minor	Low	Moderate/Low	S4-P3-R4	Given the spills are historic the likelihood is considered low. A discovery strategy will include high organic contamination.
		R5: Brooms Farm groundwater abstraction	Minor	Unlikely	Low	S4-P3-R5	Given the distance from Site and the anticipated groundwater flow anticipated to be southeast following the topography and strata dip direction, which is away from the abstraction, the likelihood of a risk is improbable.

Discussion of Risk to Future Construction Workers and Off-Site Receptors

1.3.11 The Scheme works will be undertaken in compliance with Construction Design and Management (CDM) Regulations 2015.

1.3.12 Prior to work commencing, a health and safety risk assessment will be carried out by the appointed Principal Contractor/developed in accordance with current health and safety regulations. This assessment will cover potential risks to construction staff, maintenance staff and the local population. Based on the findings of this risk assessment, appropriate mitigation measures will be implemented during the construction phase or during operation and maintenance.

1.3.13 Acute risks to construction and maintenance workers will be managed by appropriate health and safety measures as identified in the **Outline Construction Environmental Management Plan (CEMP) [EN010168/APP/7.12], Outline Operation Environmental Management Plan (OEMP) [EN010168/APP/7.13],** and **Outline Decommissioning Strategy [EN010168/APP/7.14].**

1.3.14 The greatest potential for generation of dust will be during the Site works and therefore dust generation will be kept to a minimum in accordance with general good practice, as outlined in, for example, 'Environmental Good Practice on Site', CIRIA Publication C692 to reduce this risk.

1.3.15 The risk to construction workers during the excavation and construction phases in terms of potential exposure to high concentrations of contaminants is considered to be low given the historic and current land uses identified at the Site.

1.3.16 Should gross contamination be identified during the construction phase, then this may pose a potential acute risk to construction works. It is likely to be able to be effectively managed through good health and safety practices and protocols. Adoption of appropriate dust suppression techniques would also mitigate the degree of potential particulate migration off-site.

1.4 Conclusions and Recommendations

Site Location

1.4.1 Lime Down Central Corridor is located to the south of the M4 and to the north of the A4, west of Chippenham and east of Yatton Keynall in Wiltshire.

Proposals

1.4.2 The proposals at the Site comprise the installation of a 400 kV cable within a Cable Route Corridor connecting the Solar PV Site to the north with the Existing National Grid Melksham Substation to the south. No enclosed spaces are anticipated.

Site Description

1.4.3 Lime Down Central Corridor comprises an irregular shaped piece of land, over approximately 7 km length. The Site is predominantly agricultural comprising fields, hedges and trees including pockets of woodland and sporadic ponds and ditches/streams. An unnamed commercial/industrial property off an access road to Broomfield and Cherrypatch Cottage off Chippenham Lane is included within the Site boundaries. There are several road crossings including the M4, Sevington, access road to Broomfield House, Cromhall Lane, Coldharbour, A420, Chippenham Lane and Bath Road (A4). The Site generally falls gently from 125m OD in the northwest, down to 65 m OD at Bath Road in the southeast, with Fagot Heath rising up to 134 m OD towards the centre of the Site.

Ecologically Sensitive Sites

1.4.4 The Site is adjacent to the Cotswolds Area of Outstanding Natural Beauty. Ancient Woodland is present in the vicinity of the Site with Chapscroft Wood being directly adjacent to the Site. Deciduous woodland priority habitat is located towards the centre and adjacent to the Site.

Site History

1.4.5 The historical maps of the Site and surrounding area indicate that Lime Down Central Corridor has been farmland since 1885, with Sevington Farm, well, school, Fish Ponds and Boat House all present close to the Site boundary. The M4 was constructed by 1949 edition map. In the surrounding area, several farms, residential properties, wells and quarries have been located in the area. A water tower was constructed by 1949. An electricity sub-station was present to the west from 1980 and no longer labelled by the 2010 edition map. Industrial and business parks have been more recently developed to the east and northwest of the Site. Quarries have been recorded on Site in the northeast and adjacent to the Site.

Geology

1.4.6 The ground conditions are anticipated to comprise topsoil comprising lime-rich loamy soils and clayey soils with impeded drainage, overlying the Kellaways Formation (Kellaways Clay Member mudstone), Cornbrash

Formation (limestone) and Forest Marble Formation (mudstone with limestone beds). Alluvium superficial deposits are anticipated in localised pockets adjacent to streams in the north and very south. The depth to engineering strength rock is unknown, however, it is likely that engineering rockhead is shallow across the Site. Localised areas of made ground may be encountered, associated with the barn, farmyard and potentially backfilled ponds.

Geohazards

1.4.7 A moderate risk has been identified for compressible ground at locations of Alluvium, shrink-swell potential of shallow clays (Kellaways Clay Member) and a moderate risk of landslides and ground dissolution at Fagot Heath. The Site is not in a mining area or mineral safeguarding area. Off-site limestone quarries have been identified adjacent to Site.

Hydrogeology

1.4.8 Shallow groundwater may be encountered, perched on the low permeability cohesive soils anticipated beneath portions of the Site. The Kellaways Formation, Cornbrash Formation and Forest Marble Formation are designated as a Secondary A aquifers with high vulnerability and the Site is within a Source Protection Zone 2 and 3. There is one licensed groundwater abstraction recorded in the vicinity of the Site located over 400m to the northwest for Brooms Farm. Flooding from groundwater has been recorded as low at the Site with moderate to high risk recorded at Sevington, Fowlswick and Bath Road (A4).

Hydrology

1.4.9 There are over 150 water bodies within 250 m of the Site. In summary, there is a pond and a stream in the north of the Site, a stream/ditch to the north of Fir Tree Farm, a ditch along the A420, a stream/ditch to the north of Cherrypatch Cottage and in the southeast and along the southwest of the Site for tributaries to Pudding Brook. From the Ordnance Survey plans there are a number of small ponds on the Site, not identified on the Groundsure plan, possibly due to scale. The Site is within five surface water catchments, including Pudding Brook, Avon, By Brook, Rodbourne Brook and Sutton Benger Brook. Pudding Brook and Sutton Benger Brook have a good ecological rating whereas By Brook, Avon and Rodbourne Brook have a moderate rating. No Licensed Surface Water Abstractions have been identified within 2 km of the site. There is a moderate to high risk of flooding in the very north of the Site, adjacent to the M4 and moderate along the southwest and south of the Site associated with Pudding Brook.

Contaminated Land

1.4.10 On Site there are recent contemporary trade directories including pylons and a water pumping station. An unspecified tank was also recorded on the 1977 OS map. There are six waste exemptions relating to farming and agricultural waste including for storage of sludge, storage of waste, preparatory treatments (bailing, sorting and shredding), use of waste, cleaning of waste and disposal by incineration. Pollution incidents have been recorded on Site including a non-identified incident in 2009 with significant impact to water and a slurry pollution incident with minor impact to water, land and air in 2002. Other potential sources of made ground may be associated with farmland, quarry, potential backfilled ponds and the M4 embankments.

1.4.11 Off-site there are several pylons, a water tower, business park, slurry bed, silos, vehicle repair garage, gas governor, electricity substations and a dry cleaners located 220 m to the southeast. There are no active or historic landfills or waste sites within 250 m. However, there are many waste exemption records within 250 m relating to farming. Outside of the Site there has been a hydrocarbon pollution incident in 2001 with minor impact to water, slurry pollution incident in 2014 with significant impact to water, and soil pollution with minor impact to land in 2002.

Preliminary Risk Assessment Conclusions

1.4.12 An iCSM was developed to identify any credible source-pathway-receptor linkages relating to the proposed electricity cable route. There is considered to be typically a low risk from contaminated land to human health or controlled water receptors. There is a potential for a moderate/low risk to Secondary A aquifers and SPZ2 if made ground or pollution incidents are encountered, and the cable route presents a potential pathway.

Preliminary Geotechnical Considerations


1.4.13 Although there is spatial flexibility within the Cable Route Corridor , there are a number of key crossings along the route (such as major roads, utilities, streams/ponds and historic quarries described above) that will need geotechnical consideration to inform the construction risks and appropriate methodology. The ground conditions including the strength of shallow soils and the depth to engineering rockhead and groundwater is unknown for the Site. However, shallow rockhead and groundwater is anticipated which may cause engineering difficulties. Moderate landslide and ground dissolution geohazards are present along the route near Fagot Heath which will be investigated and avoided where practicable.

The impact of compressible ground and shrink-swell clays are not considered to be significant for the proposed cable route.

Recommendations

1.4.14 Potential sources of contamination and sensitive receptors will be avoided where practicable. Locations of potential contaminants and geohazards will be mapped to undertake optioneering of the cable route. Once the route is narrowed down a geotechnical and geo-environmental ground investigation should be carried out prior to the construction phase. A ground investigation is recommended to inform on the geotechnical properties and the depth to engineering rockhead for the construction methodology (particularly at key crossings) to support the detailed design and to delineate the risk from ground dissolution and landslides. Any areas of potential made ground along the route will be targeted for sampling and laboratory testing of common contaminants. Any investigation would talk place post-consent and pre-construction.

Annex 19-7-1 Central Cable Corridor Historical Mapping



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_7_1
Grid Ref: 389218, 172035

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_7_2
Grid Ref: 389218, 172535

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_7_3
Grid Ref: 389218, 173035

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_7_4
Grid Ref: 389218, 173535

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1992-1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1992
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1993
Revised 1993
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_1
Grid Ref: 389718, 172035

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1969**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1968
Revised 1968
Edition N/A
Copyright 1969
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1977**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1989**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1957
Revised 1989
Edition N/A
Copyright 1989
Levelled 1957

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1992-1993**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1992
Levelled N/A

Groundsure INSIGHTS

Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1994
Revised 1994
Edition N/A
Copyright 1994
Levelled N/A

Surveyed 1993
Revised 1993
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1993-1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_1250_8_2
Grid Ref: 389718, 172535

Map Name: National Grid

Map date: **1995**

Scale: 1:1,250

Printed at: 1:2,000

N
W E
S

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Surveyed 1995
Revised 1995
Edition N/A
Copyright 1995
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]


© Crown copyright and database rights 2024 Ordnance Survey 100035207


Production date: 28 October 2024

Map legend available at: [redacted]





1:1,250 Scale Grid Index





1:2,500 Scale Grid Index





Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_1_21
Grid Ref: 386318, 178085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_1_22
Grid Ref: 386318, 178385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_1_23
Grid Ref: 386318, 178685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_1_24
Grid Ref: 386318, 178985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_18
Grid Ref: 386618, 177185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_19
Grid Ref: 386618, 177485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_20
Grid Ref: 386618, 177785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_21
Grid Ref: 386618, 178085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_22
Grid Ref: 386618, 178385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_23
Grid Ref: 386618, 178685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_2_24
Grid Ref: 386618, 178985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_8
Grid Ref: 386918, 174185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_9
Grid Ref: 386918, 174485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_10
Grid Ref: 386918, 174785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_11
Grid Ref: 386918, 175085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_16
Grid Ref: 386918, 176585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_17
Grid Ref: 386918, 176885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_18
Grid Ref: 386918, 177185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_19
Grid Ref: 386918, 177485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_20
Grid Ref: 386918, 177785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_21
Grid Ref: 386918, 178085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_22
Grid Ref: 386918, 178385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_23
Grid Ref: 386918, 178685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_3_24
Grid Ref: 386918, 178985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_7
Grid Ref: 387218, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_8
Grid Ref: 387218, 174185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_9
Grid Ref: 387218, 174485

Map Name: LandLine
Map date: 2003
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_10
Grid Ref: 387218, 174785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_11
Grid Ref: 387218, 175085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_12
Grid Ref: 387218, 175385

Map Name: LandLine

Map date: **2003**

Scale: 1:1,250

Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_13
Grid Ref: 387218, 175685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_14
Grid Ref: 387218, 175985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_15
Grid Ref: 387218, 176285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_16
Grid Ref: 387218, 176585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_17
Grid Ref: 387218, 176885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_18
Grid Ref: 387218, 177185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_19
Grid Ref: 387218, 177485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_20
Grid Ref: 387218, 177785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_21
Grid Ref: 387218, 178085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_22
Grid Ref: 387218, 178385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_23
Grid Ref: 387218, 178685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_4_24
Grid Ref: 387218, 178985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_6
Grid Ref: 387518, 173585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_7
Grid Ref: 387518, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_8
Grid Ref: 387518, 174185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_9
Grid Ref: 387518, 174485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_10
Grid Ref: 387518, 174785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_11
Grid Ref: 387518, 175085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_12
Grid Ref: 387518, 175385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_13
Grid Ref: 387518, 175685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_14
Grid Ref: 387518, 175985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_15
Grid Ref: 387518, 176285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_16
Grid Ref: 387518, 176585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_17
Grid Ref: 387518, 176885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_18
Grid Ref: 387518, 177185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_19
Grid Ref: 387518, 177485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_20
Grid Ref: 387518, 177785

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_23
Grid Ref: 387518, 178685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_5_24
Grid Ref: 387518, 178985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_3
Grid Ref: 387818, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_4
Grid Ref: 387818, 172985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_5
Grid Ref: 387818, 173285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_6
Grid Ref: 387818, 173585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_7
Grid Ref: 387818, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_8
Grid Ref: 387818, 174185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_9
Grid Ref: 387818, 174485

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_11
Grid Ref: 387818, 175085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_12
Grid Ref: 387818, 175385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_13
Grid Ref: 387818, 175685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_14
Grid Ref: 387818, 175985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_6_15
Grid Ref: 387818, 176285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_3
Grid Ref: 388118, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_4
Grid Ref: 388118, 172985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_5
Grid Ref: 388118, 173285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_6
Grid Ref: 388118, 173585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_7
Grid Ref: 388118, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_8
Grid Ref: 388118, 174185

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_13
Grid Ref: 388118, 175685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_7_14
Grid Ref: 388118, 175985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_2
Grid Ref: 388418, 172385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_3
Grid Ref: 388418, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_4
Grid Ref: 388418, 172985

Map Name: LandLine

Map date: **2003**

Scale: 1:1,250

Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_5
Grid Ref: 388418, 173285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_6
Grid Ref: 388418, 173585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_8_7
Grid Ref: 388418, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_2
Grid Ref: 388718, 172385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_3
Grid Ref: 388718, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_4
Grid Ref: 388718, 172985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_5
Grid Ref: 388718, 173285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_6
Grid Ref: 388718, 173585

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_9_7
Grid Ref: 388718, 173885

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_10_1
Grid Ref: 389018, 172085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_10_2
Grid Ref: 389018, 172385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_10_3
Grid Ref: 389018, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_10_4
Grid Ref: 389018, 172985

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_10_5
Grid Ref: 389018, 173285

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_11_1
Grid Ref: 389318, 172085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_11_2
Grid Ref: 389318, 172385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_11_3
Grid Ref: 389318, 172685

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_12_1
Grid Ref: 389618, 172085

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_Landline_12_2
Grid Ref: 389618, 172385

Map Name: LandLine
Map date: **2003**
Scale: 1:1,250
Printed at: 1:1,250

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207


Production date: 28 October 2024


Map legend available at: [redacted]





Landline Scale Grid Index





Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: County Series
Map date: **1921**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: National Grid

Map date: **1977-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed 1971
Revised 1993
Edition N/A
Copyright 1993
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_9
Grid Ref: 386404, 177099

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: County Series


Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_10
Grid Ref: 386404, 177724

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_11
Grid Ref: 386404, 178350

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: National Grid

Map date: **1979-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1979
Levelled 1971

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_1_12
Grid Ref: 386404, 178975

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971

Map Name: National Grid

Map date: **1988-1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed 1957
Revised 1988
Edition N/A
Copyright 1988
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_4
Grid Ref: 387029, 173971


Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597


Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597


Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597

Map Name: County Series


Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597


Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_5
Grid Ref: 387029, 174597

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222


Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_6
Grid Ref: 387029, 175222

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: National Grid


Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971



Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848


Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1971
Revised 1993
Edition N/A
Copyright 1993
Levelled 1971

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_7
Grid Ref: 387029, 175848

Map Name: National Grid


Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: County Series


Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473


Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_8
Grid Ref: 387029, 176473

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: National Grid

Map date: **1977-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: National Grid


Map date: **1977-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed 1971
Revised 1993
Edition N/A
Copyright 1993
Levelled 1971

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_9
Grid Ref: 387029, 177099


Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: County Series


Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_10
Grid Ref: 387029, 177724

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: County Series
Map date: **1921**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_11
Grid Ref: 387029, 178350

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: National Grid

Map date: **1979-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: National Grid

Map date: **1979-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1979
Levelled 1971

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_2_12
Grid Ref: 387029, 178975

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720


Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_2
Grid Ref: 387655, 172720

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:


Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346


Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346

Map Name: National Grid

Map date: **1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346

Map Name: National Grid

Map date: **1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_3
Grid Ref: 387655, 173346

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_4
Grid Ref: 387655, 173971

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:


Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:


Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: County Series
Map date: **1921**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_5
Grid Ref: 387655, 174597

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_6
Grid Ref: 387655, 175222

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: National Grid


Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971



Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_7
Grid Ref: 387655, 175848

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:


Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_8
Grid Ref: 387655, 176473

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: National Grid

Map date: **1977-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: National Grid

Map date: **1977-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_9
Grid Ref: 387655, 177099

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: County Series


Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: County Series


Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: National Grid


Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971



Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_10
Grid Ref: 387655, 177724

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: National Grid

Map date: **1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_11
Grid Ref: 387655, 178350

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: County Series

Map date: **1921**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: National Grid

Map date: **1979-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1980
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: National Grid

Map date: **1979-1980**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1978
Revised 1978
Edition N/A
Copyright 1979
Levelled 1971

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_3_12
Grid Ref: 387655, 178975

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at:
[redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095

Map Name: County Series

Map date: **1921-1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095

Map Name: National Grid

Map date: **1977**


Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1968
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957



Surveyed 1975
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095

Map Name: National Grid

Map date: **1977**


Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_1
Grid Ref: 388280, 172095


Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: County Series
Map date: **1921-1924**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1968
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: National Grid


Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_2
Grid Ref: 388280, 172720

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:


Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_3
Grid Ref: 388280, 173346

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_3
Grid Ref: 388280, 173346


Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_3
Grid Ref: 388280, 173346

Map Name: County Series

Map date: **1921-1924**


Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1923
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_3
Grid Ref: 388280, 173346

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_3
Grid Ref: 388280, 173346

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_4
Grid Ref: 388280, 173971

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_4
Grid Ref: 388280, 173971

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_4
Grid Ref: 388280, 173971


Map Name: County Series

Map date: **1921-1923**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_4
Grid Ref: 388280, 173971

Map Name: National Grid

Map date: **1977-1978**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1978
Levelled 1957

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_4
Grid Ref: 388280, 173971

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_5
Grid Ref: 388280, 174597


Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_5
Grid Ref: 388280, 174597

Map Name: County Series
Map date: **1900**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_5
Grid Ref: 388280, 174597

Map Name: County Series

Map date: **1921-1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1921
Revised 1921
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1923
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_5
Grid Ref: 388280, 174597

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_5
Grid Ref: 388280, 174597

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222


Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222


Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222


Map Name: County Series

Map date: **1921-1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222


Map Name: National Grid

Map date: **1977-1979**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222

Map Name: National Grid

Map date: **1977-1979**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_6
Grid Ref: 388280, 175222

Map Name: National Grid

Map date: **1993-1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848


Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848


Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848


Map Name: County Series

Map date: **1921-1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848


Map Name: National Grid

Map date: **1977-1979**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848

Map Name: National Grid

Map date: **1977-1979**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_7
Grid Ref: 388280, 175848

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_8
Grid Ref: 388280, 176473

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_8
Grid Ref: 388280, 176473

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_8
Grid Ref: 388280, 176473

Map Name: County Series
Map date: **1921-1924**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_8
Grid Ref: 388280, 176473


Map Name: National Grid

Map date: **1977-1979**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_4_8
Grid Ref: 388280, 176473

Map Name: National Grid

Map date: **1994**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1994
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: County Series
Map date: **1886**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: County Series

Map date: **1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1968
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_1
Grid Ref: 388906, 172095

Map Name: National Grid


Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720


Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720

Map Name: County Series

Map date: **1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720


Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_2
Grid Ref: 388906, 172720

Map Name: National Grid


Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346


Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346

Map Name: County Series


Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346

Map Name: County Series


Map date: **1923-1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1923
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_3
Grid Ref: 388906, 173346

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: County Series
Map date: **1923**
Scale: 1:2,500
Printed at: 1:2,500

N
W E
S

Surveyed 1923
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1971

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_5_4
Grid Ref: 388906, 173971

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: County Series

Map date: **1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1968
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Surveyed 1975
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_1
Grid Ref: 389531, 172095

Map Name: National Grid

Map date: **1993**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_2
Grid Ref: 389531, 172720

Map Name: County Series

Map date: **1886**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1886
Revised 1886
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_2
Grid Ref: 389531, 172720

Map Name: County Series

Map date: **1900**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_2
Grid Ref: 389531, 172720

Map Name: County Series

Map date: **1924**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1924
Revised 1924
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_2
Grid Ref: 389531, 172720

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1968
Revised 1975
Edition N/A
Copyright 1977
Levelled 1957

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 28 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_LS_6_2
Grid Ref: 389531, 172720

Map Name: National Grid

Map date: **1977**

Scale: 1:2,500

Printed at: 1:2,500

N
W E
S

Surveyed 1976
Revised 1976
Edition N/A
Copyright 1977
Levelled 1957

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207


Production date: 28 October 2024


Map legend available at: [redacted]





Small Scale Grid Index





Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: County Series


Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: County Series

Map date: **1899-1901**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1884
Revised 1901
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: County Series

Map date: **1919-1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1919
Revised 1919
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1880
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: Provisional

Map date: **1955**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1954
Edition 1955
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: Provisional

Map date: **1975**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

~~Surveyed N/A~~
Revised 1975
Edition N/A
Copyright 1955
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: National Grid

Map date: **1980**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1976
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2001

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2010

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_1
Grid Ref: 386717, 171785

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: County Series


Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: County Series

Map date: **1899-1901**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1884
Revised 1901
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: County Series

Map date: **1919-1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1919
Revised 1919
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1920
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1880
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: Provisional

Map date: **1955**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1954
Edition 1955
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: Provisional

Map date: **1975**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1975
Edition N/A
Copyright 1955
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: National Grid

Map date: **1980**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1978
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1976
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285


Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_2
Grid Ref: 386717, 174285

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: County Series

Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: County Series

Map date: **1899**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1919
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1920
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: Provisional

Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

~~Surveyed 1949~~
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: Provisional

Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

~~Surveyed 1949~~
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: National Grid

Map date: **1980**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1978
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: National Grid
Map date: **2010**
Scale: 1:10,000
Printed at: 1:10,000

N
W E
S

2010

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_3
Grid Ref: 386717, 176785

Map Name: National Grid
Map date: **2024**
Scale: 1:10,000
Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: County Series

Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: County Series


Map date: **1899**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1883
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: County Series

Map date: **1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1919
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1919
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: Provisional

Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: Provisional
Map date: **1949**
Scale: 1:10,560
Printed at: 1:10,560

N
W E
S

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: National Grid

Map date: **1980-1982**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1979
Revised 1982
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2001

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_1_4
Grid Ref: 386717, 179285

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785


Map Name: County Series

Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785


Map Name: County Series

Map date: **1899-1901**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785


Map Name: County Series

Map date: **1919-1922**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785


Map Name: County Series

Map date: **1938**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Surveyed 1885
Revised 1938
Edition 1938
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: Provisional

Map date: **1955-1960**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1954
Edition 1955
Copyright N/A
Levelled N/A

Surveyed 1956
Revised 1956
Edition N/A
Copyright 1960
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: Provisional
Map date: **1975-1976**
Scale: 1:10,560
Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1975
Edition N/A
Copyright 1955
Levelled N/A

Surveyed N/A
Revised 1976
Edition N/A
Copyright 1960
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: National Grid

Map date: **1980-1982**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1976
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1980
Revised 1982
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2010

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_1
Grid Ref: 389217, 171785

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: County Series


Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1885
Revised 1885
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285


Map Name: County Series

Map date: **1899**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: County Series

Map date: **1919-1923**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1881
Revised 1923
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1884
Revised 1922
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1919
Revised 1919
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1885
Revised 1922
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285


Map Name: County Series

Map date: **1938**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Surveyed 1884
Revised 1938
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1885
Revised 1938
Edition 1938
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: Provisional

Map date: **1955-1960**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1956
Revised 1956
Edition N/A
Copyright 1960
Levelled N/A

Surveyed N/A
Revised 1954
Edition 1955
Copyright N/A
Levelled N/A

Surveyed 1956
Revised 1956
Edition N/A
Copyright 1960
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: Provisional

Map date: **1974-1976**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed N/A
Revised 1974
Edition N/A
Copyright 1960
Levelled N/A

Surveyed N/A
Revised 1975
Edition N/A
Copyright 1955
Levelled N/A

Surveyed N/A
Revised 1976
Edition N/A
Copyright 1960
Levelled N/A

Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: National Grid

Map date: **1980-1982**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1978 Revised 1980 Edition N/A Copyright N/A Levelled N/A	Surveyed 1978 Revised 1982 Edition N/A Copyright N/A Levelled N/A
Surveyed 1976 Revised 1980 Edition N/A Copyright N/A Levelled N/A	Surveyed 1980 Revised 1982 Edition N/A Copyright N/A Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2001

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2010

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_2
Grid Ref: 389217, 174285

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at:
[redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: County Series

Map date: **1885**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785


Map Name: County Series

Map date: **1899**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785


Map Name: County Series

Map date: **1922-1925**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785


Map Name: County Series

Map date: **1938**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Surveyed 1884
Revised 1938
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: Provisional


Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: Provisional


Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: National Grid

Map date: **1980-1982**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1978
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1982
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785


Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N W E S



Groundsure INSIGHTS


Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_3
Grid Ref: 389217, 176785

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators


Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: County Series
Map date: **1885**
Scale: 1:10,560
Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: County Series

Map date: **1899**


Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1883
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1883
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285


Map Name: County Series

Map date: **1899**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Surveyed 1884
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285


Map Name: County Series

Map date: **1923-1925**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: Provisional


Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S

Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A



Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285


Map Name: Provisional

Map date: **1949**

Scale: 1:10,560

Printed at: 1:10,560

N
W E
S



Surveyed 1949
Revised 1949
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: National Grid

Map date: **1980-1982**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

Surveyed 1979
Revised 1982
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1980
Revised 1981
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1980
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1978
Revised 1982
Edition N/A
Copyright N/A
Levelled N/A

Groundsure INSIGHTS


Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285


Map Name: National Grid

Map date: **2001**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: National Grid

Map date: **2010**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S



Groundsure INSIGHTS

Powered by

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at: [redacted]



Geosyntec consultants

engineers | scientists | innovators

Site Details:

Lime Down Corridor Centre

Client Ref: 610027326
Report Ref: GSYN-SG1-J7V-TAP-F7T_SS_2_4
Grid Ref: 389217, 179285

Map Name: National Grid

Map date: **2024**

Scale: 1:10,000

Printed at: 1:10,000

N
W E
S

2024

Groundsure INSIGHTS

Powered by OS

Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: [redacted]

© Crown copyright and database rights 2024 Ordnance Survey 100035207

Production date: 07 October 2024

Map legend available at:
[redacted]

Annex 19-7-2 Central Cable Corridor Groundsure Report

Groundsure LOCATION INTELLIGENCE

Enviro+Geo Insight

Lime Down Corridor Centre

Order Details

Date: 07/10/2024

Your ref: 610027326


Our Ref: GSYN-Q68-1HQ-7HJ-JRD

Site Details

Location: 387635 175508

Area: 512.23 ha

Authority: Wiltshire Council ↗



Summary of findings p. 2 >

OS MasterMap site plan N/A: >10ha

Aerial image p. 9 >

Insight User Guide ↗

Contact us with any questions at:
info@groundsure.com ↗
01273 257 755

Certified B Corporation

Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
14 >	1.1 >	Historical industrial land uses >	8	14	7	18	-
16 >	1.2 >	Historical tanks >	2	0	0	9	-
17 >	1.3 >	Historical energy features >	0	0	3	11	-
18	1.4	Historical petrol stations	0	0	0	0	-
18 >	1.5 >	Historical garages >	0	0	3	4	-
19	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
20 >	2.1 >	Historical industrial land uses >	10	18	7	24	-
23 >	2.2 >	Historical tanks >	2	0	0	11	-
23 >	2.3 >	Historical energy features >	0	0	9	29	-
25	2.4	Historical petrol stations	0	0	0	0	-
25 >	2.5 >	Historical garages >	0	0	3	11	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
27	3.1	Active or recent landfill	0	0	0	0	-
27	3.2	Historical landfill (BGS records)	0	0	0	0	-
28	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
28	3.4	Historical landfill (EA/NRW records)	0	0	0	0	-
28	3.5	Historical waste sites	0	0	0	0	-
28	3.6	Licensed waste sites	0	0	0	0	-
28 >	3.7 >	Waste exemptions >	20	25	22	108	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
42 >	4.1 >	Recent industrial land uses >	5	3	29	-	-
45 >	4.2 >	Current or recent petrol stations >	0	0	0	1	-
45	4.3	Electricity cables	0	0	0	0	-
45	4.4	Gas pipelines	0	0	0	0	-
45	4.5	Sites determined as Contaminated Land	0	0	0	0	-

45	4.6	Control of Major Accident Hazards (COMAH)	0	0	0	0	-
46	4.7	Regulated explosive sites	0	0	0	0	-
46	4.8	Hazardous substance storage/usage	0	0	0	0	-
46	4.9	Historical licensed industrial activities (IPC)	0	0	0	0	-
46 >	4.10 >	Licensed industrial activities (Part A(1)) >	0	0	0	10	-
48 >	4.11 >	Licensed pollutant release (Part A(2)/B) >	0	0	1	1	-
48	4.12	Radioactive Substance Authorisations	0	0	0	0	-
48 >	4.13 >	Licensed Discharges to controlled waters >	2	1	6	6	-
51	4.14	Pollutant release to surface waters (Red List)	0	0	0	0	-
51	4.15	Pollutant release to public sewer	0	0	0	0	-
51	4.16	List 1 Dangerous Substances	0	0	0	0	-
51	4.17	List 2 Dangerous Substances	0	0	0	0	-
51 >	4.18 >	Pollution Incidents (EA/NRW) >	5	1	0	2	-
53 >	4.19 >	Pollution inventory substances >	0	0	0	3	-
54 >	4.20 >	Pollution inventory waste transfers >	0	0	0	1	-
54	4.21	Pollution inventory radioactive waste	0	0	0	0	-

Page	Section	Hydrogeology >	On site	0-50m	50-250m	250-500m	500-2000m
55 >	5.1 >	Superficial aquifer >	Identified (within 500m)				
57 >	5.2 >	Bedrock aquifer >	Identified (within 500m)				
59 >	5.3 >	Groundwater vulnerability >	Identified (within 50m)				
67 >	5.4 >	Groundwater vulnerability- soluble rock risk >	Identified (within 0m)				
69	5.5	Groundwater vulnerability- local information	None (within 0m)				
70 >	5.6 >	Groundwater abstractions >	0	0	0	1	3
71	5.7	Surface water abstractions	0	0	0	0	0
72	5.8	Potable abstractions	0	0	0	0	0
72 >	5.9 >	Source Protection Zones >	2	0	0	1	-
72 >	5.10 >	Source Protection Zones (confined aquifer) >	1	0	0	0	-

Page	Section	Hydrology >	On site	0-50m	50-250m	250-500m	500-2000m
73 >	6.1 >	Water Network (OS MasterMap) >	73	34	81	-	-

88 >	6.2 >	Surface water features >	1	23	42	-	-
88 >	6.3 >	WFD Surface water body catchments >	5	-	-	-	-
89 >	6.4 >	WFD Surface water bodies >	0	0	0	-	-
90 >	6.5 >	WFD Groundwater bodies >	2	-	-	-	-
Page	Section	River and coastal flooding >	On site	0-50m	50-250m	250-500m	500-2000m
91 >	7.1 >	Risk of flooding from rivers and the sea >	High (within 50m)				
92 >	7.2 >	Historical Flood Events >	0	2	5	-	-
93	7.3	Flood Defences	0	0	0	-	-
93	7.4	Areas Benefiting from Flood Defences	0	0	0	-	-
93	7.5	Flood Storage Areas	0	0	0	-	-
94 >	7.6 >	Flood Zone 2 >	Identified (within 50m)				
95 >	7.7 >	Flood Zone 3 >	Identified (within 50m)				
Page	Section	Surface water flooding >					
96 >	8.1 >	Surface water flooding >	1 in 30 year, Greater than 1.0m (within 50m)				
Page	Section	Groundwater flooding >					
98 >	9.1 >	Groundwater flooding >	High (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
99 >	10.1 >	Sites of Special Scientific Interest (SSSI) >	0	0	0	0	1
100	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
100	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
100	10.4	Special Protection Areas (SPA)	0	0	0	0	0
100	10.5	National Nature Reserves (NNR)	0	0	0	0	0
101	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
101 >	10.7 >	Designated Ancient Woodland >	1	1	0	2	15
102	10.8	Biosphere Reserves	0	0	0	0	0
102	10.9	Forest Parks	0	0	0	0	0
102	10.10	Marine Conservation Zones	0	0	0	0	0
102	10.11	Green Belt	0	0	0	0	0
103	10.12	Proposed Ramsar sites	0	0	0	0	0

103	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
103	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0
103	10.15	Nitrate Sensitive Areas	0	0	0	0	0
104 >	10.16 >	Nitrate Vulnerable Zones >	0	0	0	0	1
105 >	10.17 >	SSSI Impact Risk Zones >	8	-	-	-	-
107 >	10.18 >	SSSI Units >	0	0	0	0	1
Page	Section	Visual and cultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
109	11.1	World Heritage Sites	0	0	0	-	-
110 >	11.2 >	Area of Outstanding Natural Beauty >	0	1	0	-	-
110	11.3	National Parks	0	0	0	-	-
110 >	11.4 >	Listed Buildings >	9	4	12	-	-
112 >	11.5 >	Conservation Areas >	1	0	1	-	-
112 >	11.6 >	Scheduled Ancient Monuments >	0	0	2	-	-
112 >	11.7 >	Registered Parks and Gardens >	0	0	1	-	-
Page	Section	Agricultural designations >	On site	0-50m	50-250m	250-500m	500-2000m
114 >	12.1 >	Agricultural Land Classification >	Grade 3 (within 250m)				
115	12.2	Open Access Land	0	0	0	-	-
115 >	12.3 >	Tree Felling Licences >	6	3	2	-	-
116 >	12.4 >	Environmental Stewardship Schemes >	2	5	2	-	-
116 >	12.5 >	Countryside Stewardship Schemes >	32	6	17	-	-
Page	Section	Habitat designations >	On site	0-50m	50-250m	250-500m	500-2000m
119 >	13.1 >	Priority Habitat Inventory >	10	5	17	-	-
121	13.2	Habitat Networks	0	0	0	-	-
121	13.3	Open Mosaic Habitat	0	0	0	-	-
121	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	Geology 1:10,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
122 >	14.1 >	10k Availability >	Identified (within 500m)				
123	14.2	Artificial and made ground (10k)	0	0	0	0	-
124 >	14.3 >	Superficial geology (10k) >	2	0	0	2	-

125	14.4	Landslip (10k)	0	0	0	0	-
126 >	14.5 >	Bedrock geology (10k) >	16	1	7	8	-
128 >	14.6 >	Bedrock faults and other linear features (10k) >	7	1	3	1	-
Page	Section	Geology 1:50,000 scale >	On site	0-50m	50-250m	250-500m	500-2000m
129 >	15.1 >	50k Availability >	Identified (within 500m)				
130	15.2	Artificial and made ground (50k)	0	0	0	0	-
130	15.3	Artificial ground permeability (50k)	0	0	-	-	-
131 >	15.4 >	Superficial geology (50k) >	2	0	0	1	-
132 >	15.5 >	Superficial permeability (50k) >	Identified (within 50m)				
132	15.6	Landslip (50k)	0	0	0	0	-
132	15.7	Landslip permeability (50k)	None (within 50m)				
133 >	15.8 >	Bedrock geology (50k) >	14	1	3	4	-
134 >	15.9 >	Bedrock permeability (50k) >	Identified (within 50m)				
135 >	15.10 >	Bedrock faults and other linear features (50k) >	4	0	1	0	-
Page	Section	Boreholes >	On site	0-50m	50-250m	250-500m	500-2000m
137 >	16.1 >	BGS Boreholes >	8	10	18	-	-
Page	Section	Natural ground subsidence >					
140 >	17.1 >	Shrink swell clays >	Moderate (within 50m)				
142 >	17.2 >	Running sands >	Low (within 50m)				
144 >	17.3 >	Compressible deposits >	Moderate (within 50m)				
146 >	17.4 >	Collapsible deposits >	Very low (within 50m)				
147 >	17.5 >	Landslides >	Moderate (within 50m)				
149 >	17.6 >	Ground dissolution of soluble rocks >	Moderate (within 50m)				
Page	Section	Mining and ground workings >	On site	0-50m	50-250m	250-500m	500-2000m
151 >	18.1 >	BritPits >	0	3	1	2	-
153 >	18.2 >	Surface ground workings >	12	17	17	-	-
155	18.3	Underground workings	0	0	0	0	0
155	18.4	Underground mining extents	0	0	0	0	-
155	18.5	Historical Mineral Planning Areas	0	0	0	0	-

155 >	18.6 >	Non-coal mining >	0	0	0	0	1
156	18.7	JPB mining areas	None (within 0m)				
156	18.8	The Coal Authority non-coal mining	0	0	0	0	-
156	18.9	Researched mining	0	0	0	0	-
156	18.10	Mining record office plans	0	0	0	0	-
157	18.11	BGS mine plans	0	0	0	0	-
157	18.12	Coal mining	None (within 0m)				
157	18.13	Brine areas	None (within 0m)				
157	18.14	Gypsum areas	None (within 0m)				
157	18.15	Tin mining	None (within 0m)				
158	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes >	On site	0-50m	50-250m	250-500m	500-2000m
159	19.1	Natural cavities	0	0	0	0	-
160 >	19.2 >	Mining cavities >	0	0	0	0	1
160	19.3	Reported recent incidents	0	0	0	0	-
160	19.4	Historical incidents	0	0	0	0	-
161 >	19.5 >	National karst database >	0	0	3	1	-
Page	Section	Radon >					
162 >	20.1 >	Radon >	Between 1% and 3% (within 0m)				
Page	Section	Soil chemistry >	On site	0-50m	50-250m	250-500m	500-2000m
164 >	21.1 >	BGS Estimated Background Soil Chemistry >	140	27	-	-	-
173	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
174	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	Railway infrastructure and projects	On site	0-50m	50-250m	250-500m	500-2000m
175	22.1	Underground railways (London)	0	0	0	-	-
175	22.2	Underground railways (Non-London)	0	0	0	-	-
175	22.3	Railway tunnels	0	0	0	-	-
175	22.4	Historical railway and tunnel features	0	0	0	-	-
175	22.5	Royal Mail tunnels	0	0	0	-	-

176	22.6	Historical railways	0	0	0	-	-
176	22.7	Railways	0	0	0	-	-
176	22.8	Crossrail 1	0	0	0	0	-
176	22.9	Crossrail 2	0	0	0	0	-
176	22.10	HS2	0	0	0	0	-

Recent aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2024. All Rights Reserved.

Capture Date: 12/05/2020

Site Area: 512.23ha

Recent site history - 2017 aerial photograph



Capture Date: 14/06/2017

Site Area: 512.23ha

Recent site history - 2014 aerial photograph



Capture Date: 09/09/2014

Site Area: 512.23ha

Recent site history - 2006 aerial photograph



Capture Date: 05/06/2006

Site Area: 512.23ha


Recent site history - 1999 aerial photograph



Capture Date: 04/09/1999

Site Area: 512.23ha

1 Past land use



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

Site Outline

Search buffers in metres (m)

Historical industrial land uses

Historical tanks

Historical energy features

Historical garages

1.1 Historical industrial land uses

Records within 500m	47

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14 >**

ID	Location	Land use	Dates present	Group ID
1	**On site**	**Cuttings**	**1980**	**1178806**

ID	Location	Land use	Dates present	Group ID
2	**On site**	**Unspecified Pit**	**1885**	**1192802**
3	**On site**	**Pumping Station**	**1923**	**1278851**
A	**On site**	**Boat House**	**1899 - 1923**	**1226954**
A	**On site**	**Boat House**	**1949**	**1263649**
A	**On site**	**Boat House**	**1923**	**1268588**
A	**On site**	**Boat House**	**1885**	**1281586**
B	**On site**	**Unspecified Quarry**	**1899**	**1284281**
C	6m S	Unspecified Ground Workings	1955	1275720
C	7m S	Unspecified Pit	1938	1291668
C	8m S	Old Lime Kiln	1922	1260940
B	10m N	Unspecified Quarry	1923	1262177
B	10m N	Unspecified Quarry	1949	1293899
D	19m NW	Unspecified Quarry	1923	1254756
D	20m NW	Unspecified Quarry	1899	1255895
D	20m NW	Unspecified Quarry	1949	1256484
C	22m S	Unspecified Ground Workings	1922	1272880
D	23m NW	Unspecified Quarry	1885	1257710
C	28m S	Old Lime Kiln	1938 - 1955	1212479
6	29m S	Unspecified Quarries	1899	1202684
C	32m S	Unspecified Quarries	1899	1202683
7	45m N	Cuttings	1980	1178948
E	75m S	Unspecified Quarry	1919	1234630
E	75m S	Unspecified Quarry	1923	1275668
E	77m S	Unspecified Quarry	1955	1249805
8	84m NW	Unspecified Quarry	1885	1199414
9	104m NW	Electricity Substation	1980	1207465
F	158m NW	Garage	1980	1190144
11	237m SE	Unspecified Tanks	1980	1187123

ID	Location	Land use	Dates present	Group ID
12	250m NW	Smithy	1885 - 1899	1268418
13	258m NW	Unspecified Works	1980	1196029
K	381m N	Timber Yard	1885	1269086
K	381m N	Timber Yard	1923	1279263
L	384m N	Unspecified Old Quarry	1923 - 1949	1254368
L	388m N	Unspecified Old Quarry	1899 - 1923	1220872
K	405m N	Gasometer	1885	1290246
K	406m N	Gasometer	1923	1273469
K	409m N	Gasometer	1923	1231135
M	413m SE	Unspecified Old Quarry	1938	1262657
M	414m SE	Unspecified Old Quarry	1899 - 1922	1265166
M	416m SE	Unspecified Old Quarry	1955	1282471
M	422m SE	Unspecified Pit	1885	1192262
N	439m SE	Unspecified Tank	1922 - 1938	1267714
N	462m SE	Unspecified Tank	1955	1212844
O	465m S	Unspecified Tank	1919	1204498
O	466m S	Unspecified Tank	1923	1204497
O	475m S	Unspecified Tank	1955	1204499

This data is sourced from Ordnance Survey / Groundsure.

1.2 Historical tanks

Records within 500m	**11**

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14 >**

ID	Location	Land use	Dates present	Group ID
4	**On site**	**Unspecified Tank**	**1977**	**184623**
5	**On site**	**Unspecified Tank**	**1977**	**184624**
15	351m N	Unspecified Tank	1980	182241
J	386m SE	Unspecified Tank	1995	184622
K	407m N	Gasometer	1900 - 1921	192782
K	409m N	Gasometer	1886	191588
N	462m SE	Unspecified Tank	1923	179327
19	465m SE	Unspecified Tank	1979	182242
O	466m S	Unspecified Tank	1921 - 1977	186549
P	487m SE	Unspecified Tank	1975	197861
P	489m SE	Unspecified Tank	1969	200217

This data is sourced from Ordnance Survey / Groundsure.

1.3 Historical energy features

Records within 500m	**14**

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14 >**

ID	Location	Land use	Dates present	Group ID
10	205m SE	Electricity Substation	1993 - 1996	117519
G	243m SE	Electricity Substation	1992	112033
G	244m SE	Electricity Substation	1993 - 1996	118619
14	282m SE	Electricity Substation	1994 - 1999	113195
H	283m NW	Electricity Substation	1993	120194
H	284m NW	Electricity Substation	1977	115525
H	285m NW	Electricity Substation	1999	114424

ID	Location	Land use	Dates present	Group ID
I	311m NW	Electricity Substation	1999	122033
I	312m NW	Electricity Substation	1993	113151
16	373m SE	Gas Governor	1993 - 1996	123961
K	407m N	Gasometer	1900 - 1921	123184
K	409m N	Gasometer	1886	110757
17	419m NW	Electricity Substation	1977 - 1999	114390
18	434m SE	Electricity Substation	1993 - 1997	113782

This data is sourced from Ordnance Survey / Groundsure.

1.4 Historical petrol stations

Records within 500m	0

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

1.5 Historical garages

Records within 500m	7

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 14 >**

ID	Location	Land use	Dates present	Group ID
F	160m NW	Garage	1977	39252
F	161m NW	Garage	1993	39969
F	162m NW	Garage	1999	37449
J	319m SE	Garage	1995	37799

ID	Location	Land use	Dates present	Group ID
J	319m SE	Garage	1993	37850
J	319m SE	Garage	1996	39149
J	336m SE	Garage	1993 - 1997	39140

This data is sourced from Ordnance Survey / Groundsure.


1.6 Historical military land

Records within 500m	0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey / Groundsure / other sources.

2 Past land use - un-grouped



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

Site Outline

Search buffers in metres (m)

Historical industrial land uses

Historical tanks

Historical energy features

Historical garages

2.1 Historical industrial land uses

Records within 500m	59

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 20 >**

ID	Location	Land Use	Date	Group ID
1	**On site**	**Cuttings**	**1980**	**1178806**
2	**On site**	**Unspecified Pit**	**1885**	**1192802**
A	**On site**	**Boat House**	**1899**	**1226954**

ID	Location	Land Use	Date	Group ID
A	**On site**	**Boat House**	**1923**	**1226954**
A	**On site**	**Boat House**	**1949**	**1263649**
A	**On site**	**Boat House**	**1923**	**1268588**
A	**On site**	**Boat House**	**1885**	**1281586**
B	**On site**	**Pumping Station**	**1923**	**1278851**
B	**On site**	**Pumping Station**	**1923**	**1278851**
C	**On site**	**Unspecified Quarry**	**1899**	**1284281**
D	6m S	Unspecified Ground Workings	1955	1275720
D	7m S	Unspecified Pit	1938	1291668
D	7m S	Unspecified Pit	1938	1291668
D	8m S	Old Lime Kiln	1922	1260940
C	10m N	Unspecified Quarry	1923	1262177
C	10m N	Unspecified Quarry	1949	1293899
C	13m N	Unspecified Quarry	1923	1262177
E	19m NW	Unspecified Quarry	1923	1254756
E	19m NW	Unspecified Quarry	1923	1254756
E	20m NW	Unspecified Quarry	1899	1255895
E	20m NW	Unspecified Quarry	1949	1256484
D	22m S	Unspecified Ground Workings	1922	1272880
E	23m NW	Unspecified Quarry	1885	1257710
D	28m S	Old Lime Kiln	1955	1212479
5	29m S	Unspecified Quarries	1899	1202684
D	29m S	Old Lime Kiln	1938	1212479
D	32m S	Unspecified Quarries	1899	1202683
6	45m N	Cuttings	1980	1178948
F	75m S	Unspecified Quarry	1919	1234630
F	75m S	Unspecified Quarry	1923	1275668
F	77m S	Unspecified Quarry	1955	1249805

ID	Location	Land Use	Date	Group ID
7	84m NW	Unspecified Quarry	1885	1199414
8	104m NW	Electricity Substation	1980	1207465
G	158m NW	Garage	1980	1190144
9	237m SE	Unspecified Tanks	1980	1187123
J	250m NW	Smithy	1899	1268418
J	254m NW	Smithy	1885	1268418
10	258m NW	Unspecified Works	1980	1196029
P	381m N	Timber Yard	1885	1269086
P	381m N	Timber Yard	1923	1279263
Q	384m N	Unspecified Old Quarry	1949	1254368
P	385m N	Timber Yard	1923	1279263
Q	386m N	Unspecified Old Quarry	1923	1254368
Q	388m N	Unspecified Old Quarry	1923	1220872
Q	388m N	Unspecified Old Quarry	1899	1220872
P	405m N	Gasometer	1885	1290246
P	406m N	Gasometer	1923	1273469
P	409m N	Gasometer	1923	1231135
R	413m SE	Unspecified Old Quarry	1938	1262657
R	414m SE	Unspecified Old Quarry	1922	1265166
R	414m SE	Unspecified Old Quarry	1899	1265166
R	416m SE	Unspecified Old Quarry	1955	1282471
R	422m SE	Unspecified Pit	1885	1192262
U	439m SE	Unspecified Tank	1938	1267714
U	439m SE	Unspecified Tank	1922	1267714
U	462m SE	Unspecified Tank	1955	1212844
V	465m S	Unspecified Tank	1919	1204498
V	466m S	Unspecified Tank	1923	1204497
V	475m S	Unspecified Tank	1955	1204499

This data is sourced from Ordnance Survey / Groundsure.

2.2 Historical tanks

Records within 500m	13

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 20 >**

ID	Location	Land Use	Date	Group ID
3	**On site**	**Unspecified Tank**	**1977**	**184623**
4	**On site**	**Unspecified Tank**	**1977**	**184624**
11	351m N	Unspecified Tank	1980	182241
N	386m SE	Unspecified Tank	1995	184622
P	407m N	Gasometer	1900	192782
P	407m N	Gasometer	1921	192782
P	409m N	Gasometer	1886	191588
U	462m SE	Unspecified Tank	1923	179327
12	465m SE	Unspecified Tank	1979	182242
V	466m S	Unspecified Tank	1921	186549
V	467m S	Unspecified Tank	1977	186549
W	487m SE	Unspecified Tank	1975	197861
W	489m SE	Unspecified Tank	1969	200217

This data is sourced from Ordnance Survey / Groundsure.

2.3 Historical energy features

Records within 500m	38

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 20 >**

ID	Location	Land Use	Date	Group ID
H	205m SE	Electricity Substation	1996	117519

ID	Location	Land Use	Date	Group ID
H	205m SE	Electricity Substation	1993	117519
H	205m SE	Electricity Substation	1995	117519
H	205m SE	Electricity Substation	1995	117519
I	243m SE	Electricity Substation	1992	112033
I	244m SE	Electricity Substation	1996	118619
I	244m SE	Electricity Substation	1993	118619
I	244m SE	Electricity Substation	1995	118619
I	244m SE	Electricity Substation	1995	118619
K	282m SE	Electricity Substation	1995	113195
K	282m SE	Electricity Substation	1995	113195
K	282m SE	Electricity Substation	1994	113195
K	282m SE	Electricity Substation	1995	113195
K	282m SE	Electricity Substation	1999	113195
K	282m SE	Electricity Substation	1994	113195
K	282m SE	Electricity Substation	1995	113195
L	283m NW	Electricity Substation	1993	120194
L	284m NW	Electricity Substation	1977	115525
L	285m NW	Electricity Substation	1999	114424
M	311m NW	Electricity Substation	1999	122033
M	312m NW	Electricity Substation	1993	113151
O	373m SE	Gas Governor	1996	123961
O	373m SE	Gas Governor	1993	123961
O	373m SE	Gas Governor	1995	123961
O	373m SE	Gas Governor	1995	123961
P	407m N	Gasometer	1900	123184
P	407m N	Gasometer	1921	123184
P	409m N	Gasometer	1886	110757
S	419m NW	Electricity Substation	1993	114390

ID	Location	Land Use	Date	Group ID
S	421m NW	Electricity Substation	1977	114390
S	422m NW	Electricity Substation	1999	114390
T	434m SE	Electricity Substation	1995	113782
T	434m SE	Electricity Substation	1993	113782
T	434m SE	Electricity Substation	1994	113782
T	434m SE	Electricity Substation	1997	113782
T	434m SE	Electricity Substation	1995	113782
T	434m SE	Electricity Substation	1995	113782
T	434m SE	Electricity Substation	1993	113782

This data is sourced from Ordnance Survey / Groundsure.

2.4 Historical petrol stations

Records within 500m	**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey / Groundsure.

2.5 Historical garages

Records within 500m	**14**

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.


Features are displayed on the Past land use - un-grouped map on **page 20 >**

ID	Location	Land Use	Date	Group ID
G	160m NW	Garage	1977	39252
G	161m NW	Garage	1993	39969
G	162m NW	Garage	1999	37449
N	319m SE	Garage	1996	39149

ID	Location	Land Use	Date	Group ID
N	319m SE	Garage	1993	37850
N	319m SE	Garage	1995	37799
N	319m SE	Garage	1995	37799
N	336m SE	Garage	1993	39140
N	336m SE	Garage	1995	39140
N	336m SE	Garage	1995	39140
N	336m SE	Garage	1993	39140
N	336m SE	Garage	1994	39140
N	336m SE	Garage	1997	39140
N	336m SE	Garage	1995	39140

This data is sourced from Ordnance Survey / Groundsure.

3 Waste and landfill



3.1 Active or recent landfill

Records within 500m	0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m	0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m	0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m	0

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m	0

Waste site records derived from Local Authority planning records and high detail historical mapping.

This data is sourced from Ordnance Survey/Groundsure and Local Authority records.

3.6 Licensed waste sites

Records within 500m	0

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m	175

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on **page 27 >**

ID	Location	Site	Reference	Category	Sub-Category	Description
1	**On site**	**-**	**WEX091016**	**Storing waste exemption**	**On a farm**	**Storage of sludge**

ID	Location	Site	Reference	Category	Sub-Category	Description
2	On site	-	WEX101947	Storing waste exemption	On a farm	Storage of sludge
3	On site	Operations Centre, Claverton Down Road, Claverton Down, Bath, Ba2 7ww	WEX096657	Storing waste exemption	On a farm	Storage of sludge
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX377649	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX377649	Storing waste exemption	On a farm	Storage of waste in a secure place
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX249127	Storing waste exemption	On a farm	Storage of waste in a secure place
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX249127	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX107111	Storing waste exemption	On a farm	Storage of waste in a secure place
A	On site	Greenacre Farm, Broomfield, Yatton Keynell, Chippenham, Sn14 7jy	WEX107111	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
B	On site	-	WEX142242	Storing waste exemption	On a farm	Storage of sludge
B	On site	Operations Centre, Claverton Down Road, Claverton Down, Bath, Ba2 7ww	WEX096659	Storing waste exemption	On a farm	Storage of sludge
C	On site	Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb	EPR/SE5944SL/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
C	On site	Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb	EPR/SE5944SL/A001	Storing waste exemption	Agricultural waste only	Storage of waste in a secure place

ID	Location	Site	Reference	Category	Sub-Category	Description
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Treating waste exemption**	**Agricultural waste only**	**Cleaning, washing, spraying or coating relevant waste**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Treating waste exemption**	**Agricultural waste only**	**Aerobic composting and associated prior treatment**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Treating waste exemption**	**Agricultural waste only**	**Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Using waste exemption**	**Agricultural waste only**	**Use of waste for a specified purpose**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Using waste exemption**	**Both agricultural and non-agricultural waste**	**Use of waste in construction**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Disposing of waste exemption**	**Agricultural waste only**	**Disposal by incineration**
C	**On site**	**Lakeside Gardens Rat Hill Chippenham Wiltshire Sn14 7lb**	**EPR/SE5944SL /A001**	**Disposing of waste exemption**	**Agricultural waste only**	**Burning waste in the open**
D	13m N	Lakeside Gardens, Rat Hill, West Sevington, Grittleton, Chippenham, Sn14 7lb	WEX240624	Storing waste exemption	On a farm	Storage of waste in a secure place
D	13m N	Lakeside Gardens, Rat Hill, West Sevington, Grittleton, Chippenham, Sn14 7lb	WEX240624	Disposing of waste exemption	On a farm	Burning waste in the open
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Disposing of waste exemption	On a farm	Disposal by incineration
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Disposing of waste exemption	On a farm	Burning waste in the open
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Using waste exemption	On a farm	Use of waste in construction

ID	Location	Site	Reference	Category	Sub-Category	Description
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Treating waste exemption	On a farm	Cleaning, washing, spraying or coating relevant waste
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Storing waste exemption	On a farm	Storage of waste in a secure place
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Treating waste exemption	On a farm	Aerobic composting and associated prior treatment
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
D	13m N	Green View Farm, Chippenham Road, Marshfield, Chippenham, Sn14 8lg	WEX096947	Using waste exemption	On a farm	Use of waste for a specified purpose
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX178066	Using waste exemption	On a farm	Use of waste for a specified purpose
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX178066	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX018042	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX018042	Disposing of waste exemption	On a farm	Burning waste in the open
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX018042	Using waste exemption	On a farm	Use of waste for a specified purpose
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX178066	Disposing of waste exemption	On a farm	Burning waste in the open

ID	Location	Site	Reference	Category	Sub-Category	Description
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX309420	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX309420	Using waste exemption	On a farm	Use of waste for a specified purpose
E	16m S	Fir Tree Farm, Lanhill, Chippenham, Sn14 6lx	WEX309420	Disposing of waste exemption	On a farm	Burning waste in the open
D	28m NW	Lakeside Cottage, Rat Hill, West Sevington, Grittleton, Chippenham, Sn14 7lb	WEX367178	Storing waste exemption	Not on a farm	Storage of waste in a secure place
D	28m NW	Lakeside Cottage, Rat Hill, West Sevington, Grittleton, Chippenham, Sn14 7lb	WEX367178	Disposing of waste exemption	Not on a farm	Burning waste in the open
F	29m S	Fir Tree Farm Chippenham Wiltshire Sn14 6lx	EPR/DH0378KM/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
F	29m S	Fir Tree Farm Chippenham Wiltshire Sn14 6lx	EPR/DH0378KM/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
F	29m S	Fir Tree Farm Chippenham Wiltshire Sn14 6lx	EPR/DH0378KM/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
G	63m N	-	WEX318386	Storing waste exemption	On a farm	Storage of sludge
G	71m N	Manor Farm Chippenham Wiltshire Sn14 6je	EPR/UE5442CQ/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
G	87m N	Manor Farm Chippenham Wiltshire Sn14 6je	EPR/FE5240XY/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
G	99m N	Operations Centre, Claverton Down Road, Claverton Down, Bath, Ba2 7ww	WEX094515	Storing waste exemption	On a farm	Storage of sludge
4	113m N	-	WEX395252	Storing waste exemption	On a farm	Storage of sludge
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Incorporation of ash into soil

ID	Location	Site	Reference	Category	Sub-Category	Description
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Treating waste exemption	Agricultural waste only	Cleaning, washing, spraying or coating relevant waste
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Treating waste exemption	Agricultural waste only	Aerobic composting and associated prior treatment
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Use of waste in construction
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Spreading of plant matter to confer benefit
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Use of mulch
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Disposing of waste exemption	Agricultural waste only	Disposal by incineration
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Treating waste exemption	Agricultural waste only	Screening and blending of waste
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Burning of waste as a fuel in a small appliance
H	206m SE	Sheldon Farm Sn14 0rq	EPR/LE5482ZW/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
I	246m S	Wellclose Farm, Lanhill, Chippenham, Sn14 6nb	WEX073196	Disposing of waste exemption	On a farm	Burning waste in the open
I	246m S	Wellclose Farm, Lanhill, Chippenham, Sn14 6nb	WEX073196	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
I	246m S	Wellclose Farm, Lanhill, Chippenham, Sn14 6nb	WEX073196	Using waste exemption	On a farm	Use of waste for a specified purpose
5	248m N	-	WEX158235	Storing waste exemption	On a farm	Storage of sludge

ID	Location	Site	Reference	Category	Sub-Category	Description
6	274m N	-	WEX158234	Storing waste exemption	On a farm	Storage of sludge
7	283m N	-	WEX286339	Storing waste exemption	On a farm	Storage of sludge
8	309m N	Operations Centre, Claverton Down Road, Claverton Down, Bath, Ba2 7ww	WEX094517	Storing waste exemption	On a farm	Storage of sludge
J	331m NW	-	WEX379543	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
J	332m NW	Jubilee Field, Chippenham, Sn14 7ej	WEX347400	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
J	332m NW	Jubilee Field, Chippenham, Sn14 7ej	WEX222872	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
J	332m NW	Jubilee Field Chippenham Sn14 7ej	WEX004260	Treating waste exemption	Not on a farm	Sorting and de-naturing of controlled drugs for disposal
9	333m N	East Dunley Farm Chippenham Wiltshire Sn14 6px	EPR/AE5344NV/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Using waste exemption	Agricultural waste only	Spreading waste on agricultural land to confer benefit
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Disposing of waste exemption	Agricultural waste only	Deposit of waste from dredging of inland waters
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Storing waste exemption	Agricultural waste only	Storage of waste in secure containers
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Storing waste exemption	Agricultural waste only	Storage of waste in a secure place
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Treating waste exemption	Agricultural waste only	Cleaning, washing, spraying or coating relevant waste

ID	Location	Site	Reference	Category	Sub-Category	Description
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Treating waste exemption	Agricultural waste only	Preparatory treatments (baling, sorting, shredding etc)
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Treating waste exemption	Agricultural waste only	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Using waste exemption	Agricultural waste only	Use of waste in construction
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Using waste exemption	Agricultural waste only	Burning of waste as a fuel in a small appliance
K	338m S	Stowell Farm Corsham Wiltshire Sn13 0qe	EPR/WE5385LA/A001	Using waste exemption	Agricultural waste only	Use of waste for a specified purpose
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Use of waste in construction
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Use of waste for a specified purpose
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Use of mulch
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Using waste exemption	On a farm	Incorporation of ash into soil
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Treating waste exemption	On a farm	Cleaning, washing, spraying or coating relevant waste
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising

ID	Location	Site	Reference	Category	Sub-Category	Description
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Disposing of waste exemption	On a farm	Disposal by incineration
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Disposing of waste exemption	On a farm	Burning waste in the open
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Storing waste exemption	On a farm	Storage of waste in secure containers
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX392063	Storing waste exemption	On a farm	Storage of waste in a secure place
K	340m S	-	WEX261590	Disposing of waste exemption	On a farm	Burning waste in the open
K	340m S	-	WEX261590	Disposing of waste exemption	On a farm	Disposal by incineration
K	340m S	-	WEX261590	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
K	340m S	-	WEX261590	Using waste exemption	On a farm	Use of mulch
K	340m S	-	WEX261590	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Using waste exemption	On a farm	Use of waste in construction
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Using waste exemption	On a farm	Use of waste for a specified purpose
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Treating waste exemption	On a farm	Cleaning, washing, spraying or coating relevant waste

ID	Location	Site	Reference	Category	Sub-Category	Description
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Storing waste exemption	On a farm	Storage of waste in secure containers
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Storing waste exemption	On a farm	Storage of waste in a secure place
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX211505	Disposing of waste exemption	On a farm	Burning waste in the open
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Treating waste exemption	On a farm	Cleaning, washing, spraying or coating relevant waste
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Storing waste exemption	On a farm	Storage of waste in secure containers
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Storing waste exemption	On a farm	Storage of waste in a secure place
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Using waste exemption	On a farm	Use of waste in construction
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance

ID	Location	Site	Reference	Category	Sub-Category	Description
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Using waste exemption	On a farm	Use of waste for a specified purpose
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Disposing of waste exemption	On a farm	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Disposing of waste exemption	On a farm	Burning waste in the open
K	340m S	Stowell Farm, Corsham, Sn13 0qe	WEX066354	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
K	340m S	-	WEX261590	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
K	340m S	-	WEX261590	Using waste exemption	On a farm	Use of waste in construction
K	340m S	-	WEX261590	Treating waste exemption	On a farm	Cleaning, washing, spraying or coating relevant waste
K	340m S	-	WEX261590	Using waste exemption	On a farm	Incorporation of ash into soil
K	340m S	-	WEX261590	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
K	340m S	-	WEX261590	Using waste exemption	On a farm	Use of waste for a specified purpose
K	340m S	-	WEX261590	Storing waste exemption	On a farm	Storage of waste in a secure place
K	340m S	-	WEX261590	Storing waste exemption	On a farm	Storage of waste in secure containers
K	340m S	-	WEX261590	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
K	340m S	-	WEX261590	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising


ID	Location	Site	Reference	Category	Sub-Category	Description
K	340m S	-	WEX261590	Treating waste exemption	On a farm	Preparatory treatments (baling, sorting, shredding etc)
L	346m N	Manor Farm Chippenham Wiltshire Sn14 6je	EPR/UE5542CB/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
M	350m N	Manor Farm Chippenham Wiltshire Sn14 6je	EPR/UE5142CW/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
10	354m SE	Taylor Wimpey, Construction Site, Hilltop View, Off Easton Lane, Via Saltersford Lane, Chippenham, Sn14 0gx	WEX315024	Using waste exemption	Not on a farm	Use of waste in construction
11	357m SE	Bloor Homes, Hilltop Park, Methuen Park, Chippenham, Sn14 0gt	WEX212588	Using waste exemption	Not on a farm	Use of waste in construction
M	365m N	Manor Farm Chippenham Wiltshire Sn14 6je	EPR/CE5340XD/A001	Storing waste exemption	Non-agricultural waste only	Storage of sludge
L	365m N	Operations Centre, Claverton Down Road, Claverton Down, Bath, Ba2 7ww	WEX094516	Storing waste exemption	On a farm	Storage of sludge
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Using waste exemption	On a farm	Burning of waste as a fuel in a small appliance
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Using waste exemption	On a farm	Use of waste for a specified purpose
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Treating waste exemption	On a farm	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Using waste exemption	On a farm	Use of waste in construction

ID	Location	Site	Reference	Category	Sub-Category	Description
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Storing waste exemption	On a farm	Storage of waste in a secure place
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Using waste exemption	On a farm	Use of waste in construction
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Using waste exemption	On a farm	Spreading of plant matter to confer benefit
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Using waste exemption	On a farm	Use of waste for a specified purpose
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Disposing of waste exemption	On a farm	Burning waste in the open
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX198742	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Disposing of waste exemption	On a farm	Burning waste in the open
N	385m NW	Brooms Farm, Yatton Keynell, Chippenham, Sn14 7ju	WEX045229	Using waste exemption	On a farm	Spreading waste on agricultural land to confer benefit
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Deposit of waste from dredging of inland waters
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Treating waste exemption	Both agricultural and non-agricultural waste	Aerobic composting and associated prior treatment

ID	Location	Site	Reference	Category	Sub-Category	Description
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Treating waste exemption	Both agricultural and non-agricultural waste	Treatment of waste wood and waste plant matter by chipping, shredding, cutting or pulverising
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste in construction
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Using waste exemption	Both agricultural and non-agricultural waste	Spreading of plant matter to confer benefit
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Using waste exemption	Both agricultural and non-agricultural waste	Use of waste for a specified purpose
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Disposing of waste exemption	Both agricultural and non-agricultural waste	Burning waste in the open
N	388m NW	Brooms Farm Chippenham Wiltshire Sn14 7ju	EPR/EF0539LM/A001	Using waste exemption	Both agricultural and non-agricultural waste	Spreading waste on agricultural land to confer benefit
12	401m N	-	WEX318387	Storing waste exemption	On a farm	Storage of sludge
13	431m S	-	WEX366738	Using waste exemption	Not on a farm	Use of waste in construction
14	458m SE	Lanhill Farm Chippenham Wiltshire Sn14 6ly	EPR/XE5380LT/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open

This data is sourced from the Environment Agency and Natural Resources Wales.

4 Current industrial land use



Site Outline

Search buffers in metres (m)

- Recent industrial land uses
- Current or recent petrol stations
- Part A(1) industrial activities
- Licensed pollutant release (Part A(2)/B)
- Licensed Discharges to controlled waters
- Pollution Incidents (EA/NRW)
- Pollution inventory substances
- Pollution inventory waste transfers

4.1 Recent industrial land uses

Records within 250m	37

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Company	Address	Activity	Category
1	**On site**	**Pylon**	**Wiltshire, SN14**	**Electrical Features**	**Infrastructure and Facilities**
2	**On site**	**Pylon**	**Wiltshire, SN14**	**Electrical Features**	**Infrastructure and Facilities**
3	**On site**	**Pylon**	**Wiltshire, SN14**	**Electrical Features**	**Infrastructure and Facilities**

ID	Location	Company	Address	Activity	Category
4	**On site**	**Pylon**	**Wiltshire, SN14**	**Electrical Features**	**Infrastructure and Facilities**
5	**On site**	**Pump**	**Wiltshire, SN14**	**Water Pumping Stations**	**Industrial Features**
C	4m SE	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
7	13m SW	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
8	30m NW	Water Tower	Wiltshire, SN14	Water Pumping Stations	Industrial Features
10	58m S	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
12	78m S	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
13	78m S	Pylon	Wiltshire, SN13	Electrical Features	Infrastructure and Facilities
14	90m S	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
15	93m SE	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
16	123m SE	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
D	145m SE	Business Park	Wiltshire, SN14	Business Parks and Industrial Estates	Industrial Features
E	148m NE	Chippenham Self Storage	Unit 2 Romarsh Building Fowlswick Industrial Estate, Fowlswick Lane, Allington, Wiltshire, SN14 6QE	Container and Storage	Transport, Storage and Delivery
17	162m SE	Slurry Bed	Wiltshire, SN14	Waste Storage, Processing and Disposal	Infrastructure and Facilities
18	163m SE	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
19	164m S	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
E	184m NE	S Freegard	Unit 5 Fowlswick Industrial Estate, Fowlswick Lane, Allington, Chippenham, Wiltshire, SN14 6QE	Vehicle Repair, Testing and Servicing	Repair and Servicing

ID	Location	Company	Address	Activity	Category
G	184m SE	Gas Governor	Wiltshire, SN14	Gas Features	Infrastructure and Facilities
D	192m SE	Polydeck Group	3 Rowan House Sheldon Business Park, Sheldon Corner, Sheldon, Wiltshire, SN14 0SQ	Construction Completion Services	Construction Services
G	208m SE	Electricity Sub Station	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
22	220m SW	Pylon	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities
23	221m S	Pump House	Wiltshire, SN13	Water Pumping Stations	Industrial Features
E	221m E	The Local Salt Man Ltd	Unit 12 Fowlswick Industrial Estate, Fowlswick Lane, Allington, Wiltshire, SN14 6QE	Colours, Chemicals and Water Softeners and Supplies	Industrial Products
H	224m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
E	225m E	Johnson Pump Services	Unit 13a Fowlswick Industrial Estate, Fowlswick Lane, Allington, Wiltshire, SN14 6QE	Industrial Repairs and Servicing	Repair and Servicing
H	227m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
24	233m SE	Wincanton	Methuen Park, Chippenham, Wiltshire, SN14 0WT	Distribution and Haulage	Transport, Storage and Delivery
H	236m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
25	237m SE	Turnpike Business Park	Wiltshire, SN14	Business Parks and Industrial Estates	Industrial Features
H	238m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
26	241m E	Automation Sales Ltd	Unit 14 Fowlswick Industrial Estate, Fowlswick Lane, Allington, Wiltshire, SN14 6QE	Measurement and Inspection Equipment	Industrial Products
H	241m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
H	244m SE	Silo	Wiltshire, SN14	Hoppers and Silos	Farming
I	246m SE	Electricity Sub Station	Wiltshire, SN14	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.

4.2 Current or recent petrol stations

Records within 500m	1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Company	Address	LPG	Status
J	292m SE	SAINSBURYS	Bath Road, Chippenham, Wiltshire, SN14 0BJ	No	Open

This data is sourced from Experian.

4.3 Electricity cables

Records within 500m	0

High voltage underground electricity transmission cables.

This data is sourced from National Grid.

4.4 Gas pipelines

Records within 500m	0

High pressure underground gas transmission pipelines.

This data is sourced from National Grid.

4.5 Sites determined as Contaminated Land

Records within 500m	0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.6 Control of Major Accident Hazards (COMAH)

Records within 500m	0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.7 Regulated explosive sites

Records within 500m	0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.8 Hazardous substance storage/usage

Records within 500m	0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.9 Historical licensed industrial activities (IPC)

Records within 500m	0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed industrial activities (Part A(1))

Records within 500m	10

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Details	
K	436m NW	Operator: MARSH Installation Name: Brooms Farm EPR/YP3230UK Process: ASSOCIATED PROCESS Permit Number: YP3230UK Original Permit Number: YP3230UK	EPR Reference: EPR/YP3230UK Issue Date: 15/04/2021 Effective Date: 15/04/2021 Last date noted as effective: 06/08/2024 Status: Effective
K	436m NW	Operator: MARSH Installation Name: Brooms Farm EPR/YP3230UK Process: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS) Permit Number: YP3230UK Original Permit Number: YP3230UK	EPR Reference: EPR/YP3230UK Issue Date: 15/04/2021 Effective Date: 15/04/2021 Last date noted as effective: 06/08/2024 Status: Effective

ID	Location	Details	
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: ASSOCIATED PROCESS Permit Number: HP3038KW Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 16/04/2010 Effective Date: 16/04/2010 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS) Permit Number: TP3730AW Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 20/05/2015 Effective Date: 20/05/2015 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: ASSOCIATED PROCESS Permit Number: TP3730AW Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 20/05/2015 Effective Date: 20/05/2015 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS) Permit Number: UP3337FU Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 13/09/2012 Effective Date: 13/09/2012 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS) Permit Number: KP3804LS Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 15/04/2021 Effective Date: 15/04/2021 Last date noted as effective: 21/03/2023 Status: Effective
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: ASSOCIATED PROCESS Permit Number: UP3337FU Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 13/09/2012 Effective Date: 13/09/2012 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS) Permit Number: HP3038KW Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 16/04/2010 Effective Date: 16/04/2010 Last date noted as effective: 21/03/2023 Status: Superceded
K	436m NW	Operator: Marsh Installation Name: Brooms Farm EPR/YP3230UK Process: ASSOCIATED PROCESS Permit Number: KP3804LS Original Permit Number: YP3230UK	EPR Reference: - Issue Date: 15/04/2021 Effective Date: 15/04/2021 Last date noted as effective: 21/03/2023 Status: Effective

This data is sourced from the Environment Agency and Natural Resources Wales.

4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m	2

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Address	Details	
21	220m SE	Timpson Supermarket Services, Bath Road, Chippenham, SN14 0BJ	Process: Dry Cleaning Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
J	296m SE	Sainsbury Filling Station, Bath Road, Chippenham, Wiltshire, SN14 0BJ	Process: Unloading of Petrol into Storage at Service Stations Status: Current Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authority records.

4.12 Radioactive Substance Authorisations

Records within 500m	0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Licensed Discharges to controlled waters

Records within 500m	15

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Address	Details	
A	**On site**	**EAST SEVINGTON FARM BARNS, EAST SEVINGTON, NR CHIPPENHAM, WILTSHIRE, SN14 7LD**	**Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY** **Permit Number: 101323** **Permit Version: 1** **Receiving Water: SOAKAWAY**	**Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995)** **Issue date: 11/01/2001** **Effective Date: 14/12/2000** **Revocation Date: 16/12/2012**

ID	Location	Address	Details	
A	**On site**	**EAST SEVINGTON FARM BARNS, EAST SEVINGTON, NR CHIPPENHAM, WILTSHIRE, SN14 7LD**	**Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY** **Permit Number: 101323** **Permit Version: 2** **Receiving Water: SOAKAWAY**	**Status: VARIED UNDER EPR 2010** **Issue date: 17/12/2012** **Effective Date: 17/12/2012** **Revocation Date: -**
9	48m SE	LAND TO NORTH & SOUTH BATH ROAD A4, CHIPPENHAM	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: 011372 Permit Version: 1 Receiving Water: PUDDING BROOK	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 88) Issue date: - Effective Date: 01/09/1989 Revocation Date: 25/11/1999
11	62m SE	5 & 6 SHELDON FARM COTTAGES, THE CORSHAM ESTATE, CHIPPENHAM, WILTSHIRE	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 012214 Permit Version: 1 Receiving Water: LADYFIELD BROOK	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 113 & SCHED 12) Issue date: 28/04/1993 Effective Date: 21/04/1993 Revocation Date: -
F	165m SE	CHIVERLINGS FARM, DERRIADS LANE, CHIPPENHAM, WILTS	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 012441 Permit Version: 1 Receiving Water: SOAKAWAY AND TRIB RIVER AVON	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 113 & SCHED 12) Issue date: 29/03/1995 Effective Date: 21/03/1995 Revocation Date: -
D	176m SE	FORMER SHELDON CORNER BULL STUD, SHELDON, CHIPPENHAM, WILTSHIRE, SN14 0RQ	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 101233 Permit Version: 1 Receiving Water: SOAKAWAY	Status: NEW CONSENT (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 20/09/2000 Effective Date: 31/08/2000 Revocation Date: 16/12/2012
D	176m SE	FORMER SHELDON CORNER BULL STUD, SHELDON, CHIPPENHAM, WILTSHIRE, SN14 0RQ	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 101233 Permit Version: 2 Receiving Water: SOAKAWAY	Status: VARIED UNDER EPR 2010 Issue date: 17/12/2012 Effective Date: 17/12/2012 Revocation Date: -
F	177m SE	CHIVERLINGS FARM, DERRIADS LANE, CHIPPENHAM, WILTS	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 012441 Permit Version: 1 Receiving Water: SOAKAWAY AND TRIB RIVER AVON	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 113 & SCHED 12) Issue date: 29/03/1995 Effective Date: 21/03/1995 Revocation Date: -

ID	Location	Address	Details	
20	179m SE	5 & 6 SHELDON FARM COTTAGES, THE CORSHAM ESTATE, CHIPPENHAM, WILTSHIRE	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 012214 Permit Version: 1 Receiving Water: LADYFIELD BROOK	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 113 & SCHED 12) Issue date: 28/04/1993 Effective Date: 21/04/1993 Revocation Date: -
I	261m SE	BATH ROAD, CHIPPENHAM, WILTSHIRE	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: 011498 Permit Version: 1 Receiving Water: PUDDING BROOK	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: - Effective Date: 02/09/1991 Revocation Date: 26/09/2000
28	285m N	LAND AT EASTON PIERCY LANE, YATTON KEYNELL, CHIPPENHAM, WILTSHIRE	Effluent Type: SEWAGE DISCHARGES - FINAL/TREATED EFFLUENT - NOT WATER COMPANY Permit Number: 011672 Permit Version: 1 Receiving Water: SOAKAWAY	Status: LAPSED UNDER SCHEDULE 23 ENVIRONMENT ACT 1995 Issue date: - Effective Date: 25/03/1991 Revocation Date: 01/10/1996
I	289m SE	BATH ROAD, CHIPPENHAM, WILTSHIRE	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: 011498 Permit Version: 1 Receiving Water: PUDDING BROOK	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: - Effective Date: 02/09/1991 Revocation Date: 26/09/2000
I	297m SE	LAND TO NORTH & SOUTH BATH ROAD A4, CHIPPENHAM	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: 011372 Permit Version: 1 Receiving Water: PUDDING BROOK	Status: NEW CONSENT, BY APPLICATION (WRA 91, SECTION 88) Issue date: - Effective Date: 01/09/1989 Revocation Date: 25/11/1999
29	364m NW	THE STREET, COLDHARBOUR, YATTON KEYNELL, CHIPPENHAM, WILTSHIRE	Effluent Type: MISCELLANEOUS DISCHARGES - SURFACE WATER Permit Number: 011514 Permit Version: 1 Receiving Water: UN NAMED DITCH	Status: REVOKED - APPEAL PERIOD(WATER ACT 1989 SCHED 12, 6 & 8) Issue date: - Effective Date: 25/04/1990 Revocation Date: 11/01/1994
31	480m SE	LANHILL FARM(CHIPPEHAM), CHIPPENHAM, WILTS	Effluent Type: AGRICULTURE - ARABLE FARMING Permit Number: 021191 Permit Version: 1 Receiving Water: TRIB OF RIVER BRISTOL AVON	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: - Effective Date: 31/07/1965 Revocation Date: 22/04/1998

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m	0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m	0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m	0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m	0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m	8

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 42 >**

ID	Location	Details	
6	**On site**	**Incident Date: 12/11/2009** **Incident Identification: 731714** **Pollutant: Pollutant Not Identified** **Pollutant Description: Not Identified**	**Water Impact: Category 2 (Significant)** **Land Impact: Category 4 (No Impact)** **Air Impact: Category 4 (No Impact)**
B	**On site**	**Incident Date: 05/11/2002** **Incident Identification: 118787** **Pollutant: Agricultural Materials and Wastes** **Pollutant Description: Slurry and Dilute Slurry**	**Water Impact: Category 3 (Minor)** **Land Impact: Category 3 (Minor)** **Air Impact: Category 3 (Minor)**
B	**On site**	**Incident Date: 05/11/2002** **Incident Identification: 118787** **Pollutant: Agricultural Materials and Wastes:Agricultural Materials and Wastes:Agricultural Materials and Wastes** **Pollutant Description: Slurry and Dilute Slurry:Solid Manure:Other Agricultural Material or Waste**	**Water Impact: Category 3 (Minor)** **Land Impact: Category 3 (Minor)** **Air Impact: Category 3 (Minor)**
B	**On site**	**Incident Date: 05/11/2002** **Incident Identification: 118787** **Pollutant: Agricultural Materials and Wastes** **Pollutant Description: Other Agricultural Material or Waste**	**Water Impact: Category 3 (Minor)** **Land Impact: Category 3 (Minor)** **Air Impact: Category 3 (Minor)**
B	**On site**	**Incident Date: 05/11/2002** **Incident Identification: 118787** **Pollutant: Agricultural Materials and Wastes** **Pollutant Description: Solid Manure**	**Water Impact: Category 3 (Minor)** **Land Impact: Category 3 (Minor)** **Air Impact: Category 3 (Minor)**
C	32m SE	Incident Date: 04/04/2001 Incident Identification: 1601 Pollutant: Organic Chemicals/Products Pollutant Description: Hydrocarbons	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
27	274m SE	Incident Date: 16/12/2014 Incident Identification: 1301627 Pollutant: Agricultural Materials and Wastes Pollutant Description: Slurry and Dilute Slurry	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
30	472m SE	Incident Date: 24/06/2002 Incident Identification: 86988 Pollutant: Inert Materials and Wastes Pollutant Description: Soils and Clay	Water Impact: Category 4 (No Impact) Land Impact: Category 3 (Minor) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m	3

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

Features are displayed on the Current industrial land use map on **page 42 >**

ID: K, Location: 436m NW, Permit: YP3230UK
Operator: Marsh
Activity: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS)
Address: Brooms Farm Yatton Keynall Wiltshire SN14 7JU
Sector Agriculture, Sub-sector: Intensive Farming
Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Nitrogen oxides (NO and NO2) as NO2	100000kg	Below Reporting Threshold

ID: K, Location: 436m NW, Permit: YP3230UK
Operator: Marsh
Activity: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS)
Address: Brooms Farm Yatton Keynall Wiltshire SN14 7JU
Sector Agriculture, Sub-sector: Intensive Farming
Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Methane	10000kg	31500kg

ID: K, Location: 436m NW, Permit: YP3230UK
Operator: Marsh
Activity: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS)
Address: Brooms Farm Yatton Keynall Wiltshire SN14 7JU
Sector Agriculture, Sub-sector: Intensive Farming
Releases:

Route	Substance	Reporting threshold (kg)	Quantity (kg)
Air	Ammonia	1000kg	12587kg

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m	1

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

Features are displayed on the Current industrial land use map on **page 42 >**

ID: K, Location: 436m NW, Permit: YP3230UK
Operator: Marsh
Activity: INTENSIVE FARMING; > 2,000 PIGS (PRODUCTION PIGS)
Address: Brooms Farm Yatton Keynall Wiltshire SN14 7JU
Sector Agriculture, Sub-sector: Intensive Farming
Releases:

Route	Route description	Quantity (tonnes)	Release level	EWC code	EWC description	Hazardous waste
R5	Recycling/reclamation of other inorganic materials	Below Reporting Threshold	Below Reporting Threshold	02 01 04	waste plastics (except packaging)	No
D1	Deposit into or onto land (eg landfill, etc.)	Below Reporting Threshold	Below Reporting Threshold	18 02 01	sharps (except 18 02 02)	No
R5	Recycling/reclamation of other inorganic materials	Below Reporting Threshold	Below Reporting Threshold	15 01 02	plastic packaging	No
D1	Deposit into or onto land (eg landfill, etc.)	Below Reporting Threshold	Below Reporting Threshold	15 01 06	mixed packaging	No

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.


4.21 Pollution inventory radioactive waste

Records within 500m	0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

5 Hydrogeology - Superficial aquifer



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

Site Outline

Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive
- Unknown

5.1 Superficial aquifer

Records within 500m	3

Aquifer status of groundwater held within superficial geology.


Features are displayed on the Hydrogeology map on **page 55 >**

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

ID	Location	Designation	Description
3	317m SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Bedrock aquifer



Site Outline

Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive

5.2 Bedrock aquifer

Records within 500m	15

Aquifer status of groundwater held within bedrock geology.


Features are displayed on the Bedrock aquifer map on **page 57 >**

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

ID	Location	Designation	Description
3	**On site**	**Unproductive**	**These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow**
4	**On site**	**Unproductive**	**These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow**
5	**On site**	**Unproductive**	**These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow**
6	**On site**	**Unproductive**	**These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow**
7	**On site**	**Unproductive**	**These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow**
8	61m SE	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
9	91m S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
10	105m S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
11	253m S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
12	308m SE	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
13	331m SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
14	480m SE	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
15	481m NW	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m	45

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 59 >**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
2	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: Medium Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
3	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Unproductive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
4	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
5	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
6	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
7	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
8	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
9	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
10	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
11	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
12	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
13	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
14	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
15	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
16	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
17	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
18	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
19	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
20	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Low Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
21	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
22	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
23	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
24	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
25	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
26	On site	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
A	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
B	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
C	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
D	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
E	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
F	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
G	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
H	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
I	On site	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
J	**On site**	**Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer**	**Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year**	**Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data**	**Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures**
K	**On site**	**Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer**	**Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year**	**Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data**	**Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures**
L	**On site**	**Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer**	**Leaching class: Intermediate Infiltration value: 40-70% Dilution value: 300-550mm/year**	**Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data**	**Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures**
36	6m SE	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures
37	11m SE	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
38	15m SE	Summary Classification: Secondary bedrock aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: High Aquifer type: Secondary Flow mechanism: Well connected fractures

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
39	19m SE	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
40	21m N	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
41	25m SE	Summary Classification: Unproductive aquifer (may have productive aquifer beneath) Combined classification: Unproductive Bedrock Aquifer, No Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures
42	26m SE	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Unproductive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: High Infiltration value: >70% Dilution value: 300-550mm/year	Vulnerability: High Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: No Data	Vulnerability: Unproductive Aquifer type: Unproductive Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	**21**

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
27	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**16.0%**

ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
28	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**2.0%**
29	**Very significant soluble rocks are likely to be present with a moderate possibility of localised natural subsidence or dissolution-related degradation of bedrock, especially in adverse conditions such as concentrated surface or subsurface water flow.**	**5.0%**
30	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**0.0%**
31	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**13.0%**
32	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**1.0%**
33	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**1.0%**
34	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**1.0%**
35	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**54.0%**
A	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**48.0%**
B	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**52.0%**
C	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**63.0%**
D	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**78.0%**

ID	Maximum soluble risk category	Percentage of grid square covered by maximum risk
E	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**0.0%**
F	**Very significant soluble rocks are likely to be present with a moderate possibility of localised natural subsidence or dissolution-related degradation of bedrock, especially in adverse conditions such as concentrated surface or subsurface water flow.**	**2.0%**
G	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**79.0%**
H	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**74.0%**
I	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**28.999999999999996%**
J	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**59.0%**
K	**Significant soluble rocks are likely to be present. Problems unlikely except with considerable surface or subsurface water flow.**	**11.0%**
L	**Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.**	**0.0%**

This data is sourced from the British Geological Survey and the Environment Agency.


5.5 Groundwater vulnerability- local information

Records on site	**0**

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



Site Outline

Search buffers in metres (m)

- Source Protection Zone 1 — Inner catchment
- Source Protection Zone 2 — Outer catchment
- Source Protection Zone 3 — Total catchment
- Source Protection Zone 4 — Zone of Special Interest
- Source Protection Zone 1c — Inner catchment - confined aquifer
- Source Protection Zone 2c — Outer catchment - confined aquifer
- Source Protection Zone 3c — Total catchment - confined aquifer
- Drinking water abstraction licences
- Drinking water abstraction licences — Polygon features
- Drinking water abstraction licences — Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m	4

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 70 >**

ID	Location	Details	
5	457m NW	Status: Active Licence No: SW/053/0006/008 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Ground Water - Fresh Point: BROOMS FARM BOREHOLE Data Type: Point Name: S W & S E Marsh Easting: 386158 Northing: 177454	Annual Volume (m^3): 16425 Max Daily Volume (m^3): 45 Original Application No: NPS/WR/013890 Original Start Date: 14/11/2013 Expiry Date: 31/03/2029 Issue No: 1 Version Start Date: 14/11/2013 Version End Date: -
7	1697m SE	Status: Historical Licence No: 17/53/001/G/465 Details: Spray Irrigation - Direct Direct Source: Ground Water - Fresh Point: NEW BOREHOLE AT SHOWELL NURSERIES Data Type: Point Name: Glen Easting: 391180 Northing: 171220	Annual Volume (m^3): 5000 Max Daily Volume (m^3): 190 Original Application No: - Original Start Date: 30/01/2003 Expiry Date: 31/03/2017 Issue No: 101 Version Start Date: 30/01/2003 Version End Date: -
8	1756m SE	Status: Historical Licence No: 17/53/001/G/287 Details: Spray Irrigation - Direct Direct Source: Ground Water - Fresh Point: SHOWELL IRRIGATION WELL Data Type: Point Name: Glen Easting: 391140 Northing: 171040	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 24/03/1966 Expiry Date: - Issue No: 101 Version Start Date: 30/01/2003 Version End Date: -
9	1774m SE	Status: Historical Licence No: 17/53/001/G/287 Details: Spray Irrigation - Direct Direct Source: Ground Water - Fresh Point: WELL Data Type: Point Name: Glen & Sons Ltd Easting: 391200 Northing: 171100	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 24/03/1966 Expiry Date: - Issue No: 100 Version Start Date: 24/03/1966 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m	**0**

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m	0

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	3

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

Features are displayed on the Abstractions and Source Protection Zones map on **page 70 >**

ID	Location	Type	Description
1	**On site**	**3**	**Total catchment**
2	**On site**	**2**	**Outer catchment**
4	408m E	3	Total catchment

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	1


Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

Features are displayed on the Abstractions and Source Protection Zones map on **page 70 >**

ID	Location	Type	Description
3	**On site**	**2c**	**Outer catchment within confined aquifer**

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



Site Outline

Search buffers in metres (m)

Water Network (OS MasterMap)

Surface water features (wider than 5m)

Surface water features (narrower than 5m)

WFD River, canal and surface water transfer water bodies

WFD Lake water bodies

WFD Transitional and coastal water bodies

WFD Surface water body catchments boundaries

WFD Groundwater body boundaries

6.1 Water Network (OS MasterMap)

Records within 250m	188

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 73 >**

ID	Location	Type of water feature	Ground level	Permanence	Name
1	**On site**	**Inland river not influenced by normal tidal action.**	**Not provided**	**Watercourse contains water year round (in normal circumstances)**	-

ID	Location	Type of water feature	Ground level	Permanence	Name
2	On site	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
3	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
4	On site	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
5	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
6	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
7	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
8	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
9	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
10	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
11	On site	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
12	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
13	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
14	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
15	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
A	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
B	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
C	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
D	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
E	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
F	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
G	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
H	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
I	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
J	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
K	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
L	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
M	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
N	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
O	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
P	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
P	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
Q	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
S	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
T	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
U	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
U	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
U	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
V	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
W	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
X	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
Y	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
Y	**On site**	**Inland river not influenced by normal tidal action.**	**Underground**	**Watercourse contains water year round (in normal circumstances)**	**-**
Y	**On site**	**Inland river not influenced by normal tidal action.**	**Underground**	**Watercourse contains water year round (in normal circumstances)**	**-**
Z	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
AA	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
AB	**On site**	**Inland river not influenced by normal tidal action.**	**Underground**	**Watercourse contains water year round (in normal circumstances)**	**-**
AB	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
AB	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
AB	**On site**	**Inland river not influenced by normal tidal action.**	**On ground surface**	**Watercourse contains water year round (in normal circumstances)**	**-**
I	1m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AE	1m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	1m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AF	1m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
23	2m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
24	2m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AB	2m E	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AG	2m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AH	2m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	2m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	2m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
R	2m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
26	3m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AI	3m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AJ	3m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AJ	5m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AK	6m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
AJ	6m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AL	6m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AJ	7m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AM	9m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AN	9m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AO	11m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	18m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AP	23m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AK	33m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Pudding Brook
AP	34m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AQ	36m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AR	36m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AS	39m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
AJ	40m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AT	44m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
29	53m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Pudding Brook
AD	56m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AT	57m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AD	60m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AU	62m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
O	66m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AR	66m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AV	67m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AW	69m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AU	69m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AX	80m N	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
AV	90m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AX	92m N	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AX	92m N	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AY	94m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
31	94m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AV	94m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
32	96m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Pudding Brook
R	98m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AZ	98m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
R	100m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
33	101m N	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
AV	113m SE	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AV	113m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
AV	113m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	125m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BA	129m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BB	130m SE	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BB	133m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BC	137m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BD	145m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BE	145m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AV	148m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AV	148m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
AV	149m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BB	150m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BF	152m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
BG	152m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
34	153m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BH	154m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BG	160m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BI	161m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BJ	175m SW	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BJ	182m SW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
35	186m N	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
36	193m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BG	194m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BK	194m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BL	195m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
37	197m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
BN	197m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
AV	198m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BO	199m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BP	200m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BQ	200m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	Pudding Brook
BR	200m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BN	201m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	202m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BA	204m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
38	211m N	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BS	212m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	214m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BT	218m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
BU	219m S	Lake, loch or reservoir.	On ground surface	Watercourse contains water year round (in normal circumstances)	Hardenhuish Brook
BV	223m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BO	225m S	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BW	232m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BE	233m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BX	234m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BE	234m S	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	237m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BW	237m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	238m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BN	239m NE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BW	239m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BN	239m NE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
40	242m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BY	244m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
BA	245m N	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
BZ	245m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
CA	247m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.

6.2 Surface water features

Records within 250m	66

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 73 >**

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site	5

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 73 >**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
16	**On site**	**River**	**Pudding Bk - source to conf R Avon (Brist)**	**GB109053027410**	**Avon Bristol Rural**	**Avon Bristol and Somerset Nort**
17	**On site**	**River**	**Avon (Brist) conf R Marden to conf Semington Bk**	**GB109053027440**	**Avon Bristol Rural**	**Avon Bristol and Somerset Nort**
18	**On site**	**River**	**By Brook (Broadmead Bk to Doncombe Bk)**	**GB109053027480**	**Avon Bristol Rural**	**Avon Bristol and Somerset Nort**
19	**On site**	**River**	**Rodbourne Bk - source to conf R Avon (Brist)**	**GB109053027720**	**Avon Bristol Rural**	**Avon Bristol and Somerset Nort**
20	**On site**	**River**	**Sutton Benger Bk - source to conf R Avon (Brist)**	**GB109053027700**	**Avon Bristol Rural**	**Avon Bristol and Somerset Nort**

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified	**5**

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 73 >**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	1231m SE	River	Pudding Bk - source to conf R Avon (Brist)	GB109053027410 ↗	Moderate	Fail	Good	2019
-	1830m W	River	By Brook (Broadmead Bk to Doncombe Bk)	GB109053027480 ↗	Moderate	Fail	Moderate	2019
-	2131m SE	River	Avon (Brist) conf R Marden to conf Semington Bk	GB109053027440 ↗	Moderate	Fail	Moderate	2019
-	3474m NE	River	Rodbourne Bk - source to conf R Avon (Brist)	GB109053027720 ↗	Moderate	Fail	Moderate	2019

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	3670m NE	River	Sutton Benger Bk - source to conf R Avon (Brist)	GB109053027700 ↗	Moderate	Fail	Good	2019

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site	2


Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on **page 73 >**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
21	**On site**	**South of Malmesbury**	**GB40901G806000 ↗**	**Good**	**Good**	**Good**	**2019**
22	**On site**	**Bristol Avon Forest Marble**	**GB40902G302900 ↗**	**Good**	**Good**	**Good**	**2019**

This data is sourced from the Environment Agency and Natural Resources Wales.

7 River and coastal flooding



7.1 Risk of flooding from rivers and the sea

Records within 50m	30

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

Features are displayed on the River and coastal flooding map on **page 91 >**

Distance	Flood risk category
On site	**High**
0 - 50m	High

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m	**7**

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

Features are displayed on the River and coastal flooding map on **page 91 >**

ID	Location	Event name	Date of flood	Flood source	Flood cause	Type of flood
C	9m SE	This Represents Flooding In The Area In 1978	1978-03-06 1978-03-06	Ordinary watercourse	Obstruction/blockage - culvert	Fluvial
C	11m SE	This Represents Flooding In The Area In 1960	1960-12-04 1960-12-04	Ordinary watercourse	Other	Fluvial
35	186m SE	Ea112_Ladyfield Brook (Nmr Sect) _Chippenham	1968-07-10 1968-07-15	Ordinary watercourse	Channel capacity exceeded (no raised defences)	Fluvial
F	191m NW	This Represents Flooding In The Area In 1960	1960-12-04 1960-12-05	Ordinary watercourse	Obstruction/blockage - channel	Fluvial
F	191m NW	This Represents Flooding In The Area In 1965	1965-12-18 1965-12-18	Ordinary watercourse	Local drainage/surface water	Fluvial
F	191m NW	This Represents Flooding In The Area In 1995	1995-08-01 1995-08-01	Unknown	Unknown	Fluvial
J	230m SE	Ea112_Ladyfield Brook (Nmr Sect) _Chippenham	1968-07-10 1968-07-15	Ordinary watercourse	Channel capacity exceeded (no raised defences)	Fluvial

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m	0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Areas Benefiting from Flood Defences

Records within 250m	0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.


7.5 Flood Storage Areas

Records within 250m	0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.

River and coastal flooding - Flood Zones



7.6 Flood Zone 2

Records within 50m	1

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

Features are displayed on the River and coastal flooding map on **page 91 >**

Location	Type
On site	**Zone 2 - (Fluvial /Tidal Models)**

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m	1


Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

Features are displayed on the River and coastal flooding map on **page 91 >**

Location	Type
On site	**Zone 3 - (Fluvial Models)**

This data is sourced from the Environment Agency and Natural Resources Wales.

8 Surface water flooding



8.1 Surface water flooding

Highest risk on site	**1 in 30 year, Greater than 1.0m**
Highest risk within 50m	**1 in 30 year, Greater than 1.0m**

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 96 >**


The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.

The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Greater than 1.0m
1 in 250 year	Greater than 1.0m
1 in 100 year	Greater than 1.0m
1 in 30 year	Greater than 1.0m

This data is sourced from Ambiental Risk Analytics.

9 Groundwater flooding


A350
Easton Lane
Chippenham Lane
Jackson's Lane
Tetton Road
Kington Langley
Yatton Keynell
Upper Castle Combe
Lower Castle Combe
Kington St Michael
Sopworth
Hartham Lane
Hay Wood
White Wood
Julians Wood
Square Copse
Tetton Hill
Tetton Wood
Lea Hill
Lea Wood
Bradenstoke
Langley Burrell
Chippenham
Hardenhuish
Pippenmarsh
Tytherton Lucas
Tytherton Kellaways
Kellaways
Bincknoll Wood
Bincknoll Lane
Kellaways Bridge
Kellaways Lane
Kellaways Farm
Kellaways Manor
Kellaways Wood
Kellaways Grange
Kellaways Grange Farm
Kellaways Grange Cottages
Kellaways Grange Barn
Kellaways Grange Farmhouse
Kellaways Grange Cottage

10 Environmental designations



Site Outline

Search buffers in metres (m)

Sites of Special Scientific Interest (SSSI)

Special Areas of Conservation (SAC)

Local Nature Reserves (LNR)

Designated Ancient Woodland

Green Belt

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m	1

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

Features are displayed on the Environmental designations map on **page 99 >**

ID	Location	Name	Data source
11	1405m W	West Yatton Down	Natural England

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m	0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m	0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m	0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m	0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m	0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m	19

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on **page 99 >**

ID	Location	Name	Woodland Type
1	**On site**	**Unknown**	**Ancient & Semi-Natural Woodland**
2	27m S	Unknown	Ancient & Semi-Natural Woodland
3	422m S	Jubilee Wood	Ancient & Semi-Natural Woodland
4	456m S	Jubilee Wood	Ancient Replanted Woodland
5	619m S	Briary Wood	Ancient Replanted Woodland
6	654m SE	Unknown	Ancient & Semi-Natural Woodland
7	763m S	Unknown	Ancient Replanted Woodland
8	848m S	Unknown	Ancient Replanted Woodland
9	875m S	Unknown	Ancient & Semi-Natural Woodland
10	1014m N	Leigh Delamare Wood	Ancient & Semi-Natural Woodland
12	1478m N	Stanton Park	Ancient & Semi-Natural Woodland
13	1497m N	Stanton Park	Ancient Replanted Woodland
14	1501m N	Stanton Park	Ancient Replanted Woodland
15	1504m N	Stanton Park	Ancient Replanted Woodland
16	1512m E	Heywood/white Wood	Ancient Replanted Woodland
17	1561m NE	Easton Wood	Ancient & Semi-Natural Woodland

ID	Location	Name	Woodland Type
18	1650m NE	Priory Wood	Ancient & Semi-Natural Woodland
19	1676m N	Stanton Park	Ancient & Semi-Natural Woodland
20	1735m SW	Mercombe Wood	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m	0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m	0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m	0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m	0

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m	0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m	0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m	0

Special Protection Areas (SPAs) are areas designated (or ‘classified’) under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m	0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones


Records within 2000m	**1**

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
1872m S	Bydemill Bk - source to conf RIver Avon (Brist) NVZ	Surface Water	560	Existing

This data is sourced from Natural England and Natural Resources Wales.

SSSI Impact Zones and Units


500
1000
Chippenham
Kington St Michael
Stanton St Quintin
Allington
Cocklebury
Pudding Pie Hill
Yatton Keynell
Castle Combe
Biddestone
Slaughterford
Corsham
Pickwick
Lacock
Bowden Hill
Chippenham Lane
Heavens Lane
Northampton Lane
Jackson's Lane
Day's Lane
Ivy Road
Allington Bar
Pudding Pie Road
Bowden Park
Bowden Hill Plantation
Sheldon Wood
Pewsham Wood
Monkton Park
Monkton Park Golf Club
Pewsham Way
Forest Road
Lime Down
Lime Down Lane
Sheldon Road
Sheldon Corner
Pewsham Corner
Pewsham Lane
Lodge Road
Lodge Hill
Lodge Hill Plantation
Cocklebury Wood
Cocklebury Plantation
Cocklebury Farm
Cocklebury Meadows
Cocklebury Road
Cocklebury Lane
Cocklebury Barn
Cocklebury Cottages
Cocklebury Copse
Cocklebury Meadow
Cocklebury Park
Cocklebury Park Golf Club
Cocklebury Park Golf Course
Cocklebury Park Golf Club House
Cocklebury Park Golf Club Car Park
Cocklebury Park Golf Club Practice Ground
Cocklebury Park Golf Club Practice Ground Car Park
Cocklebury Park Golf Club Practice Ground Club House
Cocklebury Park Golf Club Practice Ground Club House Car Park
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road
Cocklebury Park Golf Club Practice Ground Club House Car Park Entrance Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction Roundabout Island Road Junction
Cocklebury Park Golf Club Practice Ground Club House Car Park Exit Road Junction Roundabout Island Road

ID	Location	Type of developments requiring consultation
2	On site	**Infrastructure - Airports, helipads and other aviation proposals. Minerals, Oil and Gas - Planning applications for quarries, including: new proposals, Review of Minerals Permissions (ROMP), extensions, variations to conditions etc. Oil & gas exploration/extraction. Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 200m², manure stores > 250t). Combustion - General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion. Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill. Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management. Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream.**
3	On site	**Infrastructure - Airports, helipads and other aviation proposals. Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 200m², manure stores > 250t). Combustion - General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion. Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill. Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management.**
4	On site	**Infrastructure - Airports, helipads and other aviation proposals. Air pollution - Livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 750m², manure stores > 3500t.**
5	On site	**Infrastructure - Airports, helipads and other aviation proposals. Air pollution - Livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 750m², manure stores > 3500t. Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream.**
6	On site	**Infrastructure - Airports, helipads and other aviation proposals. Minerals, Oil and Gas - Planning applications for quarries, including: new proposals, Review of Minerals Permissions (ROMP), extensions, variations to conditions etc. Oil & gas exploration/extraction. Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 200m², manure stores > 250t). Combustion - General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion. Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill. Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management.**

ID	Location	Type of developments requiring consultation
7	On site	**Infrastructure - Airports, helipads and other aviation proposals.** **Air pollution - Any industrial/agricultural development that could cause AIR POLLUTION (incl: industrial processes, livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 200m², manure stores > 250t).** **Combustion - General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.** **Waste - Landfill. Incl: inert landfill, non-hazardous landfill, hazardous landfill.** **Composting - Any composting proposal with more than 75000 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management.** **Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream.**
8	On site	**All applications - All planning applications (except householder) outside or extending outside existing settlements/urban areas affecting greenspace, farmland, semi natural habitats or landscape features such as trees, hedges, streams, rural buildings/structures.** **Infrastructure - Airports, helipads and other aviation proposals.** **Air pollution - Livestock & poultry units with floorspace > 500m², slurry lagoons & digestate stores > 750m², manure stores > 3500t.** **Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream.**

This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m	**1**

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

Features are displayed on the SSSI Impact Zones and Units map on **page 105 >**


ID: A
Location: 1405m W
SSSI name: West Yatton Down
Unit name: 1
Broad habitat: Calcareous Grassland - Lowland
Condition: Unfavourable - Recovering
Reportable features:

Feature name	Feature condition	Date of assessment
Lowland calcareous grassland (CG3-5)	Favourable	10/10/2006

Feature name	Feature condition	Date of assessment
Population of nationally scarce butterfly species - Hamearis lucina, Duke of Burgundy	Unfavourable - Recovering	07/12/2009

This data is sourced from Natural England and Natural Resources Wales.

11 Visual and cultural designations



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

Site Outline

Search buffers in metres (m)

- Listed buildings
- Conservation areas
- Conservation areas - no data
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites

11.1 World Heritage Sites

Records within 250m	0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m	1

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

Features are displayed on the Visual and cultural designations map on **page 109 >**

ID	Location	NAME	Data Source
9	**On site**	**Cotswolds**	**Natural England**

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m	0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m	25

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on **page 109 >**

ID	Location	Name	Grade	Reference Number	Listed date
1	**On site**	**Sevington Farmhouse**	**II**	**1022296**	**29/02/1988**
2	**On site**	**Barn At Sevington Farm**	**II**	**1198544**	**16/06/1981**

ID	Location	Name	Grade	Reference Number	Listed date
3	**On site**	**Green Cottage**	**II**	**1198559**	**29/02/1988**
4	**On site**	**Sevington House**	**II**	**1198577**	**29/02/1988**
5	**On site**	**Holly Tree Cottage** **The Cottage**	**II**	**1363845**	**29/02/1988**
6	**On site**	**The Horseshoes**	**II**	**1363846**	**20/12/1960**
7	**On site**	**Rose Cottage** **The Cottage**	**II**	**1363883**	**29/02/1988**
A	**On site**	**Former School And School House**	**II***	**1022297**	**29/02/1988**
A	**On site**	**Moss Delph** **Wavertree Cottage**	**II**	**1198571**	**29/02/1988**
10	15m N	Park Farm Cottage	II	1392380	24/01/2008
B	26m S	Barn Range At Starveall Farm	II	1022896	09/12/1985
B	29m S	Starveall Farmhouse	II	1199273	09/12/1985
11	47m NW	Park Farmhouse	II	1183712	09/12/1985
13	64m NW	Folly Farmhouse	II	1023020	09/12/1985
14	80m S	Sparrow Farmhouse And Dovecote Cottage Attached	II	1022904	09/12/1985
16	147m SE	Chiverlins Farmhouse	II	1022903	09/12/1985
17	150m NE	Barn To North West Of Fowlswick Farmhouse	II	1363564	09/12/1985
18	152m NW	Grove Cottage	II	1023021	09/12/1985
20	184m E	Fowlswick Farmhouse	II	1199330	20/12/1960
21	196m N	Grove Farmhouse	II	1300464	09/12/1985
22	198m N	Ryleys Farmhouse	II	1022313	29/02/1988
23	205m SE	Sheldon Farmhouse	II	1022910	09/12/1985
24	232m NW	West Sevington Farmhouse	II	1022307	29/02/1988
26	237m S	Middlehill Farmhouse	II	1022895	09/12/1985
27	249m S	Wellclose Farmhouse	II	1199335	09/12/1985

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m	2

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

Features are displayed on the Visual and cultural designations map on **page 109 >**

ID	Location	Name	District	Date of designation
8	**On site**	**Sevington**	**Wiltshire**	**unknown**
15	112m NW	Yatton Keynell	Wiltshire	unknown

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m	2

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

Features are displayed on the Visual and cultural designations map on **page 109 >**

ID	Location	Ancient monument name	Reference number
12	56m S	Medieval settlement of Sheldon	1018428
25	234m S	Lanhill Barrow: a long barrow 300m south of Sparrow Farm	1010908

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m	1


Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

Features are displayed on the Visual and cultural designations map on **page 109 >**

ID	Location	Name	Grade
19	166m SE	Sheldon Manor	II

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

12 Agricultural designations



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

12.1 Agricultural Land Classification

Records within 250m	2

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 114 >**

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

ID	Location	Classification	Description
2	**On site**	**Grade 3**	**Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.**

This data is sourced from Natural England.

12.2 Open Access Land

Records within 250m	**0**

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m	**11**

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

Features are displayed on the Agricultural designations map on **page 114 >**

ID	Location	Description	Reference	Application date
3	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
4	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
5	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
6	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
7	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
8	**On site**	**Selective Fell/Thin (Unconditional)**	**018/366/15-16**	**-**
9	17m N	Selective Fell/Thin (Unconditional)	018/249/00-01	29/01/2001
10	19m N	Selective Fell/Thin (Unconditional)	018/366/15-16	-
11	23m N	Selective Fell/Thin (Unconditional)	018/366/15-16	-
12	186m N	Selective Fell/Thin (Unconditional)	018/366/15-16	-

ID	Location	Description	Reference	Application date
13	194m N	Selective Fell/Thin (Unconditional)	018/366/15-16	-

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m **9**

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

Location	Reference	Scheme	Start Date	End date
On site	**AG00608072**	**Organic Entry Level Stewardship**	**01/10/2014**	**30/09/2019**
On site	**AG00404267**	**Entry Level plus Higher Level Stewardship**	**01/12/2012**	**30/11/2022**
1m S	AG00404267	Entry Level plus Higher Level Stewardship	01/12/2012	30/11/2022
9m NW	AG00438030	Organic Entry Level plus Higher Level Stewardship	01/11/2008	31/10/2018
11m NW	AG00533072	Entry Level Stewardship	01/10/2013	30/09/2018
32m SE	AG00283056	Entry Level plus Higher Level Stewardship	01/02/2009	31/01/2023
47m N	AG00499570	Organic Entry Level plus Higher Level Stewardship	01/05/2009	30/04/2019
100m NW	AG00533072	Entry Level Stewardship	01/10/2013	30/09/2018
122m SE	AG00283056	Entry Level plus Higher Level Stewardship	01/02/2009	31/01/2023

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m **55**

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.


Location	Reference	Scheme	Start Date	End Date
On site	**1258566**	**Countryside Stewardship (Middle Tier)**	**01/01/2022**	**31/12/2026**
On site	**1266538**	**Countryside Stewardship (Middle Tier)**	**01/01/2022**	**31/12/2026**
On site	**1054358**	**Countryside Stewardship (Middle Tier)**	**01/01/2021**	**31/12/2025**

Location	Reference	Scheme	Start Date	End Date
On site	1054358	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1048558	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1048558	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1438764	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	822509	Countryside Stewardship (Middle Tier)	01/01/2020	31/12/2024
On site	822509	Countryside Stewardship (Middle Tier)	01/01/2020	31/12/2024
On site	1631352	Tree Health Restoration	01/02/2024	31/01/2027
On site	1457283	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1457283	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1457283	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1267688	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1447770	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1455685	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1455685	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1455685	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1455685	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
On site	1259155	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1259155	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1269064	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1265268	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1030449	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1030449	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
On site	1166946	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
On site	1453616	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027

Location	Reference	Scheme	Start Date	End Date
On site	**1453616**	**Countryside Stewardship (Middle Tier)**	**01/01/2023**	**31/12/2027**
9m NW	1633831	Countryside Stewardship (Higher Tier)	01/01/2024	31/12/2028
11m NW	1447770	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
11m NW	827842	Countryside Stewardship (Middle Tier)	01/01/2020	31/12/2024
26m S	760283	Countryside Stewardship (Higher Tier)	01/01/2020	31/12/2024
30m S	1262423	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
31m W	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
100m NW	827842	Countryside Stewardship (Middle Tier)	01/01/2020	31/12/2024
104m S	1262423	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
104m S	1681316	Countryside Stewardship (Higher Tier)	01/01/2024	31/12/2026
119m S	1052853	Countryside Stewardship (Middle Tier)	01/01/2021	31/12/2025
129m SE	1166946	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
131m SE	1457283	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
134m S	1631352	Tree Health Restoration	01/02/2024	31/01/2027
142m S	1681316	Countryside Stewardship (Higher Tier)	01/01/2024	31/12/2026
164m S	1262423	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
190m S	1559113	Tree Health Restoration	01/09/2023	31/08/2026
194m SE	1457283	Countryside Stewardship (Middle Tier)	01/01/2023	31/12/2027
209m S	1677610	Countryside Stewardship (Higher Tier)	01/01/2024	31/12/2026
209m S	1266637	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
214m N	1660628	Countryside Stewardship (Higher Tier)	01/11/2023	31/10/2026
215m S	1681316	Countryside Stewardship (Higher Tier)	01/01/2024	31/12/2026
225m E	1267688	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026
235m NW	1270330	Countryside Stewardship (Middle Tier)	01/01/2022	31/12/2026

This data is sourced from Natural England.

13 Habitat designations



Site Outline

Search buffers in metres (m)

Priority Habitat Inventory
Open Mosaic Habitat
Limestone Pavement Orders

Habitat Networks
Primary Habitat
Restorable Habitat
Associated Habitats
Habitat Restoration-Creation
Network Enhancement Zone 1
Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m	32

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on **page 119 >**

ID	Location	Main Habitat	Other habitats
1	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
3	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
4	On site	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

ID	Location	Main Habitat	Other habitats
5	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
6	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
7	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
8	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
9	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
10	**On site**	**Deciduous woodland**	**Main habitat: DWOOD (INV > 50%)**
11	1m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
12	2m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
13	6m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
A	37m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
A	39m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
14	67m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
15	68m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
16	73m S	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
17	76m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
18	104m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
19	133m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
20	147m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
21	156m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
22	165m SE	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
23	165m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
24	190m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
25	207m N	Traditional orchard	Overruled by Traditional Orchards HAP Inventory dataset
26	220m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
27	221m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
28	240m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
29	243m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
30	247m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m	0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m	0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.


13.4 Limestone Pavement Orders

Records within 250m	0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.

14 Geology 1:10,000 scale - Availability


500
1000
Chippenham
Corsham
Chippenham Lane
Jackson's Lane
Ham Lane
Pickwick
Kington St Michael
Kington Langley
Stanton St Quintin
Sheldon's Brake
Allington
Birdsmoor
Ford
Castle Combe
Upper Castle Combe
Littleton Drew
Gastard
Yatton Keynell
Hazelton Lane
Maud Heath's Causeway
Stevens Lane
Pudding Pie Hill
Bincknoll Castle
Old Coach Road
Fosse Way
A420
A4
A429
A4174
B4069
B4528
B4039
B4122
B4353
B4528
Dray's Lane
Parsonage Down
Bincknoll Wood
Yatton Keynell Quarry
Chippenham Park
Pickwick Manor
Pickwick Lake
Pickwick Wood
Brown's Wood
Long Ball
Hazelton Park
Hazelton Wood
Hazelton Farm
Hazelton Plantation
Hazelton Quarry
Hazelton Lane
Hazelton Wood
Hazelton Park

Geology 1:10,000 scale - Artificial and made ground


14.2 Artificial and made ground (10k)

Records within 500m	0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (10k)

Superficial geology (10k)
Please see table for more details.

14.3 Superficial geology (10k)

Records within 500m **4**

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 124 >**

ID	Location	LEX Code	Description	Rock description
1	**On site**	**ALV-XSWCV**	**Alluvium - Sand With Clay And Gravel**	**Sand With Clay And Gravel [unlithified Deposits Coding Scheme - Extended]**

ID	Location	LEX Code	Description	Rock description
2	**On site**	**ALV-XSWCV**	**Alluvium - Sand With Clay And Gravel**	**Sand With Clay And Gravel [unlithified Deposits Coding Scheme - Extended]**
3	295m S	ALV-XSWCV	Alluvium - Sand With Clay And Gravel	Sand With Clay And Gravel [unlithified Deposits Coding Scheme - Extended]
4	313m SE	ALV-XCZ	Alluvium - Clay And Silt	Clay And Silt

This data is sourced from the British Geological Survey.


14.4 Landslip (10k)

Records within 500m	**0**

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Bedrock



Site Outline

Search buffers in metres (m)

Bedrock faults and other linear features (10k)

Bedrock geology (10k)
Please see table for more details.

14.5 Bedrock geology (10k)

Records within 500m	32

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 126 >**

ID	Location	LEX Code	Description	Rock age
1	On site	KLB-SDSM	Kellaways Formation - Sandstone, Siltstone And Mudstone	Callovian Age
2	On site	FMB-MDST	Forest Marble Formation - Mudstone	Bathonian Age
3	On site	FMB-MDST	Forest Marble Formation - Mudstone	Bathonian Age

ID	Location	LEX Code	Description	Rock age
4	**On site**	**FMB-MDST**	**Forest Marble Formation - Mudstone**	**Bathonian Age**
5	**On site**	**KLC-MDST**	**Kellaways Clay Member - Mudstone**	**Callovian Age**
6	**On site**	**KLC-MDST**	**Kellaways Clay Member - Mudstone**	**Callovian Age**
7	**On site**	**FMB-MDST**	**Forest Marble Formation - Mudstone**	**Bathonian Age**
8	**On site**	**KLC-MDST**	**Kellaways Clay Member - Mudstone**	**Callovian Age**
9	**On site**	**CB-LMST**	**Cornbrash Formation - Limestone**	**Callovian Age - Bathonian Age**
10	**On site**	**CB-LMST**	**Cornbrash Formation - Limestone**	**Callovian Age - Bathonian Age**
11	**On site**	**FMB-MDST**	**Forest Marble Formation - Mudstone**	**Bathonian Age**
12	**On site**	**CB-LMST**	**Cornbrash Formation - Limestone**	**Callovian Age - Bathonian Age**
13	**On site**	**FMB-MDST**	**Forest Marble Formation - Mudstone**	**Bathonian Age**
14	**On site**	**CB-LMST**	**Cornbrash Formation - Limestone**	**Callovian Age - Bathonian Age**
15	**On site**	**FMB-MDST**	**Forest Marble Formation - Mudstone**	**Bathonian Age**
16	**On site**	**KLC-MDST**	**Kellaways Clay Member - Mudstone**	**Callovian Age**
24	7m SE	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age
26	72m SE	KLC-MDST	Kellaways Clay Member - Mudstone	Callovian Age
27	89m SE	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age
28	96m S	KLC-MDST	Kellaways Clay Member - Mudstone	Callovian Age
29	105m SE	FMB-MDST	Forest Marble Formation - Mudstone	Bathonian Age
31	117m W	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age
32	127m S	KLC-MDST	Kellaways Clay Member - Mudstone	Callovian Age
35	241m SE	KLB-SDSM	Kellaways Formation - Sandstone, Siltstone And Mudstone	Callovian Age
36	257m N	FMB-MDST	Forest Marble Formation - Mudstone	Bathonian Age
37	306m S	KLB-SDSM	Kellaways Formation - Sandstone, Siltstone And Mudstone	Callovian Age
38	308m SE	KLB-SDSM	Kellaways Formation - Sandstone, Siltstone And Mudstone	Callovian Age
39	321m SE	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age
41	405m S	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age
42	463m SE	KLC-MDST	Kellaways Clay Member - Mudstone	Callovian Age
43	491m SE	CB-LMST	Cornbrash Formation - Limestone	Callovian Age - Bathonian Age

ID	Location	LEX Code	Description	Rock age
44	498m NW	FMB-LMST	Forest Marble Formation - Limestone	Bathonian Age

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m	**12**


Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 126 >**

ID	Location	Category	Description
17	**On site**	**FAULT**	**Normal fault, inferred**
18	**On site**	**FAULT**	**Normal fault, inferred**
19	**On site**	**FAULT**	**Normal fault, observed**
20	**On site**	**FAULT**	**Normal fault, observed**
21	**On site**	**FAULT**	**Normal fault, observed**
22	**On site**	**FAULT**	**Normal fault, inferred**
23	**On site**	**FAULT**	**Normal fault, inferred**
25	39m S	FAULT	Normal fault, observed
30	107m SE	FAULT	Normal fault, observed
33	146m SE	FAULT	Normal fault, inferred
34	162m SE	FAULT	Normal fault, observed
40	385m NW	FAULT	Normal fault, observed

This data is sourced from the British Geological Survey.

15 Geology 1:50,000 scale - Availability



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

Site Outline

Search buffers in metres (m)

Geological map tile

15.1 50k Availability

Records within 500m	1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on **page 129 >**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	**On site**	**No coverage**	**Full**	**Full**	**Full**	**EW265_bath_v4**

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m	0

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.


15.3 Artificial ground permeability (50k)

Records within 50m	0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Superficial



Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m **3**

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on **page 131 >**

ID	Location	LEX Code	Description	Rock description
1	**On site**	**ALV-XCZSV**	**ALLUVIUM**	**CLAY, SILT, SAND AND GRAVEL**
2	**On site**	**ALV-XCZSV**	**ALLUVIUM**	**CLAY, SILT, SAND AND GRAVEL**
3	292m S	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m	2

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	**Intergranular**	**High**	**Very Low**
On site	**Intergranular**	**High**	**Very Low**

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m	0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m	0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Bedrock



Site Outline

Search buffers in metres (m)

Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m	22

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 133 >**

ID	Location	LEX Code	Description	Rock age
1	On site	KLB-SDSM	KELLAWAYS FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	CALLOVIAN
2	On site	FMB-MDST	FOREST MARBLE FORMATION - MUDSTONE	BATHONIAN
3	On site	FMB-MDST	FOREST MARBLE FORMATION - MUDSTONE	BATHONIAN

ID	Location	LEX Code	Description	Rock age
4	**On site**	**KLC-MDST**	**KELLAWAYS CLAY MEMBER - MUDSTONE**	**CALLOVIAN**
5	**On site**	**KLC-MDST**	**KELLAWAYS CLAY MEMBER - MUDSTONE**	**CALLOVIAN**
6	**On site**	**FMB-MDST**	**FOREST MARBLE FORMATION - MUDSTONE**	**BATHONIAN**
7	**On site**	**CB-LMST**	**CORNBRASH FORMATION - LIMESTONE**	**BATHONIAN**
8	**On site**	**FMB-MDST**	**FOREST MARBLE FORMATION - MUDSTONE**	**BATHONIAN**
9	**On site**	**CB-LMST**	**CORNBRASH FORMATION - LIMESTONE**	**BATHONIAN**
10	**On site**	**KLC-MDST**	**KELLAWAYS CLAY MEMBER - MUDSTONE**	**CALLOVIAN**
11	**On site**	**KLC-MDST**	**KELLAWAYS CLAY MEMBER - MUDSTONE**	**CALLOVIAN**
12	**On site**	**FMB-MDST**	**FOREST MARBLE FORMATION - MUDSTONE**	**BATHONIAN**
13	**On site**	**CB-LMST**	**CORNBRASH FORMATION - LIMESTONE**	**BATHONIAN**
14	**On site**	**FMB-MDST**	**FOREST MARBLE FORMATION - MUDSTONE**	**BATHONIAN**
19	7m SE	CB-LMST	CORNBRASH FORMATION - LIMESTONE	BATHONIAN
20	72m SE	KLC-MDST	KELLAWAYS CLAY MEMBER - MUDSTONE	CALLOVIAN
21	96m S	KLC-MDST	KELLAWAYS CLAY MEMBER - MUDSTONE	CALLOVIAN
23	241m SE	KLB-SDSM	KELLAWAYS FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	CALLOVIAN
24	257m N	FMB-MDST	FOREST MARBLE FORMATION - MUDSTONE	BATHONIAN
25	306m S	KLB-SDSM	KELLAWAYS FORMATION - SANDSTONE, SILTSTONE AND MUDSTONE	CALLOVIAN
26	405m S	CB-LMST	CORNBRASH FORMATION - LIMESTONE	BATHONIAN
27	497m NW	FMB-LMST	FOREST MARBLE FORMATION - LIMESTONE	BATHONIAN

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m **17**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	**Fracture**	**Low**	**Very Low**

Location	Flow type	Maximum permeability	Minimum permeability
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Very High**	**High**
On site	**Fracture**	**Very High**	**High**
On site	**Fracture**	**Very High**	**High**
On site	**Fracture**	**Very High**	**High**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Fracture**	**Low**	**Very Low**
On site	**Mixed**	**Moderate**	**Low**
7m SE	Fracture	Very High	High

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m	**5**

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.


Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 133 >**

ID	Location	Category	Description
15	**On site**	**FAULT**	**Fault, inferred**
16	**On site**	**FAULT**	**Fault, inferred**
17	**On site**	**FAULT**	**Fault, inferred**
18	**On site**	**FAULT**	**Fault, inferred, displacement unknown**

ID	Location	Category	Description
22	146m SE	FAULT	Fault, inferred

This data is sourced from the British Geological Survey.

16 Boreholes



Site Outline

Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

16.1 BGS Boreholes

Records within 250m	36

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on **page 137 >**


ID	Location	Grid reference	Name	Length	Confidential	Web link
1	On site	386850 179010	TORMARTON - LIDDINGTON A22 GRITTLETON	3.32	N	396223 ↗
2	On site	387390 179000	TORMARTON - LIDDINGTON A23 GRITTLETON	-1.0	N	396224 ↗
3	On site	389650 172090	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 1	2.0	N	396344 ↗

ID	Location	Grid reference	Name	Length	Confidential	Web link
4	**On site**	**387520 178990**	**M4 SUTTON BENGER R31**	**0.76**	**N**	**396198**
5	**On site**	**386570 179020**	**M4 SUTTON BENGER R35**	**1.21**	**N**	**396202**
6	**On site**	**387300 178990**	**M4 SUTTON BENGER R32**	**2.59**	**N**	**396199**
A	**On site**	**386960 178990**	**M4 SUTTON BENGER R34**	**1.6**	**N**	**396201**
A	**On site**	**386960 179010**	**M4 SUTTON BENGER R33**	**2.13**	**N**	**396200**
7	1m SE	389630 172140	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 3	4.0	N	396346
8	4m N	387580 179000	M4 SUTTON BENGER B205 A,B,C	-1.0	N	396211
9	7m SE	389610 172190	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 5	3.0	N	396348
10	9m N	387540 178960	M4 SUTTON BENGER B206 A,B,C	7.62	N	396212
11	22m SE	389680 172100	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 2	1.0	N	396345
12	26m SE	389660 172140	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 4	1.0	N	396347
13	37m NW	386214 178550	LAKESIDE FARM GRITLETON	86.0	N	20791682
14	38m N	386320 179070	TORMARTON - LIDDINGTON A21 GRITTLETON	3.22	N	396222
15	39m SE	389610 172260	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 7	4.0	N	396350
16	43m SE	389650 172190	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 6	3.0	N	396349
17	58m SE	389640 172250	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 8	4.0	N	396351
18	59m SE	389610 172310	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 10	3.0	N	396353
19	81m SE	389640 172300	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 9	4.0	N	396352
20	89m SE	389540 172420	CEPEN PARK SOUTH ROUNDABOUT 5-6 TP1A	2.5	N	396367
21	93m SE	389520 172500	CEPEN PARK SOUTH ROUNDABOUT 5-6 TP2A	2.5	N	396368
22	98m SE	389630 172350	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 11	4.0	N	396354
23	101m N	387700 179000	TORMARTON - LIDDINGTON A24 GRITTLETON	3.09	N	396225
24	109m SE	389600 172390	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 12	4.0	N	396355
25	136m SE	389670 172360	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 13	3.0	N	396356
26	146m SE	389510 172590	CEPEN PARK SOUTH ROUNDABOUT 5-6 TP3A	1.2	N	396369
27	162m SE	389660 172410	SOUTHERN LEG OF BYPASS CHIPPENHAM TP 14	3.0	N	396357
B	184m N	386170 179090	M4 SUTTON BENGER B207 A,B,C	-1.0	N	396215
B	184m N	386170 179090	M4 SUTTON BENGER B207A	1.98	N	396213

ID	Location	Grid reference	Name	Length	Confidential	Web link
B	184m N	386170 179090	M4 SUTTON BENGER B207B	21.33	N	396214 ↗
B	196m NW	386160 179070	M4 SUTTON BENGER R36	1.21	N	396203 ↗
B	209m NW	386150 179050	M4 SUTTON BENGER B208 A,B,C	10.36	N	396216 ↗
28	209m SE	389510 172660	CEPEN PARK SOUTH ROUNDABOUT 5-6 TP4A	1.4	N	396370 ↗
29	211m N	387810 178990	TORMARTON - LIDDINGTON A25 GRITTLETON	3.22	N	396226 ↗

This data is sourced from the British Geological Survey.

17 Natural ground subsidence - Shrink swell clays



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.1 Shrink swell clays

Records within 50m	6

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).


Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 140 >**

Location	Hazard rating	Details
On site	**Negligible**	**Ground conditions predominantly non-plastic.**
On site	**Very low**	**Ground conditions predominantly low plasticity.**
On site	**Low**	**Ground conditions predominantly medium plasticity.**

Location	Hazard rating	Details
On site	**Moderate**	**Ground conditions predominantly high plasticity.**
7m SE	Negligible	Ground conditions predominantly non-plastic.
24m N	Very low	Ground conditions predominantly low plasticity.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Running sands



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.2 Running sands

Records within 50m	3

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on **page 142 >**

Location	Hazard rating	Details
On site	**Negligible**	**Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.**

Location	Hazard rating	Details
On site	**Very low**	**Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.**
On site	**Low**	**Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Compressible deposits



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.3 Compressible deposits

Records within 50m	2


The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 144 >**

Location	Hazard rating	Details
On site	**Negligible**	**Compressible strata are not thought to occur.**
On site	**Moderate**	**Compressibility and uneven settlement hazards are probably present. Land use should consider specifically the compressibility and variability of the site.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Collapsible deposits



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.4 Collapsible deposits

Records within 50m	2


The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 146 >**

Location	Hazard rating	Details
On site	**Negligible**	**Deposits with potential to collapse when loaded and saturated are believed not to be present.**
On site	**Very low**	**Deposits with potential to collapse when loaded and saturated are unlikely to be present.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Landslides



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.5 Landslides

Records within 50m	3

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on **page 147 >**

Location	Hazard rating	Details
On site	**Very low**	**Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.**

Location	Hazard rating	Details
On site	**Low**	**Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.**
On site	**Moderate**	**Slope instability problems are probably present or have occurred in the past. Land use should consider specifically the stability of the site.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Ground dissolution of soluble rocks



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.6 Ground dissolution of soluble rocks

Records within 50m	7

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.


Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 149 >**

Location	Hazard rating	Details
On site	**Negligible**	**Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.**

Location	Hazard rating	Details
On site	**Very low**	**Soluble rocks are present within the ground. Few dissolution features are likely to be present. Potential for difficult ground conditions or localised subsidence are at a level where they need not be considered.**
On site	**Low**	**Soluble rocks are present within the ground. Some dissolution features may be present. Potential for difficult ground conditions are at a level where they may be considered, localised subsidence need not be considered except in exceptional circumstances.**
On site	**Moderate**	**Soluble rocks are present within the ground. Many dissolution features may be present. Potential for difficult ground conditions are at a level where they should be considered. Potential for subsidence is at a level where it may need to be considered.**
7m SE	Very low	Soluble rocks are present within the ground. Few dissolution features are likely to be present. Potential for difficult ground conditions or localised subsidence are at a level where they need not be considered.
12m SE	Low	Soluble rocks are present within the ground. Some dissolution features may be present. Potential for difficult ground conditions are at a level where they may be considered, localised subsidence need not be considered except in exceptional circumstances.
24m N	Low	Soluble rocks are present within the ground. Some dissolution features may be present. Potential for difficult ground conditions are at a level where they may be considered, localised subsidence need not be considered except in exceptional circumstances.

This data is sourced from the British Geological Survey.

18 Mining and ground workings



Site Outline

Search buffers in metres (m)

BritPits

Surface ground workings

Underground workings

Underground mining extents

Historical mineral planning areas

TCA non-coal mining

Non Coal Mining

Sporadic underground mining of restricted extent possible

Localised small scale underground mining possible

Small scale mining possible

Underground mining known or likely within or in close proximity

Underground mining known within or in very close proximity

18.1 BritPits

Records within 500m	6

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining and ground workings map on **page 151 >**

ID	Location	Details	Description
C	5m N	Name: Broomfield Quarry Address: Yatton Keynell, CHIPPENHAM, Wiltshire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
F	40m NW	Name: Folly Farm Quarry Address: Yatton Keynell, CHIPPENHAM, Wiltshire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
D	46m S	Name: Cheverden Farm Quarries Address: Chequers Hill Plantation, CHIPPENHAM, Wiltshire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
G	110m S	Name: Middlehill Farm Quarry Address: Corsham, CHIPPENHAM, Wiltshire Commodity: Limestone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
M	398m N	Name: Sevington Covert Quarry Address: Grittleton, CHIPPENHAM, Wiltshire Commodity: Clay & Shale Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
N	438m SE	Name: Mynte Brick Yard Address: Corsham, CHIPPENHAM, Wiltshire Commodity: Clay & Shale Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m	46

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on **page 151 >**

ID	Location	Land Use	Year of mapping	Mapping scale
1	**On site**	**Unspecified Pit**	**1885**	**1:10560**
2	**On site**	**Cuttings**	**1980**	**1:10000**
A	**On site**	**Fish Ponds**	**1885**	**1:10560**
A	**On site**	**Fish Ponds**	**1923**	**1:10560**
A	**On site**	**Fish Ponds**	**1949**	**1:10560**
A	**On site**	**Ponds**	**1980**	**1:10000**
A	**On site**	**Fish Ponds**	**1899**	**1:10560**
A	**On site**	**Pond**	**1923**	**1:10560**
A	**On site**	**Pond**	**1923**	**1:10560**
B	**On site**	**Ponds**	**1885**	**1:10560**
B	**On site**	**Ponds**	**1923**	**1:10560**
C	**On site**	**Unspecified Quarry**	**1899**	**1:10560**
D	6m S	Unspecified Ground Workings	1955	1:10560
D	7m S	Unspecified Pit	1938	1:10560
D	7m S	Unspecified Pit	1938	1:10560
C	10m N	Unspecified Quarry	1923	1:10560
C	10m N	Unspecified Quarry	1949	1:10560
C	13m N	Unspecified Quarry	1923	1:10560
E	15m E	Pond	1923	1:10560
E	16m E	Pond	1949	1:10560
F	19m NW	Unspecified Quarry	1923	1:10560
F	19m NW	Unspecified Quarry	1923	1:10560
F	20m NW	Unspecified Quarry	1899	1:10560

ID	Location	Land Use	Year of mapping	Mapping scale
F	20m NW	Unspecified Quarry	1949	1:10560
D	22m S	Unspecified Ground Workings	1922	1:10560
F	23m NW	Unspecified Quarry	1885	1:10560
3	29m S	Unspecified Quarries	1899	1:10560
D	32m S	Unspecified Quarries	1899	1:10560
4	45m N	Cuttings	1980	1:10000
G	75m S	Unspecified Quarry	1919	1:10560
G	75m S	Unspecified Quarry	1923	1:10560
G	77m S	Unspecified Quarry	1955	1:10560
5	84m NW	Unspecified Quarry	1885	1:10560
6	116m SE	Pond	1980	1:10000
H	151m N	Pond	1885	1:10560
H	151m N	Pond	1923	1:10560
H	154m N	Pond	1949	1:10560
7	155m NW	Pond	1923	1:10560
H	157m N	Pond	1923	1:10560
H	157m N	Pond	1899	1:10560
I	163m E	Ponds	1899	1:10560
I	163m E	Ponds	1938	1:10560
I	163m E	Ponds	1922	1:10560
I	163m E	Ponds	1885	1:10560
8	191m SE	Ponds	1955	1:10560
I	235m E	Pond	1949	1:10560

This is data is sourced from Ordnance Survey/Groundsure.

18.3 Underground workings

Records within 1000m	0

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This is data is sourced from Ordnance Survey/Groundsure.

18.4 Underground mining extents

Records within 500m	0

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m	0

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m	1

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on **page 151 >**

ID	Location	Name	Commodity	Class	Likelihood
S	653m NW	Yatton Kaynell	Limestone	C	Underground mine workings may have occurred in the past, or current mines may be operating to modern engineering standards. Potential for difficult ground conditions should be considered.

This data is sourced from the British Geological Survey.

18.7 JPB mining areas

Records on site	0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m	0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.

18.9 Researched mining

Records within 500m	0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m	0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.11 BGS mine plans

Records within 500m	0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site	0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.13 Brine areas

Records on site	0

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.14 Gypsum areas

Records on site	0

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site	0

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.


18.16 Clay mining

Records on site	0

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Ground cavities and sinkholes



© Crown copyright and database rights 2024. Ordnance Survey licence 100035207

19.1 Natural cavities

Records within 500m	0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m	1

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

Features are displayed on the Ground cavities and sinkholes map on **page 159 >**

ID	Location	Mine Address	Mineral	Data source	Publisher
7	931m NW	Yatton Keynell, Wiltshire	Bath Stone, Cornstone, Limestone	GEOLOGY OF THIS COUNTRY OF ENGLAND AND WALES	KELLY AND CO.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m	0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m	0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.

Not all 'holes' noted on Ordnance Survey mapping will necessarily be present within this dataset.

This data is sourced from Groundsure.

19.5 National karst database

Records within 500m	4

This is a comprehensive database of national karst information gathered from a wide range of sources. BGS have collected data on five main types of karst feature: Sinkholes, stream links, caves, springs, and incidences of associated damage to buildings, roads, bridges and other engineered works.

Since the database was set up in 2002 data covering most of the evaporite karst areas of the UK have now been added, along with data covering about 60% of the Chalk, and 35% of the Carboniferous Limestone outcrops. Many of the classic upland karst areas have yet to be included. Recorded so far are: Over 800 caves, 1300 stream sinks, 5600 springs, 10,000 sinkholes.


The database is not yet complete, and not all records have been verified. The absence of data does not mean that karst features are not present at a site. A reliability rating is included with each record.

Features are displayed on the Ground cavities and sinkholes map on **page 159 >**

ID	Location	Name	Reliability
1	195m S	-	Probable
2	225m NW	-	Good
3	245m SE	-	Probable
4	293m NW	West Seavington Farm sink	Good

This data is sourced from the British Geological Survey.

20 Radon



Site Outline

Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

20.1 Radon

Records on site	2

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on **page 162 >**

Location	Estimated properties affected	Radon Protection Measures required
On site	**Between 1% and 3%**	**None**

Location	Estimated properties affected	Radon Protection Measures required
On site	**Less than 1%**	**None**

This data is sourced from the British Geological Survey and UK Health Security Agency.

21 Soil chemistry

21.1 BGS Estimated Background Soil Chemistry

Records within 50m **167**

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km^2. In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km^2; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**120 - 180 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**120 - 180 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**90 - 120 mg/kg**	**30 - 45 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**90 - 120 mg/kg**	**30 - 45 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**90 - 120 mg/kg**	**30 - 45 mg/kg**

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 - 25 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg
On site	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	25 - 35 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	30 - 45 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	**15 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
On site	**15 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
6m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
6m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
10m NW	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
11m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
11m NW	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
11m NW	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
15m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
16m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
19m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
21m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
22m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
23m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
25m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
25m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
26m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	120 - 180 mg/kg	15 - 30 mg/kg
26m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	120 - 180 mg/kg	15 - 30 mg/kg

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
28m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
28m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
29m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
29m N	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
32m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
32m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
32m SE	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
35m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
42m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
44m NW	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg
46m S	15 - 25 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	60 - 90 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m	0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km^2).

This data is sourced from the British Geological Survey.

21.3 BGS Measured Urban Soil Chemistry

Records within 50m	0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km^2.

This data is sourced from the British Geological Survey.

22 Railway infrastructure and projects

22.1 Underground railways (London)

Records within 250m	0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m	0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m	0

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

22.4 Historical railway and tunnel features

Records within 250m	0

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

22.5 Royal Mail tunnels

Records within 250m	0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.

22.6 Historical railways

Records within 250m	0

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m	0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey and OpenStreetMap.

22.8 Crossrail 1

Records within 500m	0

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

22.9 Crossrail 2

Records within 500m	0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

22.10 HS2

Records within 500m	0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 ltd.

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see https://www.groundsure.com/sources-reference ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-and-conditions-april-2023/ ↗.

Annex 19-7-3 Central Cable Corridor Photolog

GEOSYNTEC CONSULTANTS
Photographic Record

Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 1

Date: 28/05/2025

Direction: North

Comments: Field between Coldharbour and the A420 Bristol Road containing overhead wires.



Photograph 2

Date: 28/05/2025

Direction: East

Comments:
Ditch cross cutting a field between Coldharbour and the A420.



GEOSYNTEC CONSULTANTS
Photographic Record

Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 3

Date: 28/05/2025

Direction: North

Comments:
Oil pipeline markers in the same field.



Photograph 4

Date: 28/07/2025

Direction: North

Comments:
Typical crop field in the area.



GEOSYNTEC CONSULTANTS Photographic Record	
Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 5 **Date:** 28/05/2025 **Direction:** West **Comments:** Layby on the A420 at the crossing point, being used for storage of gravel at the time of the site walkover.	
Photograph 6 **Date:** 28/05/2025 **Direction:** East **Comments:** Chippenham Lane where the cable crosses.	

GEOSYNTEC CONSULTANTS Photographic Record	
Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 7 **Date:** 28/07/2025 **Direction:** Southwest **Comments:** Unnamed road between Sheldon and Stowell Farm where the cable crosses the road.	
Photograph 8 **Date:** 28/07/2025 **Direction:** South **Comments:** Field between Sheldon and Stowell Farm, looking towards the unnamed stream.	

GEOSYNTEC CONSULTANTS Photographic Record	
Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 9 **Date:** 28/07/2025 **Direction:** Ground **Comments:** Collapsed inspection cover in the same field.	
Photograph 10 **Date:** 28/07/2025 **Direction:** South **Comments:** Himalayan Balsalm growing along the stream, between Sheldon and Stowell Farm.	

GEOSYNTEC CONSULTANTS
Photographic Record

Client: Island Green Power	**Project Number:** GCU0357002
Site Name: Lime Down Central Cable Route	**Site Location:** Wiltshire

Photograph 11

Date: 28/07/2025

Direction: East

Comments: Field alongside the stream. Evidence of recent use for livestock.
A chest freezer was observed in the bush to the left.



Photograph 12

Date: 28/07/2025

Direction: East

Comments:
The A4 Bath Road where the cable route crosses. Layby being used for the storage of construction waste.

