

From: [REDACTED] [REDACTED]@corsham.gov.uk>
Sent: 29 April 2026 12:09
To: Lime Down Solar
Subject: Lime Down Solar Park: PINS EN010168 - Corsham Town Council's response to the applicants response to relevant representations -

Categories: Deadline submission

You don't often get email from [REDACTED]@corsham.gov.uk. [Learn why this is important](#)

Dear Sir/Madam,

Corsham Town Council's Interested Party Reference number: [REDACTED]

Further to previous correspondence, Corsham Town Council hereby responds to The Applicant's Response to Relevant Representations (Part 1) March 2026.

Reference:

CTC-003 – The Town Council is not confident that the mitigation measures set out in the Traffic Management Plan are sufficient to address the negative impacts of the development during, and immediately following, construction. This is especially critical considering the narrow country road network in rural Wiltshire.

CTC-005 – Whilst there are intentions to reinstate the agricultural land and hedgerows, the impact of the damage will be long-lasting, affecting farms and biodiversity, including many protected species of bats whose habitats will be lost. Land taken out of food production, even temporarily, is a concern in terms of the UK's ability to be self-sufficient.

CTC-008 – Despite Lime Down's claims, the Scheme is not considered to be compliant with Policy CNP E3 of the Corsham Neighbourhood Plan. It is very clear that the scheme will cause severe environmental harm and in no way protect, conserve or enhance the special qualities of the landscape setting.

CTC-010 – The impact of the scheme will last considerably longer than 60 years as, once decommissioned, the land will take many more years to recover.

CTC-011 – There is a lack of clarity over the proposals for community liaison and messaging. This would need to be considerable and well planned to minimise disruption to residents and businesses. More details are required.

CTC-012 (e) – The width of the cable route corridor is excessive throughout the scheme. It must be minimised to the limit the damage and disturbance which would be caused.

CTC-017 – The Town Council is not confident that the mitigation measures set out in the Traffic Management Plan are sufficient to address the negative impacts of the development during, and immediately following, construction.

I trust these points are clear and will be considered fully by the Planning Inspectorate.

Kind regards

██████████
Chief Executive
Corsham Town Council
Town Hall
High Street
CORSHAM
Wiltshire
SN13 0EZ

Direct Dial: ██████████
Reception: 01249 702130
Mobile: ██████████

www.corsham.gov.uk



Join us on Facebook



The information in this email and any attachments is confidential, may be legally privileged and is protected by law. If you are not the intended recipient, you must not disclose, copy or show this email and any attachment to anyone nor may you rely on them for any purpose. If you have received this email in error please notify the sender immediately and then delete it from your system.

This footnote confirms that this email has been swept by ThreatDown Email Security for the presence of computer viruses. You should carry out your own virus checks before opening any attachments to this email. Corsham Town Council accepts no liability for any loss or damage which may be caused by software viruses.



CO₂e
Reduced
Organisation



**POSITIVE CONDUCT
equals POSITIVE
DEMOCRACY**

AMBASSADOR



**Civility &
Respect**

IN COLLABORATION WITH SLCC, NALC, OVW, COUNTY ASSOCIATIONS

STAR COUNCIL AWARDS 2025/26

WINNER

WWW.NALC.GOV.UK/STARCOUNCILAWARDS