

Green Hill Solar Farm

EN010170

Environmental Statement

Appendix 19.1: Tree Survey Schedule

Prepared by: Lanpro

Date: May 2025

Document Reference: APP/GH6.3.19.1

APFP Regulation 5(2)(a)

Document Reference Number: EN10170/APP/GH6.3.19.1

Green Hill Solar Farm

Appendix 19.1 Tree Survey Schedule




Document Reference Number: EN10170/APP/GH6.3.19.1

Green Hill Solar Farm

Environmental Statement

Appendix 19.1 Tree Survey Schedule

May 2025



Appendix 19.1 Tree Survey Schedule

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
A2F1	T1	Ash	<i>Fraxinus excelsior</i>	14	9	9	9	9	2.5	3(NE)	800	EM	Fair	Fair	20-40	C1	290	9.6	No stem access because of vegetation Stem cover in thick Ivy Estimated structure condition Deadwood in crown. Flailed back on northside A2F1-T1		
A2F1	T2	Ash	<i>Fraxinus excelsior</i>	8	2	3	8	2	3	4(S)	850	M	Poor	Fair	20-40	A3	511	12.8	Potential veteran Top missing New regen lower crown Unable to inspect main stem from hedge beneath Signs of hollowing stem Growing inside hedge next to main road. Thick ivy cover stem A2F1-T2	Veteran	13
A2F1	T3	Oak	<i>Quercus robur</i>	14	4	7.5	10	8	3.5	3.5(C)	1000	M	Fair	Good	40+	A3	452	12.0	Big oak growing inside hedge no stem access. Thick Ivy stem all the way to top Estimate structure condition Flail back on West Side lower canopy North canopy suppress by neighbouring Ash A2F1-T3		
A2F1	T4	Ash	<i>Fraxinus excelsior</i>	7	4	4	5	2	1	2(S)	500	EM	Poor	Fair	20-40	A3	177	7.5	Significant hollow stem see through Top missing New lower regen crown Dead branches at base of tree Growing inside hedge no stem access Veteran A2F1-T4	Veteran	10
A2F1	T5	Ash	<i>Fraxinus excelsior</i>	7	4	4	2	1	2	0(N)	500	EM	Poor	Fair	20-40	A3	177	7.5	Significant hollow stem dead stem Top missing. New lower regen crown from base Dead branches at base of tree Growing inside hedge no stem access Veteran A2F1-T5	Veteran	9
A2F1	T6	Ash	<i>Fraxinus excelsior</i>	8	6	4	6	2	0	0(N)	600	EM	Poor	Fair	20-40	A3	163	7.2	Potential veteran Top missing. New lower regen crown from base Dead branches at base of tree Growing inside hedge no stem access A2F1-T6		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
A2F1	T7	White Willow	<i>Salix alba</i>	18	6	12	9	7	0		820	M	Fair	Good	20-40	B3	304	9.8	Group of willow growing around a pond Approx. 10 willow in the group Dead branches around the base of trees Lower branches flail back all sides A2F1-T7		
A2F1	T8	Ash	<i>Fraxinus excelsior</i>	17	9	7	9.5	10.5	2	4(W)	800	EM	Fair	Fair	20-40	C1	290	9.6	Unable to access stem Growing in hedge. Thick ivy cover stem estimate structure condition Sparse canopy signs of Ash die back Deadwood in Crown Tips ends dying back across the canopy Top of canopy retrenching Flail back on south side lower canopy A2F1-T8		
A2F2	T1	Elm	<i>Ulmus sp.</i>	6	2	2	2	2	2	2(SE)	120	SM	Dead	Dead	<10	U	7	1.4	Dead Elm growing inside hedge		
A2F2	T2	Ash	<i>Fraxinus excelsior</i>	8	4.5	4	3	3	1	3.5(SW)	850	M	Poor	Fair	20-40	A3	511	12.8	Main stem completely cover by ivy Top missing with new regeneration crown Hollowing stem can see through from North side Minor deadwood at base	Veteran	12.8
A2F2	T3	Ash	<i>Fraxinus excelsior</i>	11	6	5	4.5	4	2.5	5(N)	850	M	Poor	Fair	20-40	B3	327	10.2	Bracket on mainstem. Top missing with new lower regeneration crown No sign of hollowing stem from ground level early signs of Ash die back		
A2F2	T4	Ash	<i>Fraxinus excelsior</i>	21	6	12	9	4	3	3(S)	960	M	Fair	Fair	20-40	B3	417	11.5	Black oozes running down main stem on northside Tree slight lean towards east Epicormic shoots around based of the tree Tips ends dying back. Deadwood in Crown (minor) early signs of Ash die back		
A2F2	T5	Ash	<i>Fraxinus excelsior</i>	17.5	8.5	8.5	8	8	3	3(S)	1100	M	Poor	Fair	20-40	A3	855	16.5	Significant hollowing stem and main branch New regen lower crown Epicormic shoots around based of the tree Tips ends dying back on West canopy at top of crown	Veteran	16.5

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			Major Deadwood in crown, signs of Ash die back		
A2F2	T6	Ash	<i>Fraxinus excelsior</i>	18	9	7	11	7	1	5(N)	1,011	M	Fair	Fair	20-40	B3	462	12.1	Twin stem at base Hole at base of north stem Lower branches dead on North stem Tips ends dying back, signs of Ash die back Deadwood in Crown Deadwood around the base of the tree		
A2F2	T7	Oak	<i>Quercus robur</i>	15	9.5	9.5	9.5	9.5	2	2.5(NE)	1,344	EM	Fair	Fair	40+	B3	817	16.1	Minor Ivy on main stem Flail back on lower canopy on North and south side Minor deadwood in crown Top of canopy dying back on South side from dead main branch Three stem at base of tree growing next to dyke		
A2F2	T8	Ash	<i>Fraxinus excelsior</i>	17.5	8.5	8.5	7	7.5	5	5(W)	870	EM	Good	Fair	20-40	B1	342	10.4	Crown leaves are curling up. Deadwood in Crown West Side been prune back previously in the past East side main branch broken off Small ivy at main stem early signs of Ash die back		
A2F3	T1	Ash	<i>Fraxinus excelsior</i>	13	7	6	7	5	3	0(S)	880	M	Poor	Good	20-40	A3	547	13.2	Significant hollowing stem. New regen lower crown Epicormic shoots around based of the tree multi stem at 200mm Minor Deadwood in crown. Veteran. No stem access growing in dyke	Veteran	13.2
A2F3	T2	Ash	<i>Fraxinus excelsior</i>	6	3	3	3	3	0	0(W)	700	M	Poor	Fair	20-40	A3	346	10.5	Significant hollowing stem from dead main stem New regen lower crown Epicormic shoots around based of the tree Deadwood at base of main stem Veteran No stem access growing in dyke	Veteran	10.5
A2F3	T3	Ash	<i>Fraxinus excelsior</i>	20	11	11	11	11	2	5(W)	1030	M	Good	Fair	20-40	B3	480	12.4	Twin stem at 5m Tips ends dying back. Deadwood in Crown (minor) Bracket present on main		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			stem shaggy bracket early signs of Ash die back No access to stem		
A2F3	T4	Oak	<i>Quercus robur</i>	16	7	6	7	7	1.5	2.5(N)	880	EM	Good	Fair	40+	B1	350	10.6	Crown a little sparse Major dead branches in crown Growing opposite side of dyke No stem access A2F3-T4		
A2F3	T5	Ash	<i>Fraxinus excelsior</i>	11	5	5	5	5	2	2(E)	940	M	Fair	Fair	20-40	A3	625	14.1	hollowing stem at base of tree with animal burrowing in Top missing New regen lower crown Epicormic shoots around based of the tree Crown being attack with bite marks from insect near the top Veteran, growing next to dyke A2F3-T5.	Veteran	14.1
A2F3	T6	Oak	<i>Quercus robur</i>	17	10	9	6	7	1	3(NE)	1200	M	Fair	Fair	40+	A1	651	14.4	Southwest main branch broken off Some deadwood in Crown growing next to dyke Epicormic growth on main scaffold Tree slight lean northeast A2F3-T6		
A2F3	T7	Ash	<i>Fraxinus excelsior</i>	11	5	5.5	5	6	3	3(W)	790	M	Poor	Fair	20-40	A3	441	11.9	Significant hollowing stem (see through) New regen lower crown Epicormic shoots around based of the tree signs of Ash die back Veteran growing next to dyke A2F3-T7	Veteran	11.9
A2F3	T8	Ash	<i>Fraxinus excelsior</i>	15.5	7	8	8	8	6	3.5(N)	780	EM	Poor	Poor	10-20	C1	275	9.4	Crown very sparse in decline Dead main branches in main stem. Tip ends dying back Multi stem at 4m high signs of Ash die back A2F3-T8		
A2F4	T1	Ash	<i>Fraxinus excelsior</i>	13	3.5	5	7.5	4.5	3	4(S)	500	SM	Fair	Fair	20-40	C1	113	6.0	Tree growing inside hedge. Tree biased south Deadwood in crown one main branch dead Ivy on main stem early signs of Ash die back DBH estimate No access to stem A2F4-T1		
A2F4	T2	Oak	<i>Quercus robur</i>	16	13	11	10	10	4	4(E)	1100	M	Good	Good	40+	A3	547	13.2	Light Ivy on main stem Some deadwood inside crown North side		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			lower branch flail back Multi stem at 6m High No access round the stem A2F4-T2		
A2F4	T3	Ash	Fraxinus excelsior	14	8	7	7	7	1.5	1(N)	780	M	Fair	Fair	20-40	B1	275	9.4	Tree growing inside hedge Bracket on stem Westside been flail back lower crown Small deadwood in Crown No access to stem A2F4-T3		
A2F4	T4	White Willow	Salix alba	14	5	5	5	5	0	5.0(SW)	461	SM	Good	Good	40+	C3	96	5.5	Group of willow growing around a small wet area in middle of the field Multi stem at base Approx around 8 trees A2F4-T4		
A2F4	T5	Ash	Fraxinus excelsior	7	1	4	3	2	4	4(E)	680	EM	Poor	Poor	10-20	A3	327	10.2	hollowing stem at base of tree Top missing New regen lower crown but in decline Crown being attack with bite marks from insect near the top Veteran growing next to dyke Fallen Dead branch next to main stem A2F4-T5	Veteran	10.2
AF1	T1	Ash	Fraxinus excelsior	14	4	3	6	6	2	N4.5	680	EM	Poor	Good	20-40	C2	209	8.2	Stem hollowing higher up, lost some of its crown		
AF1	T2	Ash	Fraxinus excelsior	17	12	10	9	7.5	4	N3	1120	M	Fair	Fair	10-20	C2	567	13.4	50% canopy dieback, twin stem at 1.8m tight fork		
AF1	T3	Ash	Fraxinus excelsior	21.5	9	10	5	7	2	NE3	650	EM	N/A	Fair	10-20	C2	191	7.8	50% canopy dieback, thick ivy		
AF11	T1	Horse Chestnut	Aesculus hippocastanum	11.5	5	5	3.5	4.5	2.5	N2	460	SM	N/A	Good	40+	C2	96	5.5	Twin stem, tight fork with included bark, infection in fork		
AF11	T2	Ash	Fraxinus excelsior	17	10.5	8	8.5	11	3	S3.5	680	M	Good	Good	20-40	B2	209	8.2			
AF11	T3	Ash	Fraxinus excelsior	15	6	6.5	5.5	5.5	3	5.5.0(SW)	400	SM	Fair	Fair	10-20	C2	72	4.8	Multistem at base, no stem access		
AF12	T1	Crack willow	Salix fragilis	17	3	13	8	0	2.5	E3	490	EM	Fair	Good	40+	B3	109	5.9			
AF13	T1	Willow	Salix sp.	14	4	4	4	4	2	4.3(SW)	300	SM	Good	Good	40+	B2	41	3.6	No tree access, surveyed from a distance		
AF14	T1	Ash	Fraxinus excelsior	15.5	7	6.5	6.5	6.5	2.5	SW4	600	EM	N/A	Poor	10-20	C2	163	7.2	Behind fence, no stem access		
AF14	T2	Oak	Quercus robur	17.5	8.5	7.5	9.5	10.5	2	W5.5	900	M	Good	Good	40+	A2	366	10.8			
AF14	T3	Ash	Fraxinus excelsior	21	10.5	10	11.5	10	3.5	NE3.5	860	M	Fair	Fair	20-40	B2	335	10.3			



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
AF15	T1	Ash	<i>Fraxinus excelsior</i>	15.5	6.5	6	9	10	1	N4	640	EM	N/A	Fair	20-40	B3	185	7.7	Next to pond, thick ivy, 25-50% canopy dieback		
AF15	T2	Oak	<i>Quercus robur</i>	18.5	12	10.5	11.5	7.5	3	E5.5	1400	M	Good	Good	40+	A2	707	15.0			
AF16	T1	Ash	<i>Fraxinus excelsior</i>	18.5	13	6.5	9	9	3	9.9(SW)	700	EM	Fair	Fair	10-20	C2	222	8.4	25% of crown affected by ash dieback, thick ivy, behind ditch		
AF16	T2	Oak	<i>Quercus robur</i>	12.5	7	6.5	7	8	2.5	W3.5	1000	M	Good	Good	40+	A2	452	12.0	Ivy on stem		
AF16	T3	Oak	<i>Quercus robur</i>	12	6	8	8.5	6	2.5	E2.5	1190	M	Fair	Good	40+	A3	641	14.3	Some buttress roots have decay, splits and cavities in branches		
AF16	T4	Ash	<i>Fraxinus excelsior</i>	14	7	9	7	9	2.5	NW2.5	900	M	N/A	Poor	10-20	C2	366	10.8			
AF17	T1	Ash	<i>Fraxinus excelsior</i>	15.5	8	8	8.5	7	2.5	S3.5	707	EM	Poor	Poor	<10	U	226	8.5	Twin stem		
AF17	T2	Ash	<i>Fraxinus excelsior</i>	15.5	8	8	8	6	2	S2.5	470	EM	Fair	Fair	20-40	B2	100	5.6	<25% ash dieback in crown		
AF18	T1	Ash	<i>Fraxinus excelsior</i>	13.5	4	5	6	6	2	W3.5	690	EM	Poor	Poor	10-20	A3	337	10.4	Hollow stem, extensive standing deadwood, some fallen deadwood, 50% of crown affected by ash dieback	Veteran	11
AF18	T2	Ash	<i>Fraxinus excelsior</i>	10	6	5	5	6	3	NW4	350	SM	Fair	Poor	10-20	C2	55	4.2	50% dieback in crown		
AF18	T3	Oak	<i>Quercus robur</i>	13.5	7	6	7	6.5	2	W3.5	660	EM	Good	Good	40+	A2	197	7.9			
AF18	T4	Ash	<i>Fraxinus excelsior</i>	7.5	2.5	2.5	2.5	1.5	3	2.5.3(SW)	250	SM	Fair	Fair	20-40	C2	28	3.0			
AF19	T1	Field maple	<i>Acer campestre</i>	7	2	2	2	2	3	2.1(SW)	250	SM	Fair	Good	40+	B3	28	3.0			
AF19	T2	Oak	<i>Quercus robur</i>	10.5	5	5.5	4.5	6	1.5	NW4	750	EM	N/A	Good	40+	A2	254	9.0			
AF19	T3	Oak	<i>Quercus robur</i>	17	8	10	11.5	10	2	W3.5	1200	M	Good	Fair	40+	A3	651	14.4	Few medium-sized branches have snapped out		
AF19	T4	Oak	<i>Quercus robur</i>	15.5	4	9	10	6	1.5	SW4	870	EM	Good	Good	40+	A2	342	10.4			
AF2	T1	Green ash	<i>Fraxinus pennsylvanica</i>	11	6	4	4.5	6	1	N1	350	SM	Good	Good	40+	B2	55	4.2			
AF2	T2	Ash	<i>Fraxinus excelsior</i>	10	5	5.5	6	4	3	E3	280	SM	Good	Fair	20-40	B2	35	3.4			
AF2	T3	Ash	<i>Fraxinus excelsior</i>	14	9	6	5	6	4	N6	780	M	Good	Fair	20-40	B3	275	9.4	Moderate deadwood in canopy		
AF20	T1	Ash	<i>Fraxinus excelsior</i>	13	6.5	5.5	6.5	4.5	2	NW3	520	EM	Poor	Poor	10-20	A3	191	7.8	Hollow, shaggy bracket <i>Pseudoinonotus hispidus</i> bracket, standing deadwood, 50% crown dieback, large epicormic growth	Veteran	11.5
AF20	T2	Ash	<i>Fraxinus excelsior</i>	16.5	8	8	10	7	3	S5	910	M	Fair	Fair	20-40	B2	375	10.9	25% canopy dieback, lots of fallen branches		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
AF20	T3	Ash	<i>Fraxinus excelsior</i>	12.5	3	3	4	5	1.5	S2.5	420	SM	Poor	Poor	<10	U	80	5.0	75% canopy dieback, shaggy bracket		
AF20	T4	Ash	<i>Fraxinus excelsior</i>	11.5	6.5	7.5	10.5	8.5	1	S3	590	EM	Fair	Fair	20-40	B2	157	7.1	Multistem		
AF20	T5	Ash	<i>Fraxinus excelsior</i>	12.5	6	6	5	5	2	N3	430	SM	Good	Fair	10-20	C2	84	5.2			
AF20	T6	Ash	<i>Fraxinus excelsior</i>	18.5	6.5	8	8.5	7.5	2	N4	780	M	Good	Good	40+	A2	275	9.4			
AF20	T7	Ash	<i>Fraxinus excelsior</i>	13.5	6.5	6.5	8	4	2.5	S5	630	EM	Fair	Poor	<10	U	180	7.6			
AF21	T1	Ash	<i>Fraxinus excelsior</i>	14.5	8	4	6.5	8	2	E2.5	290	SM	Good	Fair	40+	B3	38	3.5			
AF21	T2	Ash	<i>Fraxinus excelsior</i>	14.5	7	7	3	7.5	3	W3	570	EM	Poor	Poor	<10	U	147	6.8	Twin stem, ditch adjacent, no stem access		
AF22	T1	Ash	<i>Fraxinus excelsior</i>	15.5	5.5	4	6	7	2	E4	650	EM	Fair	Poor	<10	U	191	7.8			
AF22	T2	Ash	<i>Fraxinus excelsior</i>	15.5	6	6.5	6.5	5	2.5	S4	510	EM	Fair	Good	20-40	B2	118	6.1			
AF22	T3	Ash	<i>Fraxinus excelsior</i>	14.5	6.5	6	3	5	1.5	W4	650	EM	Fair	Fair	10-20	C2	191	7.8	Cankers, 50% canopy dieback		
AF22	T4	Ash	<i>Fraxinus excelsior</i>	12	5	6.5	6	5	4	6.0(SW)	570	SM	Fair	Fair	20-40	C2	147	6.8	Multistem, behind stream		
AF23	T1	Ash	<i>Fraxinus excelsior</i>	12	11	6	5	6	2	NE3	670	EM	Poor	Fair	10-20	A3	317	10.1	Sabre shaped stem, extensive stem decay, small standing deadwood	Veteran	11
AF24	T1	Ash	<i>Fraxinus excelsior</i>	16	9	8	10.5	8	2	S3	800	M	Fair	Fair	20-40	B2	290	9.6	25% canopy dieback		
AF24	T2	Ash	<i>Fraxinus excelsior</i>	12.5	5	6	8	5.5	2	8.8(SW)	720	M	Poor	Poor	10-20	C1	235	8.6	Large dead branches in canopy, thick ivy		
AF24	T3	Ash	<i>Fraxinus excelsior</i>	7.5	2	2	2	2	2.5	E2	200	Y	Fair	Fair	10-20	C1	18	2.4	25% canopy dieback		
AF24	T4	Ash	<i>Fraxinus excelsior</i>	14	8	4	6.5	7	3	N4	560	EM	Poor	Poor	10-20	C2	142	6.7	Bottle butt (decay possible)		
AF24	T5	Ash	<i>Fraxinus excelsior</i>	9	3.5	2.5	1.5	2	3	E6	680	EM	Poor	Good	20-40	A3	327	10.2	Hole in stem and significant decay, broken off branches, good lower crown	Veteran	10.2
AF25	T1	Oak	<i>Quercus robur</i>	18.5	11	10.5	12.5	8.5	2	N4	1340	M	N/A	Good	40+	A2	707	15.0	Large split in stem, occluding, dead central leader		
AF25	T2	Willow	<i>Salix sp.</i>	17.5	7	6	10	4	1	E2.5	710	M	Fair	Good	20-40	B3	228	8.5			
AF25	T3	Ash	<i>Fraxinus excelsior</i>	14.5	5.5	6	4	3.5	2.5	S3.5	400	SM	Fair	Poor	<10	U	72	4.8			
AF25	T4	Ash	<i>Fraxinus excelsior</i>	12.5	4.5	4.5	6	3	3	S5	620	EM	Poor	Poor	<10	U	174	7.4	Basal hollowing, root decay and stem hollowing		
AF26	T1	Ash	<i>Fraxinus excelsior</i>	15.5	7	6.5	6.5	7.5	4	SW4	600	EM	N/A	Fair	10-20	C2	163	7.2			
AF26	T2	White willow	<i>Salix alba</i>	14	4	3.5	2.5	3.5	1	E3	310	SM	Good	Good	40+	B2	43	3.7			
AF27	T1	Sycamore	<i>Acer pseudoplatanus</i>	10.5	5	5	5	5.5	2	N0.2	330	SM	Fair	Good	40+	C2	49	4.0	Twin stem		
AF27	T2	Ash	<i>Fraxinus excelsior</i>	12	4	4.5	6	3.5	2	S2	1070	M	Poor	Fair	10-20	A3	809	16.1	3 owl pellets inside hollowing stem, extensive hollowing, lots top, lower crown, large basal cavity with burrow, Ganoderma brackets	Veteran	16.1

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
AF27	T3	Ash	Fraxinus excelsior	14	6.5	4.5	5.5	3.5		5.5.2(SW)	550	EM	Poor	Poor	<10	U	137	6.6	Shaggy bracket present		
AF28	T1	White willow	Salix alba	9	2.5	2.5	2.5	2.5	3.5	S3.5	170	SM	Good	Good	40+	B2	13	2.0			
AF28	T2	Ash	Fraxinus excelsior	13	4	4	6	5	3	N4.5	550	EM	Poor	Poor	<10	U	137	6.6			
AF28	T3	Ash	Fraxinus excelsior	11	4	6	5	5.5	2	S2	500	EM	N/A	Poor	10-20	C2	113	6.0	Poor stem visibility, thick ivy, in hedge		
AF29	T1	Ash	Fraxinus excelsior	8.5	2.5	2.5	2.5	2.5	2.5	2.5.0(SW)	250	SM	Good	Fair	20-40	B2	28	3.0			
AF29	T2	Ash	Fraxinus excelsior	12	5	4.5	4.5	4.5	1.5	W4.5	230	SM	Good	Fair	20-40	B2	24	2.8			
AF29	T3	Ash	Fraxinus excelsior	12	3	3	3	3	2	SE2	200	SM	Good	Good	40+	C2	18	2.4			
AF29	T4	Ash	Fraxinus excelsior	10	3	4	3	3	2	W2.5	220	SM	Fair	Fair	20-40	C2	22	2.6	Two stems close together		
AF3	T1	Ash	Fraxinus excelsior	15	8.5	6	10	7.5	2	NW4.5	800	M	Poor	Fair	10-20	C2	290	9.6	No stem access due to vegetation, large tearout wounds at 5m on east side of stem, good wildlife value		
AF3	T2	Ash	Fraxinus excelsior	16	6	10	9	7.5	1.5	W3.5	900	M	Good	Fair	20-40	B2	366	10.8	25% canopy dieback		
AF3	T3	Oak	Quercus robur	9	6	5.5	6	6	1.5	S2	430	SM	Good	Good	40+	B3	84	5.2			
AF4	T1	Oak	Quercus robur	16.5	10	9.5	10	9	2.5	N4	1300	M	Fair	Good	40+	A2	707	15.0	Some basal decay on north side, bottle butt		
AF4	T2	Sycamore	Acer pseudoplatanus	18.5	10	8	6	8.5	4	W3	720	EM	Good	Good	40+	A2	235	8.6			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
AF4	T3	Crack willow	<i>Salix fragilis</i>	16.5	3	4.5	11	9	2.5	S2	1800	M	Fair	Good	20-40	A3	2290	27.0	Hollow stem visible on east side, varied and abundant standing and fallen deadwood, multiple cavities	Veteran	27.0
AF4	T4	Oak	<i>Quercus robur</i>	10	7	4	3	4	2	E2	240	SM	Good	Good	40+	C2	26	2.9			
AF5	T1	Oak	<i>Quercus robur</i>	7	3	3	2.5	3	2	S2	220	SM	Good	Good	40+	C2	22	2.6			
AF5	T2	Ash	<i>Fraxinus excelsior</i>	18.5	11	11	9	10	2.5	E4	900	M	Fair	Fair	20-40	B3	366	10.8	No stem access, behind fence, cavities and deadwood present		
AF5	T3	White willow	<i>Salix alba</i>	11	3	3	3	3	3	E4	230	SM	Good	Good	40+	B2	24	2.8			
AF6	T1	Ash	<i>Fraxinus excelsior</i>	25.5	8	6.5	12	12	2	W3.5	1160	M	Good	Fair	20-40	B3	609	13.9	Broken off branch stub with habitat features to north-east, cracked out branch in crown		
AF7	T1	Ash	<i>Fraxinus excelsior</i>	18	6.5	9	7	11	4	S4	600	EM	N/A	Poor	10-20	C2	163	7.2	Abundant deadwood, no stem visibility or access, thick ivy		
AF7	T2	Hawthorn	<i>Crataegus monogyna</i>	5	3	3	3	3	0	3.3(SW)	250	M	N/A	Good	40+	B3	28	3.0	Behind fence, no stem access		
AF8	T1	Ash	<i>Fraxinus excelsior</i>	27.5	10	10	10	10	2	W8	650	EM	Good	Good	40+	A2	191	7.8	Behind 2m high enclosure, no access, surveyed from a distance		
AF9	T1	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	7	2	8.6(SW)	900	M	Fair	Fair	20-40	B3	366	10.8	No stem access		
AF9	T2	Ash	<i>Fraxinus excelsior</i>	19.5	4	8	6	7.5	3.5	6.5(SW)	520	EM	Fair	Fair	20-40	B2	122	6.2	Multistem, behind electric fence, no stem access		
AF9	T3	Ash	<i>Fraxinus excelsior</i>	10	4	3	2	2	3	N2.5	200	SM	Good	Good	40+	C2	18	2.4			
BESS 1	G1	Cherry, Hawthorn, Poplar,Ash , Oak	<i>Prunus sp., Crataegus monogyna, Populus sp., Fraxinus</i>	17		7					400	EM	Good	Good	40+	B3	72	4.8	No access to stem dyke between. No significant fault, Good condition tree group.		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
			<i>excelsior, Quercus robur</i>																		
BESS 1	G10	Oak, Ash, Hawthorn, Blackthorn , Horse chesnut	<i>Quercus robur, Fraxinus excelsior, Crateagus monogyna, Prunus spinosa, Aesculus hippocastanum</i>	16	7						800	EM	Fair	Fair	40+	B3	290	9.6	4 big oak, 1 dead within mixed species tree group, rest of the oak not looking too good.		
BESS 1	G2	Ash, Sycamore, Field maple, Hawthorn	<i>Fraxinus excelsior, Acer pseudoplatanus, Acer campestre, Crataegus monogyna</i>	11	6	6	6	6			350	SM	Poor	Fair	10-20	C3	55	4.2	Lots of already dead trees within group, rest not too good condition.		
BESS 1	G3	Oak, Field maple	<i>Quercus robur, Acer campestre</i>	12	5	5	5	5			250	SM	Fair	Fair	20-40	C3	28	3.0	Newly planted group of trees , lots of dead in centre of group		
BESS 1	G4	Scot pine, Leylandii, Ash, Willow, Larch, Guelder Rose, Field maple	<i>Pinus sylvestris, x Cupprocyparis leylandii, Fraxinus excelsior, Salix sp., Larix decidua, Viburnum opulus, Acer campestre</i>	20			6				420	EM	Good	Good	40+	B3	80	5.0	Mixed group of trees grow as a screen, more establish than G3		
BESS 1	G5	Oak, Field maple, Ash, Elder,Wilow	<i>Quercus robur, Acer campestre, Fraxinus excelsior, Sambucus nigra, Salix sp.</i>	25		8					700	M	Good	Good	40+	A3	222	8.4	Mature- willow, E/M Ash, F. maple, S/M Oak Tree group, overall good condition.		
BESS 1	G6	Ash, White willow, Hawthorn, Goat Wiilow, Elder	<i>Fraxinus excelsior, Salix alba, Crataegus monogyna, Salix caprea, Sambucus nigra</i>	9	5	5	5	5			300	SM	Good	Good	40+	B3	41	3.6	Tree group located on other side of dyke, no access to stem		
BESS 1	G7	Blackthorn , Hawthorn, Elder	<i>Prunus spinosa, Crataegus monogyna, Sambucus nigra</i>	5	1	1	1	1			150	EM	Good	Good	40+	C3	10	1.8	scatter small trees along other side of dyke		
BESS 1	G8	Ash, Field maple, Goat	<i>Fraxinus excelsior, Acer campestre, Salix caprea,</i>	15	5	5	5	5		5(A)	350	SM	Good	Good	40+	B3	55	4.2	Trees growing on both side of dyke, small trees around		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
		willow, Hawthorn	<i>Crataegus monogyna</i>																7m on red line boundary side, bigger 15m mixed species trees on other side of dyke		
BESS 1	G9	Ash, Blackthorn , Hawthorn, Elm, Elder, Guelder rose	<i>Fraxinus excelsior, Prunus spinosa, Crataegus monogyna, Ulmus sp., Sambucus nigra, Viburnum opulus</i>	13	5	5	5	5			350	SM	Good	Good	40+	B3	55	4.2	Mixed species tree group, few poor Ash within group		
BESS 1	H1	Blackthorn	<i>Prunus spinosa</i>	4	1	1	1	1			75	SM	Good	Good	20-40	C3	3	0.9	Newly planted hedge		
BESS 1	H2	Hawthorn, Blackthorn , Elder, Crab apple	<i>Crataegus monogyna, Prunus spinosa, Sambucus nigra, Malus sylvestris</i>	7	1.5	1.5	1.5	1.5			120	M	Good	Good	40+	B3	7	1.4	Hedge		
BESS 1	H3	Blackthorn , Elm	<i>Prunus spinosa, Ulmus sp.</i>	7	2	2	2	2			150	SM	Fair	Fair	20-40	C3	10	1.8	Blackthorn hedge with Elm growing inside, Some Elm dying within		
BESS 1	H4	Hawthorn, Elder, blackthorn	<i>Crataegus monogyna, Sambucus nigra, Prunus spinosa</i>	4.5	1	1	1	1			150	M	Good	Good	40+	C3	10	1.8	Hedge		
BESS 1	H5	Elm, Blackthorn , Hawthorn, Elder	<i>Ulmus sp., Prunus spinosa, Crataegus monogyna, Sambucus nigra</i>	6.5	2	2	2	2			150	EM	Fair	Fair	20-40	C3	10	1.8	Hedge, Elm dead/declining within hedge		
BESS 1	H6	Blackthorn , Hawthorn	<i>Prunus spinosa, Crataegus monogyna</i>	6	2	2	2	2			120	M	Fair	Good	20-40	B3	7	1.4	Hedge		
BESS 1	H7	Field maple, Blackthorn	<i>Acer campestre, Prunus spinosa</i>	4	1	1	1	1			120	SM	Good	Good	40+	C3	7	1.4	Hedge		
BESS 1	T1	Oak	<i>Quercus robur</i>	17	7	7	7	7	5	N4	900	M	Good	Good	40+	A2	366	10.8	no access to stem, no fault, good condition		
BESS 1	T10	Ash	<i>Fraxinus excelsior</i>	18	8	8	8	8	4	8.0(SW)	650	EM	N/A	Fair	20-40	B2	191	7.8	multi stem, deadwood in crown, no access to stem due to under growth		
BESS 1	T11	Oak	<i>Quercus robur</i>	17	11	10	10	9	1	S5	1100	M	Good	Good	40+	A2	547	13.2	Good form tree, tree behind wire fence, deadwood in crown		
BESS 1	T12	Oak	<i>Quercus robur</i>	17.5	12	12	12	12	1	W2	1400	M	Good	Good	40+	A2	887	16.8	No fault, Very good form tree, small dead wood		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BESS 1	T13	Oak	<i>Quercus robur</i>	16	8	8	8	8	3	S3	1100	M	Good	Good	40+	A2	547	13.2	Branch on northside snap off, deadwood in crown		
BESS 1	T14	Oak	<i>Quercus robur</i>	19	11	12	11	9	2.5	E2.5	1070	M	Good	Good	40+	A2	518	12.8	deadwood in crown, overall good condition		
BESS 1	T15	Oak	<i>Quercus robur</i>	21	9	8	13	9	2	W6	1180	M	Good	Good	40+	A2	630	14.2	Deadwood in crown, branch snap off on west side		
BESS 1	T2	Oak	<i>Quercus robur</i>	18	10	10	8	8	4	NE3	1100	M	Good	Good	40+	A2	547	13.2	no access to stem, no fault, good condition		
BESS 1	T3	Field maple	<i>Acer campestre</i>	8	7	2	4.5	6	0.5	4.5.1(SW)	360	EM	Good	Good	40+	B2	59	4.3	East side flailed, overall good condition		
BESS 1	T4	Field maple	<i>Acer campestre</i>	11	6	2	4	6	0.5	4.3(SW)	380	EM	Good	Good	40+	B2	65	4.6	East side flailed, overall good condition		
BESS 1	T5	Ash	<i>Fraxinus excelsior</i>	15	7	7	8	5	3	N5	950	EM	Fair	Good	20-40	B2	408	11.4	woodpecker holes on mainstem, Big hollow at based , small deadwood in crown		
BESS 1	T6	Willow	<i>Salix sp.</i>	25	9	9	9	9	7	S5	780	M	Good	Good	40+	A2	275	9.4	Big mature Willow within G4, big branch tear off on southside		
BESS 1	T7	Ash	<i>Fraxinus excelsior</i>	12	1	4	6	6	2	6.2(SW)	500	EM	Poor	Fair	20-40	C2	113	6.0	No access, growing on othe rside of dyke, Northside main branch snap off		
BESS 1	T8	White willow	<i>Salix alba</i>	16	8	8	7	8		7.7(SW)	722	M	Fair	Good	40+	B2	236	8.7	Two trees growing as one, multi stem, on other side of dyke, no access to stem.		
BESS 1	T9	Goat Willow	<i>Salix caprea</i>	8	5	5	5	5		N1	380	EM	Good	Good	40+	B2	65	4.6	Multi stem at 3m , growing inside dyke		
BESS2	G1	Hawthorn, blackthorn , field elm, wych elm, wild privet	<i>Crateagus monogyna, Prunus spinosa, Ulmus minor, Ulmus glabra, Ligustrum vulgare</i>	12	3	3	3	3			300	SM	Fair	Fair	20-40	C2	41	3.6			
BESS2	H1	Dogwood, Field Maple, Hawthorn, Elder	<i>Cornus sanguinea, Acer campestre, Crataegus monogyna, Sambucus nigra</i>	2	1	1	1	1	0		75	M	Fair	Good	40+	B3	3	0.9	Flailed		
BESS2	T1	Goat Willow	<i>Salix caprea</i>	9.5	3	4	6	4	2	6.2(SW)	450, 300, 350	M	Fair	Fair	10-20	C2	188	7.7	Coppice, ditch to south		
BESS2	T10	Sycamore	<i>Acer pseudoplatanus</i>	14	4	2	2	4.5	1	2.2(SW)	280	SM	Fair	Good	20-40	C2	35	3.4			
BESS2	T11	Sycamore	<i>Acer pseudoplatanus</i>	11.5	2	4	3	4	4	3(W)	250	SM	Poor	Poor	<10	U	28	3.0			
BESS2	T12	Sycamore	<i>Acer pseudoplatanus</i>	5	0	0	0	0	0	0.0(SW)	200	SM	Dead	Dead	<10	U	18	2.4			



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BESS2	T13	Sycamore	<i>Acer pseudoplatanus</i>	9	3	0	3	3	0	3.2(SW)	120,80	SM	Poor	Fair	10-20	C2	9	1.7			
BESS2	T14	Sycamore	<i>Acer pseudoplatanus</i>	12	0	0	3.5	3.5	1.5	3.5.1(SW)	240	SM	Poor	Fair	10-20	C2	26	2.9	Cankers on stem.		
BESS2	T15	Common Oak	<i>Quercus robur</i>	10	0	0	0	3	6	0.2(SW)	300	SM	Dead	Dead	<10	U	41	3.6			
BESS2	T16	Common Alder	<i>Alnus glutinosa</i>	18	3	7	3	2.5	4	3.0(SW)	500	EM	Poor	Poor	<10	U	113	6.0	No stem access		
BESS2	T17	Hybrid Black Poplar	<i>Populus x canadensis</i>	12	3	3	2.5	3	0	1(W)	190	SM	Good	Fair	40+	B2	16	2.3			
BESS2	T18	Hybrid Black Poplar	<i>Populus x canadensis</i>	10	2	2	2	2	0	2.6(SW)	210	SM	Poor	Poor	<10	U	20	2.5			
BESS2	T19	Sycamore	<i>Acer pseudoplatanus</i>	17	5	5	5	5	8	5.6(SW)	250	SM	Good	Good	40+	B2	28	3.0	No access.		
BESS2	T2	Goat Willow	<i>Salix caprea</i>	9	5	3.5	2.5	4	0	2.5.9(SW)	90,170,140,140,100,80	EM	Poor	Fair	10-20	C2	42	3.7	Previously topped and regrown.		
BESS2	T20	Common Oak	<i>Quercus robur</i>	14.5	3	2	5.5	7.5	5	5(S)	400	EM	Fair	Good	40+	B2	72	4.8	No stem access behind fence		
BESS2	T21	Common Oak	<i>Quercus robur</i>	16	1	4	5	7.5	1	1.5(N)	350	EM	Fair	Good	40+	B2	55	4.2	No stem access behind fence.		
BESS2	T22	Common Oak	<i>Quercus robur</i>	7.5	4	3	4	2	4	1(E)	230	Y	Poor	Good	20-40	C2	24	2.8	Flailed		
BESS2	T23	Crack Willow	<i>Salix fragilis</i>	18.5	2	7	8	5.5	1.5	1.5(W)	600	EM	Fair	Fair	20-40	B3	163	7.2			
BESS2	T24	Crack Willow	<i>Salix fragilis</i>	14.5	4	4	4	4	6	1(S)	450	EM	Poor	Poor	<10	U	92	5.4			
BESS2	T25	Crack Willow	<i>Salix fragilis</i>	16	3	3	4	5	4	2(S)	450	EM	Poor	Poor	<10	U	92	5.4			
BESS2	T26	Ash	<i>Fraxinus excelsior</i>	18	3	3	5	6	5	4(W)	350	SM	Good	Good	40+	B2	55	4.2			
BESS2	T27	Common Oak	<i>Quercus robur</i>	18.5	9.5	8	9	8	6.5	6(N)	950	M	Good	Good	40+	A2	408	11.4			
BESS2	T28	Common Oak	<i>Quercus robur</i>	21	14	12	14	12.5	8	5(S)	1200	M	Good	Good	40+	A2	652	14.4	Historic large branch breakout to west		
BESS2	T29	Common Oak	<i>Quercus robur</i>	14	9	9	8.5	11.5	4	4(N)	820	EM	Good	Good	40+	A2	304	9.8	Crown lifted		
BESS2	T3	Sycamore	<i>Acer pseudoplatanus</i>	12	3.5	2	3	2.5	1	1.2(W)	170,170, 170	SM	Poor	Good	20-40	C2	39	3.5	Tight fork, natural bracing		
BESS2	T30	Ash	<i>Fraxinus excelsior</i>	13	6	5.5	5.5	6	3	2.5(S)	320	SM	Fair	Fair	10-20	C2	46	3.8			
BESS2	T31	Ash, Wych Elm	<i>Fraxinus excelsior, Ulmus glabra</i>	11	4	4.5	4	3.5	3	3(E)	260	SM	Fair	Fair	10-20	C2	61	4.4	Elm and ash growing together.		
BESS2	T32	Ash	<i>Fraxinus excelsior</i>	8	3	4	5	4.5	3	2(S)	310	SM	Good	Good	40+	C2	43	3.7			
BESS2	T33	Ash	<i>Fraxinus excelsior</i>	10.5	4	5	4	3.5	2.5	4.5(SW)	220, 220	SM	Fair	Poor	10-20	C2	44	3.7			
BESS2	T34	Ash, Oak	<i>Fraxinus excelsior, Quercus robur</i>	11	4.5	4.5	5	4.5	2.5	2(S)	250	SM	Fair	Good	20-40	C2	57	4.3	Oak and ash growing together.		
BESS2	T35	Ash	<i>Fraxinus excelsior</i>	11	4	5	4	4	2.5	4.8(SW)	230	SM	Fair	Fair	10-20	C2	24	2.8			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BESS2	T36	Ash	<i>Fraxinus excelsior</i>	10	4	3	3.5	3	2	3.5.8(SW)	180, 180	SM	Poor	Fair	10-20	C2	29	3.1			
BESS2	T37	Ash	<i>Fraxinus excelsior</i>	16	7	3.5	0	0	4	0.2(SW)	280	SM	Good	Fair	10-20	C2	35	3.4			
BESS2	T38	Ash	<i>Fraxinus excelsior</i>	14.5	5	5.5	4	0	4	4.0(SW)	120,230	SM	Fair	Fair	10-20	C2	30	3.1			
BESS2	T39	Ash	<i>Fraxinus excelsior</i>	16	6	5.5	3	4	6	5(N)	290	SM	Good	Fair	20-40	B2	38	3.5			
BESS2	T4	Horse Chestnut	<i>Aesculus hippocastanum</i>	6.5	2.5	2	2.5	2	1.5	1(N)	140	Y	Good	Good	40+	C2	9	1.7	Planted		
BESS2	T40	Ash	<i>Fraxinus excelsior</i>	14	6	6.5	6	2	4	2(N)	280, 230	EM	Poor	Fair	10-20	C2	59	4.3			
BESS2	T41	Ash	<i>Fraxinus excelsior</i>	16.5	4.5	5.5	2.5	2	6	6(SE)	230	SM	Fair	Fair	10-20	C2	24	2.8	Cracks on stem		
BESS2	T5	Sycamore	<i>Acer pseudoplatanus</i>	9	2.5	2.5	3	2.5	1.5	3.4(SW)	160	SM	Good	Good	40+	C2	12	1.9			
BESS2	T6	Hybrid Black Poplar	<i>Populus x canadensis</i>	27.5	8	8	8	6	5	5(W)	550	EM	Good	Good	40+	B2	137	6.6	Behind ditch, no stem access, measurements estimated.		
BESS2	T7	Ash	<i>Fraxinus excelsior</i>	21	5	4	2	6	4	4(S)	350	SM	Good	Fair	40+	B2	55	4.2	Behind ditch, no stem access.		
BESS2	T8	Ash	<i>Fraxinus excelsior</i>	9	2.5	2.5	2.5	2.5	0.5	1.5(N)	170	Y	Fair	Good	40+	C2	13	2.0	Northwest of ditch.		
BESS2	T9	Ash	<i>Fraxinus excelsior</i>	15.5	4	3	6	6	4	3(S)	300	SM	Poor	Poor	<10	U	41	3.6			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BESS2	W1	Ash, hawthorn	<i>Fraxinus excelsior</i> , <i>Crateagus monogyna</i>	15							300	SM	Fair	Fair	10-20	C2		3.6	Majority of woodland is semi-mature ash with varying states of ash dieback, hawthorn present rarely.		
BESS2	W2	Oak, hybrid black poplar, sycamore, ash	<i>Quercus robur</i> , <i>Populus x canadensis</i> , <i>Acer pseudoplatanus</i> , <i>Fraxinus excelsior</i>	17							250	SM	Fair	Fair	40+	B2		4.3	Early-mature screening belt on a bank leading up to substation, ground was inundated during survey.		
BF1	T1	Ash	<i>Fraxinus excelsior</i>	12.5	6.5	6	6.5	6	3.5	6.5.6(SW)	600	EM	Poor	Poor	<10	U	163	7.2	Good habitat value, half dead, dying stem with decay, flaky bark, woodpecker holes, no access to stem		
BF1	T2	Ash	<i>Fraxinus excelsior</i>	15	8.5	8	8	10	4	N4	750	M	N/A	Fair	10-20	C2	254	9.0	Behind barbed wire, thick ivy		
BF1	T3	Ash	<i>Fraxinus excelsior</i>	9	5	6	6	5	4	N3	750	M	Poor	Fair	10-20	A3	398	11.3	No stem access, cracked off top, big stem cavity with likely hollowing	Veteran	11.3
BF1	T4	Ash	<i>Fraxinus excelsior</i>	14	6.5	6	7.5	5	3.5	W0.3	920	M	Poor	Fair	<10	U	383	11.0	Significant crown dieback to north associated with significant root decay to north		
BF1	T5	Ash	<i>Fraxinus excelsior</i>	16.5	8	6	8.5	9.5	2	W0	550	EM	N/A	Fair	10-20	C3	137	6.6			
BF2	T1	Ash	<i>Fraxinus excelsior</i>	12	7	8	4.5	5	4	E4	600	EM	Poor	Poor	<10	U	163	7.2			
BF2	T2	Ash	<i>Fraxinus excelsior</i>	15.5	8	5	6	6	3	E6	500	EM	N/A	Fair	10-20	C2	113	6.0	Ditch to north		
BF2	T3	Oak	<i>Quercus robur</i>	16.5	9	11	10	8	2.5	E4	750	EM	Good	Good	40+	A2	254	9.0			
BF2	T4	Ash	<i>Fraxinus excelsior</i>	13	7	7.5	8.5	8	2	S3	565	EM	Fair	Fair	10-20	C2	144	6.8			
BF3	T1	Ash	<i>Fraxinus excelsior</i>	13	7	7	6.5	6	4	S4	480	EM	Fair	Poor	<10	U	104	5.8	Twin stem at base		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BF3	T2	Ash	Fraxinus excelsior	11	7	6	6.5	6	2.5	SW3	710	EM	Poor	Poor	<10	U	228	8.5			
BF3	T3	Oak	Quercus robur	17	6	7	7	8.5	4	W4	630	EM	Good	Good	40+	A2	180	7.6			
BF3	T4	Ash	Fraxinus excelsior	17	9	9	11	10	4	S4.5	860	M	Poor	Fair	10-20	C2	335	10.3	Shaggy bracket		
BF3	T5	Ash	Fraxinus excelsior	18	7	11	7	6.5	3	W3	910	M	Poor	Fair	10-20	C2	375	10.9	Large cracked off branches, cavities, fallen deadwood		
BF3	T6	Ash	Fraxinus excelsior	13	9.5	8	5	8.5	3.5	N3.5	1100	M	Poor	Fair	20-40	A3	855	16.5	Large open stem cavity and hollowing, large decaying dead scaffold limbs	Veteran	16.5
BF4	T1	Ash	Fraxinus excelsior	17.5	12.5	9.5	5.5	5	2.5	W4.5	860	M	Poor	Poor	<10	U	335	10.3	Basal decay, abundant standing deadwood, shaggy bracket, 1 branch hollow to south, stem wound to south		
BF4	T2	Ash	Fraxinus excelsior	10	3	5	3	3	1	E6	500	EM	Poor	Fair	10-20	C2	113	6.0	No access to stem		
BF4	T3	Ash	Fraxinus excelsior	14	7	8.5	6	6	3	N4	580	EM	Fair	Poor	<10	U	152	7.0			
BF5	T1	Oak	Quercus robur	20	9	8	12	10	3	N3.5	790	EM	Good	Good	40+	A2	282	9.5	Lower branches pruned back to south and have decay		
BF5	T2	Ash	Fraxinus excelsior	9.5	3.5	4	3.5	3	1	N1.5	240	SM	Good	Good	40+	B3	26	2.9			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
BF5	T3	Oak	<i>Quercus robur</i>	19	7	7	8	8	2.5	SW5	850	EM	Fair	Good	40+	A2	327	10.2	4m long cavity on west side of stem, Ganoderma sp. brackets present		
CF1	T1	Oak	<i>Quercus robur</i>	16	9.5	10.5	10.5	10.5	2.5	W4	910	EM	Fair	Good	40+	B2	375	10.9	Lost middle part of crown, top snapped out		
CF1	T2	Ash	<i>Fraxinus excelsior</i>	12	8	8	8	8	2	8.9(SW)	500	EM	N/A	Fair	20-40	B3	113	6.0	Thick ivy, no stem access due to vegetation		
CF1	T3	Horse Chestnut	<i>Aesculus hippocastanum</i>	11	6	6	8	6	1	S1.5	450	SM	Good	Good	40+	B2	92	5.4	Offsite, no stem access		
CF2	T1	Oak	<i>Quercus robur</i>	19	8	8	8	8	2	W2.5	1020	M	Good	Good	40+	A2	471	12.2			
CF3	T1	Ash	<i>Fraxinus excelsior</i>	20	10	7	8.5	9	3	W5	750	EM	Good	Fair	20-40	B2	254	9.0			
CF3	T2	Ash	<i>Fraxinus excelsior</i>	13.5	5.5	5.5	6	6	2	SE4.5	390	EM	Good	Fair	10-20	C2	69	4.7			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
CF4	T1	Ash	Fraxinus excelsior	18.5	8	5	6.5	6.5	4	N4.5	1820	A	Poor	Good	20-40	A3	2341	27.3	Huge hollowed stem which is dividing slowly into functional units. Large hollow inside with wood mulch at base, fungi present, cavities and deadwood, no evidence of crown dieback	Veteran	27.3
CF4	T2	Ash	Fraxinus excelsior	13	6.5	10	10	7	3	E3	850	M	N/A	Fair	10-20	C2	327	10.2	Thick ivy		
CF4	T3	Ash	Fraxinus excelsior	14.5	8	7	8	7	2	8.8(SW)	420	EM	N/A	Good	20-40	B3	80	5.0	Twin stem, behind brambles, no stem access		
CF5	T1	Ash	Fraxinus excelsior	18	8	8	11	10	3.5	SW3	550	EM	Fair	Fair	10-20	C2	137	6.6	Thick ivy		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
CF5	T2	Ash	Fraxinus excelsior	16	5.5	6	7	7	3	7.5(SW)	650	EM	N/A	Poor	<10	U	191	7.8	Thick ivy, no stem visibility		
CF5	T3	Oak	Quercus robur	14.5	7.5	6	5	8	3	SW3	620	EM	Good	Good	40+	B2	174	7.4			
CF6	T1	Ash	Fraxinus excelsior	14.5	6.5	7	7	7.5	3	S3	480	EM	Good	Fair	10-20	C2	104	5.8			
CF6	T2	Ash	Fraxinus excelsior	17	6	6	6	5.5	2	W3.5	630	EM	Fair	Fair	10-20	C2	180	7.6			



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
CF6	T3	Ash	<i>Fraxinus excelsior</i>	7.5	5	5	2.5	2.5	2	N0	470	EM	Poor	Poor	<10	B3	156	7.1	Large and extensive stem hollowing, abundant standing and fallen deadwood, extensive ash dieback	Veteran	10
CF6	T4	Ash	<i>Fraxinus excelsior</i>	14	6	6.5	6.5	4	4	S1.5	420	EM	Fair	Poor	<10	U	80	5.0			
CF7	T1	Leylandii	^x <i>Cuprocyparis leylandii</i>	14	3.5	1.5	3.5	1.5	0	3.5.7(SW)	420	EM	Good	Good	40+	C2	80	5.0			
CF8	T1	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	8	1.5	8.0(SW)	520	EM	N/A	Good	20-40	B3	122	6.2	No access to stem due to vegetation, multistem, cavities in stems		
CF9	T1	Ash	<i>Fraxinus excelsior</i>	9	5	6	7	5	3	E3	550	EM	Poor	Fair	10-20	A3	214	8.3	Large cavity and hollowing on north side	Veteran	12
CF9	T2	Oak	<i>Quercus robur</i>	16	10	7.5	7	8	3	SE4.5	700	EM	Good	Good	40+	A2	222	8.4			
DF1	T1	Poplar	<i>Populus sp(p)</i>	9.5	2.5	3.5	2.5	2	4	W4	280	SM	Fair	Fair	10-20	C2	35	3.4			
DF1	T2	Ash	<i>Fraxinus excelsior</i>	22.5	11	8.5	9.5	9.5	3.5	S5	850	M	Fair	Fair	10-20	C2	327	10.2			
DF1	T3	Ash	<i>Fraxinus excelsior</i>	14	4.5	4	3.5	4	4.5	3.5.8(SW)	470	SM	Fair	Fair	10-20	C2	100	5.6	Multistem		
DF2	T1	Ash	<i>Fraxinus excelsior</i>	18	5	7	7	7	4	E4	450	EM	Good	Fair	10-20	C2	92	5.4	On opposite side of stream, no stem access		
DF2	T2	Sycamore	<i>Acer pseudoplatanus</i>	14	5	6.5	6	6	4	S2	450	SM	Good	Fair	20-40	B2	92	5.4	Stem bleeds		
DF2	T3	Ash	<i>Fraxinus excelsior</i>	14.5	6	8.5	6.5	5	3	S3.5	610	EM	Fair	Fair	10-20	C2	168	7.3			
DF2	T4	Ash	<i>Fraxinus excelsior</i>	15.5	3.5	5	4.5	5	4	S4	500	EM	Poor	Poor	<10	U	113	6.0	Large snapped off branch, canopy dying back, ivy		
DF3	T1	Ash	<i>Fraxinus excelsior</i>	18	8	6	4	8.5	5	W3.5	520	EM	Fair	Fair	10-20	C2	122	6.2	Shaggy bracket <i>Pseudoinonotus dryadeus</i> present, tree in decline		
DF3	T2	Ash	<i>Fraxinus excelsior</i>	8	4.5	6.5	3	4	2.5	W2.5	380	SM	Poor	Good	10-20	C2	65	4.6	Significant decay in larger limbs		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
DF3	T3	Aspen	<i>Populus tremula</i>	23.5	8	13.5	2	5	2.5	S7	707	M	Good	Good	20-40	B2	226	8.5	On opposite side of stream, no stem access		
DF3	T4	Ash	<i>Fraxinus excelsior</i>	22.5	8	9.5	9	4	4.5	SE4.5	540	EM	Good	Fair	10-20	C2	132	6.5			
DF4	T1	Ash	<i>Fraxinus excelsior</i>	20	7.5	8	5	8.5	4	W4	600	EM	Fair	Poor	10-20	C2	163	7.2	Thick ivy		
DF4	T2	Ash	<i>Fraxinus excelsior</i>	12	8	6	4	7	2.5	W2.5	700	EM	Fair	Fair	10-20	A3	346	10.5	Extensive stem hollowing to a height of 3.5m, minor standing and fallen deadwood, no access to stem	Veteran	13
EF1	T1	Crack willow	<i>Salix fragilis</i>	15	6	5	4	6	3	4.5(SW)	925	M	Fair	Poor	40+	A3	605	13.9	Split into two stems, hollow, phoenix tree, large deadwood	Veteran	13.9
EF1	T2	Ash	<i>Fraxinus excelsior</i>	13.5	6	4	6	3.5	4.5	6.7(SW)	650	EM	Poor	Fair	10-20	C2	191	7.8			
EF10	T1	Ash	<i>Fraxinus excelsior</i>	11	4	3.5	7	4.5	2.5	SE3	1050	M	Poor	Fair	20-40	B3	779	15.8	Crown died back and new crown formed from large diameter epicormic growth. Large standing hollow scaffold limbs, abundant standing deadwood, likely hollow. Veteran tree.	Veteran	15.8
EF10	T2	Ash	<i>Fraxinus excelsior</i>	13	5.5	6	12	7.5	2.5	S4	870	M	Fair	Fair	10-20	C2	342	10.4			
EF11	T1	Ash	<i>Fraxinus excelsior</i>	10.5	5	4.5	4.5	4.5	3	S3	590	EM	Poor	Poor	<10	U	157	7.1			
EF11	T2	Ash	<i>Fraxinus excelsior</i>	15.5	6	6	6	6	2	W3	790	EM	Fair	Fair	20-40	B2	282	9.5			
EF11	T3	Ash	<i>Fraxinus excelsior</i>	12.5	7.5	5	5.5	6	4	S4	500	EM	Fair	Fair	10-20	C2	113	6.0			
EF12	T1	Oak	<i>Quercus robur</i>	17.5	9.5	9.5	10	9.5	3	W3	1070	M	Good	Good	40+	A2	518	12.8			
EF12	T2	Ash	<i>Fraxinus excelsior</i>	11.5	3	5	6	2	2	S3	850	M	Poor	Good	20-40	C3	327	10.2	Cracked out top		
EF12	T3	Ash	<i>Fraxinus excelsior</i>	7	4	4	3	4	2.5	3.4(SW)	300	SM	N/A	Good	40+	C2	41	3.6	Buried in hedge		
EF12	T4	Ash	<i>Fraxinus excelsior</i>	16	6	7	4	6	2	4.0(SW)	780	M	Fair	Fair	20-40	B2	275	9.4	Large coppice stool		
EF13	T1	Ash	<i>Fraxinus excelsior</i>	15	6	9.5	6	7	2	S3.5	500	EM	Good	Fair	10-20	C2	113	6.0			
EF13	T2	Ash	<i>Fraxinus excelsior</i>	19.5	9	6	8.5	9.5	3	S3	700	M	Good	Fair	20-40	B2	222	8.4			
EF14	T1	Ash	<i>Fraxinus excelsior</i>	11	5	5.5	5	2.5	4	5.5(SW)	430	EM	Fair	Good	20-40	C2	84	5.2	Coppiced at base, outgrown hedgerow tree		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
EF14	T2	Oak	<i>Quercus robur</i>	14.5	10	6.5	11	8	2	W3	930	EM	Good	Good	40+	A2	391	11.2	Large cavities in scaffold branches		
EF14	T3	Ash	<i>Fraxinus excelsior</i>	11	6	6.5	5.5	6	2.5	E3	350	SM	N/A	Fair	10-20	C2	55	4.2			
EF15	T1	Ash	<i>Fraxinus excelsior</i>	15.5	6	7	7.5	5	3	S3	610	EM	Poor	Fair	10-20	C2	168	7.3	Decayed base, stem cankers		
EF15	T2	Ash	<i>Fraxinus excelsior</i>	11.5	3	5.5	8	4.5	2	S2.5	430	EM	Fair	Fair	20-40	C2	84	5.2	Aerial phoenix tree		
EF15	T3	Ash	<i>Fraxinus excelsior</i>	16.5	9	8.5	7.5	7	2	SW2.5	660	EM	Fair	Fair	10-20	C2	197	7.9			
EF16	T1	Oak	<i>Quercus robur</i>	14.5	8	8	7.5	8	2	N4.5	700	EM	Good	Good	40+	A2	222	8.4			
EF16	T2	Ash	<i>Fraxinus excelsior</i>	13	10	10	10	8.5	1	E3	830	M	Poor	Fair	20-40	C2	312	10.0	Lots of cracked out limbs in canopy		
EF16	T3	Ash	<i>Fraxinus excelsior</i>	17	9	8	12	9.5	4	S4	850	M	Fair	Poor	<10	U	327	10.2			
EF16	T4	Oak	<i>Quercus robur</i>	18	8	8	7	8	2	E3	950	M	Good	Good	40+	A2	408	11.4			
EF16	T5	Ash	<i>Fraxinus excelsior</i>	9.5	3.5	5	5	4.5	3	W2.5	950	M	Poor	Fair	10-20	C3	408	11.4			
EF17	T1	Sycamore	<i>Acer pseudoplatanus</i>	20	8	4	8.5	2	2.5	8.5.7(SW)	520	M	Fair	Good	40+	B2	122	6.2	Multi stem at base, no stem access		
EF17	T2	Ash	<i>Fraxinus excelsior</i>	27.5	11	5	8	10	1.5	W8	620	M	Good	Fair	20-40	B2	174	7.4			
EF18	T1	Ash	<i>Fraxinus excelsior</i>	15	5.5	6	6.5	5	4	S4	650	EM	Good	Fair	10-20	C2	191	7.8	Behind wire fence		
EF18	T2	Ash	<i>Fraxinus excelsior</i>	19	7.8	8.5	9.5	4	3	E0.5	796	EM	Fair	Fair	10-20	C2	287	9.6			
EF18	T3	Ash	<i>Fraxinus excelsior</i>	14.5	11	7.5	8	8	2	8.7(SW)	915	M	Fair	Good	40+	A3	379	11.0	Large coppice stool		
EF2	T1	Ash	<i>Fraxinus excelsior</i>	13.5	9	6	4.5	6	2	E4	1000	M	Fair	Fair	20-40	B3	452	12.0	Thick ivy, large dead branches		
EF2	T2	Ash	<i>Fraxinus excelsior</i>	9.5	3	3.5	3.5	1.5	4	S4	450	EM	Poor	Poor	<10	B3	143	6.8	Tree half gone, canopy very thin, stem hollow	Veteran	8.5
EF2	T3	Ash	<i>Fraxinus excelsior</i>	17	7	8.5	4	5	2	E4.5	500	EM	N/A	Poor	<10	U	113	6.0	Behind blackthorn, no stem access		
EF2	T4	Ash	<i>Fraxinus excelsior</i>	17.5	4	8.5	6.5	3	2.5	E7	620	EM	Poor	Good	40+	A3	174	7.4	Very large open cavities in scaffold limbs, high wildlife value		
EF20	T1	Ash	<i>Fraxinus excelsior</i>	14.5	8	7.5	5	8.5	2.5	W3	500	EM	Fair	Poor	10-20	C2	113	6.0			
EF20	T2	Sycamore	<i>Acer pseudoplatanus</i>	12	7	7	8	6	2	N1	600	EM	Fair	Good	40+	B2	163	7.2	pruned back on one side		
EF21	T1	Ash	<i>Fraxinus excelsior</i>	19.5	7.5	7	8	10.5	3	N5	850	M	Poor	Fair	20-40	B3	327	10.2	Large branch have snapped off, thinning canopy		
EF22	T1	Ash	<i>Fraxinus excelsior</i>	16.5	6	10	6	0	3	E4.5	573	EM	Fair	Fair	20-40	B2	149	6.9	Twin stem, part of group		
EF22	T2	Oak	<i>Quercus robur</i>	18	8.5	12	10	7	3	SE3.5	1230	M	Good	Good	40+	A2	684	14.8			
EF22	T3	Ash	<i>Fraxinus excelsior</i>	10.5	5	4	2	3	2	S2	290	SM	Fair	Fair	10-20	C2	38	3.5			
EF22	T4	Hybrid Black Poplar	<i>Populus x canadensis</i>	16.5	5.5	5	5	4.5	0	SW2	390	SM	Good	Good	40+	B2	69	4.7			
EF23	T1	Ash	<i>Fraxinus excelsior</i>	16	4	9	7	7	3.5	0.5E	995	EM	Fair	Fair	20-40	B2	448	11.9	Multistem 0.5m		
EF23	T2	Hybrid Black Poplar	<i>Populus x canadensis</i>	29.5	8	5	5	8.5	2.5	W4	780	M	Good	Good	20-40	B2	275	9.4			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
EF23	T3	Norway Maple	<i>Acer platanoides</i>	10.5	5.5	7.5	4	6.5	1	E1.5	480	EM	Good	Good	40+	B2	104	5.8			
EF24	T1	Norway Maple	<i>Acer platanoides</i>	7	4	3.5	2.4	3	2	E2.5	250	SM	Good	Good	40+	C2	28	3.0			
EF24	T2	Oak	<i>Quercus robur</i>	6.5	3.5	3.5	3.5	3.5	1	W1	270	Y	Good	Good	40+	C2	33	3.2			
EF24	T3	Ash	<i>Fraxinus excelsior</i>	12.5	10	8	7.5	7	4	S3	620	EM	Good	Good	20-40	B2	174	7.4			
EF25	T1	Ash	<i>Fraxinus excelsior</i>	11	5.5	4.5	5	4.5	2	5.0(SW)	372	SM	Fair	Good	20-40	C3	63	4.5	Muti stem at base		
EF26	T1	Ash	<i>Fraxinus excelsior</i>	14.5	8	9	7	8	3	7.7(SW)	689	M	Fair	Good	20-40	B3	215	8.3	Muti stem at base		
EF27	T1	Sycamore	<i>Acer pseudoplatanus</i>	12	4.5	5.5	8	7	0	S0.5	450	SM	Fair	Good	40+	B2	92	5.4			
EF27	T2	Ash	<i>Fraxinus excelsior</i>	22	8	8	9	8	1.5	SW4	700	EM	N/A	Poor	20-40	B2	222	8.4	Behind vegetation, no stem access		
EF27	T3	Ash	<i>Fraxinus excelsior</i>	21.5	12	11	16	15	2	S4	1200	M	Good	Good	40+	A2	651	14.4			
EF27	T4	Ash	<i>Fraxinus excelsior</i>	14	4	5	6	4.5	2	E3	960	M	Poor	Good	20-40	B3	417	11.5	All major branches cracked off, new crown has grown, basal cavity, woodpecker holes, cavities		
EF28	T1	Oak	<i>Quercus robur</i>	12	8.5	8	8.5	8	3.5	N2.5	510	EM	Good	Good	40+	A2	118	6.1			
EF29	T1	Oak	<i>Quercus robur</i>	13.5	8	8	8	8	0	8.0(SW)	1250					A2	707	15.0	No access to field due to horses, precautionary 15m RPA applied		
EF3	T1	Oak	<i>Quercus robur</i>	17	10	10	10	10	1.5	NW2.5	1100	M	Good	Good	40+	A2	547	13.2	Behind bramble, no stem access		
EF3	T2	Ash	<i>Fraxinus excelsior</i>	15.5	11	6	4	4	2	E7	950	M	Poor	Fair	10-20	C3	408	11.4	Southern scaffold limb broken off, canopy thin		
EF3	T3	Ash	<i>Fraxinus excelsior</i>	17	6	5.5	5	6	0	NE0.5	1110	M	Poor	Fair	20-40	A3	871	16.7	Completely hollow stem	Veteran	16.7
EF3	T4	Ash	<i>Fraxinus excelsior</i>	11.5	5	2	2.5	6	4	N4	500	EM	Poor	Poor	<10	U	113	6.0			
EF30	T1	Ash	<i>Fraxinus excelsior</i>	29.5	10.5	20.5	12	10	3	S5.5	1350	M	Fair	Fair	20-40	B2	707	15.0	Some cavities in branches, crossing rubbing features, deadwood		
EF30	T2	Oak	<i>Quercus robur</i>	20	9	10	10.5	10	2	W4	1190	M	Good	Good	40+	A2	641	14.3			
EF30	T3	Oak	<i>Quercus robur</i>	16	7	7	7	7	1	S4	700	EM	Good	Good	40+	B2	222	8.4	No access due to flooding		
EF31	T1	Ash	<i>Fraxinus excelsior</i>	8	4	4	4	4	1	W3	270	SM	Good	Fair	20-40	C2	33	3.2			
EF32	T1	Oak	<i>Quercus robur</i>	13.5	7.5	7	6.5	6.5	1	W3.5	1130	M	Fair	Good	40+	A3	578	13.6	Large branch tear out wound to south on stem at~ 2.5m height		
EF33	T1	Ash	<i>Fraxinus excelsior</i>	10	2.5	2.5	3.5	4	3	SW4	590	EM	Poor	Fair	<10	U	157	7.1	Holes in stem, lost top, one live branch and adventitious growth remaining, decay at base		
EF33	T2	Oak	<i>Quercus robur</i>	16	10	8.5	9.5	9	1	S3	1130	M	Good	Good	40+	A2	578	13.6			



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
EF33	T3	Ash	<i>Fraxinus excelsior</i>	22	9	4	9	9.5	1	W3.5	770	M	Fair	Poor	10-20	C2	268	9.2	Beside stream		
EF33	T4	Red Oak	<i>Quercus rubra</i>	17	1.5	5	6	6	0.5	S3	440	EM	Good	Good	40+	B2	88	5.3			
EF34	T1	Oak	<i>Quercus robur</i>	16	8.5	8	7.5	8	4	W2.5	830	EM	Good	Good	40+	A2	312	10.0			
EF34	T2	Wellingtonia	<i>Sequoiadendron giganteum</i>	16.5	4	5	4	5	1.5	E2.5	790	SM	Good	Good	40+	B1	282	9.5	Large area of stem bark missing to north		
EF4	T1	Ash	<i>Fraxinus excelsior</i>	11.5	3.5	2.5	2	2.5	3.5	E2	160	Y	Good	Good	40+	B2	12	1.9			
EF4	T2	Ash	<i>Fraxinus excelsior</i>	17	8	2	9	9.5	0	9.7(SW)	575	EM	Fair	Fair	40+	B2	150	6.9	Multistem at base, on other side of stream		
EF4	T3	Ash	<i>Fraxinus excelsior</i>	11	6.5	7	8.5	5.5	3	E4	710	M	Poor	Fair	20-40	B3	228	8.5	Large broken out limb remnants, reactive growth, woodpecker holes and fungi present		
EF4	T4	Willow	<i>Salix sp.</i>	8.5	4	6	4	1	2	4.1(SW)	400	SM	N/A	Good	40+	C2	72	4.8	Multistem, no stem access		
EF5	T1	Oak	<i>Quercus robur</i>	17	7	6.5	8	5.5	2	SE2.5	850	EM	Good	Good	40+	A2	327	10.2			
EF5	T2	Ash	<i>Fraxinus excelsior</i>	14.5	5.5	7	6	4	3	W4.5	660	EM	Fair	Fair	10-20	C2	197	7.9	Large cavity on north stem side		
EF6	T1	Ash	<i>Fraxinus excelsior</i>	11	4	5.5	5	5	2	S3.5	380	SM	Good	Fair	20-40	B2	65	4.6			
EF7	T1	Oak	<i>Quercus robur</i>	14	12.5	9.5	10	9	1	NE3	1710	M	Fair	Good	40+	A3	707	15.0	Fungi at base, low branch arching over track, twin stem at 1.5m height, large branch breakouts, pruned over track		
EF7	T2	Oak	<i>Quercus robur</i>	14.5	7.5	8	9.5	7.5	2.5	NE3	1000	M	Good	Good	40+	A2	452	12.0			
EF7	T3	Ash	<i>Fraxinus excelsior</i>	8.5	6.5	4.5	4	2.5	2	N3.5	670	M	Fair	Good	40+	A3	317	10.1	Retrenched canopy, stag headed, basal cavity and hollowing stem. Fallen deadwood, multiple cavities in branches.	Veteran	11.5
EF8	T1	Ash	<i>Fraxinus excelsior</i>	9.5	4	5	5	4	3	5.0(SW)	560	EM	Poor	Poor	10-20	C2	142	6.7	Multistem at base, central stem dead		
EF8	T2	Ash	<i>Fraxinus excelsior</i>	14.5	7	7.5	7	4.5	2	E3	660	EM	Fair	Fair	10-20	C2	197	7.9			
EF8	T3	Ash	<i>Fraxinus excelsior</i>	12.5	9	4.5	6	7	2	S3	750	EM	Poor	Poor	<10	U	254	9.0	Lost top, large cavity in stem		
EF9	T1	Ash	<i>Fraxinus excelsior</i>	17	8	9	8	9.5	2	W3.5	930	M	Fair	Fair	20-40	B2	391	11.2			
EF9	T2	Oak	<i>Quercus robur</i>	17.5	10	9.5	10	10	0	N2	1250	M	Good	Good	40+	A2	707	15.0	Offsite, behind wire fence		
FF1	T1	Oak	<i>Quercus robur</i>	7	3.5	3.5	3.5	3	2.5	3.5.5(SW)	240	SM	Good	Good	40+	B2	26	2.9			
FF1	T2	Ash	<i>Fraxinus excelsior</i>	10	7	7	6.5	8	0.5	6.5.0(SW)	590	EM	Good	Good	20-40	B2	157	7.1			
FF11	T1	Ash	<i>Fraxinus excelsior</i>	9	5.5	8.5	8	2.5	2	E1	1300	M	Poor	Fair	20-40	A3	1195	19.5	Veteran, significant stem hollowing, top snapped out formed lower crown, variety of fallen deadwood.	Veteran	19.5
FF11	T2	Ash	<i>Fraxinus excelsior</i>	10	4	4	6	3	2	S3	600	EM	Poor	Good	40+	A3	163	7.2	Hollow stem(significant), Crack out top,		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			Regrow lower stem, Some fallen dead wood		
FF12	T1	Ash	<i>Fraxinus excelsior</i>	17	6.5	7	11.5	9	2.5	S4	850	EM	Good	Fair	40+	A3	327	10.2			
FF13	T1	Sycamore	<i>Acer pseudoplatanus</i>	12	2.5	4.5	2	5	4.5	2.6(SW)	390	SM	Fair	Good	20-40	C2	69	4.7	Good part of group muti stem at base		
FF15	T1	Hybrid Black Poplar	<i>Populus x canadensis</i>	22	6	4	9	8	7	S6	980	M	Good	Good	40+	A3	434	11.8	9 big poplar, growing as tree group, most cover in ivy on main stem, south leaning, bracket on 1 poplar		
FF15	T2	Ash	<i>Fraxinus excelsior</i>	13	5	6	10	8	1	S3	680	EM	Poor	Fair	20-40	A3	327	10.2	significant hollowing stem, new regen crown, major deadwood in crown, dying top, see through stem.	Veteran	15
FF15	T3	Oak	<i>Quercus robur</i>	16	9	9	9	9	1	S4	800	EM	Fair	Fair	40+	A2	290	9.6	Top snap off of probably from lightning, deadwood in crown, other side of dyke		
FF15	T4	Oak	<i>Quercus robur</i>	10.5	6	6	6	6	2	E2	630	EM	Good	Fair	40+	B2	180	7.6	Crown signs of dead at tip end, Ivy on stem, deadwood in crown		
FF16	T1	Field Elm		13	5	5	2.5	5	4	E4	350	SM	Fair	Fair	10-20	C2	55	4.2	Declining at top, wood decaying		
FF17	T1	Lombardy Poplar	<i>Populus nigra</i>	30	5	5	5	5	4	5.0(SW)	1100	M	Good	Good	40+	A2	547	13.2	2 big poplar inside mixed tree group.		
FF17	T2	Black Pine	<i>Pinus nigra</i>	17	7	3	6	9	2	W3	720	M	Good	Good	40+	A2	235	8.6	Ivy cover stem, tree crown flag west		
FF17	T3	Oak	<i>Quercus robur</i>	6	3	3	3	3	3	3.4(SW)	160	SM	Good	Good	40+	B2	12	1.9	Tree growing in hedge		
FF17	T4	Ash	<i>Fraxinus excelsior</i>	8	4	4	4	4	1	4.9(SW)	800	EM	Fair	Fair	20-40	B2	290	9.6	Big Limp snap off both side historically, regrow new top, heavy ivy cover stem. Can't access stem, No hollowing observed.		
FF18	T1	Ash	<i>Fraxinus excelsior</i>	16	8.5	8	7.5	8	0	SE0	950	M	Good	Good	40+	B2	408	11.4	Large Epicormic branches around base		
FF18	T2	Sycamore	<i>Acer pseudoplatanus</i>	18	8.5	7.5	9	7	4	S2.5	1078	M	Poor	Fair	20-40	C2	526	12.9	Tight forks included bark Muti stem at base, ivy		
FF18	T3	Oak	<i>Quercus robur</i>	20	10	9	7.5	7	4.5	NW8	1450	M	Fair	Fair	40+	A3	951	17.4	High wildlife value, big scaffold cracked out on floor, ganoderma at base, small cavities in branches, standing deadwood		
FF19	G1	Field Elm	<i>Ulmus minor</i>	8	2	2	2	2	1		200	SM	N/A	N/A	<10	U	18	2.4	All dead semi-mature Elm		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
FF19	T2	Ash	<i>Fraxinus excelsior</i>	21	9.5	9.5	10	9	4.5	E6	990	EM	Fair	Fair	20-40	B3	443	11.9	Few dead standing branches and brackets woodpecker holes		
FF2	T1	Hybrid Black Poplar	<i>Populus x canadensis</i>	18	12	9	4	9	8	E8	1380	OM	Fair		20-40	A3	1346	20.7	3 main branch snap off, Large standing deadwood, Stem hollowing Veteran	Veteran	20.7
FF2	T2	Ash	<i>Fraxinus excelsior</i>	8	2.5	0.5	1.5	2.5	2.5	W2.5	180	SM	Good	N/A	40+	B3	15	2.2			
FF20	T1	Turkey Oak	<i>Quercus cerris</i>	25	9	11.5	9	8	0	S5.5	1120	M	Fair	Good	40+	A2	567	13.4	Good <i>Ganoderma resinaceum</i> at base		
FF20	T2	Sycamore	<i>Acer pseudoplatanus</i>	4.5	1	2	2.5	2.5	1	W1	110	Y	Fair	Good	40+	C2	5	1.3	In hedgerow growing through fence		
FF20	T3	Sycamore	<i>Acer pseudoplatanus</i>	4.5	2.5	2.5	2.5	2.5	1.5	S1.5	157	Y	Fair	Good	40+	C2	11	1.9	Multistem at base		
FF21	T1	Oak	<i>Quercus robur</i>	15	8	9	7	7.5	0.5	W3	1100	M	Good	Good	40+	A2	547	13.2			
FF21	T2	Atlantic Cedar		11	7	7	7	4.5	2	N2	450	SM	Good	Good	40+	B1	92	5.4	Offsite in garden		
FF21	T3	Oak	<i>Quercus robur</i>	13	4.5	6	8	7	3	NE5	800	M	Good	Fair	40+	B2	290	9.6	Several dead branches in crown, hole in stem, northwest 2m high dead branch collars		
FF22	T1	Oak	<i>Quercus robur</i>	16	16	9	10	13	2.5	SW4.5	1600	M	Poor	Fair	40+	B2	1158	19.2	Fair Lots of broken branches, cavities, fallen deadwood some decay and reaction wood on stem high habitat value		
FF23	T1	Oak	<i>Quercus robur</i>	15	9	13	10	9	3	S3	1300	M	Fair	Fair	40+	B2	765	15.6	Visible root plate decay, deadwood in crown, thinning crown.		
FF24	T1	Elm	<i>Ulmus sp(p)</i>	12	8	8	6	6.5	1	6.8(SW)	610	SM	Fair	Good	20-40	B2	168	7.3	Flailed to west.		
FF25	T1	Willow	<i>Salix sp.</i>	15	8	9	8	8	1	W2	800	M	Good	Good	40+	B2	290	9.6	twin stem, growing, cant get access into stem		
FF25	T2	Ash	<i>Fraxinus excelsior</i>	10	5	5	5	5		5.6(SW)	250	SM	Good	Good	20-40	B2	28	3.0	multi stem at 3m growing inside hedge		
FF25	T3	Ash	<i>Fraxinus excelsior</i>	6	2	2	2	2		2.7(SW)	100	Y	Good	Good	20-40	C2	5	1.2			
FF26	T1	Sycamore	<i>Acer pseudoplatanus</i>	11	6	6	6	6	2	6.8(SW)	300	SM	N/A	Good	20-40	C2	41	3.6	Heavy cover ivy mainstem, growing inside hedge		
FF26	T2	Hawthorn	<i>Crataegus monogyna</i>	7.5	3	4	4	3	1	4.7(SW)	330	M	N/A	Fair	20-40	C2	49	4.0	Ivy cover stem, tree declining, deadwood in crown		
FF26	T3	Oak	<i>Quercus robur</i>	8	6.5	5	7	7	1	E3	300	SM	Good	Good	40+	B2	41	3.6	Part of a tree group, behind metal fence		
FF27	T1	Field maple	<i>Acer campestre</i>	6	2	2	2	1		2.1(SW)	120	Y	Good	Good	40+	C2	7	1.4	tree growing inside hedge		
FF28	T1	Oak	<i>Quercus robur</i>	16	7.5	12	6.5	9	3	W3	850	EM	Poor	Fair	40+	A3	511	12.8	Significant stem hollowing from top to around 4m. Large standing and fallen deadwood, cracked	Veteran	17

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			out branches in crown. High wildlife value. Veteran.		
FF28	T2	Ash	<i>Fraxinus excelsior</i>	13	6	6.5	8	7.5	0	E2	652	SM	Good	Fair	20-40	B2	192	7.8			
FF28	T3	Ash	<i>Fraxinus excelsior</i>	7	2.5	2.5	2.5	4	0.5	S1.5	580	EM	Poor	Poor	10-20	A3	152	7.0	Stem split into two, standing stem hollowing. Top of tree dying off and lower canopy growing, Crown retrenchment and fallen deadwood.		
FF28	T4	Oak	<i>Quercus robur</i>	14	8	8.5	9.5	12	4	N4	1300	M	Fair	Good	40+	A2	765	15.6	Crown lifting wounds present at main union.		
FF28	T5	Oak	<i>Quercus robur</i>	10.5	6.5	7.5	8.5	6	2.5	W4.5	1100	M	Fair	Fair	40+	B2	547	13.2	Significant standing deadwood in canopy and root plate damage near stem, likely from vehicles. Ploughed around rooting area. Habitat value		
FF28	T6	Oak	<i>Quercus robur</i>	19	10.5	10	11.5	9.5	2.5	SW5	1070	M	Good	Fair	40+	A2	518	12.8	Thin crown, significant amount and large diameter deadwood in Crown.		
FF29	T1	Oak	<i>Quercus robur</i>	15	11.5	6	8	9.5	1	N5	1200	M	Good	Good	40+	A2	651	14.4	Small amount of standing deadwood		
FF29	T2	Ash	<i>Fraxinus excelsior</i>	12	7	7	7	5	0.5	W3	970	M	Poor	Fair	20-40	A3	665	14.6	Veteran. Significant stem hollowing to north, retrenching crown and epicormic. Fallen large deadwood.	Veteran	14.6
FF29	T3	Oak	<i>Quercus robur</i>	21	13	12	12	13	0.5	S4	1490	M	Fair	Fair	40+	A2	1004	17.9	Large branches cracked out to South.		
FF29	T4	Ash	<i>Fraxinus excelsior</i>	16	7	4.5	0.5	0.5	4	N4	1000	EM	Poor	Poor	10-20	B3	707	15.0	Veteran due to lost top initiating stem hollowing. Standing deadwood abundant, regenerating crown some of which is dying back.	Veteran	15.0
FF29	T5	Ash	<i>Fraxinus excelsior</i>	19	9	6.5	9	6.5	3	N3	900	EM	Good	Fair	20-40	B2	366	10.8	Early Ash dieback.		
FF3	T1	Goat Willow	<i>Salix caprea</i>	9.5	1.5	4	4	4.5	3	S0.5	336	SM	Good	Good	20-40	B3	51	4.0			
FF3	T2	Ash	<i>Fraxinus excelsior</i>	14	5	8.5	6.5	6	4	SE4	635	EM	Fair	Fair	10-20	C3	182	7.6	No stem access. Canopy thinning, Ivy on tree. Multiple stems at ground level.		
FF3	T3	Ash	<i>Fraxinus excelsior</i>	15.5	9.5	8	8	7.5	3	E3	900	EM	Good	Fair	20-40	B2	366	10.8	Ivy on tree.		
FF3	T4	Sycamore	<i>Acer pseudoplatanus</i>	9.5	4.5	4	4.5	4.5	0.5	SW0.5	456	SM	Fair	Good	20-40	C3	94	5.5	Tight fork with included bark at base.		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
FF3	T5	Ash	<i>Fraxinus excelsior</i>	17.5	8	4.5	8	8.5	2	W4	850	EM	Fair	Fair	10-20	C2	327	10.2	Thin canopy, several cracked out branches, Ivy on tree. Major deadwood in crown.		
FF30	T1	Oak	<i>Quercus robur</i>	13	7.3	9	7.5	13	2	W7	1370	M	Poor	Fair	20-40	B3	849	16.4	Stag headed, crack in main junction, decaying scaffold limbs. One large limn cracked out and chopped up wood at base.		
FF30	T2	Oak	<i>Quercus robur</i>	8.5	5	7.5	7	5	2	NE2.5	1300	M	Poor	Fair	40+	A3	1195	19.5	Veteran. Multiple areas of missing and dysfunctional bark, main scaffold pruned back, good lower crown, Some standing deadwood.	Veteran	19.5
FF31	T1	Oak	<i>Quercus robur</i>	4.5	1.5	1.5	1.5	1.5	3	S3	110	Y	Fair	Good	40+	C2	5	1.3	In hedgerow		
FF31	T2	Oak	<i>Quercus robur</i>	14	7.5	7.5	7.5	7	4	S3	640	SM	Good	Good	40+	A2	185	7.7	Small amount of adventitious growth.		
FF32	T1	Oak	<i>Quercus robur</i>	14	7	6.5	8	8.5	1	SE2.5	1300	M	Good	Fair	40+	A3	765	15.6	Canopy under stress. Burrs on stem.		
FF33	T1	Goat Willow	<i>Salix caprea</i>	11	5	5	4.5	5	6	4.5.6(SW)	566	EM	Fair	Good	40+	B3	145	6.8	No stem access.		
FF33	T2	Oak	<i>Quercus robur</i>	16	7	12	11	8	1.5	S4	1530	M	Fair	Fair	40+	A3	1059	18.4	Lapsed old pollard, cavities and breakouts at pollard point, standing deadwood frequent. High habitat value. Old field boundary tree		
FF33	T3	Oak	<i>Quercus robur</i>	18	5	9	10	7	4.5	N2	760	EM	Fair	Fair	40+	B3	261	9.1	Two scaffold limbs intertwined, stem bleeds on one branch.		
FF4	T1	Goat Willow	<i>Salix caprea</i>	11.5	6	6	6	6	0.5	SE1	524	SM	Fair	N/A	20-40	C3	124	6.3	Multiple stems at ground level.		
FF4	T2	Ash	<i>Fraxinus excelsior</i>	13.5	9	2	10	6	2	S4	850	M	Poor	Fair	20-40	A3	511	12.8	Veteran. Hollow stem with broken off top and large fallen deadwood at base.	Veteran	15
FF4	T3	Ash	<i>Fraxinus excelsior</i>	16	8	7	7.8	7.5	0.5	NE3	1200	M	Fair	Fair	20-40	A3	1018	18.0	Veteran, little thin. Significant hollowing on SW side, woodpecker holes, jackdaw nesting signs, some small diameter deadwood in Crown and on floor	Veteran	18.0
FF5	T1	Field Maple	<i>Acer campestre</i>	11	0.5	1.5	4.5	5	0.5	SE0.5	220	SM	Good	Good	40+	B3	22	2.6	Flailed.		
FF5	T2	Ash	<i>Fraxinus excelsior</i>	14.5	11	10	8	8	4	E4	800	EM	Fair	Fair	20-40	B3	290	9.6	Can't see base for structural condition. Cavity in main fork.		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
FF5	T3	Crack Willow	<i>Salix fragilis</i>	14	14	7	0	12	0.5	0.4(SW)	971	M	Poor	Fair	20-40	B3	666	14.6	Collapsed multistem, next to pond, splits in stems with advanced decay. Fungi, abundant standing and fallen deadwood. Veteran.	Veteran	19
FF6	T1	Crack Willow	<i>Salix fragilis</i>	19	9	11	9	8	5	W2	1000	M	Fair	N/A	20-40	B2	452	12.0	Snapped out branches, Ivy on tree. Major deadwood in crown.		
FF6	T2	Crack Willow	<i>Salix fragilis</i>	17	8	9	7.5	8.5	2.5	N4	673	EM	Poor	Fair	20-40	C2	205	8.1	One stem with crack and hollowing.		
FF7	T1	Ash	<i>Fraxinus excelsior</i>	7.5	4	1	5	3.5	3	S3	1400	M	Poor	Fair	20-40	A3	1385	21.0	Veteran. 90% hollow, open cavity. Significant fallen deadwood.	Veteran	21.0
FF7	T2	Goat Willow	<i>Salix caprea</i>	9	8	8	5	6	0	W3	472	M	Fair	Fair	20-40	B3	101	5.7	Not on topo. few cracked out branches. No photo		
FF7	T3	Crack Willow	<i>Salix fragilis</i>	12.5	9	6	7.6	9	0	N2	1800	OM	Poor	Fair	20-40	B3	1466	21.6	Split apart branches with decay in both.		
FF7	T4	Oak	<i>Quercus robur</i>	15	8	7.5	8.5	5	4	NE5	950	EM	Fair	Fair	40+	B2	408	11.4	Few large cracked out limbs, cavities in stem, standing deadwood at top.		
FF7	T5	Ash	<i>Fraxinus excelsior</i>	10.5	5.5	6	5	6	0	W3	500	SM	Fair	N/A	10-20	C2	113	6.0	Early Ash die back, snapped out branches, Dieback in crown.		
FF8	T1	Crack Willow	<i>Salix fragilis</i>	11	7	8.5	10	10	0.5	S2	927	M	Fair	Good	40+	B3	389	11.1	Crack out top, Multiple cavity, Deadwood in crown		
FF9	T1	Ash	<i>Fraxinus excelsior</i>	15	8.5	8	9	8.5	1	N4.5	950	EM	Poor	Good	10-20	C2	408	11.4	Decay on main stem Shaggy brackets		
GF1	T1	Ash	<i>Fraxinus excelsior</i>	14	6	6	9	6	1	S2.5	672	EM	Good	Fair	40+	B2	204	8.1	Two tree grow as one, small amount of deadwood in crown		
GF1	T2	Ash	<i>Fraxinus excelsior</i>	11	7	8	7	7	3	N3	630	EM	Good	Poor	10-20	C2	180	7.6	Tree in decline, sign of ash die back		
GF1	T3	Oak	<i>Quercus robur</i>	12	6	7	8	8	0.5	SE4	890	M	Good	Good	40+	A2	358	10.7	Good overall tree, small deadwood in crown, no stem access		
GF10	T1	White willow	<i>Salix alba</i>	17	7	7	7	7	2	7.2(SW)	593	EM	Good	Good	40+	B3	159	7.1	Part of a tree group, no access due to dense vegetation		
GF10	T2	Ash	<i>Fraxinus excelsior</i>	9	2.5	2.5	2.5	2.5	3	2.5.5(SW)	290	SM	N/A	Good	20-40	B2	38	3.5	Tree growing inside hedge		
GF11	T1	Oak	<i>Quercus robur</i>	12.5	6.5	6.5	6.5	6.5	1.5	S3.5	520	SM	Good	Good	40+	B2	122	6.2	Canopy looks in decline, deadwood in crown		
GF11	T2	Oak	<i>Quercus robur</i>	12	4	5	6	6	1	W2	900	EM	Fair	Fair	40+	B2	366	10.8	Top retrenching, small holes on main stem, major deadwood in crown, sign of hollowing		
GF12-A	T1	Goat Willow	<i>Salix caprea</i>	10	3	3	3	3	0.5	3.0(SW)	240	SM	Good	Good	40+	C2	26	2.9	4-5 trees, multi stem growing as one tree.		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
GF12-A	T2	Ash	<i>Fraxinus excelsior</i>	13	6.5	6	6	6	2	N3	392	SM	N/A	Good	20-40	B2	70	4.7	Multi stem tree growing on other side of hedge, no stem access		
GF12-B	T1	Oak	<i>Quercus robur</i>	16.5	10	6	10	7	1	W2	1110	M	Fair	Fair	40+	A3	871	16.7	Big open wound to main stem on south side, hollowing stem, high wildlife value, crown retrenching, deadwood in crown, big dead limp in crown, Veteran	Veteran	16.7
GF13	T1	Ash	<i>Fraxinus excelsior</i>	10.5	6	6	6	6	2	S2	357	SM	Fair	Good	20-40	B2	58	4.3	Multi stem, tree growing inside hedge		
GF13	T2	Oak	<i>Quercus robur</i>	16	11	10	9	9	1	NW4	1300	M	Good	Fair	40+	A2	765	15.6	Sparse canopy, lots of deadwood in crown, no stem access		
GF13	T3	Ash	<i>Fraxinus excelsior</i>	18	8	9	9	8	2	W4	919	M	Good	Poor	10-20	C2	382	11.0	Tree in decline, 50% canopy dead, twin stem at 1.5m, other side of dyke		
GF13	T4	Ash	<i>Fraxinus excelsior</i>	12.5	7	7	7	7	3	E2	500	EM	N/A	Good	20-40	B2	113	6.0	Ivy cover main stem		
GF13	T5	Ash	<i>Fraxinus excelsior</i>	6.5	1.5	1.5	1.5	1.5	1	1.5.4(SW)	173	Y	Poor	Poor	<10	U	14	2.1	Dead		
GF2	T1	Oak	<i>Quercus robur</i>	18	9	9	9	9	3	N3	1000	M	Good	Fair	40+	A3	452	12.0	Tree located within woodland, deadwood lower canopy		
GF2	T2	Oak	<i>Quercus robur</i>	16	4	7	11	7	1	S3	850	EM	Good	Good	40+	A3	327	10.2	Tree located within woodland, multi stem at base		
GF2	T3	Oak	<i>Quercus robur</i>	12	7	7	7	7	1	N4	690	EM	Good	Good	40+	A2	215	8.3	Good overall tree		
GF2-A	T1	Oak	<i>Quercus robur</i>	11	6	6	6	6	1	S1.5	670	EM	Good	Good	40+	A2	203	8.0	Deadwood in crown, good condition		
GF2-A	T2	Oak	<i>Quercus robur</i>	10	6	6	6	8	1	E1	524	EM	Good	Fair	40+	A2	124	6.3	Twin stem at base, canopy a little sparse		
GF3	T1	Oak	<i>Quercus robur</i>	11.5	8	3	8	7	3	W3	490	EM	Good	Good	40+	A2	109	5.9	Two oak growing inside hedge, deadwood in crown		
GF3	T2	Oak	<i>Quercus robur</i>	9	3	6	6	6	2	E3	240	SM	Good	Good	40+	B2	26	2.9	Tree in hedge		
GF4	T1	Field maple	<i>Acer campestre</i>	5	2	2	2	2	0	2.8(SW)	241	SM	Good	Good	40+	C2	26	2.9			
GF5	T1	Norway maple	<i>Acer platanoides</i>	4	2	1	1	1	0	1.2(SW)	200	Y	Good	Good	40+	C2	18	2.4	Tree inside dyke		
GF5	T2	Field maple	<i>Acer campestre</i>	4	1	1	1	1	0	1.9(SW)	180	Y	Good	Good	40+	C2	15	2.2			
GF6	T1	Oak	<i>Quercus robur</i>	16	9	9	9	9	1	S4	1010	M	Good	Good	40+	A3	461	12.1	Big oak inside tree group, deadwood in crown		
GF7	T1	Goat Willow	<i>Salix caprea</i>	6	4	4	4	4	0	4.6(SW)	351	SM	Fair	Good	40+	C2	56	4.2	Multi stem tree growing inside a dyke		
GF8	T1	Field maple	<i>Acer campestre</i>	11	6	5	6	5	0	S1.5	467	EM	Good	Good	40+	B2	99	5.6	Growing on edge of dyke, flailed back on east side		
GF8-A	T1	Ash	<i>Fraxinus excelsior</i>	3	1	1	1	1	1	1.0(SW)	100	Y	Good	Good	20-40	C2	5	1.2			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
GF9	T1	Ash	<i>Fraxinus excelsior</i>	12.5	5	6	6	6	2	S3	392	SM	Fair	Good	20-40	B2	70	4.7	Multi stem at base, included bark present		
GF9	T2	Ash	<i>Fraxinus excelsior</i>	7	1	1.5	1	1.5	1	1.3(SW)	240	SM	Fair	Good	20-40	C2	26	2.9	Growing inside hedge		
GF9	T3	Oak	<i>Quercus robur</i>	15	9	9	9	9	4	S3	860	EM	Good	Fair	40+	A3	335	10.3	Oak inside woodland, deadwood in crown, especially lower crown		
GO1	T1	Oak	<i>Quercus robur</i>	12	7	7	7	7	1	N1	980	M	Good	Fair	40+	A3	434	11.8	Stag horn top, deadwood around base, high wildlife value		
GO2	T1	Oak	<i>Quercus robur</i>	18	10	10	10	10	1	E4	880	EM	Good	Good	40+	A3	350	10.6	Ivy cover stem, tree growing inside tree group small dead wood, big oak inside group		
GO3	T1	Oak	<i>Quercus robur</i>	14	10	8	7	6.5	1	N1	790	EM	Good	Fair	40+	A2	282	9.5	Deadwood in crown, some branch tip ends dying back		
GO4	T1	Oak	<i>Quercus robur</i>	11	7	7	7	7	0.5	S1	564	SM	Good	Good	40+	B2	144	6.8	Twin stem, small deadwood		
GO6	T1	Horse chestnut	<i>Aesculus hippocastanum</i>	11.5	6	6	6	6	0.5	S4	1040	M	Fair	Fair	40+	B2	489	12.5	Multi stem at 1.5m, included bark, 4 stem, deadwood in crown		
	G0001	Ash, Hawthorn, Elm, Blackthorn , Hazel, Dog Rose, Oak	<i>Fraxinus excelsior, Quercus robur, Crateagus monogyna, Corylus avellana, Ullnas spp, Rosa canina, Prunus spinosa</i>	13		8			4		700	EM	Good	Good	40+	B3	222	8.4	G1- Hedgerow. Flaied on the side only with scattered trees. Some dead/dying ash, occasional early mature Oak		
	G0002	Field maple Ash Hawthorn Elm Grey poplar Alder Wild cherry	<i>Crateagus monogyna, Fraxinus excelsior, Prunus avium, Ulmus spp, Acer campestre, Populus x canescens</i>	17.5	7	8.5	7	7	-	-	370	SM	Good	Good	40+	B3	62	4.4	Mix of Elm, Field maple and grey poplar		
	G0003	Hawthorn, Elder, Field Maple	<i>Crataegus monogyna, Sambucus nigra, Acer campestre</i>	4.5	3	3	3	3	0	N0	300	EM	Good	Good	40+	C3	41	3.6	East side of ditch majority occasional dead stem		
	G0004	Ash	<i>Fraxinus excelsior</i>	13.5	7	4.5	4.5	5	1.5	E1.5	353	EM	Good	Good	10-20	C1	56	4.2	Multi stem Ash x5, tree forming small group		
	G0005	Sycamore	<i>Acer pseudoplatanus</i>	15	7	6	7	6	5	N4.5	450	EM	Good	Good	10-20	C1	92	5.4	Linear group x5, on elevated ground levels, No access		
	G0006	Lime	<i>Tilia sp.</i>	16	8	8	8	8			700	EM	Good	Good	40+	B3	222	8.4	10 Limes		
	G0007	Hawthorne Elder Pine	<i>Crataegus monogyna,</i>	4.5	3	3	3	3	0		200	M	Good	Good	20-40	C2	18	2.4			

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
			<i>Sambuca nigra,</i> <i>Pinus spp</i>																		
	G0008	Field maple Alder Sycamore	<i>Acer campestre,</i> <i>Acer pseudoplatnus,</i> <i>Alnus glutinosa</i>	12	6	4	5	4	1	N1	300	EM	Good	Good	40+		41	3.6	Growing on both sides of the water course x1 failed willow		
	G0009	Ash, Hawthorn	<i>Fraxinus excelsior,</i> <i>Crataegus monogyna</i>	6	2.5	2.5	2.5	2.5	0	N0.5	150	SM	Good	Good	40+	C1	10	1.8	Group on both sides of stream, No access to stem		
	G0010	Field maple	<i>Acer campestre</i>	6	3	3	3	3	0	N0.5	145	SM	Good	Good	40+	C1	10	1.7	x5 sporadic Field maple, multi-stemmed		
	G0011	Elm	<i>Ulmus sp.</i>	7	2.5	2.5	2.5	2.5	3	E3	180	SM	Fair	Poor	<10	U	15	2.2	x8 Elm, x2 approx. dead, other look poor condition, No access to stem		
	G0012	Elm, Hawthorn, Field Maple	<i>Ulmus sp(p),</i> <i>Cragaegus monogyna,</i> <i>Acer campestre</i>	9	4	4	4	4	0	N1	200	SM	Good	Good	40+	C1	18	2.4	linear roadside group, dense vegetation prevent access		
	G0014	Ash, Hawthorn, Field Maple, Elm	<i>Ulmus spp,</i> <i>Crataegus monogyna,</i> <i>Acer campestre,</i> <i>Fraxinus excelsior</i>	9	4	4	4	4	1	N1	250	SM	Fair	Good	10-20	C1	28	3.0	Mixed linear group on west side of ditch no access to stem stem due to hedge, some small diameter Elms in group		
	G0015	Ash	<i>Fraxinus excelsior</i>	5.5	3	3	3	3	2	N2	200	SM	Fair	Fair	10-20	C1	18	2.4	x8 trees Northside of ditch, x2 eastern trees in group, poor crown condition		
	G0016	Ash, Hawthorn	<i>Fraxinus excelsior,</i> <i>Crataegus monogyna</i>	6	3	3	3	3	2	N2	200	SM	Fair	Fair	10-20	C1	18	2.4	x4 Ash, 1 hawthorn, Northside of ditch		
	G0017	Ash, Hawthorn	<i>Fraxinus excelsior,</i> <i>Crataegus monogyna</i>	6	3	3	3	3	0	N0	200	SM	Good	Good	20-40	C1	18	2.4	linear group mostly hawthorns with some Ash		
	G0018	Ash, Hawthorn	<i>Fraxinus excelsior,</i> <i>Crataegus monogyna</i>	5.5	2	2	2	2	0		150	SM	Good	Good	40+	B1	10	1.8	Linear group on South side of ditch approx.. 1.5m deep		
	G0019	Ash, Hawthorn	<i>Fraxinus excelsior,</i> <i>Crataegus monogyna</i>	9	4	2	2	2	0		400	EM	Fair	Fair	10-20	B3	72	4.8	Measurement based of larger Ash trees, draining ditch intersecting trees from site		
	G0020	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2	0		250	SM	Good	Good	40+	C1	28	3.0	multi stemmed trees in fenced off area of pond		
	G0021	Ash	<i>Fraxinus excelsior</i>	7	3	3	3	3	2	N3	200	SM	Fair	Fair	10-20	C1	18	2.4	No access to stem, hawthorn in understory		
	G0022	Ash, Hazel	<i>Fraxinus excelsior,</i> <i>Crateagus monogyna</i>	7	4	4	4	4	0		320	EM	Good	Good	20-40	C1	46	3.8	Multi stemmed Hazel on downward embankment, some is at North side group		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0023	Ash, Field Maple, Hazel, Cherry, Horse Chestnut	<i>Fraxinus excelsior, Corylus avellana, Acer campestre, Prunus spp, Aesculus hippocastanum</i>	6	4	4	4	4	2		300	SM	Fair	Fair	20-40	C1	41	3.6	Trees situated on West side of deep stream, no roots anticipated site side		
	G0024	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	6	4	4	4	4	0		250	EM	Fair	Fair	10-20	C1	28	3.0	Northside of ditch, no access to stem		
	G0025	Ash, Hawthorn, Elm	<i>Fraxinus excelsior, Crataegus monogyna, Sambuca nigra</i>	6	4	4	4	4	0		250	EM	Fair	Fair	10-20	C1	28	3.0	Westside of ditch, no access to stem		
	G0027	Field Maple, Hawthorn, Ash	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	6	4	4	4	4	0	W1	200	SM	Good	Good	20-40	B1	18	2.4	Larger tree on East side of ditch, dense veg understory Hawthorn		
	G0028	Oak, Ash	<i>Quercus robur, Fraxinus excelsior</i>	16	8.5	8.5	8.5	8.5	2	N2	700	EM	Fair	Fair	20-40	B1	222	8.4	East side of ditch 25-50% Ash Dieback		
	G0029	Ash, Field Maple, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	14	8	8	8	8	0	N1	380	EM	Fair	Fair	10-20	C1	65	4.6	0-25% Ash Dieback, field maple and hawthorn understory		
	G0030	Ash, Oak, Field Maple	<i>Fraxinus excelsior, Quercus robur, Acer campestre</i>	13	6.5	6.5	6.5	6.5	1		380	SM	Fair	Fair	20-40	B1	65	4.6	Roadside trees in linear group, Hawthorn understory		
	G0031	Ash, Willow	<i>Fraxinus excelsior, Salix spp</i>	10	6	6	6	6	1		200	SM	Fair	Fair	10-20	C1	18	2.4	Roadside trees in linear group, Hawthorn understory		
	G0032	Ash, Oak, Field Maple, Willow	<i>Fraxinus excelsior, Acer campestre, Quercus robur, Salix spp</i>	14	7	7	7	7	0		400	SM	Fair	Fair	20-40	B1	72	4.8	Dense vegetation prevent access, average measurement for group		
	G0033	Oak, Ash, Hawthorn	<i>Quercus robur, Fraxinus excelsior, Crataegus monogyna</i>	16	9	9	9	9	0		900	EM	Fair	Good	40+	A1	366	10.8	Dense vegetation, no access to stem, category based on large Oak in group		
	G0034	Ash, Hawthorn, Field Maple, Oak	<i>Quercus robur, Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	8.5	5	5	5	5	0		200	SM	Fair	Fair	20-40	C1	18	2.4	Dense vegetation, fence and ditch prevent access		
	G0035	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	3.5	2	2	2	2	0		100	SM	Good	Good	40+	C1	5	1.2	x2 large low value Ash trees in group		
	G0036	Ash, Field Maple, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	8	4	4	4	4	0		200	SM	Fair	Fair	20-40	C1	18	2.4	Linear group around boundary		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0037	Ash, Hawthorn, Field Maple	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	9	4	4	4	4	0		300	EM	Fair	Fair	20-40	C1	41	3.6	Low value roadside group, x1 lager Ash tree with Ash Dieback		
	G0038	Ash, Hawthorn, Field Maple, Oak	<i>Quercus robur, Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	13	8	8	8	8	0		650	EM	Good	Fair	40+	B1	191	7.8	Measurement based on larger oak within group		
	G0039	Ash, Hawthorn, Field Maple, Oak	<i>Quercus robur, Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	10	5	5	5	5	2		300	EM	Good	Fair	20-40	C1	41	3.6	Dense vegetation no access, Linear roadside group		
	G0040	Ash, Hawthorn, Field Maple	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	6.5	4	4	4	4	0		200	SM	Good	Fair	20-40	C2	18	2.4	Dense vegetation no access		
	G0041	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	9	6	6	6	6			350	EM	Fair	Fair	10-20	C1	55	4.2	Linear boundary group, dense vegetation, no access, 50% Ash Dieback in some Ash trees		
	G0042	Ash, Field Maple, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	9	3	3	3	3	0		250	SM	Fair	Fair	10-20	C1	28	3.0	Dense vegetation , no access to stem		
	G0043	Ash, Field Maple, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	7	4	4	4	4	0		250	SM	Fair	Fair	10-20	C1	28	3.0	Dense vegetation and ditch, no access to stem		
	G0044	Ash, Field Maple, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	8	4	4	4	4	0		300	SM	Good	Good	20-40	C1	41	3.6	Dense vegetation and ditch, no access to stem		
	G0045	Field maple	<i>Acer campestre</i>	7	4	4	4	4	2		250	SM	Good	Good	40+	C1	28	3.0	stems in ditch		
	G0046	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2	0		180	SM	Good	Good	20-40	C1	15	2.2			
	G0047	Elm	<i>Ulmus sp.</i>	10	4	4	4	4	4		250	SM	Fair	Fair	<10	C1	28	3.0	dieback observed within crown		
	G0048	Elm	<i>Ulmus sp.</i>	8	2	2	2	2	3		200		Poor	Poor	<10	U	18	2.4	Linear group with all but one tree dead		
	G0049	Ash, Elm, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Ulmus spp</i>	6	2	2	2	2	3		200	SM	Fair	Fair	10-20	C1	18	2.4	Some dead Elms in group		
	G0050	Oak, Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus</i>	16	10	10	10	10	2	S5	800	EM	Good	Good	40+	A1	290	9.6	Linear boundary group		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
			<i>monogyna, Quercus robur</i>																		
	G0051	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	7	3	3	3	3	0		200	SM	Good	Good	20-40	C1	18	2.4	One Ash		
	G0052	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	10	7	7	7	7	1.5	N1.5	700	M	Fair	Fair	10-20	B3	222	8.4	Linear group Ash with multi defects such as deadwood and cavities		
	G0053	Hawthorn	<i>Crataegus monogyna</i>	6	4	4	4	4			250	SM	Good	Good	40+	C1	28	3.0	Small group of Hawthorn		
	G0054	Ash	<i>Fraxinus excelsior</i>	9	6	6	6	6	3.5		400	EM	Fair	Fair	10-20	C1	72	4.8	25-50% Ash Dieback, x4 trees linear group, trees in dense vegetation		
	G0055	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	3.5		400	EM	Fair	Fair	10-20	C1	72	4.8	50% Ash Dieback, <i>Inonotus</i> brackets at base		
	G0056	Silver birch	<i>Betula pendula</i>	5	2	2	2	2	0		75	Y	Good	Good	20-40	C1	3	0.9	young planting group		
	G0057	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	11	6	6	6	6	2.5		400	EM	Fair	Fair	10-20	C1	72	4.8	Linear group on South side of ditch, 0-25% Ash Dieback		
	G0058	Birch, Cherry, Apple	<i>Prunus spp, Malus spp, Betula spp</i>	4.5	2	2	2	2			75	Y	Good	Good	40+	C1	3	0.9	Young planted group		
	G0059	Ash Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	8	4	4	4	4	0		250	SM	Good	Good	10-20	B1	28	3.0	Linear roadside group with ditch 5m deep field side of group		
	G0060	Ash, Hawthorn, Field Maple, Sycamore	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre, Acer pseudoplatnus</i>	8	3	3	3	3	0		250	SM	Good	Good	20-40	B1	28	3.0	Roadside group		
	G0061	Ash, Field Maple, Willow, Birch, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna, Acer campestre, Betula spp, Salix spp</i>	8	4	4	4	4	0		250	SM	Good	Good	20-40	B1	28	3.0	Linear roadside group 5m drainage ditch field side of group		
	G0062	Ash	<i>Fraxinus excelsior</i>	13	5	5	5	5	4		300	SM	Fair	Fair	10-20	C1	41	3.6	Sporadic roadside Ash with larger hill West set back from road side, ditch road side		
	G0063	Spruce, Yew, Willow, Ash, Cypress	<i>Salix spp, Fraxinus excelsior, Taxus baccata, Cupressus sempervirens, Picea spp</i>	16	5	5	5	5	0		500	EM	Fair	Fair	20-40	B1	113	6.0	Trees on private land measurement estimated		
	G0064	Lime	<i>Tilia sp.</i>	10	5	5	5	5	0	N0	500	EM	Good	Good	40+	B1	113	6.0	Dense epicormic growth at base prevents access to		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			stem, 5m ditch field side stems		
	G0065	Lime	<i>Tilia sp.</i>	10	5	5	5	5	0	N0	500	EM	Good	Good	40+	B1	113	6.0	Dense epicormic growth at base prevents access to stem		
	G0066	Field maple	<i>Acer campestre</i>	4	1	3	3	3		W1	250	SM	Good	Good	20-40	C1	28	3.0	Tree in hedge in dense veg, two trees		
	G0067	Elm, Ash, Hawthorn, Lime, Poplar	<i>Ulmus spp, Crataegus monogyna, Populus spp, Tilia spp</i>	10	4	4	4	4			350	SM	Good	Good	20-40	B1	55	4.2	Occasional larger tree in the central Section of the group, cohesive group to be treated in union		
	G0068	Hawthorn, Elm, Ash	<i>Crataegus monogyna, Ulmus spp, Fraxinus excelsior</i>	4	2	2	2	2	0		150	SM	Good	Good	20-40	B1	10	1.8	Lapsed hedge		
	G0069	Hawthorn	<i>Crataegus monogyna</i>	3.5	2	2	2	2	0		200	SM	Good	Good	20-40	B1	18	2.4	Lapsed hedge		
	G0070	Ash	<i>Fraxinus excelsior</i>	11	5	5	5	5	3	N1	424	EM	Fair	Fair	10-20	C1	81	5.1	small group multi stemmed trees in dense vegetation preventing access		
	G0071	Elm, Hawthorn	<i>Crataegus monogyna, Ulmus spp</i>	10	4	4	4	4	0		150	SM	Fair	Fair	10-20	C1	10	1.8	Some dead trees in group, dense vegetation		
	G0072	Hawthorn, Elm, Ash	<i>Crataegus monogyna, Ulmus spp, Fraxinus excelsior</i>	3.5	2	2	2	2	0		200	SM	Good	Good	20-40	B1	18	2.4	Lapsed hedge		
	G0073	Willow, Birch, Hawthorn	<i>Crataegus monogyna, Betula spp, Salix spp</i>	11	5	5	5	5	0		400	EM	Fair	Fair	20-40	B1	72	4.8	No access from waterlogged field, measurements estimated		
	G0074	Willow, Alder, Hawthorn	<i>Crataegus monogyna, Salix spp, Alnus glutinosa</i>	4	2	2	2	2	0		200	SM	Fair	Fair	20-40	C1	18	2.4	No access from waterlogged field, measurements estimated		
	G0075	Poplar, Willow	<i>Populus spp, Salix spp</i>	19	7	7	7	7	2		900	M	Good	Good	40+	A1	366	10.8	Mature trees planted in rows		
	G0076	Oak, Ash, Poplar, Elm	<i>Quercus robur, Fraxinus excelsior, Populus spp, Ulmus spp</i>	18	8	8	8	8	0		700	EM	Fair	Fair	20-40	A1	222	8.4	measurement based off larger trees in group, 25-50% Ash Dieback in Ash trees, limited access to group		
	G0077	Ash, Field Maple	<i>Fraxinus excelsior, Acer campestre</i>	4.5	2	2	2	2	2		100	SM	Fair	Fair	10-20	C1	5	1.2	Dense vegetation of hedge 5 stems		
	G0078	Ash	<i>Fraxinus excelsior</i>	4.5	4	4	4	4	1.5		223	SM	Fair	Fair	10-20	C1	22	2.7	Dense vegetation of hedge 5 trees 0-25% Ash Dieback		
	G0079	Ash, Field Maple	<i>Fraxinus excelsior, Acer campestre</i>	5.5	4	4	4	4	2		327	SM	Fair	Fair	10-20	C1	48	3.9	Sporadic group, 0-25% Ash Dieback on Ash		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0080	Ash	<i>Fraxinus excelsior</i>	6	4	4	4	4	2	S2	353	SM	Fair	Fair	10-20	C1	56	4.2	25-50% Ash Dieback		
	G0081	Ash	<i>Fraxinus excelsior</i>	6.5	4.5	4.5	4.5	4.5	1.5		244	SM	Fair	Fair	10-20	C1	27	2.9	4 multi stemmed trees		
	G0082	Ash, Oak, Hawthorn	<i>Fraxinus excelsior</i> , <i>Quercus robur</i> , <i>Crataegus monogyna</i>	10	5	5	5	5	0		250	SM	Fair	Fair	20-40	C1	28	3.0	Majority of trees on East side of ditch with understorey smaller Hawthorn on field side		
	G0083	Oak, Leylandia, Hawthorn	x <i>Cuprocyparis leylandii</i> , <i>Quercus robur</i> , <i>Crataegus monogyna</i>	13	5	5	5	5	0		550	SM	Good	Good	40+	A1	137	6.6	Trees on east side of 1.5m deep ditch, Hawthorn understory, measurement taken from larger trees in proximity to edge		
	G0084	Ash, Hawthorn	<i>Fraxinus excelsior</i> , <i>Crataegus monogyna</i>	4	2	2	2	2	0		145	SM	Fair	Fair	10-20	C1	10	1.7	Bolted hedgerow		
	G0086	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	8	1		500	EM	Fair	Fair	10-20	C1	113	6.0	Cohesive group average measurements some trees multi stemmed, trees on both side of ditch		
	G0087	Willow	<i>Salix spp</i>	10	7	7	7	7	0		800	M	Fair	Fair	10-20	C1	290	9.6	Pollarded willows with established regrowth dense veg and ivy measurements averaged		
	G0088	Hawthorn	<i>Crataegus monogyna</i>	3.5	2	2	2	2	0		150	SM	Good	Good	20-40	C1	10	1.8	5 multi stemmed trees		
	G0089	Ash, Willow, Sycamore	<i>Fraxinus excelsior</i> , <i>Salix spp</i> , <i>Acer pseudoplatanus</i>	10	7	4	7	4	0		350	EM	Fair	Fair	10-20	C1	55	4.2	Trees on Southside of stream, willow in group partially collapse		
	G0090	Hawthorn	<i>Crataegus monogyna</i>	6	3	3	3	3	0		150	SM	Good	Good	20-40	C1	10	1.8	Trees on Southside of stream		
	G0091	Hawthorn, Elm, Elder	<i>Crataegus monogyna</i> , <i>Ulmus spp</i> , <i>Sambucus nigra</i>	4	2	2	2	2	0		100	SM	Fair	Fair	20-40	C1	5	1.2	Patchy roadside group		
	G0092	Ash	<i>Fraxinus excelsior</i>	8	4	4	4	4	0		200	SM	Fair	Fair	10-20	C1	18	2.4	Roadside group		
	G0093	Norway Maple, Ash, Lime	<i>Acer plantanoides</i> , <i>Fraxinus excelsior</i> , <i>Tilia spp</i>	5.5	3	3	3	3	1		200	SM	Good	Good	20-40	C1	18	2.4	Roadside trees, viewed South side of fence		
	G0094	Ash, Hawthorn, Cherry	<i>Fraxinus excelsior</i> , <i>Prunus spp</i> , <i>Crataegus monogyna</i>	8	5	5	5	5	1		200	SM	Good	Good	20-40	C1	18	2.4	Trees, viewed North side of fence		
	G0095	Oak, Lime, Field Maple, Ash, Walnut	<i>Quercus robur</i> , <i>Tilia spp</i> , <i>Acer campestre</i> , <i>Fraxinus excelsior</i> , <i>Juglans spp</i>	14	7	7	7	7	1		400	EM	Good	Good	20-40	B1	72	4.8	Mixed group with young planting within central Section of group		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran Tree	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0096	Ash, Field Maple, Hazel, Silver Birch	<i>Fraxinus excelsior, Corylus avellana, Acer campestre, Crataegus monogyna, Betula pedulam</i>	9	4	4	4	4	0		250	SM	Fair	Fair	20-40	B1	28	3.0	Tree viewed Northside of fence, Hard standing track North of group		
	G0097	Oak, Ash, Maple, Hawthorn	<i>Fraxinus excelsior, Acer spp, Crataegus monogyna, Quercus robur</i>	6.5	4	4	4	4	0		200	SM	Fair	Fair	20-40	C1	18	2.4	Tree viewed northside of fence,		
	G0098	Oak, Ash, Hawthorn, Cherry	<i>Fraxinus excelsior, Prunus spp, Crataegus monogyna, Quercus robur</i>	13	4	4	4	4	0		300	SM	Good	Good	40+	B1	41	3.6			
	G0099	Maple, Ash	<i>Acer spp, Fraxinus excelsior</i>	5	4	4	4	4	2		180	SM	Fair	Fair	10-20	C1	15	2.2	Tree behind fence line		
	G0100	Ash, Oak, Field Maple, Hawthorn	<i>Fraxinus excelsior, Acer campestre, Crataegus monogyna, Quercus robur</i>	12	5	5	5	5			200	SM	Good	Good	20-40	B1	18	2.4	Trees behind fence line and hedge		
	G0101	Ash, Oak, Field Maple, Hawthorn	<i>Fraxinus excelsior, Acer campestre, Crataegus monogyna, Quercus robur</i>	8	4	4	4	4			180	SM	Good	Good	20-40	B1	15	2.2	Roadside trees behind fence and hedge		
	G0102	Hawthorn, Elm	<i>Crataegus Monogyna, Ulmus spp</i>	4	3	3	3	3			150	SM	Fair	Fair	20-40	C1	10	1.8	Low quality mixed group with dead Elms		
	G0103	Oak, Ash, Field Maple, Elder, Hawthorn, Cherry	<i>Fraxinus excelsior, Acer campestre, Crataegus monogyna, Quercus robur, Prunus spp, Sambucus nigra</i>	11	4	4	4	4			250	SM	Fair	Fair	20-40	B1	28	3.0	Ditch Northside of group		
	G0104	Ash, Cherry, Hawthorn	<i>Fraxinus excelsior, Prunus spp, Crataegus monogyna</i>	5.5	3	3	3	3	1		200	SM	Fair	Fair	20-40	C1	18	2.4	Roadside trees on downward embankment		
	G0105	Hathorn, Elder	<i>Crataegus monogyna, sambucus nigra</i>	4	3	3	3	3			353	SM	Good	Good	20-40	C1	56	4.2	Linear group on northside of ditch		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0106	Pine, Ash, Hawthorn	<i>Pinus spp, Fraxinus excelsior, Crataegus monogyna</i>	10	4	4	4	4			280	SM	Good	Good	20-40	C1	35	3.4	Roadside trees on downward embankment, measurement based on larger trees in group, stem estimated due to dense vegetation		
	G0107	Cherry, Maple, Willow, Hawthorn, Ash	<i>Prunus spp, Acer spp, Salix spp, Crataegus monogyna, Fraxinus excelsior</i>	4	3	3	3	3			150	SM	Good	Good	20-40	C1	10	1.8	Roadside shrub group on upward embankment		
	G0108	Hawthorn, Field Maple	<i>Crataegus monogyna, Acer campestre</i>	4	2	2	2	2			150	SM	Good	Good	20-40	C1	10	1.8	Sporadic group on East side of ditch		
	G0109	Elm, Field Maple, Leylandii, Oak, Ash	<i>Ulmus spp, Acer campestre, Quercus robur, Fraxinus excelsior, X cerpocyparis leylandii</i>	8	2	2	2	2			150	SM	Good	Good	20-40	C1	10	1.8	Group on eastern side of ditch, some dead stems in group		
	G0110	Field Maple, Hawthorn	<i>Acer campestre, Crataegus monogyna</i>	7	2.5	2.5	2.5	2.5	0		200	SM	Good	Good	20-40	C1	18	2.4	Tree group with ditch in central area		
	G0111	Oak	<i>Quercus robur</i>	17.5	10	10	10	10	0		700	SM	Good	Good	40+	A1	222	8.4	Group Southern side of ditch, Hawthorn understory, approx.. 11 fence		
	G0112	Sycamore	<i>Acer pseudoplatanus</i>	9	4	4	4	4	0		273	SM	Fair	Fair	10-20	C1	34	3.3	Lapse hedgerow		
	G0113	Ash, Sycamore, Hawthorn	<i>Fraxinus excelsior, Acer pseudoplatanus, Crataegus monogyna</i>	8	4	4	4	4	0		250	SM	Fair	Fair	20-40	C1	28	3.0	Trees on both sides of deep drainage ditch, majority of larger trees on East side of ditch, measurement average		
	G0114	Sycamore	<i>Acer pseudoplatanus</i>	15	6.5	6.5	6.5	6.5	0		500	EM	Good	Good	40+	B1	113	6.0	Linear group on Westside of corridor, dense epicormic on stems, 5 trees		
	G0115	Ash	<i>Fraxinus excelsior</i>	16	11	11	11	11	2	0(O)	800	M	Fair	Fair	10-20	B1	290	9.6	Measurement based on larger trees in linear group, <i>Inonotus</i> brackets observed in group 0-25% Ash Dieback, x7 trees, some trees are in dense vegetation, unsure of which side of ownership		
	G0116	Oak, Hawthorn, Willow	<i>Quercus robur, Crataegus monogyna, Salix spp</i>	3	2	2	2	2	0		75	Y	Good	Fair	20-40	C1	3	0.9	Young shrub group, some with machine damage observed East side		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G0117	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	0.5	S1	360	SM	Fair	Fair	10-20	C1	59	4.3	Multi stemmed trees on both sides of drainage ditch, x7 trees		
	G0118	Ash Hawthorn Cherry	<i>Fraxinus excelsior, Crataegus monogyna, Prunus sp.</i>	14	5	5	5	5	0		300	SM	Fair	Fair	10-20	C1	41	3.6	Tree in group have ash dieback, Hawthorn understory		
	G0119	Ash	<i>Fraxinus excelsior</i>	4	2	2	2	2			200	SM	Fair	Fair	10-20	C1	18	2.4	sporadic trees on offsite of ditch		
	G0120	Ash	<i>Fraxinus excelsior</i>	6	5	5	5	5			280	EM	Fair	Fair	10-20	C1	35	3.4	x3 trees on site side of ditch		
	G0121	Poplar, Ash, Hawthorn, Cypress	<i>Populus spp, Fraxinus excelsior, Crataegus monogyna, Cupressus sempervirens</i>	14	6	6	6	6	3		400	EM	Good	Good	20-40	B1	72	4.8	Trees on adjacent side of ditch providing root mitigation		
	G0123	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	4.5	3	3	3	3		(W)	200	SM	Fair	Fair	10-20	C1	18	2.4	Linear group on west side of larger group, consist of sporadic ash and Hawthorn on west side of ditch, advise removal for access as low value and larger group has mitigation		
	G1018	Lime, Hawthorn	<i>Tilia spp, Crataegus monogyna</i>	9	3	3	3	3			200	SM	Fair	Fair	10-20	C3	18	2.4	Line of Lime and Hawthorn next to the road		
	G1019	Lime, Hawthorn	<i>Tilia spp, Crataegus monogyna</i>	9	3	3	3	3			250	SM	Fair	Fair	10-20	C3	28	3.0	Majority of trees Ivy clad		
	G1020	Lime, Hawthorn	<i>Tilia spp, Crataegus monogyna</i>	9	3	3	3	3			200	SM	Fair	Fair	10-20	C3	18	2.4	Growing next to ditch, Crown on roadside has been flailed		
	G1021	Lime, Hawthorn	<i>Tilia spp, Crataegus monogyna</i>	9	3	3	3	3			200	SM	Fair	Fair	10-20	C3	18	2.4	No significant features		
	G1023	Poplar, Ash, Hawthorn	<i>Populus spp, Fraxinus excelsior, Crataegus monogyna</i>	20	6	6	6	6			500	EM	Good	Good	20-40	B3	113	6.0	Linear group of mainly Poplar with some trees ivy clad, Ash and Hawthorn understory		
	G1024	Poplar, Ash, Hawthorn, Field Maple	<i>Populus spp, Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	10	4	4	4	4			200	SM	Good	Good	20-40	B3	18	2.4	Woodland group with some trees ivy clad		
	G1025	Ash, Hawthorn, Field Maple, Oak,	<i>Quercus robus, Fraxinus excelsior, Crataegus monogyna, Acer campestre</i>	15	7	7	7	7			780	M	Fair	Good	20-40	B3	275	9.4	Tree Group with 2 large Oaks at the centre of the group. The majority of group ivy clad		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G2000	Ash, Hazel, Hawthorn	<i>Fraxinus excelsior, Crateagus monogyna, Corylus avellana</i>	14	6	8	6	6	3	N1.5	350	EM	Good	Good	20-40	A3	55	4.2	Mix woodland, unable to access base of trees on third party land. Part of ancient woodland.		
	G2002	Ash, Oak, Hawthorn	<i>Fraxinus excelsior, Quercus robur, Crateagus monogyna</i>	12	6	6	6	6	1	NW2.5	350	EM	Fair	Fair	20-40	B2	55	4.2	Shelter Belt on third party land		
	G2005	Ash	<i>Fraxinus excelsior</i>	17.2	10	10	6	6	1.3	N2.5	550	SM	Fair	Fair	10-20	C2	137	6.6	On third-party land, signs of Ash Dieback, class 4 100-75%, bark damage. Epicomic growth seen throughout, overhanging limbs to the north & south		
	G2007	Ash, Willow, Hawthorn	<i>Fraxinus excelsior, Crateagus monogyna, Salix spp</i>	12	4	4	4	4	0.5	NE2	250	EM	Fair	Fair	10-20	C2	28	3.0	Mixed woodland, brambles around the base of trees, and minor deadwood, multi-stemmed from 1.5m		
	G2011	Ash, Hazel, Oak, Field Maple	<i>Fraxinus excelsior, Quercus robur, Corylus avellana, Acer campestre</i>	18.5	8	8	8	8	5.2	SW6	450	SM	Fair	Fair	20-40	B2	92	5.4	Mix woodland shelterbelt, unable to access base of trees on third party land, signs of Ash Dieback throughout, Ivy clad stems, minor and major deadwood in crown		
	G2021	Ash	<i>Fraxinus excelsior</i>	16.5	8	8	8	8	4	4	430	SM	Fair	Fair	20-40	B1	84	5.2	No access to base, ivy-clad stem, minor deadwood, but tree showing signs of Ash Dieback class 4 - 100-75%		
	G2022	Ash	<i>Fraxinus excelsior</i>	15	9	9	9	9	0.5	2	400	SM	Fair	Fair	20-40	B2	72	4.8	Group of scattered Ash trees all showing Ash Dieback class 4 100-75%, no access to base as growing through hedge		
	G2023	Ash	<i>Fraxinus excelsior</i>	18	10	9	9	7	0.5	2	450	SM	Fair	Poor	10-20	C2	92	5.4	Group of Ash tree all showing signs of Ash Dieback class 2 50-25%, no access to base as growing through hedge, large amount of deadwood in crown can be seen.		
	G2024	Ash	<i>Fraxinus excelsior</i>	15	9	9	9	9	0.5	2	200	SM	Fair	Fair	20-40	B2	18	2.4	Group of Ash tree all showing earl stage signs of Ash Dieback class 4 100-75%, no access to base as growing through hedge		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G3003	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	6.5	3	3	3	3	3		300	SM	Fair	Fair	10-20	C1	41	3.6	Tree in hedgerow, measurements estimated. Ash Dieback present in group		
	G3008	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	9	6	6	6	6	2.5		300	EM	Fair	Fair	10-20	C1	41	3.6	0-25% Ash Dieback within group		
	G3012	Aspen	<i>Populus tremu;oides</i>	8.5	4	4	4	4	3.5		250	SM	Good	Good	10-20	C1	28	3.0	Ivy clad stems in linear group		
	G3015	Field Maple, Hawthorn	<i>Acer campestre, Crataegus monogyna</i>	4	2	2	2	2	0		100	SM	Good	Good	20-40	C1	5	1.2	Trees in hedgerow		
	G3016	Hawthorn, Ash	<i>Fraxinus excelsior, Crataegus monogyna</i>	4	2	2	2	2	0		75	Y	Good	Good	10-20	C1	3	0.9	Trees behind fence in dense vegetation		
	G3028	Oak, Ash, Willow, Hawthorn	<i>Quercus robur, Fraxinus excelsior, Salix spp, Crataegus monogyna</i>	10	7	7	7	7	0		400	EM	Fair	Fair	10-20	B1	72	4.8	Majority of trees on Western side of deep ditch limited access		
	G3044	Alder	<i>Alnus glutinosa</i>	10	4	4	4	4	3	N2	300	SM	Good	Good	20-40	C1	41	3.6	Tree on lower elevation		
	G3046	Leylandii	<i>x Cupressus leylandii</i>	10	4	4	4	4.5	1.5		350	SM	Good	Good	20-40	C1	55	4.2	Trees on elevated ground with retaining wall		
	G3048	Leylandii, Hawthorn, Cherry, Pine	<i>x Cuprocyparis leylandii, Crataegus monogyna, Prunus spp, Pinus spp</i>	5	3	3	3	3	0		250	SM	Good	Good	20-40	C1	28	3.0	Linear group along property boundary		
	G3049	Leylandii, hawthorn, cherry, pine	<i>x Cuprocyparis leylandii, Crataegus monogyna, Prunus spp, Pinus spp</i>	5	3	3	3	3	0		250	SM	Good	Good	20-40	C1	28	3.0	Linear group along property boundary		
	G3050	Leylandii	<i>x Cupressus leylandii</i>	15	4	4	4	4	1.5		400	EM	Good	Good	20-40	B1	72	4.8	Trees in linear group		
	G3051	Beech	<i>Fagus sylvatica</i>	7	2	4	2	4	4		200	SM	Good	Good	20-40	C1	18	2.4	Linear sporadic group on central reservation		
	G3054	Beech, Hawthorn, Maple, Silver birch	<i>Acer spp, Betula pedulum, Crataegus monogyna, Fagus sylvatica</i>	11	6	6	6	6	2		450	EM	Good	Good	20-40	B1	92	5.4	Trees on elevated ground		
	G3057	Lime	<i>Tilia sp.</i>	9	7	7	7	7	1		700	EM	Good	Good	40+	B1	222	8.4	Trees on elevated ground		
	G3058	Lime, Leylandii, Cherry, Field Maple, Hawthorn	<i>x Cuprocyparis leylandii, Crataegus monogyna, Prunus spp, Tilia spp, Acer Campestre</i>	7	4	4	4	4	0		250	SM	Good	Good	20-40	C1	28	3.0	Trees behind fence line in adjacent land		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	G3066	Oak	<i>Quercus robur</i>	4	2	2	2	2			150	SM	Good	Good	40+	C1	10	1.8	Sporadic hedgerow trees		
	G3068	Oak	<i>Quercus robur</i>	4	2.5	2.5	2.5	2.5	2		200	SM	Good	Good	40+	C1	18	2.4	Sporadic hedgerow trees		
	G3076	Ash, Hawthorn	<i>Fraxinus excelsior, Crataegus monogyna</i>	9	5	5	5	5	0		300	SM	Fair	Fair	10-20	C1	41	3.6	Trees in dense vegetation and very narrow highway verge hindered inspection, measurements estimated		
	G3078	Ash	<i>Fraxinus excelsior</i>	9	5	5	5	5	3		300	SM	Fair	Fair	10-20	C1	41	3.6	Trees in dense vegetation and very narrow highway verge hindered inspection, measurements estimated		
	T0001	Oak	<i>Quercus robur</i>	8	3	2	2	3.5	2	N2	250	Y	Good	Good	40+	C2	28	3.0	In tree Guard		
	T0002	Oak	<i>Quercus robur</i>	10	3	3.5	3.5	3.5	2	N2	290	Y	Good	Good	40+	C2	38	3.5			
	T0003	Ash	<i>Fraxinus excelsior</i>	10	4.5	4	4.5	3.5	2	S1.5	310	SM	Good	Good	40+	C2	43	3.7			
	T0004	Ash	<i>Fraxinus excelsior</i>	15	7	8	5	6.5	4	S3.5	463	EM	Fair	Fair	20-40	B2	97	5.6	Twin stem at base . Minor deadwood and cracked out branches in canopy		
	T0005	Ash	<i>Fraxinus excelsior</i>	15	0	4	4	7	4	E2	377	EM	Fair	Poor	<10	U	64	4.5	Triple stem at base. Poor canopy vitality. Abundant epicormic		
	T0006	Ash	<i>Fraxinus excelsior</i>	17	8	5	8	6.5	4	S3	650	EM	Fair	Fair	10-20	C2	191	7.8	Twin stem, Southern cracked out, Multiple branch break out, Lots of cavities/habitat, Thinning canopy		
	T0007	Oak	<i>Quercus robur</i>	13.5	7	6.5	8	8	3.5	S3	700	EM	Good	Good	40+	A2	222	8.4			
	T0008	Oak	<i>Quercus robur</i>	6	3	3	3	3	1.5	N2	210	Y	Good	Good	40+	C2	20	2.5			
	T0009	Oak	<i>Quercus robur</i>	17	7	7.5	12	8	3.5	SW6	1430	M	Good	Good	40+	A3	1445	21.5	Veteran, multiple gaps at base between roots, likely basal stem hollowing, Large branch crack out to north with large stem cavity. Large 720cm standing and fallen deadwood retrenching top with lower adventitious growth	Veteran	21.5
	T0010	Oak	<i>Quercus robur</i>	20	9.5	9	11	9	4.5	S4.5	1000	M	Good	Good	40+	A2	452	12.0			
	T0011	Oak	<i>Quercus robur</i>	17	7.5	7	8.5	8	4	W6.5	1180	M	Good	Fair	40+	A3	630	14.2	Large standing deadwood, cavities in some branches		
	T0012	Oak	<i>Quercus robur</i>	20	8	8	7	8	6	N4	1080	M	Fair	Good	40+	B2	528	13.0	Twin stem at 1.5m		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0013	Oak	<i>Quercus robur</i>	11	5	4	5.5	4	1	N4	700	EM	Good	Good	40+	B3	222	8.4	Stag headed, Good lower crown Minor ivy on stem		
	T0014	Oak	<i>Quercus robur</i>	14.5	8	8.5	9	7	4	N2.5	870	EM	Good	Fair	40+	B3	342	10.4	Canopy a little thin, minor ivy on stem deadwood in crown		
	T0015	Oak	<i>Quercus robur</i>	12.5								M	Dead	Dead	<10	U	0	0.0	Dead twin stem		
	T0016	Oak	<i>Quercus robur</i>	13	6	4	4.5	6	1.5	N2	1200	M	Fair	Good	40+	B3	651	14.4	Stag headed, Good lower crown, decay fungi on dysfunctional bark at base		
	T0017	Oak	<i>Quercus robur</i>	5	2.5	2.5	2.5	2.5	2	S2	180	Y	Good	Good	40+	C2	15	2.2	In hedgerow		
	T0018	Grey poplar	<i>Populus × canescens</i>	17.5	8	7	6.5	7.5	3.5	S4	730	M	Good	Good	20-40	B2	241	8.8			
	T0019	Grey poplar	<i>Populus × canescens</i>	4	2	2	1	1	1	N1	121	Y	Fair	Fair	40+	C2	7	1.5			
	T0020	Grey poplar	<i>Populus × canescens</i>	7.5	3	2.5	2.5	2.5	2	N2	193	Y	Fair	Fair	40+	C2	17	2.3			
	T0021	Oak	<i>Quercus robur</i>	11	5	4	4	3	2	S2	580	EM	Fair	Fair	20-40	B3	152	7.0	Stag-headed, good lower crown, strip of missing bark on W side		
	T0022	Ash	<i>Fraxinus excelsior</i>	10	4	4	6	4	1	NW5	400	SM	Poor	Poor	10-20	C2	72	4.8	Lost top, Decay in retained stem, shaggy bracket, ash dieback		
	T0023	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2	0	SE	133	EM	Good	Good	20-40	C1	8	1.6	Tree on embankment		
	T0024	Ash	<i>Fraxinus excelsior</i>	13.5	4	8	9	8	2	N2	650	EM	Fair	Fair	10-20	C3	191	7.8	Large stem damage and deadwood, Southside of ditch-check		
	T0025	Willow	<i>Salix spp</i>	16	10.5	12	6	6.5	1	N1	1092	M	Poor	Fair	10-20	A3	843	16.4	Original 2.4m, Large Failed stem with much decay and hollowing.	Veteran	17
	T0027	Field maple	<i>Acer campestre</i>	8	6	3	5	5.5	0.5	S0	344	EM	Good	Good	40+	C1	54	4.1	Tree top of embankment		
	T0028	Willow	<i>Salix spp</i>	5.5	5	5	6	7.5	0	N0	622	EM	Good	Good	20-40	C1	175	7.5	No stem access		
	T0029	Ash	<i>Fraxinus excelsior</i>	9	6.5	5.5	3.5	6	2	N1.5	532	M	Poor	Fair	10-20	A3	200	8.0	Stem failed at base with regrowth, Badger sett	Veteran	11.5
	T0030	Ash	<i>Fraxinus excelsior</i>	19	10	10	9	9	1.5	E1.5	1400	M	Fair	Fair	10-20	C3	707	15.0	Northside 3m and hollow, large stem cavity in situ deadwood 25-50%		
	T0031	Ash	<i>Fraxinus excelsior</i>	9.5	6	3.5	3	4	2	N2.5	800	M	Poor	Poor	<10	B3	290	9.6	Hollow stem, Stem fail up 2m, Lots of epicormic seen.		
	T0032	Ash	<i>Fraxinus excelsior</i>	16.5	9.5	9.5	9	8.5	2	N3	900	M	Fair	Fair	10-20	B3	366	10.8	Large diameter deadwood, possible cracked North stem, many cracks out branches		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0033	Ash	<i>Fraxinus excelsior</i>	11.5	6	4.5	4	3.5	1.5	E0.5	870	M	Fair	Fair	10-20	A3	535	13.1	Dysfunctional bark from base to stem failure at 4m, hollow stem, Deadwood 50% Ash Dieback	Veteran	13.1
	T0034	Ash	<i>Fraxinus excelsior</i>	10.5	6	4	4	5.5	3	W3	800	M	Fair	Fair	10-20	A3	452	12.0	Significant hollow stem. Major limbs broken, 1m long cavity on South side stem	Veteran	12.0
	T0035	Ash	<i>Fraxinus excelsior</i>	11	6	5	5.5	5	1	W0	700	M	Poor	Fair	10-20	A3	346	10.5	Significant stem hollowing, Stem failure at 5m, deadwood	Veteran	11
	T0036	Ash	<i>Fraxinus excelsior</i>	13	6	7	5.5	6	3	N3.5	700	EM	Poor	Poor	<10	C3	222	8.4	50-75% Ash dieback, 2m large cavity in scaffold limb, no access due to vegetation		
	T0037	Ash	<i>Fraxinus excelsior</i>	12.5	10	6	6.5	9	2	E3	1200	M	Fair	Fair	10-20	A3	1018	18.0	Cavities, Bark crack, Fungi, Deadwood	Veteran	18.0
	T0038	Ash	<i>Fraxinus excelsior</i>	10	5.5	7	6	4.5	2	N4	1200	M	Poor	Fair	10-20	A3	1018	18.0	Significant hollow on tree stem, Fallen deadwood, fruiting bodies on branches	Veteran	18.0
	T0039	Ash	<i>Fraxinus excelsior</i>	12	12	3	7.5	9	4	N4	1200	M	Poor	Fair	10-20	A3	1018	18.0	Much decay was observed in stem break, Large deadwood on ground.	Veteran	18.0
	T0040	Ash	<i>Fraxinus excelsior</i>	12	4	3.5	8	5.5	1	N3	1200	M	Poor	Fair	10-20	A3	1018	18.0	Hollow stem, Large deadwood at base and break out wound	Veteran	18.0
	T0041	Horse chestnut	<i>Aesculus hippocastanum</i>	14	7.5	7.5	7	8	1	W3	1010	M	Good	Good	40+	A2	461	12.1	Basal decay on Westside, desiccated fungi at base- dryad's saddle		
	T0042	Oak	<i>Quercus robur</i>	22	10.5	7.5	7	6.5	5	W7.5	1200	M	Good	Good	40+	A2	651	14.4	Part of old parkland		
	T0043	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2			138	M	Good	Good	20-40	C2	9	1.7			
	T0044	Ash	<i>Fraxinus excelsior</i>	14	10	6	9	8	6	N5	850	M	Fair	Fair	10-20	C1	327	10.2	Tree in lodge, No access, 50% ash dieback much deadwood and dead central stem		
	T0045	Ash	<i>Fraxinus excelsior</i>	17	10	10	10	9	4	NW4	800	M	Fair	Fair	10-20	B1	290	9.6	No access to stem, Ivy clad, Minor signs of ash Dieback		
	T0046	Ash	<i>Fraxinus excelsior</i>	16	8	4	5	4	3	N1	604	EM	Fair	Fair	10-20	C3	165	7.2	Multi stem tree on water course embankment 25-50% Ash Dieback		
	T0047	Ash	<i>Fraxinus excelsior</i>	18	7	8	8	7	5	E4	800	M	Fair	Fair	10-20	B3	290	9.6	Break out wound from failed stems, habitat holes below wounds		
	T0048	Ash	<i>Fraxinus excelsior</i>	18	8	9.5	8	8	3	E4	800	M	Fair	Fair	10-20	B3	290	9.6	Ivy clad stem hindering detailed		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			inspection, Deadwood		
	T0049	Ash	<i>Fraxinus excelsior</i>	14	6	6	6	8	1	S4	460	EM	Fair	Fair	10-20	C1	96	5.5	No access to stem on south side of water course		
	T0050	Sycamore	<i>Acer pseudoplatanus</i>	14	8	7	4	8	1.5	N1.5	410	SM	Fair	Good	10-20	C1	76	4.9	Twin stem at 1m with ivy, No access to stem on northside of water course		
	T0051	Ash	<i>Fraxinus excelsior</i>	15	7	7	6.5	6.5	2	S4	600	EM	Fair	Fair	10-20	B3	163	7.2	Early sign of Ash Dieback, no full access to stem		
	T0052	Ash	<i>Fraxinus excelsior</i>	15	7.5	7	8	7.5	2	N3	650	EM	Fair	Fair	10-20	B3	191	7.8	Early sign of Ash Dieback, no full access to stem, Ivy clad stem		
	T0053	Ash	<i>Fraxinus excelsior</i>	15	4	7	8	6	4	S4	700	M	Fair	Poor	10-20	B3	222	8.4	No stem access, ash dieback 50-75%, previous branch failure evident, deadwood		
	T0054	Poplar	<i>Populus sp(p)</i>	20	4.5	11	11	11	2.5	W2	600	EM	Good	Good	20-40	B1	163	7.2	Surface roots at base		
	T0055	Oak	<i>Quercus robur</i>	20	10	6	10	6	2	N4	1000	M	Good	Good	40+	A1	452	12.0	Deadwood in crown		
	T0056	Oak	<i>Quercus robur</i>	17	8	8	8	4	2	N4	800	M	Good	Fair	40+	A3	290	9.6	Significant deadwood within crown, dense ivy on stem		
	T0057	Oak	<i>Quercus robur</i>	18	9	9	9	9	2	E4	1200	M	Good	Fair	40+	A1	651	14.4	Suspected hollow stem		
	T0058	Ash	<i>Fraxinus excelsior</i>	9	7	7	7	7	2	W3	500	EM	Poor	Fair	10-20	C3	113	6.0	Northside of ditch, large cavity south side with hollow stem		
	T0059	Field maple	<i>Acer campestre</i>	10	7	7	7	7	3	W2	438	EM	Good	Good	40+	C1	87	5.3	Dense vegetation no access to stem		
	T0062	Ash	<i>Fraxinus excelsior</i>	11	6	7	7	7	4	N4	500	M	Poor	Poor	<10	U	113	6.0	over 75% crown dead, bark stripping on stem		
	T0063	Elm	<i>Ulmus sp(p)</i>	6	4	3	3	3	2.5	N2.5	200	SM	Good	Good	10-20	C1	18	2.4	Tree in hedgerow, no access to stem		
	T0064	Oak	<i>Quercus robur</i>	18	8	9	5	4	2	N4	890	EM	Good	Good	40+	B1	358	10.7	Asymmetric crown, moderate deadwood		
	T0065	Ash	<i>Fraxinus excelsior</i>	12	2	1	3	4	5	S5	630	EM	Poor	Poor	<10	C1	180	7.6	Bark stripping at base, previous branch failures, sign of low vitality		
	T0066	Elm	<i>Ulmus sp(p)</i>	7	2.5	3.5	2	2	3.5	N4	200	SM	Fair	Poor	<10	U	18	2.4	Low vitality in crown with some bark damage, situ in dense vegetation		
	T0067	Field maple	<i>Acer campestre</i>	12	7	7	2	6	1	N2.5	480	EM	Good	Fair	20-40	C1	104	5.8	No access to stem, Ivy clad tree		
	T0068	Oak	<i>Quercus robur</i>	18	9	10	10	12	4	S4	840	EM	Good	Good	40+	A1	319	10.1	Tree in dense vegetation, retained deadwood		
	T0069	Ash	<i>Fraxinus excelsior</i>	14	5	6	6	7	5	SW5	700	EM	Poor	Poor	<10	U	222	8.4	Dead tree		
	T0070	Oak	<i>Quercus robur</i>	14	3	3	3	3	5	S5	700	EM	Good	Good	40+	B1	222	8.4	Ditch 2m Northeast over 1.5m deep		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0071	Horse chestnut	<i>Aesculus hippocastanum</i>	13	4	7	5	6	1.5	E2	770	M	Fair	Fair	10-20	B3	268	9.2	Large branch failure, wound at 5m west side Ditch 2.5m Northeast		
	T0072	Oak	<i>Quercus robur</i>	13	7.5	7.5	7	4.5	2	E2.5	800	EM	Good	Good	40+	B1	290	9.6	Large diameter deadwood in lower crown		
	T0073	Ash	<i>Fraxinus excelsior</i>	4.5	2	3	2	3	2	SW0	800	M	Poor	Fair	10-20	A3	452	12.0	Hollow stem from failure, 2m epicormic growth, fruiting bodies- <i>Daldinia</i> , Deadwood in crown	Veteran	12.0
	T0074	Ash	<i>Fraxinus excelsior</i>	6.5	3.5	3.5	3.5	3.5	3.5	S2	300	SM	Good	Good	10-20	C1	41	3.6	No access tree in hedgerow		
	T0075	Ash	<i>Fraxinus excelsior</i>	11	6	6	6	6	3.5	SE3.5	400	SM	Good	Good	10-20	C1	72	4.8	Early sign of Ash Dieback		
	T0076	Field maple	<i>Acer campestre</i>	3.5	2	2	2	2	2	N2	160	SM	Good	Good	40+	C1	12	1.9	Tree in hedgerow		
	T0077	Field maple	<i>Acer campestre</i>	3.5	2	2	2	2	2	N2	160	SM	Good	Good	40+	C1	12	1.9	Tree in hedgerow		
	T0078	Field maple	<i>Acer campestre</i>	3	2	2	2	2	1	N1	100	Y	Good	Good	40+	C1	5	1.2	Situated lower ground base of ditch		
	T0079	Field maple	<i>Acer campestre</i>	5.5	5	0	5	5	3	E1	308	EM	Fair	Fair	10-20	C1	43	3.7	Asymmetric crown due to direct west adjacent dead stem of what appear to be Ash		
	T0080	Ash	<i>Fraxinus excelsior</i>	16	6	6	8	6	3	W3	650	EM	Fair	Fair	10-20	B3	191	7.8	Ivy clad tree in hedgerow no access to stem, 25-50% Ash Dieback		
	T0081	Ash	<i>Fraxinus excelsior</i>	17	6	4	5	6	3	NW3.5	550	EM	Fair	Fair	10-20	B3	137	6.6	tree in hedgerow limited access, remnant of Found Fruiting Body at 2.5m southside of stem		
	T0082	Ash	<i>Fraxinus excelsior</i>	6.5	4	2.5	6	6	4	S3	450	EM	Poor	Poor	<10	U	92	5.4	Access limited due to hedge, Bark strip stem, main stem failure at 4m, multi remnant of Found Fruiting Body		
	T0083	Ash	<i>Fraxinus excelsior</i>	13	1	3	6	2	4	S3	450	EM	Fair	Poor	<10	U	92	5.4	Limited access from hedge, Ivy clad stem, 50-75% Ash Dieback, branch failure		
	T0084	Ash	<i>Fraxinus excelsior</i>	15	4	2	6	4	4	E5	400	EM	Poor	Poor	<10	U	72	4.8	Limited access from hedge, Ivy clad stem, 50-75% Ash dieback, branch failure, remnant of Found Fruiting Body on dead stem		
	T0085	Ash	<i>Fraxinus excelsior</i>	15	2	4.5	10	3	5	S6	500	EM	Poor	Poor	<10	U	113	6.0	No access to stem, large 3m break out Northside at 3m, ivy clad on stem, 50-75% Ash Dieback		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0086	Ash	<i>Fraxinus excelsior</i>	12.5	4	1	2	1	7.5	N7	350	EM	Poor	Poor	<10	U	55	4.2	No access to stem, ivy clad lead to active crown dead		
	T0087	Ash	<i>Fraxinus excelsior</i>	5.5	2.5	2	1.5	0	3	S2	500	EM	Poor	Poor	<10	U	113	6.0	No access to stem, large wound and stem failure at 2m with remnant Found Fruiting Body		
	T0088	Ash	<i>Fraxinus excelsior</i>	11	3	5	6	4	6	W3.5	450	EM	Fair	Poor	10-20	C1	92	5.4	No access to stem, dense vegetation 25-50% Ash Dieback		
	T0089	Ash	<i>Fraxinus excelsior</i>	7	4	3	1.5	3	2	N3	250	EM	Good	Good	10-20	C1	28	3.0	No access to stem, tree on West side of ditch		
	T0090	Ash	<i>Fraxinus excelsior</i>	7	1	3.5	3	3	2	E2.5	200	SM	Good	Good	10-20	C1	18	2.4	No access to stem, tree on West side of ditch		
	T0091	Hawthorn	<i>Crataegus monogyna</i>	6	4	4	3	5	1	N0.5	388	EM	Fair	Good	20-40	C1	68	4.7	Multi stemmed North side of ditch		
	T0092	Ash	<i>Fraxinus excelsior</i>	11	4	4	5	4	1.5	N0	700	EM	Fair	Fair	10-20	B3	222	8.4	Southside of stream, cavity at base, sign of hollow stem, 25-50% Ash Dieback		
	T0093	Ash	<i>Fraxinus excelsior</i>	11	5	4	5	3	4.5	N3	600	EM	Fair	Fair	10-20	B3	163	7.2	In hedge and southside of stream, no access, deadwood lower crown, 25-50% Ash Dieback		
	T0094	Ash	<i>Fraxinus excelsior</i>	10	8	8.5	7	6	1	N2.5	550	EM	Good	Good	10-20	B3	137	6.6	south side of stream, 0-25% Ash Dieback		
	T0095	Hawthorn	<i>Crataegus monogyna</i>	4.5	3	3	1	2.5	0	S0	234	SM	Good	Good	20-40	C1	25	2.8	Northside of stream, dense vegetation prevent access to stem		
	T0096	Ash	<i>Fraxinus excelsior</i>	12	6	4	5	7	3	W3	450	SM	Fair	Poor	10-20	C1	92	5.4	Southside of stream 50-75% Ash Dieback		
	T0097	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2	0	N0	180	SM	Good	Good	20-40	C1	15	2.2	Northside of stream no access to stem		
	T0098	Ash	<i>Fraxinus excelsior</i>	3.5	2	0	4	3	0	N2	350	SM	Poor	Poor	<10	U	55	4.2	main stem failure 1.5m, fallen branch on southside, tree on south side of stream, some epicormic growth		
	T0099	Ash	<i>Fraxinus excelsior</i>	16	10	9	10	8	3	W4	750	EM	Good	Good	20-40	B1	254	9.0	South side of stream, deadwood lower crown, 0-25% Ash Dieback		
	T0100	Oak	<i>Quercus robur</i>	14	8	7	8.5	7	1	W2	600	EM	Good	Good	40+	B1	163	7.2	South side of stream		
	T0101	Hawthorn	<i>Crataegus monogyna</i>	5	4	3	2	4	0	S0	181	SM	Good	Good	40+	C1	15	2.2	South side of stream, small dead elder south of stems		
	T0102	Ash	<i>Fraxinus excelsior</i>	6	4	4	4	4	3	N2	250	SM	Fair	Fair	10-20	C1	28	3.0	West side of stream		
	T0103	Ash	<i>Fraxinus excelsior</i>	4	2	2	2	2	1.5	N0	133	SM	Fair	Fair	10-20	C1	8	1.6	West side of stream		
	T0104	Ash	<i>Fraxinus excelsior</i>	6	3	2	2	2	2	W2	200	SM	Fair	Fair	10-20	C1	18	2.4	West side of stream		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0105	Ash	<i>Fraxinus excelsior</i>	15	5	7	7	7	6	W4	400	SM	Poor	Fair	<10	U	72	4.8	bi-forked at 2m with failed 1st Branch union of main stem		
	T0106	Ash	<i>Fraxinus excelsior</i>	9	2	5	5	5	3	SW2.5	400	SM	Fair	Fair	10-20	C1	72	4.8	East side of stream, cavity on stem north side 3mfrom branch failure, 25-50% Ash Dieback		
	T0107	Ash	<i>Fraxinus excelsior</i>	8	2	4	4	4	5	W4	400	EM	Poor	Poor	<10	U	72	4.8	West side of stream, no access, ivy clad, hollow stem at base leans stem to east, 50-75% Ash Dieback		
	T0108	Ash	<i>Fraxinus excelsior</i>	6	1.5	1.5	1.5	1.5	2	S1	200	SM	Fair	Fair	10-20	C1	18	2.4	West side of stream		
	T0109	Ash	<i>Fraxinus excelsior</i>	13	1	7	5	6	4	E2	700	M	Poor	Fair	10-20	B2	222	8.4	Situated behind hedgerow, no clear visibility, North stem have failed		
	T0110	Ash	<i>Fraxinus excelsior</i>	5.5	4.5	5	4	5	2	S0	321	SM	Fair	Fair	10-20	C1	47	3.9	Northside of ditch		
	T0111	Ash	<i>Fraxinus excelsior</i>	13	4	7	5	7	0	W3	720	M	Fair	Fair	10-20	B2	235	8.6	Main stem failure at 5m with caught up branches Northside, remnants of Fruiting Body around base- <i>Inonotus</i>		
	T0112	Ash	<i>Fraxinus excelsior</i>	14	4	7	6.5	5	2	E4	700	M	Poor	Fair	10-20	B2	222	8.4	Tree in dense hedge hindering access to stem, much failed branches, Fruiting Body remnants at base		
	T0113	Ash	<i>Fraxinus excelsior</i>	7	5	2	3	4	2	SW2	700	M	Poor	Fair	10-20	C1	222	8.4	Stem failure at 3m with hollow stem, Dense vegetation prevent detailed inspection		
	T0114	Ash	<i>Fraxinus excelsior</i>	17	8	8.5	8	7.5	4	NW0	1090	M	Fair	Poor	10-20	B2	537	13.1	central upper crown dead, much <i>Inonotus</i> brackets around base, large diameter deadwood within crown		
	T0115	Ash	<i>Fraxinus excelsior</i>	15	8	8	8	2	3	N1	578	EM	Fair	Fair	10-20	C1	151	6.9	Ivy and hawthorn prevent detailed inspection		
	T0116	Ash	<i>Fraxinus excelsior</i>	13	6	4	4	4	2	E3.5	550	EM	Fair	Fair	10-20	C1	137	6.6	East side of ditch, 25-50% Ash Dieback, dense vegetation around stem		
	T0117	Ash	<i>Fraxinus excelsior</i>	10	4	3	4	4	4	W4	450	EM	Fair	Fair	10-20	C1	92	5.4	East side of ditch, 25-50% Ash Dieback, dense vegetation around stem		
	T0118	Ash	<i>Fraxinus excelsior</i>	6	3	2	2	3	2	N3	450	EM	Poor	Poor	<10	U	92	5.4	East side of ditch, stem failure at 5m, dense vegetation around stem		
	T0119	Ash	<i>Fraxinus excelsior</i>	4	1	1	1	1	3.5	N3.5	250	SM	Poor	Poor	<10	U	28	3.0	East side of ditch, wounds to stem		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			observed, majority of crown dead		
	T0120	Ash	<i>Fraxinus excelsior</i>	3	1	0	0.5	1	3	W3	350	SM	Poor	Poor	<10	U	55	4.2	stem failure at 3m		
	T0121	Ash	<i>Fraxinus excelsior</i>	12	4	4	4	6.5	2	W4	550	EM	Poor	Fair	10-20	C1	137	6.6	stem failure at 3.5m, large wound, Found Fruiting Body <i>Inonotus</i> surround tree, dense vegetation around stem		
	T0122	Ash	<i>Fraxinus excelsior</i>	15	7	7	7	6	4	W3	600	EM	Fair	Fair	10-20	C1	163	7.2	South side of ditch no access		
	T0123	Ash	<i>Fraxinus excelsior</i>	14	6.5	6.5	6	5	1.5	E3	500	EM	Fair	Fair	10-20	C1	113	6.0	South side of ditch no access, ivy clad stem		
	T0124	Ash	<i>Fraxinus excelsior</i>	11	5	5	5	5	2.5	W4.5	500	EM	Poor	Fair	10-20	C1	113	6.0	South side of ditch, stem damage from base to 3m, possible hollow stem, cavity 4m Northside stem		
	T0125	Ash	<i>Fraxinus excelsior</i>	7	5	4	4	4	4	W3.5	400	EM	Poor	Fair	10-20	C1	72	4.8	South side of ditch, stem damage from base to 3m, possible hollow stem		
	T0126	Ash	<i>Fraxinus excelsior</i>	6	1.5	1.5	2	2	3.5	N3	190	SM	Good	Good	10-20	C1	16	2.3	South side of ditch		
	T0127	Oak	<i>Quercus robur</i>	18	10	9	10	10	4.5	N4	750	EM	Good	Good	40+	A1	254	9.0	Tree South side of fence , no access		
	T0128	Oak	<i>Quercus robur</i>	15	6	6	6	6	5	E4.5	600	EM	Good	Fair	20-40	B1	163	7.2	minor sign of dieback in centre crown, South side of hedge, no access		
	T0129	Oak	<i>Quercus robur</i>	15	8.5	8	8	8	4	W4	650	EM	Good	Good	40+	A1	191	7.8	No access to stem		
	T0130	Oak	<i>Quercus robur</i>	10	8	8	8	8	3	E2	750	EM	Good	Good	40+	A1	254	9.0	No access to stem		
	T0131	Oak	<i>Quercus robur</i>	10	8	8	8	8	3.5	E3	700	EM	Good	Good	40+	A1	222	8.4	No access to stem		
	T0132	Oak	<i>Quercus robur</i>	13.5	8	8	8	8	3	E2	700	EM	Fair	Good	40+	B1	222	8.4	No access to stem, Ivy clad tree		
	T0133	Ash	<i>Fraxinus excelsior</i>	4	3	3	3	3	3	W3	212	SM	Fair	Fair	10-20	C1	20	2.5	No access to stem behind fence and hedge		
	T0134	Ash	<i>Fraxinus excelsior</i>	4.5	3	3	3	3	3	E3	259	SM	Fair	Fair	10-20	C1	30	3.1	No access to stem behind fence and hedge		
	T0135	Oak	<i>Quercus robur</i>	17	8	8	8	8	4	S5	700	EM	Good	Good	40+	A1	222	8.4	No access to stem behind fence and hedge		
	T0136	Ash	<i>Fraxinus excelsior</i>	6	4	4	0	4	4	N3.5	206	SM	Fair	Fair	10-20	C1	19	2.5	No access to stem behind fence and hedge		
	T0137	Oak	<i>Quercus robur</i>	17	8.5	8.5	7	5	4.5	S4	600	EM	Good	Good	40+	A1	163	7.2	No access to stem behind fence and hedge		
	T0138	Oak	<i>Quercus robur</i>	17	8	10	10	10	4	SW3.5	700	EM	Good	Good	40+	A1	222	8.4	No access to stem behind fence and hedge		
	T0139	Ash	<i>Fraxinus excelsior</i>	10	4	4	4	4	4	N4	390	EM	Fair	Fair	10-20	C1	69	4.7	No access to stem behind fence and hedge		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0140	Elm	<i>Ulmus sp(p)</i>	6	2	1	2	2	2	N2	80	Y	Good	Good	10-20	C1	3	1.0	No access to stem behind fence and hedge		
	T0141	Oak	<i>Quercus robur</i>	17	10.5	10	10	6.5	4	S4	950	M	Good	Good	40+	A1	408	11.4	Deadwood lower crown, tree South side of ditch in hedge, No access to stem , Ivy on stem		
	T0142	Oak	<i>Quercus robur</i>	18	10.5	10	10	10	3.5	W4	950	M	Good	Good	40+	A1	408	11.4	Deadwood lower crown, tree South side of ditch in hedge, No access to stem		
	T0143	Oak	<i>Quercus robur</i>	16	10	10	10	10	4	E2.5	900	M	Good	Good	40+	A1	366	10.8	deadwood lower crown, tree southside of ditch in hedge, No access to stem		
	T0144	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	8	2	S3.5	650	EM	Fair	Fair	10-20	C1	191	7.8	No access to stem, heavy ivy clad tree		
	T0145	Ash	<i>Fraxinus excelsior</i>	18	11	7	11	10	1	NW4	1100	M	Good	Good	10-20	B1	547	13.2	Roadside tree, Ivy clad stem, deadwood lower crown		
	T0146	Lime	<i>Tilia sp(p)</i>	8	4	4	6	4	0	S2.5	480	EM	Good	Good	40+	B1	104	5.8	Ivy clad tree suppressed by adjacent tree		
	T0147	Lime	<i>Tilia sp(p)</i>	10	6	6	5.5	4	0	E3.5	500	EM	Good	Good	40+	B1	113	6.0	Ivy clad stem, much stem epicormic		
	T0148	Field maple	<i>Acer campestre</i>	7	6	6	6	3	1	E2	500	EM	Good	Fair	10-20	C1	113	6.0	much epicormic growth on stem, minor sign of Ash Dieback		
	T0149	Field maple	<i>Acer campestre</i>	7	5	1.5	6	6	0.5	W2	500	EM	Good	Fair	10-20	C1	113	6.0	much epicormic growth on stem, minor sign of Ash Dieback		
	T0150	Ash	<i>Fraxinus excelsior</i>	11	6	7	7	7	2	S4	400	EM	Fair	Fair	10-20	C1	72	4.8	West side of stream, no access		
	T0151	Ash	<i>Fraxinus excelsior</i>	8	5.5	5.5	5.5	5.5	3	N3.5	700	EM	Fair	Fair	10-20	C1	222	8.4	West side of stream, no access, Ivy clad, main stem failed at approx.. 5.5m		
	T0152	Ash	<i>Fraxinus excelsior</i>	6	4	4	4	4	2.5	W1	540	EM	Poor	Fair	<10	U	132	6.5	Fail union at base with hollow stem, main stem failure at approx.. 5m		
	T0153	Ash	<i>Fraxinus excelsior</i>	9	7	7	7	7	3	S3.5	600	EM	Fair	Fair	10-20	C1	163	7.2	North side of ditch, central stem failure at 5m, 25-50% Ash dieback		
	T0153A	Ash	<i>Fraxinus excelsior</i>	14.5	0	2	8	5	6	S6	700	M	Poor	Fair	<10	U	222	8.4	Dense vegetation no access to stem, multi Found Fruiting Body at base virtually whole crown dead		
	T0154	Ash	<i>Fraxinus excelsior</i>	12	6	6	6	6	3	S3.5	500	EM	Good	Good	10-20	B1	113	6.0			
	T0155	Ash	<i>Fraxinus excelsior</i>		3	3	3	3	4	S3	500	EM	Poor	Poor	<10	U	113	6.0	No stem access, stem damage observe through veg, majority of crown dead		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0156	Ash	<i>Fraxinus excelsior</i>	9	6	7	6	6	3.5	E3	500	EM	Fair	Fair	10-20	C1	113	6.0	Ivy clad stem and stem epicormic hindered access		
	T0157	Ash	<i>Fraxinus excelsior</i>	9	6	6	6	6	3	S2.5	375	EM	Fair	Fair	10-20	C1	64	4.5	Westside of ditch, no access		
	T0158	Ash	<i>Fraxinus excelsior</i>	10	4	4	4	4	3	S3	418	EM	Fair	Fair	10-20	C1	79	5.0	25-50% Ash Dieback		
	T0159	Ash	<i>Fraxinus excelsior</i>	6	3	3.5	3	3	3	SW2	250	SM	Good	Fair	10-20	C1	28	3.0	behind fence in dense Veg, no access		
	T0160	Ash	<i>Fraxinus excelsior</i>	12	5	7	6	6	3	N5	400	EM	Fair	Fair	10-20	C1	72	4.8	behind fence in dense Veg, no access, 25-50% Ash Dieback		
	T0161	Ash	<i>Fraxinus excelsior</i>	7	4	4	4	4	3	N2	200	SM	Good	Fair	10-20	C1	18	2.4	Dense veg, no access, 0-25% Ash Dieback		
	T0162	Ash	<i>Fraxinus excelsior</i>	10	3	5	6	5	2	S3.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Dense veg, no access, 0-25% ash dieback		
	T0163	Ash	<i>Fraxinus excelsior</i>	8	6	6	6	6	3	W3	300	SM	Fair	Fair	10-20	C1	41	3.6	Tree in hedge, no access		
	T0164	Field Maple	<i>Acer campestre</i>	5.5	4	4	4	4	0	S0.5	342	SM	Fair	Fair	20-40	C1	53	4.1	Dense epicormic, no access		
	T0165	Hawthorn	<i>Crataegus monogyna</i>	3.5	2	2	2	2	0	N0	145	SM	Fair	Fair	20-40	C1	10	1.7	Dense epicormic, no access		
	T0166	Hawthorn	<i>Crataegus monogyna</i>	3.5	3	2	2	2	0	N1	125	SM	Good	Good	40+	C1	7	1.5			
	T0167	Field maple	<i>Acer campestre</i>	5	3	3	3	3	0	N1	234	SM	Good	Good	40+	C1	25	2.8			
	T0168	Field maple	<i>Acer campestre</i>	3.5	0	1.5	4	1.5	0	S0	98	SM	Good	Good	40+	C1	4	1.2			
	T0169	Oak	<i>Quercus robur</i>	14	6	6	6	6	0.5	N2	600	EM	Good	Good	40+	B1	163	7.2	Moderate deadwood lower crown site side		
	T0170	Hawthorn	<i>Crataegus monogyna</i>	4	3	3	3	3	0	N1	200	SM	Fair	Fair	20-40	C1	18	2.4	In dense veg, no access		
	T0171	Willow	<i>Salix spp</i>	4.5	4	4	4	4	1	S1	106	Y	Fair	Fair	20-40	C1	5	1.3	In dense veg, no access		
	T0172	Ash	<i>Fraxinus excelsior</i>	11	6	7	7	6	4	N2	492	EM	Fair	Fair	10-20	C1	110	5.9	In dense veg South side, no access, 25-50% Ash Dieback		
	T0173	Ash	<i>Fraxinus excelsior</i>	7	3	0	7	3.5	3.5	S1.5	300	EM	Poor	Poor	<10	U	41	3.6	Northside ditch, multi stemmed failure, 75-100% Ash Dieback		
	T0174	Ash	<i>Fraxinus excelsior</i>	11	7	7	7	4	3.5	N3	531	EM	Fair	Fair	10-20	C1	128	6.4	Northside ditch, 25-50% ash dieback		
	T0175	Dead		8.5	6	6	6	6	5	S3	500		Poor	Poor	<10	U	113	6.0	standing dead tree Northside ditch		
	T0176	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	2	W3	300	SM	Fair	Fair	10-20	C1	41	3.6	South side ditch, no access to stem due to dense vegetation		
	T0176A	Ash	<i>Fraxinus excelsior</i>	13	9.5	9.5	9.5	9.5	1	N0	726	EM	Fair	Fair	10-20	B3	238	8.7	East side of ditch, No access, ivy upper stem		
	T0177	Ash	<i>Fraxinus excelsior</i>	7	1	2	1	4	3	S3	150	Y	Fair	Fair	10-20	C1	10	1.8	West side of ditch		
	T0178	Ash	<i>Fraxinus excelsior</i>	8	1	4	3	4	3	W4	220	SM	Fair	Fair	10-20	C1	22	2.6	West side of ditch, Dense veg		
	T0179	Ash	<i>Fraxinus excelsior</i>	8	8	5	5	5	2.5	W2	320	SM	Fair	Fair	10-20	C1	46	3.8	Dense veg, no access		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0180	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	1.5	SW1	492	EM	Fair	Fair	<10	C1	110	5.9	Bacteria cankers on all stems with some sign of 0-25% Ash Dieback		
	T0181	Ash	<i>Fraxinus excelsior</i>	8	6	6	6	6	2.5	N2	456	EM	Fair	Fair	10-20	C1	94	5.5	Bacteria cankers on all stems with some sign of 0-25% Ash Dieback, No access from dense vegetation		
	T0182	Oak	<i>Quercus robur</i>	12	7.5	7.5	7.5	7.5	3.5	SW3.5	700	EM	Good	Good	40+	B1	222	8.4	Dense vegetation, fence and ditch prevent access		
	T0183	Oak	<i>Quercus robur</i>	13	8	8	8	8	1.5	2	700	EM	Good	Good	40+	B1	222	8.4	Dense vegetation, water logged land, prevent access		
	T0184	Oak	<i>Quercus robur</i>	13	6	6	6	6	2	E2	600	EM	Good	Good	40+	B1	163	7.2	Dense vegetation, water logged land, prevent access		
	T0185	Ash	<i>Fraxinus excelsior</i>	12	3	3	4	5	1	S1	430	EM	Fair	Fair	10-20	C1	84	5.2	Ivy clad tree, no access from dense vegetation		
	T0186	Ash	<i>Fraxinus excelsior</i>	12	8	6	7	6	4	S3.5	400	EM	Fair	Fair	10-20	C1	72	4.8	Ivy clad and dense vegetation prevent access to stem		
	T0187	Oak	<i>Quercus robur</i>	12	8	8	8.5	6.5	5	S5	500	EM	Good	Good	40+	B1	113	6.0	Ivy clad and dense vegetation prevent access to stem		
	T0188	Ash	<i>Fraxinus excelsior</i>	14	4	8	4	3	2	N4	450	EM	Fair	Fair	10-20	C1	92	5.4	<i>Inonotus</i> brackets on stem, lower branch failure observe, dense vegetation		
	T0189	Ash	<i>Fraxinus excelsior</i>	7	6	2	5	5	3	N3	350	EM	Fair	Fair	10-20	C1	55	4.2	Main stem failed 5m, no access to stem		
	T0190	Ash	<i>Fraxinus excelsior</i>	15	7	7	7	7	3	Sw2	600	EM	Fair	Fair	10-20	B2	163	7.2	No access to stem, 0-25% Ash Dieback		
	T0191	Oak	<i>Quercus robur</i>	15	9	9	9	9	2	S2	800	EM	Good	Good	40+	A1	290	9.6	dense vegetation around base Northside of ditch		
	T0192	Dead		8	2	2	2	2	2	S2	300		Poor	Poor	<10	U	41	3.6	Dead tree		
	T0193	Ash	<i>Fraxinus excelsior</i>	6	2	2	2	2	2	N2	400	EM	Poor	Poor	<10	U	72	4.8	stem failure at 4.5m, <i>Inonotus</i> brackets stem, majority of crown dead		
	T0194	Ash	<i>Fraxinus excelsior</i>	10	7	6	6	6	5	N4	500	EM	Fair	Fair	10-20	C1	113	6.0	ivy clad tree, westside ditch, 0-25% Ash Dieback		
	T0195	Ash	<i>Fraxinus excelsior</i>	9	3	3	3	3	4	N2.5	300	SM	Fair	Fair	10-20	C1	41	3.6	Ivy on the stem, 0-25% Ash dieback		
	T0196	Ash	<i>Fraxinus excelsior</i>	14	8	6	8	7	3.5	NW3.5	750	EM	Fair	Fair	10-20	C1	254	9.0	Failed branch 4m with Found Fruiting Body on stem, Dense vegetation no access to stem		
	T0197	Oak	<i>Quercus robur</i>	7	4	3	3	6	3	W3.5	600	EM	Fair	Poor	20-40	B3	163	7.2	No access to stem, much die back from crown tips, 50% crown dead		
	T0198	Ash	<i>Fraxinus excelsior</i>	14	4	8	4.5	4	5	E3	700	EM	Fair	Poor	10-20	C1	222	8.4	50-75% Ash Dieback, no access to stem		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0199	Ash	<i>Fraxinus excelsior</i>	15	9	8	9	8	3	E2.5	700	EM	Fair	Fair	10-20	C1	222	8.4	0-25% Ash Dieback, no access to stem		
	T0200	Oak	<i>Quercus robur</i>	15	8	8	10	8	4	W4	800	EM	Good	Good	40+	A1	290	9.6	Dense vegetation and Ivy around stem, no access to stem		
	T0201	Ash	<i>Fraxinus excelsior</i>	13	5	4	9	4	5	S4	750	EM	Fair	Fair	10-20	C1	254	9.0	Dense vegetation and Ivy around stem, no access to stem, 25-50% Ash Dieback		
	T0202	Oak	<i>Quercus robur</i>	16	10	8	10	10	2	NW3	900	EM	Good	Good	40+	A1	366	10.8	Retained deadwood lower crown		
	T0203	Ash	<i>Fraxinus excelsior</i>	9	5	4.5	6	6	3	S2.5	650	EM	Fair	Fair	10-20	C1	191	7.8	Main stem and primary branching failed with epicormic around stem, no access to stem		
	T0204	Ash	<i>Fraxinus excelsior</i>	9.5	4	4	4	4	4.5	E4	282	SM	Fair	Fair	10-20	C1	36	3.4	0-25% Ash Dieback		
	T0205	Field maple	<i>Acer campestre</i>	8	5	5	5	5	3	S2.5	320	SM	Good	Good	20-40	C1	46	3.8	No access, tree is on adjacent land and other side of ditch		
	T0206	Ash	<i>Fraxinus excelsior</i>	8	4	4	4	4	2	N2	300	SM	Fair	Fair	10-20	C1	41	3.6	No access, tree is behind 6m lapsed hedgerow		
	T0207	Ash	<i>Fraxinus excelsior</i>	13	6	6	6	5	2	W3.5	750	EM	Poor	Poor	10-20	C3	254	9.0	main stem failure at 4m with wound, branch failure at 5,5m, 25-50% Ash Dieback		
	T0208	Ash	<i>Fraxinus excelsior</i>	10	7	5	6	5	5	N4	750	EM	Poor	Poor	10-20	C3	254	9.0	50% Ash Dieback, <i>Inonotus</i> brackets on stem, low side epicormic		
	T0209	Ash	<i>Fraxinus excelsior</i>	14	7	7	7	7	3.53	W4	600	EM	Fair	Fair	10-20	C1	163	7.2	25-50% Ash Dieback, Dysfunctional growth at base East side		
	T0210	Ash	<i>Fraxinus excelsior</i>	13	5	7	9	6	3	E2	800	M	Poor	Poor	<10	U	290	9.6	Majority of crown dead, big cavity at base with brackets		
	T0211	Ash	<i>Fraxinus excelsior</i>	5	4	4	4	4	2	N1.5	282	SM	Good	Good	20-40	C1	36	3.4			
	T0212	Ash	<i>Fraxinus excelsior</i>	9	6	6	6	6	2	S3	406	SM	Fair	Fair	10-20	C1	75	4.9	Multi stemmed in dense vegetation		
	T0213	Elm	<i>Ulmus sp(p)</i>	5	2	2	2	2	2	S2	150	Y	Good	Fair	20-40	C1	10	1.8	No access dense vegetation		
	T0214	Field maple	<i>Acer campestre</i>	5	5	5	3	5	2	N2	280	SM	Good	Good	10-20	C1	35	3.4	No access dense vegetation		
	T0215	Oak	<i>Quercus robur</i>	16	6	9	9	7	3.5	S4	900	EM	Good	Good	40+	A1	366	10.8	No access to stem, tree in hedgerow		
	T0216	Ash	<i>Fraxinus excelsior</i>	14	5.5	5	5	5	4	W4	450	EM	Fair	Fair	10-20	C1	92	5.4	50% Ash Dieback, ditch South side of stem, dense vegetation		
	T0217	Ash	<i>Fraxinus excelsior</i>	15	4	4	4	4	4.5	N4.5	550	EM	Fair	Fair	10-20	C1	137	6.6	dense vegetation, epicormic at base 0-25% Ash Dieback		
	T0218	Ash	<i>Fraxinus excelsior</i>	13	3	3	3	3	4	E4	450	EM	Poor	Poor	<10	U	92	5.4	Majority of crown dead, 75% Ash Dieback, dense vegetation		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0219	Ash	<i>Fraxinus excelsior</i>	14.5	4	4	4	4	4	NE0	300	EM	Fair	Fair	10-20	C1	41	3.6	Die back observed, crown tips 0-25% Ash Dieback		
	T0220	Ash	<i>Fraxinus excelsior</i>	8.5	2	7	5	2	3.5	S4	500	EM	Poor	Fair	10-20	C1	113	6.0	Main stem failure 2m with hollow stem, no other Veteran features		
	T0221	Ash	<i>Fraxinus excelsior</i>	13	5	3	6	4	4.5	N4	400	EM	Fair	Fair	10-20	C1	72	4.8	Dense vegetation hindered inspection		
	T0222	Ash	<i>Fraxinus excelsior</i>	14	6	5	7	5	5	N4	450	EM	Fair	Fair	10-20	C1	92	5.4	Deadwood in lower crown, 0-25% Ash Dieback		
	T0223	Ash	<i>Fraxinus excelsior</i>	13	5	6	8	6	6	S5	450	EM	Fair	Poor	10-20	C1	92	5.4	Upper crown dieback with upper branch failure observed, 50% Ash Dieback		
	T0224	Ash	<i>Fraxinus excelsior</i>	9	4	4	4	4	4.5	W4	400	EM	Poor	Poor	<10	U	72	4.8	over 75% crown dead, tree in dense vegetation		
	T0225	Oak	<i>Quercus robur</i>	15	10	10	10	10	4	N4.5	650	EM	Good	Good	40+	B1	191	7.8	Tree in hedgerow		
	T0226	Ash	<i>Fraxinus excelsior</i>	11	6	7	6	7	5	N4	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedgerow, no access to stem		
	T0227	Ash	<i>Fraxinus excelsior</i>	10	5	6	5	6	4	S4	300	EM	Fair	Fair	10-20	C1	41	3.6	Tree in hedgerow, no access to stem		
	T0228	Ash	<i>Fraxinus excelsior</i>	6	3.5	3.5	3.5	3.5	4	N3	300	EM	Fair	Fair	10-20	C1	41	3.6	Tree situated behind hedgerow		
	T0229	Ash	<i>Fraxinus excelsior</i>	15	6.5	6	8	6.5	3.5	S4.5	600	EM	Fair	Fair	10-20	B1	163	7.2	Drainage ditch, North of stem 3m		
	T0230	Ash	<i>Fraxinus excelsior</i>	12	6	5	5	7	3.5	E4	450	EM	Fair	Poor	10-20	C1	92	5.4	Majority upper crown dead, 50% Ash Dieback in dense vegetation		
	T0231	Ash	<i>Fraxinus excelsior</i>	11	5	5	5	5	3.5	W3	350	EM	Fair	Fair	10-20	C1	55	4.2	Majority of upper crown dead, 50% Ash Dieback in dense vegetation		
	T0232	Ash	<i>Fraxinus excelsior</i>	11	6	6	6	6	3.5	W2	400	EM	Fair	Fair	10-20	C1	72	4.8	Ivy-clad tree in hedge 0-25% Ash Dieback		
	T0233	Ash	<i>Fraxinus excelsior</i>	7	2	4	4	4	3.5	SW3.5	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in hedge, branch failure 4m, 25% Ash Dieback		
	T0234	Ash	<i>Fraxinus excelsior</i>	11	8	8	8	8	4	N3.5	650	EM	Fair	Fair	10-20	C1	191	7.8	Tree in hedge, 25% Ash Dieback		
	T0235	Ash	<i>Fraxinus excelsior</i>	13	7	7	7	7	1.5	W4	500	EM	Fair	Fair	10-20	C1	113	6.0	Tree in fenced off area		
	T0236	Ash	<i>Fraxinus excelsior</i>	16.5	5	8	9	7	3	W3.5	600	EM	Fair	Fair	10-20	B3	163	7.2	On stem Northeast 2.4m varies inclusion, 0-25% Ash Dieback		
	T0237	Ash	<i>Fraxinus excelsior</i>	7	3	4	5	4	2.5	W3	300	SM	Poor	Poor	<10	U	41	3.6	Damage stem with remnant Found Fruiting Body in exposure, tree in hedge, 25% Ash Dieback		
	T0238	Ash	<i>Fraxinus excelsior</i>	8	2	5	5	5	1.5	S2.5	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in hedge 50% Ash Dieback, some dysfunctional bark		
	T0239	Ash	<i>Fraxinus excelsior</i>	9	5	4	3	5	3.5	W3.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedge 25% Ash Dieback		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0240	Ash	<i>Fraxinus excelsior</i>	9	5	5	4	5	3	N4	450	EM	Fair	Poor	10-20	C1	92	5.4	Tree in hedge 25-50% Ash Dieback		
	T0241	Ash	<i>Fraxinus excelsior</i>	11	8	8	5	6	1.5	N2.5	900	M	Poor	Fair	10-20	A3	573	13.5	Extensive hollowing of stem, cracked limbs, deadwood in crown and on the ground, dysfunctional bark	Veteran	13.5
	T0241A	Ash	<i>Fraxinus excelsior</i>	11	8	8	8	8	2	S0	800	M	Poor	Fair	10-20	A3	452	12.0	Extensive hollowing of stem, crack limbs, deadwood in crown and on ground	Veteran	13
	T0242	Ash	<i>Fraxinus excelsior</i>	7	4	7	7	6	4	SE4	480	EM	Fair	Fair	10-20	C1	104	5.8	Ivy-clad tree in hedge, previous branch failure 25-50% Ash Dieback		
	T0243	Ash	<i>Fraxinus excelsior</i>	6	2	2	2	2	3	E3	300	EM	Poor	Poor	<10	U	41	3.6	Majority of crown dead, 75-100% Ash Dieback, tree in hedge		
	T0244	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	4	S4	400	EM	Poor	Poor	<10	U	72	4.8	Majority of crown dead, 75-100% Ash Dieback, tree in hedge		
	T0245	Ash	<i>Fraxinus excelsior</i>	16.5	10	8	8	8	4	N4.5	800	M	Fair	Fair	10-20	B1	290	9.6	low sides deadwood, 0-25% Ash Dieback		
	T0246	Ash	<i>Fraxinus excelsior</i>	15	8	4	7	6	4	N3.5	600	EM	Fair	Fair	10-20	C1	163	7.2	tree in dense vegetation, branch around 5m with inclusion		
	T0247	Ash	<i>Fraxinus excelsior</i>	14	8	8	7	6	4	NW2.5	650	EM	Fair	Fair	10-20	C1	191	7.8	tree in dense vegetation, branch around 5m with inclusion		
	T0248	Ash	<i>Fraxinus excelsior</i>	13	7	7	9	7	3	N4	566	EM	Fair	Fair	10-20	C1	145	6.8	On South side of ditch, 0-25% Ash Dieback		
	T0249	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	3	N4	380	EM	Fair	Fair	10-20	C1	65	4.6	ditch to East and west, 0-25% Ash Dieback		
	T0250	Ash	<i>Fraxinus excelsior</i>	6.5	5	5	4	5	3.5	N2.5	400	EM	Fair	Fair	10-20	C1	72	4.8	Wound on stem, <i>Inonotus</i> brackets observed, 25-50% Ash Dieback, tree in dense vegetation		
	T0251	Ash	<i>Fraxinus excelsior</i>	6	4	3.5	3	3.5	3	N2	320	EM	Fair	Poor	10-20	C1	46	3.8	Tree in dense vegetation, 25-50% Ash Dieback		
	T0252	Ash	<i>Fraxinus excelsior</i>	6.5	4	4	4	4	2	N0	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in dense vegetation, 25-50% Ash Dieback, <i>Inonotus</i> brackets, dense epicormic at base		
	T0253	Ash	<i>Fraxinus excelsior</i>	9	6	7	5	6	4.5	S3.5	350	SM	Good	Good	10-20	C1	55	4.2	Drainage ditch in East of stem with exposed roots		
	T0258	Ash	<i>Fraxinus excelsior</i>	17	8	8	10	8	4	E4.5	1150	M	Poor	Fair	10-20	A3	935	17.3	Cavity at base opens up to significant hollowing 50mm deep and appear	Veteran	17.3

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			upward, significant deadwood in crown and ground, Branch tear at 4m, wounds and stem bleed, observed at primary branch unions approx. 4.5m		
	T0259	Elm	<i>Ulmus sp(p)</i>	5.5	2	2	2	2	2	W3	141	SM	Poor	Poor	<10	U	9	1.7	Dead tree in hedge		
	T0260	Ash	<i>Fraxinus excelsior</i>	5.5	3.5	3.5	3.5	3.5	2.5	N2	180	SM	Fair	Fair	10-20	C1	15	2.2	No access, tree in hedge		
	T0261	Alder	<i>Alnus glutinosa</i>	4.5	2	2	2	2	2.5	N3	150	SM	Fair	Fair	10-20	C1	10	1.8	No access, tree in hedge		
	T0262	Alder	<i>Alnus glutinosa</i>	4.5	2	2	2	2	2	N3	100	SM	Fair	Fair	10-20	C1	5	1.2	No access, tree in hedge		
	T0263	Alder	<i>Alnus glutinosa</i>	4.5	2	2	2	2	2	N1.5	180	SM	Fair	Fair	10-20	C1	15	2.2	No access, tree in hedge		
	T0264	Alder	<i>Alnus glutinosa</i>	7	4	2.5	2.5	2.5	2	N2.5	350	SM	Good	Good	20-40	C1	55	4.2	Tree in hedge in dense vegetation		
	T0265	Alder	<i>Alnus glutinosa</i>	4.5	3	3	3	3	3	E2.5	240	SM	Good	Good	20-40	C1	26	2.9	Tree in hedge in dense vegetation		
	T0266	Horse chestnut	<i>Aesculus hippocastanum</i>	4.5	3	3	3	3	3.5	E2	300	SM	Good	Good	20-40	C1	41	3.6	Tree in hedge in dense vegetation		
	T0267	Oak	<i>Quercus robur</i>	16	7	7	7	7	1	N2	1500	M	Good	Good	40+	A3	1590	22.5	Much epicormic at base, Hollow stem at the base Northeast side with remnants of Found Fruiting Body above hollow, Hung up and retained deadwood, and previous branch failure evident.	Veteran	22.5
	T0268	Oak	<i>Quercus robur</i>	6	4	4	4	4	0.5	N1.5	250	SM	Good	Good	40+	C1	28	3.0			
	T0269	Elder	<i>Sambucus nigra</i>	3.5	2	2	2	2	0	S1	145	SM	Fair	Fair	10-20	C1	10	1.7	Tree adjacent roadside ditch		
	T0270	Willow	<i>Salix spp</i>	6	4	4	4	4	0	N0.5	550	M	Fair	Fair	10-20	B3	137	6.6	Pollard tree with possible stem damage observed, view from the distance due to waterlogging measurements estimated		
	T0271	Willow	<i>Salix spp</i>	6	4	4	4	4	0	N0.5	550	M	Fair	Fair	10-20	B3	137	6.6	Pollard tree with possible stem damage observed, view from the distance due to waterlogging measurements estimated		
	T0272	Ash	<i>Fraxinus excelsior</i>	14	8	6	8	5	6	N3	750	EM	Fair	Fair	10-20	B3	254	9.0	Epicormic at base prevented access to stem, 25-50% Ash Dieback, Deadwood in crown and at base		
	T0273	Ash	<i>Fraxinus excelsior</i>	10	6	6	6	6	3.5	N3.5	524	EM	Fair	Fair	10-20	C1	124	6.3	Tree in dense veg preventing access		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0274	Ash	<i>Fraxinus excelsior</i>	7	7	6	3	6	1	N4.5	520	EM	Fair	Fair	10-20	C1	122	6.2	Upper crown dieback 25-50% Ash Dieback		
	T0275	Ash	<i>Fraxinus excelsior</i>	12	6	6	6	6	3	N4.5	350	EM	Fair	Fair	10-20	C1	55	4.2	Dense vegetation no access		
	T0276	Ash	<i>Fraxinus excelsior</i>	11	7	7	7	7	2	W4	600	EM	Fair	Fair	10-20	C3	163	7.2	Tree in dense veg, 50% ash dieback, Found Fruiting Body Inonotus, ivy-clad stem on 5m		
	T0277	Ash	<i>Fraxinus excelsior</i>	4.5	3	3	3	3	2.5	N2	145	SM	Fair	Fair	10-20	C1	10	1.7	Tree in hedge		
	T0278	Ash	<i>Fraxinus excelsior</i>	8	4	4	4	4	2	S2	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree in dense vegetation, measurement estimated		
	T0279	Field maple	<i>Acer campestre</i>	8	3	3	3	3	2.5	N3	300	SM	Good	Good	20-40	C1	41	3.6	Tree in dense vegetation, measurement estimated		
	T0280	Ash	<i>Fraxinus excelsior</i>	8	5	4	5	4	4.5	S4	250	SM	Fair	Fair	10-20	C1	28	3.0	25-50% Ash Dieback		
	T0281	Willow	<i>Salix spp</i>	11	7	7	7	7	0	W2	790	M	Good	Good	20-40	B1	282	9.5	Tree on edge of water course		
	T0282	Willow	<i>Salix spp</i>	9	8	8	8	8	0	E0	602	EM	Fair	Fair	10-20	C1	164	7.2	No access from waterlogged field, measurements estimated		
	T0283	Ash	<i>Fraxinus excelsior</i>	5	2	2	2	2	3.5	S1.5	150	SM	Fair	Fair	10-20	C1	10	1.8	Tree in dense vegetation, measurement estimated		
	T0284	Hawthorn	<i>Crataegus monogyna</i>	2.5	2	2	2	2	0	W0	80	Y	Good	Good	40+	C1	3	1.0	Tree in dense vegetation, measurement estimated		
	T0285	Hawthorn	<i>Crataegus monogyna</i>	3.5	2	2	2	2	0	S1	129	SM	Good	Good	40+	C1	8	1.5			
	T0286	Hawthorn	<i>Crataegus monogyna</i>	2.5	2	2	2	2	0	N0.5	75	SM	Good	Good	40+	C1	3	0.9			
	T0287	Hawthorn	<i>Crataegus monogyna</i>	2.5	2	2	2	2	0	N0.5	129	SM	Good	Good	40+	C1	8	1.5			
	T0288	Crack Willow	<i>Salix fragilis</i>	9	8	8	8	8	0	N2	781	EM	Fair	Fair	10-20	C1	276	9.4	Stem damage and decay at base		
	T0289	Oak	<i>Quercus robur</i>	11	8	5	8	8.5	3.5	W4	900	EM	Good	Good	40+	A1	366	10.8	Much retained deadwood in lower crown		
	T0290	Oak	<i>Quercus robur</i>	15	9	9	9	9	4	N4	1080	M	Good	Good	40+	A1	528	13.0	Ganoderma bracket at base, deadwood in lower crown		
	T0291	Ash	<i>Fraxinus excelsior</i>	7	2	4	2	4	3.5	E3	212	SM	Fair	Fair	10-20	C1	20	2.5	Ivy clad, twin stemmed dense vegetation		
	T0292	Ash	<i>Fraxinus excelsior</i>	4.5	2	2	2	2	2	S2	180	SM	Fair	Fair	10-20	C1	15	2.2	Tree in dense vegetation of hedge		
	T0293	Ash	<i>Fraxinus excelsior</i>	4.5	2	2	2	2	2	NW3	163	SM	Fair	Fair	10-20	C1	12	2.0	Tree in dense vegetation of hedge		
	T0294	Ash	<i>Fraxinus excelsior</i>	7.5	6	6	6	6	2.5		469	EM	Fair	Fair	10-20	C1	100	5.6	Tree in dense vegetation, 0-25% Ash Dieback		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0295	Ash	<i>Fraxinus excelsior</i>	6	5	5	5	5	2.5	W2	403	EM	Fair	Fair	10-20	C1	73	4.8	Tree in dense vegetation, Found Fruiting Body Inonotus on North stem		
	T0296	Ash	<i>Fraxinus excelsior</i>	7	5	7	4	4	3	W3.5	500	EM	Fair	Fair	10-20	C1	113	6.0	25-50% Ash Dieback		
	T0297	Ash	<i>Fraxinus excelsior</i>	7	1	4	5	4	3	S2	203	SM	Fair	Fair	10-20	C1	19	2.4	25-50% Ash Dieback		
	T0298	Ash	<i>Fraxinus excelsior</i>	6.5	5	5	4	3	2.5	E1	203	SM	Fair	Fair	10-20	C1	19	2.4	25-50% Ash Dieback		
	T0299	Oak	<i>Quercus robur</i>	12	7	8	7	7	2.5	E3	800	EM	Good	Good	40+	B1	290	9.6			
	T0300	Ash	<i>Fraxinus excelsior</i>	5.5	4	4.5	4	4.5	2	E1.5	360	EM	Fair	Fair	10-20	C1	59	4.3	25-50% Ash Dieback		
	T0301	Oak	<i>Quercus robur</i>	9	5	5	5	5	2.5	E3	750	EM	Fair	Fair	20-40	B3	254	9.0	Much deadwood and branch failure in upper crown, dysfunctional bark on stem		
	T0302	Ash	<i>Fraxinus excelsior</i>	3.5	2	0.5	2	0.5	3	N2	500	EM	Poor	Poor	<10	U	113	6.0	Standing dead tree		
	T0303	Oak	<i>Quercus robur</i>	13.5	7	7	8.5	8	2.5	W2.5	900	EM	Good	Good	40+	A1	366	10.8	Tree in hedge, no access to stem		
	T0304	Oak	<i>Quercus robur</i>	15	8.5	8	8.5	8	2.5	N2.5	800	EM	Good	Good	40+	A1	290	9.6	Tree in hedge, no access to stem		
	T0305	Hawthorn	<i>Crataegus monogyna</i>	4	3	3	3	3	0		150	SM	Fair	Good	10-20	C1	10	1.8	Tree in dense vegetation		
	T0306	Oak	<i>Quercus robur</i>	10	7.5	5	5	6	1	SW3	700	EM	Good	Good	40+	B1	222	8.4	Tree on South side of drainage ditch, two small Hawthorn at base		
	T0307	Ash	<i>Fraxinus excelsior</i>	6.5	6	5	5	5	0	S0.5	271	SM	Fair	Fair	10-20	C1	33	3.3	Damage and decay to central stem		
	T0308	Ash	<i>Fraxinus excelsior</i>	4	1.5	1.5	1.5	1.5	3	S1	125	SM	Fair	Fair	10-20	C1	7	1.5	Low vitality in crown, tree in hedge		
	T0309	Ash	<i>Fraxinus excelsior</i>	5.5	2	3	2	2	3.5	SE2.5	180	SM	Fair	Fair	10-20	C1	15	2.2	Tree in hedge 0-25% Ash Dieback		
	T0310	Ash	<i>Fraxinus excelsior</i>	6.5	4	4	4	4	4	SN3	452	SM	Fair	Fair	10-20	C1	92	5.4	Tree in hedge 0-25% Ash Dieback		
	T0311	Goat willow	<i>Salix caprea</i>	4	4	4	4	4	0.5	S0.5	300	SM	Fair	Good	20-40	C1	41	3.6	Multi stemmed trees edge field, included bark unions		
	T0312	Goat willow	<i>Salix caprea</i>	4	4	4	4	4	0.5	S0.5	300	SM	Fair	Good	20-40	C1	41	3.6	Multi stemmed trees edge field, included bark unions		
	T0313	Ash	<i>Fraxinus excelsior</i>	10	4	2	6	5	2	NW2	560	EM	Fair	Poor	10-20	C1	142	6.7	50% Ash Dieback, Inonotus bracket visible		
	T0314	Oak	<i>Quercus robur</i>	12	8	6	6.5	7	1.5	SE2	800	EM	Good	Good	40+	B1	290	9.6	Ivy clad stem prevent stem inspection, deadwood in lower crown, tree in hedge		
	T0315	Oak	<i>Quercus robur</i>	15	10	10	10	10	3.5	SE2.5	850	EM	Good	Good	40+	A1	327	10.2	Deadwood in lower crown, tree in hedge prevent access to stem		
	T0316	Oak	<i>Quercus robur</i>	15	9	9	9	9	3	NW3.5	800	EM	Good	Good	40+	A1	290	9.6	Deadwood in lower crown, tree in hedge prevent access to stem		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0317	Ash	<i>Fraxinus excelsior</i>	7	6	3	6	4	2.5	N3	238	SM	Fair	Fair	10-20	C1	26	2.9	Tree in hedge 0-25% Ash Dieback		
	T0318	Ash	<i>Fraxinus excelsior</i>	7	5	4	5	5	2.5	N3	223	SM	Fair	Fair	10-20	C1	22	2.7	Tree in hedge 0-25% Ash Dieback		
	T0319	Oak	<i>Quercus robur</i>	11	5	4	5	8	4	W2.5	540	EM	Good	Good	40+	B1	132	6.5	On edge of group, ditch to West side of stem		
	T0320	Ash	<i>Fraxinus excelsior</i>	5	4	4	4	4	1	S2.5	163	SM	Fair	Fair	10-20	C1	12	2.0	Multi stemmed, West side of ditch		
	T0321	Ash	<i>Fraxinus excelsior</i>	14	9	5	4.5	5	1	N4	1400	M	Fair	Good	10-20	A3	1385	21.0	Hollow stem, Found Fruiting Body on stem and base, deadwood in crown and floor, cavities and flailed stems	Veteran	21.0
	T0322	Ash	<i>Fraxinus excelsior</i>	17	8	7	10	6	2	NW2.5	848	EM	Fair	Fair	10-20	C1	325	10.2	Crown tips appear sparse in Sections, 25% Ash Dieback		
	T0323	Ash	<i>Fraxinus excelsior</i>	17	8	5	10	7.5	1.5	W3	650	EM	Fair	Fair	10-20	C1	191	7.8	Tree in hedge		
	T0324	Oak	<i>Quercus robur</i>	4	3	3	3	3	2	NW2	200	EM	Good	Good	40+	C1	18	2.4	Tree in hedge		
	T0325	Oak	<i>Quercus robur</i>	14	9.5	9.5	9.5	9.5	1	NW3	1450	M	Good	Good	40+	A1	707	15.0	Retained deadwood in crown, characteristic of species		
	T0326	Ash	<i>Fraxinus excelsior</i>	14	9	8	7	8	1	N3	500	EM	Fair	Fair	10-20	C1	113	6.0	25-50% Ash Dieback, tree in hedge		
	T0327	Ash	<i>Fraxinus excelsior</i>	14	7	7	7	7	1	N2	500	EM	Fair	Fair	10-20	C1	113	6.0	No access to stem		
	T0328	Ash	<i>Fraxinus excelsior</i>	13	9	8	8	8	1.5	W2.5	800	M	Fair	Fair	10-20	C1	290	9.6	25% Ash Dieback, tree on Western side of stream, no access		
	T0329	Ash	<i>Fraxinus excelsior</i>	14	7	7	8	9	1.5	S3.5	800	M	Fair	Fair	10-20	B1	290	9.6	25% Ash Dieback		
	T0330	Willow	<i>Salix spp</i>	8	6	9	5	6	0	E2	800	M	Poor	Fair	10-20	C3	290	9.6	Stem failure at base split in 2, regrowth establishing, no access viewed from field		
	T0331	Willow	<i>Salix spp</i>	8	6	7	6	6	1	E2	492	SM	Fair	Fair	10-20	C1	110	5.9	Previous stem failures evident, Ash stem in close proximity north		
	T0332	Ash	<i>Fraxinus excelsior</i>	15	7	7	9	8	4	W4	600	EM	Fair	Fair	10-20	C3	163	7.2	Ivy clad tree in dense veg, 50% Ash dieback, No access to stem		
	T0333	Ash	<i>Fraxinus excelsior</i>	15	8.5	9	8	6	2.5	NW4	600	EM	Fair	Fair	10-20	C3	163	7.2	Ivy clad tree in dense veg, 50% Ash dieback, No access to stem		
	T0334	Sycamore	<i>Acer pseudoplatanus</i>	16	7	7	7	7	3		650	EM	Fair	Fair	20-40	B1	191	7.8	Tree in dense veg behind fence line, branches at 4-5m bark dysfunction and wounds, occlusion formation observed		
	T0335	Ash	<i>Fraxinus excelsior</i>	7	5	4	0	3	3	N4	600	EM	Fair	Fair	10-20	C1	163	7.2	Tree on the westside of the ditch behind fence, branch failure at 4.5m		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0336	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	8	4	N3	850	M	Fair	Fair	20-40	B1	327	10.2	Tree in hedge, much epicormic growth on branches		
	T0337	Ash	<i>Fraxinus excelsior</i>	12	7	8	10	9	3	N2	850	M	Fair	Fair	20-40	B1	327	10.2	Tree in hedge, much epicormic growth on branches, ivy on stem		
	T0338	Ash	<i>Fraxinus excelsior</i>	12	8	8	8	8	3	W2	750	M	Fair	Fair	20-40	B1	254	9.0	Tree in hedge, much epicormic growth on branches, ivy on stem, 0-25% Ash Dieback		
	T0339	Oak	<i>Quercus robur</i>	15	9	10	6	13	2	NE3	800	EM	Good	Good	40+	A1	290	9.6	Tree in hedge, stem estimated		
	T0340	Oak	<i>Quercus robur</i>	11	4	5	2	4	1	W4	450	EM	Good	Good	40+	B1	92	5.4	Epicormic growth on stem, Tree in hedge, asymmetric crown from suppression		
	T0341	Oak	<i>Quercus robur</i>	10	7	5	2	8	2	N3.5	450	EM	Good	Good	40+	B1	92	5.4	Epicormic growth on stem, Tree in hedge, asymmetric crown from suppression		
	T0342	Ash	<i>Fraxinus excelsior</i>	4	3	3	3	3	2	N2	150	SM	Fair	Fair	10-20	C1	10	1.8	Tree behind fence line, 25-50% Ash Dieback		
	T0343	Ash	<i>Fraxinus excelsior</i>	8	4.5	4.5	4.5	4.5	0.5	S3.5	300	SM	Fair	Fair	10-20	C1	41	3.6	Tree in hedge, ivy on stem, 0-25% Ash Dieback		
	T0344	Cherry	<i>Prunus avium</i>	3.5	4	3	2	3	0.5	N2	280	SM	Fair	Fair	20-40	C1	35	3.4	Tree on embankment descends to West, hard standing to East		
	T0345	Cherry	<i>Prunus avium</i>	3.5	2	2	2	2	0.5	N2	290	SM	Fair	Fair	20-40	C1	38	3.5	Tree on embankment descends to West, hard standing to East		
	T0346	Cherry	<i>Prunus avium</i>	3.5	2.5	2.5	2.5	2.5	1.5	S1	200	SM	Fair	Fair	20-40	C1	18	2.4	Tree on embankment descends to West, hard standing to East		
	T0347	Oak	<i>Quercus robur</i>	14	9	9	8	8	2	W3	750	EM	Good	Good	40+	A1	254	9.0	Tree viewed from fence side, drainage ditch East side stem		
	T0348	Ash	<i>Fraxinus excelsior</i>	9	7	4	2	4	1	N3	530	EM	Fair	Fair	10-20	C1	127	6.4	Tree growing through fence line		
	T0349	Sycamore	<i>Acer pseudoplatanus</i>	4.5	2	4	3	1	2	E2	650	EM	Poor	Poor	10-20	A3	299	9.8	Extensive hollowing of stem, historically failed at 4m, deadwood on ground, brick structure leaning on stem	Veteran	9.8
	T0350	Ash	<i>Fraxinus excelsior</i>	9.5	5	5	6	6.5	2.5	W2	900	M	Fair	Fair	10-20	A3	573	13.5	Hollow stem from base to 3.5m where stem failed, establish epicormic growth, Inonotus brackets observed. Drainage ditch West of stem base	Veteran	13.5
	T0351	Ash	<i>Fraxinus excelsior</i>	7	3.5	3.5	2	4	1	W0.5	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree on lower ground level with retaining wall to North and South		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0352	Ash	<i>Fraxinus excelsior</i>	10	6	5	7	5	2	N2	476	SM	Fair	Fair	10-20	C1	103	5.7	Multi stemmed at base with included unions		
	T0353	Oak	<i>Quercus robur</i>	6.5	5	5	6	6	1.5	N0.5	411	SM	Good	Good	40+	B1	76	4.9	Ground levels increase to East		
	T0354	Oak	<i>Quercus robur</i>	9.5	6	6	6	6	1	W3.5	540	SM	Good	Good	40+	B1	132	6.5	Ground levels increase to East		
	T0355	Ash	<i>Fraxinus excelsior</i>	7.5	4	3	3	4	3	W4	300	SM	Fair	Fair	10-20	C1	41	3.6	25-50% Ash Dieback		
	T0356	Ash	<i>Fraxinus excelsior</i>	6	5	3	3	2	2	E3	480	SM	Fair	Fair	10-20	C1	104	5.8	25-50% Ash Dieback, stem damage at 1.5m from tare out		
	T0357	Ash	<i>Fraxinus excelsior</i>	7	4	5	5	5	2	S2	418	SM	Fair	Fair	10-20	C1	79	5.0	25-50% Ash Dieback		
	T0359	Ash	<i>Fraxinus excelsior</i>	8	6	6	6	6	3	S2	550	EM	Fair	Fair	10-20	C1	137	6.6	25% Ash Dieback, bulge at stem base		
	T0360	Field maple	<i>Acer campestre</i>	4	2	3	3	3	0	N0	250	SM	Fair	Fair	10-20	C1	28	3.0			
	T0361	Field maple	<i>Acer campestre</i>	5.5	5	5	5	8	2	S2	360	SM	Good	Good	20-40	C1	59	4.3			
	T0362	Willow	<i>Salix spp</i>	3.5	4	4	5	6	0	N0.5	150	SM	Fair	Fair	20-40	C1	10	1.8	Reestablish growth from felling		
	T0364	Ash	<i>Fraxinus excelsior</i>	9	4	4	4	2	4	N3.5	390	SM	Fair	Fair	10-20	C1	69	4.7	Ivy clad stem, 25% Ash Dieback		
	T0365	Oak	<i>Quercus robur</i>	9	7	7	7	7	1.5	S4.5	650	EM	Good	Good	40+	B1	191	7.8	Ditch directly West of stem		
	T0366	Ash	<i>Fraxinus excelsior</i>	10	5	5	5	5	2	W4	504	EM	Fair	Fair	10-20	C1	115	6.0	Tree on Northside of ditch		
	T0367	Ash	<i>Fraxinus excelsior</i>	7	5	4	4	6.5	2	E2	280	SM	Fair	Fair	10-20	C1	35	3.4	Ivy clad tree in dense vegetation		
	T0368	Ash	<i>Fraxinus excelsior</i>	17	9	9	9	8	2.5	S3.5	900	M	Fair	Fair	10-20	B1	366	10.8	Ivy clad tree in dense vegetation, 25% Ash Dieback		
	T0369	Ash	<i>Fraxinus excelsior</i>	12	6.5	6.5	6.5	6.5	2	S3	700	EM	Fair	Fair	10-20	B1	222	8.4	Tree in hedgerow with drainage ditch North of stem		
	T0370	Ash	<i>Fraxinus excelsior</i>	6.5	1	4	3	0	3	E2	350	EM	Fair	Fair	10-20	C1	55	4.2	Tree in hedgerow with drainage ditch north of stem, main stem failed 3m		
	T0371	Ash	<i>Fraxinus excelsior</i>	9	4.5	7	7	7	2	E3	700	EM	Fair	Fair	10-20	B1	222	8.4	Tree in hedgerow with drainage ditch North of stem, remnant of Found Fruiting Body at base		
	T0372	Field maple	<i>Acer campestre</i>	7	4	4	4	4	0	S2	350	SM	Fair	Fair	10-20	C1	55	4.2	Tree on adjacent land approx. 3m West of hedgerow		
	T0373	Ash	<i>Fraxinus excelsior</i>	6.5	3.5	7	7	6	2.5	S2	500	EM	Fair	Fair	10-20	C1	113	6.0	Tree in hedge, Stem failure at 5m Inonotus bracket at base		
	T0374	Ash	<i>Fraxinus excelsior</i>	11	6.5	6.5	8.5	7.5	2	NE4	650	EM	Fair	Fair	10-20	C1	191	7.8	Tree in hedgerow, deadwood in crown 25-50% Ash Dieback		
	T0375	Ash	<i>Fraxinus excelsior</i>	5.5	4	4	4	4	2	S2	650	EM	Fair	Fair	10-20	C1	191	7.8	Tree in hedgerow, Stem failure at 3.5m		
	T0376	Ash	<i>Fraxinus excelsior</i>	5	7	3	3.5	4	3	N2.5	471	EM	Poor	Fair	10-20	C3	100	5.7	Failed stem at base with decay in branch,		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			decay on stem failed at 4m		
	T0377	Ash	<i>Fraxinus excelsior</i>	9.5	8	5.5	4	7	1.5	N3	712	EM	Poor	Fair	10-20	A3	358	10.7	Extensive hollowing of stem from base upward, Dysfunctional bark across stem, extensive deadwood around stem base and in crown	Veteran	13
	T0378	Field maple	<i>Acer campestre</i>	6	4	2	1.5	2	0	N2.5	300	EM	Fair	Fair	10-20	C1	41	3.6	Part of lapse hedgerow with damaged to stem with some hollowing		
	T0379	Ash	<i>Fraxinus excelsior</i>	9	7	5	3.5	7	2	N1	492	EM	Fair	Fair	10-20	C1	110	5.9	Tree in hedge ditch to West and 3m to North. 25% Ash Dieback		
	T0380	Field maple	<i>Acer campestre</i>	5	4	5	4	4	1.5	N3	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree in lapse part of hedgerow		
	T0381	Field maple	<i>Acer campestre</i>	7	6	6	6	6	3	N2.5	352	SM	Fair	Good	20-40	C1	56	4.2	Tree in hedge on elevated ground		
	T0382	Field maple	<i>Acer campestre</i>	4	4	3	4.5	3	1	S1.5	231	SM	Fair	Good	20-40	C1	24	2.8	Tree in hedge on elevated ground		
	T0383	Oak	<i>Quercus robur</i>	9	7	7	7	7	2	E2	520	SM	Good	Good	40+	B1	122	6.2	Drainage ditch east of stem		
	T0384	Hawthorn	<i>Crataegus monogyna</i>	3.5	2.5	2.5	2.5	2.5	0	N1	130	SM	Good	Good	40+	C1	8	1.6	Drainage ditch west of stem		
	T0385	Sycamore	<i>Acer pseudoplatanus</i>	10	7.5	7.5	7.5	7.5	0	N2	650	EM	Good	Good	20-40	B1	191	7.8	Dense epicormic at base		
	T0386	Oak	<i>Quercus robur</i>	15.5	11	11	11	11	2	N3.5	1300	M	Good	Good	40+	A1	707	15.0	Ditch Northwest side of stem, deadwood within crown		
	T0387	Willow	<i>Salix spp</i>	10	7	7	8	9	2.5	W2.5	685	EM	Fair	Fair	20-40	C1	212	8.2	Tree in dense vegetation and east side of ditch, measurement estimate		
	T0388	Willow	<i>Salix spp</i>	10	9	9	9	9	0	SW0	809	EM	Fair	Fair	20-40	C1	296	9.7	Tree in dense vegetation and east side of ditch, measurement estimate, historic stem failure evident with damage to stem		
	T0389	Ash	<i>Fraxinus excelsior</i>	5.5	2.5	2.5	2.5	2.5	1	N0	150	SM	Good	Fair	10-20	C1	10	1.8	Tree on east side of deep ditch		
	T0390	Oak	<i>Quercus robur</i>	12	8.5	11.5	11	10	1	E3.5	781	EM	Fair	Fair	40+	B1	276	9.4	Tree in dense vegetation and ivy clad stem, measurement estimated		
	T0391	Willow	<i>Salix spp</i>	5	2	2	3	2	1	S1.5	150	SM	Fair	Fair	20-40	C1	10	1.8			
	T0392	Willow	<i>Salix spp</i>	11	5	5	5	5	0.5	S1	209	SM	Good	Good	20-40	C1	20	2.5			
	T0393	Ash	<i>Fraxinus excelsior</i>	4	1.5	2	3	2	2.5	S1.5	195	SM	Fair	Fair	10-20	C1	17	2.3	Lapse hedgerow tree		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran Tree	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0394	Ash	<i>Fraxinus excelsior</i>	6	3	4	4	4	4	S3	450	EM	Fair	Poor	10-20	C1	92	5.4	Tree in dense Vegetation, heavy crown reduction, new crown growth establish Inonotus brackets on floor at base		
	T0395	Ash	<i>Fraxinus excelsior</i>	7	1.5	3	6.5	6	3	W3	500	EM	Fair	Poor	10-20	C1	113	6.0	Tree in dense Vegetation, heavy crown reduction, new crown growth establish Inonotus brackets on floor at base		
	T0396	Ash	<i>Fraxinus excelsior</i>	4.5	2	2	2	2	0	S2	150	SM	Fair	Fair	10-20	C1	10	1.8	Lapsed hedgerow tree		
	T0397	Ash	<i>Fraxinus excelsior</i>	7.5	4	4	5	4	3.5	N2	700	EM	Fair	Fair	10-20	C1	222	8.4	25-50% Ash Dieback within crown, Inonotus brackets		
	T0398	Ash	<i>Fraxinus excelsior</i>	8.5	1.5	1.5	4	4	4	SW3	700	EM	Poor	Fair	10-20	C1	222	8.4	25-50% Ash Dieback within crown, Inonotus brackets, previous branch failure		
	T0399	Ash	<i>Fraxinus excelsior</i>	8	1	1	1	1	3.5	S2.5	750	OM	Poor	Poor	<10	U	254	9.0	significant stem damage with decay, multi fail branches, virtually no crown		
	T0400	Ash	<i>Fraxinus excelsior</i>	14	7	8	7	7	1	E3.5	610	EM	Good	Good	10-20	C1	168	7.3	Tree on edge of group		
	T0401	Hawthorn	<i>Crataegus monogyna</i>	4	2	2	2	2	0	N1.5	150	SM	Good	Good	40+	C1	10	1.8	Ivy clad tree in hedgerow		
	T0402	Ash	<i>Fraxinus excelsior</i>	10	8	7	3	3	2.5	NE3	700	EM	Fair	Fair	10-20	C1	222	8.4	Ivy clad roadside tree		
	T0403	Ash	<i>Fraxinus excelsior</i>	10	8	4	4.5	7	3	N3	700	EM	Fair	Fair	10-20	C1	222	8.4	Tree in hedge, ditch to North, dieback in crown, Inonotus brackets		
	T0404	Ash	<i>Fraxinus excelsior</i>	9	5	5	5	5	3.5	N3.5	500	EM	Fair	Fair	10-20	C1	113	6.0	Tree in hedge, ditch to North, dieback in crown, Inonotus brackets 50-75% Ash Dieback		
	T0405	Ash	<i>Fraxinus excelsior</i>	15	5	7	8	7	3	N4	750	M	Fair	Fair	10-20	C1	254	9.0	Tree in hedge, ditch to North, dieback in crown, Inonotus brackets 50-75% Ash Dieback		
	T0406	Ash	<i>Fraxinus excelsior</i>	8	4	2	4	7	2.5	N2.5	500	EM	Fair	Fair	10-20	C1	113	6.0	Tree in hedge, ditch to North, dieback in crown, Inonotus brackets 50-75% Ash Dieback		
	T0407	Oak	<i>Quercus robur</i>	9	5	5	5	5	2	W1	400	EM	Good	Good	40+	B1	72	4.8	Ivy clad stem, Southside of ditch		
	T0408	Ash	<i>Fraxinus excelsior</i>	7	5	5	5	5	2.5	S3.5	300	SM	Fair	Fair	10-20	C1	41	3.6	Damaged to stem with hollowing, 25-50% Ash Dieback		
	T0409	Ash	<i>Fraxinus excelsior</i>	5	2	2	2	2	1.5	N1	176	SM	Fair	Fair	10-20	C1	14	2.1	Tree in hedge		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T0410	Poplar	<i>Populus sp(p)</i>	16	8	9	7	7	1.5	S1	700	EM	Good	Good	20-40	B1	222	8.4	Ditch Northside of stem		
	T0411	Ash	<i>Fraxinus excelsior</i>	4.5	6	6	6	6	3	N1	229	SM	Fair	Fair	10-20	C1	24	2.7	Tree on adjacent side of ditch		
	T0412	Hawthorn	<i>Crataegus monogyna</i>	3.5	2	1.5	1.5	1.5	2	N1.5	125	SM	Good	Good	20-40	C1	7	1.5	Tree in hedge		
	T0413	Ash	<i>Fraxinus excelsior</i>	7	4	4	4	4	3	N1.5	200	SM	Fair	Fair	10-20	C1	18	2.4	Tree in hedge		
	T0414	Ash	<i>Fraxinus excelsior</i>	4	3.5	3.5	3.5	3.5	1.5	S2	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree in hedge		
	T0415	Ash	<i>Fraxinus excelsior</i>	6.5	4	4	4	4	2.5	S2	291	SM	Fair	Fair	10-20	C1	38	3.5	Tree in hedge, 25-50% Ash Dieback		
	T0416	Poplar	<i>Populus sp(p)</i>	17	6	6	6	6	4.5	N4.5	650	EM	Good	Good	40+	B1	191	7.8	drainage channel West of stem		
	T0417	Ash	<i>Fraxinus excelsior</i>	14	7.5	8	7	8	3	N4	900	M	Fair	Fair	10-20	B3	366	10.8	Bulge at stem base deadwood in crown, 0-25% Ash Dieback		
	T0418	Ash	<i>Fraxinus excelsior</i>	8.5	6	6	6	6	3	NE2	380	SM	Fair	Fair	10-20	C1	10	1.8	0-25% Ash Dieback		
	T0419	Rowan	<i>Sorbus aucuparia</i>	4	2	3	2	1.5	2	E1.5	150	SM	Good	Good	20-40	C1	10	1.8	Tree in hedge		
	T0420	Horse chestnut	<i>Aesculus hippocastanum</i>	4.5	3	3	3	3	2	W1.5	250	SM	Good	Good	20-40	C1	28	3.0	Tree in hedge		
	T0421	Sycamore	<i>Acer pseudoplatanus</i>	8.5	6.5	6.5	6.5	6.5	0.5	W1.5	500	SM	Good	Good	40+	B1	113	6.0	Tree Southside of deep ditch		
	T0422	Sycamore	<i>Acer pseudoplatanus</i>	8	5	5	5	5	0.5	E0.5	367	SM	Fair	Fair	20-40	C1	61	4.4	Included bark, and dysfunctional bark observed		
	T0423	Oak	<i>Quercus robur</i>	8	7	7	7	8		E0.5	500	SM	Good	Good	40+	B1	113	6.0	South side of ditch		
	T0424	Sycamore	<i>Acer pseudoplatanus</i>	7	4.5	4.5	4.5	4.5	0.5	SW0.5	360	SM	Fair	Fair	20-40	C1	59	4.3	South side of ditch, included bark		
	T0425	Oak	<i>Quercus robur</i>	7	5	5.5	5.5	5		S2.5	280	SM	Good	Good	40+	B1	35	3.4	South side of ditch		
	T0426	Ash	<i>Fraxinus excelsior</i>	6	3	3	3	3	2	E1.5	280	SM	Fair	Fair	10-20	C1	35	3.4	tree in hedge, Northside of ditch, ivy clad		
	T0427	Ash	<i>Fraxinus excelsior</i>	6	3	3	3	3	2	W2	200	SM	Fair	Fair	10-20	C1	18	2.4	tree in hedge, Northside of ditch, ivy clad		
	T0428	Ash	<i>Fraxinus excelsior</i>	6	4	3	3	3	1.5	NW2	200	SM	Fair	Fair	10-20	C1	18	2.4	tree in hedge, Northside of ditch, ivy clad		
	T0429	Ash	<i>Fraxinus excelsior</i>	7	4	4	4	3	2	SW2	200	SM	Fair	Fair	10-20	C1	18	2.4	tree in hedge, Northside of ditch		
	T0430	Ash	<i>Fraxinus excelsior</i>	17	9	7	11	8	4.5	S5	800	M	Fair	Fair	10-20	B3	290	9.6	Ivy clad tree in hedge and dense vegetation, deadwood in crown, tree North of ditch		
	T0431	Ash	<i>Fraxinus excelsior</i>	6	4	3	3	4	4	NW3	200	SM	Fair	Fair	10-20	C1	18	2.4	tree in hedge, Northside of ditch		
	T0432	Ash	<i>Fraxinus excelsior</i>	4	3	3	3	3	2.5	N2.5	100	Y	Fair	Fair	10-20	C1	5	1.2	tree in hedge, Northside of ditch		
	T0433	Ash	<i>Fraxinus excelsior</i>	8	4	6	6	4	2.5	S3	291	SM	Fair	Fair	10-20	C1	38	3.5	tree in hedge, Northside of ditch		
	T0434	Ash	<i>Fraxinus excelsior</i>	14	8	9	7.5	6	1.5	S4	600	EM	Fair	Fair	10-20	B3	163	7.2	tree in hedge, Northside of ditch, ivy clad stem, Inonotus brackets around base		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T1001	Silver Birch	<i>Betula pendula</i>	9	4	4	4	4	2	W2	270	SM	Good	Good	20-40	C1	33	3.2	Tree located within Private garden, no access to survey in detail.		
	T1002	Cherry Plum	<i>Prunus cerasifera</i>	7	4	4	4	5	1.5	N2	300	SM	Fair	Good	20-40	C1	41	3.6	No significant features		
	T1003	Sycamore	<i>Acer pseudoplatanus</i>	12	4	6	6	6	2	N2.5	980	M	Good	Good	20-40	B1	434	11.8	Twin Stemmed from 1.5m above ground level. Growing on higher ground.		
	T1004	Sycamore	<i>Acer pseudoplatanus</i>	12	8	4	6	5	2	W2	970	M	Good	Good	20-40	B1	426	11.6	Cavity on West of main stem.		
	T1005	Sycamore	<i>Acer pseudoplatanus</i>	12	8	4	6	5	4	N4	610	EM	Good	Good	20-40	B1	168	7.3	Lower Crown, Prune back on East and West		
	T1006	Ash	<i>Fraxinus excelsior</i>	16	9	9	7	7	1	S4	780	EM	Fair	Fair	10-20	C1	275	9.4	Access blocked to tree from ditch, Ivy clad stem, 25-50% Ash Dieback within the crown.		
	T1007	Beech	<i>Fagus sylvatica</i>	10	4	4	4	4	6	S3	300	SM	Good	Fair	40+	C1	41	3.6	Tree located within private garden, no access to survey in detail.		
	T1008	Beech	<i>Fagus sylvatica</i>	11	6.5	6.5	6.5	6.5	2	S4	380	SM	Good	Good	40+	B1	65	4.6	No significant features		
	T1009	Cherry	<i>Prunus avium</i>	8	5	5	5	5	2	N2	250	SM	Good	Fair	20-40	C1	28	3.0	No significant features		
	T1010	Ash	<i>Fraxinus excelsior</i>	5	3	3	3	3	1	S1	230	SM	Fair	Fair	10-20	C1	24	2.8	Multistemmed from base		
	T1011	Ash	<i>Fraxinus excelsior</i>	3	1	1	1	1	0.5	N1	285	Y	Fair	Good	10-20	C1	37	3.4	Multistemmed from base		
	T1012	Ash	<i>Fraxinus excelsior</i>	5	2	2	1	1	1	N1	175	Y	Fair	Good	10-20	C1	14	2.1	No significant features		
	T1013	Oak	<i>Quercus robur</i>	14	8	8	8	5	2	N5	800	M	Good	Good	40+	B1	290	9.6	Ivy clad main stem, deadwood within the crown, access obstructed by ditch		
	T1014	Ash	<i>Fraxinus excelsior</i>	12	5	5	5	5	1	N1.5	350	SM	Fair	Fair	10-20	C1	55	4.2	Tree located within hedge		
	T1015	Field Maple	<i>Acer campestre</i>	5	2	2	2	2	0	N1	150	Y	Fair	Fair	20-40	C1	10	1.8	No significant features		
	T1026	Ash	<i>Fraxinus excelsior</i>	10	6	6	6	6	2	N2.5	680	EM	Fair	Fair	10-20	B1	209	8.2	Tree located within hedge, some decay on main stem		
	T1027	Ash	<i>Fraxinus excelsior</i>	6	1.5	1.5	1.5	1.5	2	N2	170	SM	Good	Fair	10-20	C1	13	2.0	Tree located within hedge		
	T1028	Oak	<i>Quercus robur</i>	9	4	4	4	4	2		380	SM	Good	Good	40+	B1	65	4.6	Part of line of oaks growing within hedge		
	T1029	Oak	<i>Quercus robur</i>	9	4	4	4	4	2		380	SM	Good	Good	40+	B1	65	4.6	No significant features		
	T1030	Oak	<i>Quercus robur</i>	9	4	4	4	4	2		380	SM	Good	Good	40+	B1	65	4.6	No significant features		
	T1031	Oak	<i>Quercus robur</i>	9	4	4	4	4	2		380	SM	Good	Good	40+	B1	65	4.6	No significant features		
	T1032	Oak	<i>Quercus robur</i>	4	1	1	1	1	1	S1	120	Y	Good	Good	40+	C1	7	1.4	No significant features		
	T1033	Ash	<i>Fraxinus excelsior</i>	7	2	2	2	2	2		300	SM	Fair	Fair	10-20	C1	41	3.6	Tree Growing within hedge		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T1034	Field Maple	<i>Acer campestre</i>	6	2	2	2	2	2		200	SM	Good	Good	40+	C1	18	2.4	Ivy clad stem		
	T1035	Ash	<i>Fraxinus excelsior</i>	5	1	1	1	1	2		150	SM	Fair	Fair	10-20	C1	10	1.8	No significant features		
	T1036	Ash	<i>Fraxinus excelsior</i>	5	2	2	1	1	2		180	SM	Fair	Fair	10-20	C1	15	2.2	No significant features		
	T1037	Ash	<i>Fraxinus excelsior</i>	5	2	2	1	1	2		280	SM	Fair	Fair	10-20	C1	35	3.4	No significant features		
	T1038	Field maple	<i>Acer campestre</i>	7	2	2	2	2	2.5		240	SM	Good	Good	40+	C1	26	2.9	No significant features		
	T2001	Oak	<i>Quercus robur</i>	17.5	6	6	6	6	0.5	N1.5	500	EM	Fair	Fair	20-40	B2	113	6.0	Multi Stemmed to triforcatcd at 0.5 meters on third party land		
	T2003	Ash	<i>Fraxinus excelsior</i>	21.2	8	10	10	12	2	N4	650	SM	Good	Good	20-40	B2	191	7.8	On third party land, bifoked at base at 0.5m, minor deadwood in outer canopy		
	T2004	Crack Willow	<i>Salix fragilis</i>	12.5	4	4	4	4	0.5	N0.5	400	SM	Poor	Fair	10-20	C2	72	4.8	The tree has failed at the base in the past but still has root attachment and is creating new roots on the limb on the north that's on the ground. Minor deadwood in crown, located between parcels		
	T2006	Cherry	<i>Prunus avium</i>	10	3	3	3	3	0.5	NE2	150	EM	Fair	Fair	10-20	C1	10	1.8	Growing on third part land, multi stemmed from 0.5m into 4 stems		
	T2008	Cherry	<i>Prunus avium</i>	10	3	3	3	3	0.5	E1.5	185	EM	Fair	Fair	10-20	C1	15	2.2	Growing on third part land, multi stemmed from 0.5m into 4 stems		
	T2009	Cherry	<i>Prunus avium</i>	10	5	5	5	5	2.5	W3	450	SM	Fair	Good	20-40	B1	92	5.4	On Third Party land, barbed wire fence growing through bark, old pruning wounds on roadside		
	T2011	Oak	<i>Quercus robur</i>	22.5	10	12	12	11	5.2	5.5	800	SM	Good	Good	20-40	B1	290	9.6	Ivy clad Stem, unable to assess base or stem, minor deadwood in crown		
	T2012	Oak	<i>Quercus robur</i>	22.5	10	12	12	11	5.2	5.5	800	SM	Good	Good	20-40	B1	290	9.6	Ivy clad Stem, unable to assess base or stem, minor deadwood in crown		
	T2013	Oak	<i>Quercus robur</i>	24	14	14	14	14	5.2	5.5	860	M	Fair	Good	20-40	B1	335	10.3	Small amount in crown deadwood, Ivy on stems and progressing into crown, unable to assess base or stem		
	T2014	Ash	<i>Fraxinus excelsior</i>	20	10	10	10	10	5.2	5.3	650	SM	Fair	Fair	20-40	B1	191	7.8	Small amount in crown deadwood, Ivy on stems and		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			progressing into crown, unable to assess base or stem		
	T2015	Oak	<i>Quercus robur</i>	24	12	12	12	12	5.2	5.5	880	M	Fair	Fair	20-40	B1	350	10.6	Small amount in crown deadwood, Ivy on stems and progressing into crown, unable to assess base or stem		
	T2016	Ash	<i>Fraxinus excelsior</i>	21	14	14	14	14	5.2	5.5	740	SM	Fair	Fair	20-40	B1	248	8.9	Small amount in crown deadwood in the crown, Signs of Ash Dieback can be seen class 4 100-75%, Ivy on stems and progressing into crown, unable to assess base or stem		
	T2017	Oak	<i>Quercus robur</i>	24	14	14	14	14	5.2	5.5	850	M	Fair	Fair	20-40	B1	327	10.2	Small amount in crown deadwood, Ivy on stems and progressing into crown, unable to assess base or stem		
	T2018	Oak	<i>Quercus robur</i>	23	13	13	13	13	5.2	5.5	940	M	Good	Fair	40+	A1	400	11.3	Small amount of deadwood in crown, ivy starting to grown on stem unable to access base of tree		
	T2020	Ash	<i>Fraxinus excelsior</i>	16.5	7	7	7	7	4	4	550	SM	Fair	Fair	20-40	B1	137	6.6	No access to base, ivy-clad stem, minor deadwood, but tree showing signs of Ash Dieback class 4 - 100-75%		
	T2025	Ash	<i>Fraxinus excelsior</i>	17.7	7	8	7	6	4		350	EM	Fair	Fair	10-20	C1	55	4.2	No access to base, ivy-clad stem, minor deadwood, but tree showing signs of Ash Dieback class 4 - 100-75%		
	T2026	Ash	<i>Fraxinus excelsior</i>	21	10	10	10	10	5	8	550	SM	Fair	Fair	10-20	C1	137	6.6	Ivy clad stem unable to access stem or base, branches growing over road		
	T2027	Ash	<i>Fraxinus excelsior</i>	18	8	8	8	8	3	3	375	EM	Fair	Fair	10-20	C1	64	4.5	Ivy on the stem, cracking on main stem near union point		
	T3000	Ash	<i>Fraxinus excelsior</i>	4.5	4	3	1.5	2	3	N3	600	EM	Poor	Poor	10-20	A3	254	9.0	Tree in hedgerow, measurements estimated. Significant hollowing of stem at 1.5m to 3.5m. Deadwood on ground at base. Bark cracks and cavities on stem.	Veteran	9.0
	T3001	Ash	<i>Fraxinus excelsior</i>	7	5	3	5	4	2.5	W3.5	300	SM	Fair	Fair	10-20	C1	41	3.6	Tree in hedgerow, measurements estimated.		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T3002	Ash	<i>Fraxinus excelsior</i>	9	6	4	7	3	3	SE3.5	500	EM	Fair	Fair	10-20	C1	113	6.0	Tree in hedgerow, measurements estimated. Ivy clad stem 0-25% Ash Dieback		
	T3004	Ash	<i>Fraxinus excelsior</i>	9	8	8	7	7	4	S3.5	400	SM	Fair	Fair	10-20	C1	72	4.8	Tree in hedgerow, Ivy clad tree, 0-25% Ash Dieback		
	T3005	Ash	<i>Fraxinus excelsior</i>	8.5	7	7	7	7	5	S4	300		Poor	Poor	<10	U	41	3.6	Dead tree in hedgerow		
	T3006	Ash	<i>Fraxinus excelsior</i>	5	4	3	3	3	2.5	N1.5	175	SM	Fair	Fair	10-20	C1	14	2.1	Tree in Hedgerow		
	T3007	Ash	<i>Fraxinus excelsior</i>	9	5	6	5	4	3	N3.5	350	EM	Fair	Fair	10-20	C1	55	4.2	Tree in hedgerow 0-25% Ash Dieback		
	T3009	Ash	<i>Fraxinus excelsior</i>	11	7	7	7	7	4	N5	550	EM	Fair	Fair	10-20	C1	137	6.6	Tree in hedge, measurements estimated		
	T3010	Ash	<i>Fraxinus excelsior</i>	11	9	9	8	8	3	N5	550	EM	Fair	Fair	10-20	C1	137	6.6	Cavity on the stem at 4.5m with decay observed within the exposure		
	T3011	Ash	<i>Fraxinus excelsior</i>	10	7	7	7	7	4	W3.5	350	SM	Fair	Fair	10-20	C1	55	4.2	Tree in hedge measurements estimated		
	T3013	Ash	<i>Fraxinus excelsior</i>	7.5	3	6	6	6	1.5	W4	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in very dense vegetation, measurements estimated		
	T3014	Ash	<i>Fraxinus excelsior</i>	5	2	4	3	3	1	E3	150	SM	Fair	Fair	10-20	C1	10	1.8	Tree in very dense vegetation, measurements estimated		
	T3017	Field Maple	<i>Acer campestre</i>	7	3.5	3.5	3.5	3.5	3		300	SM	Good	Good	20-40	C1	41	3.6	Tree in adjacent land behind hedge		
	T3018	Ash	<i>Fraxinus excelsior</i>	7	7	5.5	8.5	7	2	N0	750	EM	Fair	Fair	10-20	C1	254	9.0	Tree in hedgerow, previous branch failure evident, 0-25% Ash Dieback		
	T3019	Ash	<i>Fraxinus excelsior</i>	7	2.5	5	4	5	4	E4.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedgerow, previous branch failure evident, 0-25% Ash Dieback, Ivy clad tree		
	T3020	Ash	<i>Fraxinus excelsior</i>	14	8	8	8	8	4.5	NW3	650	EM	Fair	Fair	10-20	C1	191	7.8	Tree in hedgerow, previous branch failure evident, 0-25% Ash Dieback, Ivy clad tree		
	T3021	Ash	<i>Fraxinus excelsior</i>	14	5.5	5	8	8	2	S4	550	EM	Fair	Fair	10-20	C1	137	6.6	Tree in hedgerow, previous branch failure evident, 0-25% Ash Dieback, Ivy clad tree		
	T3022	Ash	<i>Fraxinus excelsior</i>	14	4.5	10.5	6	5	4.5	SW3.5	550	EM	Fair	Fair	10-20	C1	137	6.6	Tree in hedgerow, previous branch failure evident, 0-25% Ash Dieback, Ivy clad tree		
	T3023	Ash	<i>Fraxinus excelsior</i>	14	5.5	6	5.5	6	2	S3.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedgerow, 0-25% Ash Dieback		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T3024	Ash	<i>Fraxinus excelsior</i>	9	5	6	6	7	3	S3.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedgerow, 0-25% Ash Dieback		
	T3025	Ash	<i>Fraxinus excelsior</i>	11	7	8	6.5	7	3	SE3.5	450	EM	Fair	Fair	10-20	C1	92	5.4	Tree in hedgerow, 0-25% Ash Dieback		
	T3026	Ash	<i>Fraxinus excelsior</i>	10	9.5	8.5	6.5	8	3.5	S2.5	600	EM	Fair	Fair	10-20	C1	163	7.2	Tree in hedgerow, 0-25% Ash Dieback		
	T3027	Ash	<i>Fraxinus excelsior</i>	8	4.5	4	4	4.5	3	N0	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree in hedge		
	T3029	Willow	<i>Salix spp</i>	9	10	9	10	8	0		850	M	Poor	Fair	10-20	B3	327	10.2	West side of ditch, cavities and broken branches observed, tree in dense vegetation		
	T3030	Ash	<i>Fraxinus excelsior</i>	7	7	8	0	0	0	E0	300	EM	Poor	Poor	<10	U	41	3.6	Uprooted tree on Eastern side of ditch		
	T3031	Ash	<i>Fraxinus excelsior</i>	5.5	2	2	3	3.5	4	SW4	400	EM	Poor	Fair	10-20	C3	72	4.8	Tree in hedgerow, damage to stem from base to 4m with decay observed.		
	T3032	Ash	<i>Fraxinus excelsior</i>	7	3.5	3	4	4.5	3.5	SW4	550	EM	Poor	Fair	10-20	C3	137	6.6	Tree in hedge, majority of upper crown historically failed, Ganoderma bracket at base		
	T3033	Ash	<i>Fraxinus excelsior</i>	4.5	1	2	3	1.5	3.5	S3	600	EM	Poor	Fair	10-20	C3	163	7.2	Tree in hedge with significant stem damage and decay		
	T3034	Field maple	<i>Acer campestre</i>	4.5	3	2	2	2	0	E0	200	SM	Fair	Fair	20-40	C1	18	2.4	Lapsed hedgerow tree		
	T3035	Ash	<i>Fraxinus excelsior</i>	6.5	7	5.5	3	4	0	E0	300	SM	Fair	Fair	10-20	C1	41	3.6	Lapsed hedgerow tree		
	T3036	Ash	<i>Fraxinus excelsior</i>	7	3	4	4	4	2	W2	200	SM	Fair	Fair	10-20	C1	18	2.4	Tree in dense vegetation 0-25% Ash Dieback		
	T3037	Ash	<i>Fraxinus excelsior</i>	9	1.5	3.5	5	1.5	3.5	S3.5	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree on South side of ditch		
	T3038	Ash	<i>Fraxinus excelsior</i>	9	3	1.5	4	3	3.5	N3	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree on South side of ditch		
	T3039	Ash	<i>Fraxinus excelsior</i>	9	4	4	4	4	5	N4	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree on elevated ground in hedge		
	T3040	Silver Birch	<i>Betula pendula</i>	11	4	4	4	4	2.5	N2	300	SM	Good	Good	20-40	C1	41	3.6	Tree on central reservation		
	T3041	Silver Birch	<i>Betula pendula</i>	9	3.5	3.5	3.5	3.5	2	S3.5	340	SM	Good	Good	40+	C1	52	4.1	Tree on central reservation		
	T3042	Ash	<i>Fraxinus excelsior</i>	15	7	7	7	7	3	E4.5	700	EM	Fair	Fair	10-20	B3	222	8.4	Ivy clad tree in hedgerow		
	T3043	Ash	<i>Fraxinus excelsior</i>	12	6	6	6	6	4	N3.5	600	EM	Fair	Fair	10-20	C1	163	7.2	Tree in hedge, ivy clad, 15-50% Ash Dieback		
	T3045	London plane		11	8	8	8	9	1.5	N2	610	EM	Good	Good	40+	B1	168	7.3			
	T3047	Leylandii	^x <i>Cuprocyparis leylandii</i>	16	4.5	4.5	4.5	4.5	1.5	N2	700	M	Good	Good	40+	B1	222	8.4	Tree directly adjacent in-situ farm stone track		
	T3052	Beech	<i>Fagus sylvatica</i>	7	2	4	4.5	4	3.5	S2	200	SM	Good	Good	20-40	C1	18	2.4	Tree on elevated ground		
	T3053	Beech	<i>Fagus sylvatica</i>	9	1	6	5	1	2.5	E2	300	SM	Fair	Fair	10-20	C1	41	3.6	Tree on elevated ground		



Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T3055	Norway maple	<i>Acer platanoides</i>	9	6.5	6.5	6.5	6.5	2	S3	500	EM	Good	Good	40+	B1	113	6.0	Tree on elevated ground		
	T3056	Lime	<i>Tilia sp(p)</i>	10	7	7	7	7	1	S0.5	700	EM	Good	Good	40+	B1	222	8.4	Trees on elevated ground		
	T3059	Ash	<i>Fraxinus excelsior</i>	8	5	5	5	5	3	N1.5	300	SM	Fair	Fair	10-20	C1	41	3.6	Roadside tree		
	T3060	Ash	<i>Fraxinus excelsior</i>	7	5	5	5	5	2.5	SE3.5	320	SM	Fair	Fair	10-20	C1	46	3.8	Roadside tree		
	T3061	Oak	<i>Quercus robur</i>	11	5	5	5	5	1	W3.5	600	EM	Good	Good	40+	B1	163	7.2	Drainage ditch North side of stem		
	T3062	Oak	<i>Quercus robur</i>	5	4	4	4	4	1.5	W1.5	600	EM	Fair	Fair	20-40	B3	163	7.2	Drainage ditch North side of stem and main stem failure at 4m		
	T3063	Oak	<i>Quercus robur</i>	6	3	3	3	3	1.5	N2	450	EM	Good	Good	40+	C1	92	5.4	Tree in hedge		
	T3064	Oak	<i>Quercus robur</i>	5	3.5	3.5	4	3.5	2	S2.5	350	EM	Good	Good	40+	C1	55	4.2	Tree on North side of ditch		
	T3065	Oak	<i>Quercus robur</i>	5	3	3	3	3	2.5	N2	200	SM	Good	Good	40+	C1	18	2.4	Tree in hedge		
	T3067	Oak	<i>Quercus robur</i>	9	5	5	5	6	4	W3.5	800	EM	Fair	Fair	20-40	B3	290	9.6	Tree in hedge, previous branch failures evident		
	T3069	Oak	<i>Quercus robur</i>	3.5	2	3	2	2	2	N1.5	250	SM	Good	Good	40+	C1	28	3.0	Hedgerow tree		
	T3070	Oak	<i>Quercus robur</i>	3.5	2	3	2	2	2	S1.5	250	SM	Good	Good	40+	C1	28	3.0	Hedgerow tree		
	T3071	Oak	<i>Quercus robur</i>	3.5	2	3	2	2	2	E1.5	200	SM	Good	Good	40+	C1	18	2.4	Hedgerow tree		
	T3072	Oak	<i>Quercus robur</i>	13	8	8	8	8	1.5	S2	950	EM	Good	Good	40+	A1	408	11.4	Tree in newly replanted hedgerow		
	T3073	Ash	<i>Fraxinus excelsior</i>	10	7	7	7	7	3	N2	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in dense hedge, measurements estimated 50% Ash Dieback		
	T3074	Ash	<i>Fraxinus excelsior</i>	10	7	7	7	7	3	N2	550	EM	Fair	Fair	10-20	C1	137	6.6	Tree in dense hedge, measurements estimated 50% Ash Dieback		
	T3075	Ash	<i>Fraxinus excelsior</i>	7	5	5	5	5	2	N2	250	SM	Fair	Fair	10-20	C1	28	3.0	Tree in dense vegetation		
	T3077	Ash	<i>Fraxinus excelsior</i>	7	5	5	5	5	3.5	W3	300	SM	Fair	Fair	10-20	C1	41	3.6	Trees in dense vegetation and very narrow highway verge hindered inspection, measurements estimated		
	T4000	Ash	Fraxinus excelsior	10	7	7	7	7	3	E3	650	EM	Fair	Fair	10-20	C1	191	7.8	Ivy clad tree in a hedgerow prevents detailed inspection		
	T4001	Ash	Fraxinus excelsior	10	8	8	8	8	3	S4	600	EM	Good	Fair	10-20	B1	163	7.2	Tree in hedegrow and drainage ditch to the south		
	T4002	Ash	Fraxinus excelsior	10	7	4	9	5	3	SW2.5	750	M	Fair	Fair	10-20	B1	254	9.0	Tree in hedegrow and		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
																			drainage ditch to the south		
	T4003	Ash	Fraxinus excelsior	9	7	7	7	7	3.5	S3	600	EM	Fair	Poor	10-20	C1	163	7.2	Tree in hedgerow and drainage ditch to the south, signs of low vitality in crown, 25-50% Ash dieback		
	T4004	Ash	Fraxinus excelsior	10	7	7	9	7	2	S2.5	600	EM	Fair	Fair	10-20	C1	163	7.2	Tree in hedgerow, 25-50% Ash dieback		
	T4005	Ash	Fraxinus excelsior	8	4	4	4	4	2.5	S2	750	M	Poor	Poor	10-20	C3	254	9.0	Dysfunctional bark from base to 3m - suspected hollowing 50-75% Ash Dieback		
	T4006	Ash	Fraxinus excelsior	7.5	7	8	7	8	4	E0	600	EM	Fair	Poor	10-20	C1	163	7.2	Tree in hedgerow, 50% Ash dieback		
	T4007	Ash	Fraxinus excelsior	8	5.5	5.5	5.5	5.5	3	S3.5	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in hedgerow		
	T4008	Ash	Fraxinus excelsior	10	7	7	7	7	2.5	SW3.5	550	EM	Fair	Fair	10-20	C1	137	6.6	Tree in hedgerow, 0-25% Ash dieback		
	T4009	Ash	Fraxinus excelsior	9	6	6	6	6	3	S3	400	EM	Fair	Fair	10-20	C1	72	4.8	Tree in hedgerow, 0-25% Ash dieback		
	G4010	Ash	Fraxinus excelsior	3	2	2	2	2	0		75	SM	Good	Good	40+	C1	3	0.9	4 trees next to the field entrance		
	T4011	Ash	Fraxinus excelsior	6.5	5	3	5	3	3	S3	276	SM	Fair	Fair	10-20	C1	34	3.3	Tree in hedge, appears lapsed hedgerow tree		
	T5000	Ash	Fraxinus excelsior	10.5	2	3	3	2.5	3	S3	280	SM	Fair	Poor	10-20	C2	35	3.4	Wounding on stem, significant canopy decline, 50-75% ash dieback		
	T5001	Ash	Fraxinus excelsior	12	3	4	5	4	3	S3	300	SM	Fair	Poor	10-20	C2	41	3.6	Minor ivu on stem, 50% ash dieback		
	T5002	Ash	Fraxinus excelsior	10.5	4	3	4	4	4	S3	300	SM	Good	Fair	10-20	C2	41	3.6	25-50% Ash dieback, moderate ivy		
	T5003	Ash	Fraxinus excelsior	11	4	4.5	4.5	3.5	3	W3	327	SM	Fair	Fair	10-20	C2	48	3.9	Multi stem at base, moderate ivy, thin crown		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran ?	Veteran Tree Buffer Radius (m)
					N	E	S	W													
	T5004	Ash	Fraxinus excelsior	7.5	3	4	3.5	4.5	2	E2.5	320	SM	Fair	Fair	10-20	C2	46	3.8	Minor ivy two stems at base		
	T5005	Ash	Fraxinus excelsior	8	4	4	4	4	2	W2.5	300	SM	Good	Fair	10-20	C2	41	3.6			
	T5006	Wild Cherry	Prunus avium	10	3.5	5	4	4	2.5	NE1.5	300	SM	Good	Fair	40+	C2	41	3.6	Minor ivy		
	T5007	Ash	Fraxinus excelsior	17.5	6	7	9	5	4	W4	600	EM	Fair	Fair	20-40	B2	163	7.2	Moderate ivy, 25% ash dieback		
	T5008	Ash	Fraxinus excelsior	11.5	4	3	3	3	2.5	W3	325	SM	Fair	Good	40+	C2	48	3.9	Twin stems at 1.5m		
	T5009	Ash	Fraxinus excelsior	8	3.5	3	3	2.5	2.5	E3	200	Y	Good	Good	40+	C2	18	2.4			
	T5010	Ash	Fraxinus excelsior	17	5.5	10	5.5	8	5	w3.5	700	EM	Fair	Poor	10-20	C2	221	8.4	75%ash dieback, ivy, lots of standing deadwood		
	W0001	Field maple Ash Elder Hawthorne Hazel	Acer campestre Fraxinus excelsior Sambucus nigra Crataegus monogyna Corylus avellana	16	10	10	10	10	4		600	M	N/A	Fair	40+	A3	163	7.2	Behind wire fence and ditch. Ash over storey. No access inside the woodland. Some Ash Dieback		
	W0002	Oak, Blackthorn , Hawthorn, Wild Privet, Norway Spruce	Quercus robur, Crateagus monogyna, Prunus spinosa, Ligustrum vulgare,Picea spp	21		12			770		770	EM	Good	Good	40+	B3	268	9.2	Woodland belt, Oak dominated, behind low wire fence. One oak with stem bleeds		
	W0003	Field Maple, Ash, Hazel, Oak, Hawthorn, Elder, Wild Privet, Norway spruce	Quercus robur, Crateagus monogyna, Prunus spinosa, Ligustrum vulgare,Picea spp, Corylus avellana, Fraxinus excelsior, Sambucus nigra, Acer campestre	16							700	EM	Good	Good	40+	B2	222	8.4	Dry ditch on east side, deciduous on east side, conifer plantation further in Norway spruce, semi-mature to over-mature oak and Ash		
	W0004	Sycamore Oak Norway spruce Elder	Quercus robur, Acer pseudoplatnus, Piceas spp	18	8	6	6	7	3	N2	400	EM	Good	Good	40+	B2	72	4.8			
	W0005	Grey poplar Lime Oak Hawthorn Elder Sycamore	Populas x canescens, Tila spp, Quercus robur, Crataegus monogyna,	15	7	6	7	6	4		800	SM	Good	Good	40+	B3	290	9.6	Mature Limes and Oak, suckering young poplar		

Field	Tree Reference	Common Name	Scientific Name	Tree Height (m)	Canopy Spread (m)				Ground Clearance (m)	Height (m) and Direction of Lowest Branch	Stem Diameter (mm)	Age Class	Structural Condition	Physiological Condition	Estimated Remaining Contribution (years)	BS5837:2012 Quality Category	Root Protection Area (m2)	Radius of RPA (m)	Comments	Veteran Tree	Veteran Tree Buffer Radius (m)
					N	E	S	W													
			<i>Sambuca nigra, Acer pseudoplatanus</i>																		
	W0006	Oak Ash Pine Field maple Hazel Sycamore	<i>Quercus robur, Acer pseudoplatnus, Corylus avellana, Pinus spp, Acer campestre</i>	14	6	6	6	6	2		350	SM	Good	Good	40+	B3	55	4.2	River on East side		
	W0085	Ash, Hawthorn, Oak	<i>Fraxinus excelsior, Crataegus monogyna, Quercus robur</i>	7	4	4	4	4	0		250	SM	Good	Good	40+	B1	28	3.0			
	W0122	Ash, Cherry, Hawthorn, Alder, Oak, Silver birch	<i>Fraxinus excelsior, Prunus spp, Crataegus monogyna, Quercus robur, Alunus glutinosa, Betula pendula</i>	12	5	5	5	5			300	SM	Good	Good	40+	B1	41	3.6	Mixed group larger trees in central wooded Section, not in proximity to cable route, some has been surveyed individually previously		

Definitions for Tree Survey Schedule

Term	Definition	
Ref No.	Unique identification number given to each tree or group. Corresponding number on plan – T = Tree / H = Hedge / G = Group / W = Woodland (*symbol indicates a tree thought to be protected by TPO)	
Common Name/ <i>Scientific Name</i>	Common name followed by italicised scientific name using binomial nomenclature.	
Tree Height	Height of the tree, measured in metres and recorded to the nearest half metre dimensions up to 10 m and the nearest whole metre for dimensions over 10 m.	
Stem diameter	Diameter of stem measured in millimetres at 1.5 metres above ground level (MS = Multi-stem tree measured in accordance with BS5837:2012 ¹)	
Canopy Spread	Extent of the tree canopy spread, measured in metres at the four compass points (north, east, south and west) and recorded to the nearest half metre for dimensions up to 10 m and the nearest whole metre for dimensions over 10 m.	
Height of First Significant Branch and Direction	The height of the first significant branch in metres and its direction of growth (north, south east or west).	
Canopy Clearance Height	The height to the lowest part of the crown, measured in metres and recorded to the nearest half metre for dimensions up to 10 m and the nearest whole metre for dimensions over 10 m.	
Life Stage	Classification given in relation to the life expectancy of the specific species.	
	Young (Y)	A recently planted or self seeded tree with a stem diameter less than 150mm at 1.5m height.
	Semi Mature (SM)	Tree in the first third of its normal life expectancy for the species (significant potential for future growth in size).
	Early Mature (EM)	Tree in the second third of its normal life expectancy for the species (some potential for future growth in size).
	Mature(M)	Tree in the final third of its normal life expectancy for the species (having typically reached its approximate ultimate size).
	Over-Mature (OM)	Tree past maturity and often showing signs of physiological or structural decline.
	Ancient (A)	An ancient tree is one that has passed beyond maturity and is old or aged in comparison with other trees of the same species. Definition as per the Ancient Tree Forum guidance ² .
Observations	General observations, particularly of structural and/or physiological condition.	

¹ BSI Standards Publication (April 2012). BS5837:2012 'Trees in relation to design, demolition and construction – Recommendations'.

² Ancient Tree Forum and The Woodland Trust. Ancient Tree Guide No. 4 – What are ancient, veteran and other trees of special interest? Available at: [h](#)

Term	Definition
	(E.g., the presence of any decay and physical defect).
Physiological Condition	The condition of the canopy and photosynthetic parts of the tree. Good – good health and vitality with sufficient leaf cover and size appropriate to the species and age. Tree will likely have minor deadwood. Fair – tree showing some signs of stress such as minor thinning, dieback of branches, discolouration of leaves, smaller leaves than usual or typical leaf pests or diseases. Tree may recover in time or with remedial work. Poor – tree showing strong signs physiological stress. This can include extensive crown dieback, stag heading, sparse foliage and pest infestation. Tree is unlikely to recover.
Structural Condition	The biomechanical integrity of the stem and woody parts of the tree. Good = no or few minor defects of little significance or easily rectifiable such as damaged or suppressed branches. No adverse risk of failure. Fair = presence of one or more moderate defects. This could include large deadwood, bark included unions, weak branch attachments, storm damaged limbs, cavities and decay. Work may self-optimize over time or work may be required to remedy the defect. Poor = a tree with major structural defects such as advanced decay or root damage. Works to the tree can be expected.
Estimated remaining contribution	In years based on the condition and species of the tree. <10 years, 10-20 years, 20-40 years and 40+ years.
Root Protection Area (RPA)	An area which defines the theoretical minimum area around a tree deemed to contain sufficient roots and rooting volume to maintain the tree's viability and where the protection of the roots and soil structure is treated as a priority. Measured as the radius of a circle in metres, and total area in square metres.
Root Protection Area radius	In metres, the radius of the circle around the tree defining the Root Protection Area.
BS5837:2012 Quality Category	As per Table 1 in BS5837:2012. Category A = trees of high quality with at least 40 years life expectancy Category B = trees of moderate quality with at least 20 years life expectancy Category C = trees of low quality with at least 10 years life expectancy OR young trees with a stem diameter of less than 150mm at 1.5 height. Category U = trees of very low quality with less than 10 years life expectancy. 1 = Mainly arboricultural qualities 2 = Mainly landscape qualities 3 = Mainly cultural values including conservation
Veteran tree	A veteran tree is a survivor that has developed some of the features found on an ancient tree, not necessarily as a consequence of time, but of its life and environment. Definition as per the Ancient Tree Forum guidance². As per Natural England advice³ the following are characteristics of a veteran tree, the more characteristics a tree has the stronger the indication that it is a veteran:

³ Natural England (2000). Veteran Trees: A Guide to Good Management (IN13). Chapter 2. Available at:



Term	Definition
	• Girth large for the tree species concerned • Major trunk cavities or progressive hollowing • Naturally forming water pools • Decay holes • Physical damage to trunk • Bark loss • Large quantity of dead wood in the canopy • Sap runs • Crevices in the bark, under branches or on the root plate sheltered from direct rainfall • Fungal fruiting bodies (e.g. from heart rotting species) • High number of interdependent wildlife species • Epiphytic plants • An 'old' look • High aesthetic interest

