

# Green Hill Solar Farm EN010170

Environmental Statement
Appendix 22.2: Preliminary GeoEnvironmental Risk Assessment Green
Hill Solar Farm Cable Route Corridor
Revision A
(Part 1 of 6)

Prepared by: Lucion Date: November 2025

Document Reference: EX1/GH6.3.22.2\_A
APFP Regulation 5(2)(a)



# Schedule of Changes

Revision	Section Reference	Description of Changes	Reason for Revision
A	[cover]	Updated document reference to Revision A	As required for submission at Deadline 1.
	Section 3.5	Additional information on sourced	As recommended by the
Se	Section 4.0	of potential contamination to soils, relating to quarrying and infrastructure.	Environment Agency in their Relevant Representation
	[throughout]	Consistency updates with other PRA documents.	Applicant's due diligence.
	(Part 6 of 6)	Amendments to Appendix G – Hotspot Protocol, to be consistent with Sites PRA (Appendix 22.1)	As recommended by the Environment Agency in their Relevant Representation



# Preliminary Geo-Environmental Risk Assessment

**Green Hill Solar Farm Cable Route Corridor** 

Presented to: Green Hill Solar Farm Limited

Issued: November 2025

Lucion Contract Reference: 93791.666683

## **Report Details**

Client	Green Hill Solar Farm Limited
Report Title	Preliminary Geo-Environmental Risk Assessment
Site Address	Cable Route Corridor located between Walgrave and Lavendon, Northamptonshire
Report No.	93791.666683_REP_PRA_Green Hill Cable Route_06112025
Lucion Contact	David Josling

# **Quality Assurance**

Issue No.	Status	Issue Date	Comments	Author	Technical Review	Authorised
04	Final	06/11/2025	Updated following Client			
			Comments	Leisha Bond	Billy Colwill	Robin Slade
				Consultant	Principal	Unit Director

## **About Us**

Lucion Delta-Simons is part of Lucion, a technology-led environmental services company dedicated to protecting people and the planet. With expert advice, guidance, and a comprehensive array of services, we support you at every stage of your asset lifecycle, helping you mitigate regulatory impact, improve business practices, and ensure safety and environmental protection.

As part of Lucion's group of companies, we can support you with a broader range of holistic services. Through our pool of multidisciplinary experts, we help you navigate complex regulatory frameworks, saving you time and money.

Being part of your sustainable supply chain is a key goal for our team. As a member of the UN Global Compact and a commitment to sustainability, we are the partner of choice for businesses looking to make informed decisions and mitigate risks across your portfolio.

Lucion is carbon neutral. We annually measure and report our Scope 1, Scope 2 and specified Scope 3 carbon emissions, and offset 100% of residual emissions through verified carbon credits, supporting carbon reduction and prevention projects overseas. We are taking steps to reduce our carbon emissions and have committed to setting and achieving near-term and Net Zero Science-Based carbon reduction targets in line with the goals of the Paris Agreement to limit global warming to 1.5°C above pre-industrial levels. Lucion is a signatory of Pledge to Net Zero and Members of the United Nations Global Compact.

If you would like support in understanding your carbon emissions, or those of your supply chain, please get in touch with your Lucion contact above who will be happy to help.



# **Table of Contents**

1.0	INTRODUCTION	1
1.1	Appointment	1
1.2	Context & Purpose	1
1.3	Scope of Works	1
1.4	Limitations	2
2.0	SITE CONTEXT & DATA REVIEW	3
2.1	Site Information	3
2.2	Physical Setting	6
2.3	Sensitive Land Use	12
2.4	Historical Use of the Site & Surrounding Area	13
2.4.	1 Approach	13
2.4.	2 Historical Use Summary	13
2.4.	3 Unexploded Ordnance (UXO)	15
2.5	Environmental Database Review	15
2.6	Planning Review/Regulatory Enquiries	18
2.7	Previous Reports	21
3.0	CONCEPTUAL SITE MODEL	22
3.1	Introduction	22
3.2	Overall Site Sensitivity	22
3.3	Potential Contamination Sources	22
3.4	Potential Pathways	23
3.5	Potential Receptors	
4.0	CONCLUSIONS & RECOMMENDATIONS	28
4.1	Land Contamination Risks and Liabilities	
4.2	Geotechnical Considerations	
4.3	Recommendations and Other Development Considerations	29

#### **FIGURES**

Figure 1 – Site Location Plan

Figure 2 – Bedrock Geology

Figure 3 – Superficial Deposits

Figure 4 – Radon Mapping

#### **APPENDICES**

Appendix A – Limitations

Appendix B – Data Sources

 $Appendix \ C-Site\ Photographs$ 

Appendix D – Historical Maps

Appendix E – Landmark Envirocheck® Report

Appendix F – Risk Definitions

Appendix G – Hotspot Protocol



## 1.0 Introduction

#### 1.1 Appointment

Lucion Delta-Simons Limited ("Lucion") was instructed by Island Green Power UK Limited on behalf of Green Hill Solar Farm Limited (the "Applicant") to prepare a Preliminary (Geo-Environmental) Risk Assessment for the Cable Route Corridor, for the Green Hill Solar Farm "scheme", located across land to the north, east and southeast of Northampton; the west and south of Wellingborough and around the villages of Walgrave, Mears Ashby, Earls Barton, Bozeat, Grendon and Lavendon (the "Site").

This Report was undertaken in accordance with Lucion's fee proposal dated 19<sup>th</sup> February 2025. The standard limitations associated with this assessment are presented in Appendix A.

#### 1.2 Context & Purpose

The aim of this Report is to support the submission of a planning application for the scheme.

To date, a Preliminary Risk Assessment (PRA) has been completed for Green Hill A to G and the BESS (referenced below), with the current PRA undertaken to assess the Cable Route Corridor. The Cable Corridor will transfer the electricity generated between the Green Hill Sites to the Point of Connection at the National Grid Grendon Substation. The Cable Route Corridor spans a length of approximately 31 km.

Due to the extensive land coverage of the Cable Route Corridor, the assessment is divided into three sections:

- The Northern Cable Route, connecting Sites A, A.2, B, and C;
- The Central Cable Route, linking Sites C, D, E, and the BESS; and,
- The Southern Cable Route, spanning the BESS, Sites F and G.

The sections have been displayed within Section 2.1 of this Report.

This Report must be considered in context of the previous Preliminary Risk Assessment undertaken by Lucion for the Site development:

 Preliminary Geo-Environmental Risk Assessment, Green Hill Solar Farm, Northampton, reference 93791.580478, DCO reference [EN010170/APP/GH6.3.22.1].

The Site Location Plan has been included as Figure 1.

To that end this study assesses the likely environmental and geotechnical issues and constraints associated with soil and groundwater conditions that may affect the proposed development of the Site. This Report is designed in general accordance with guidance on Land Contamination: Risk Management pages of the GOV.UK website, the relevant requirements of the National Planning Policy Framework (NPPF) (as revised 2024) (paragraphs 187 & 196-198))<sup>1</sup> and the Planning Practice Guidance (Land Affected by Contamination)<sup>2</sup>.

#### 1.3 Scope of Works

The following works have been undertaken as part of this assessment:

- Review of the environmental setting of the Site, including the current use / status of the Site and surrounding area, and review of the geology, hydrogeology and hydrology;
- Review of the historical activities of the Site and surrounding area;
- Review of regulatory information relating to the Site;
- Review of the online planning records for the Site;

https://www.gov.uk/guidance/land-affected-by-contamination



<sup>&</sup>lt;sup>1</sup>] https://assets.publishing.service.gov.uk/media/65a11af7e8f5ec000f1f8c46/NPPF December 2024.pdf

- Consultation and review of information from the Local Authority in relation to Part 2A of the 1990 Environmental Protection Act;
- Review of online records of potential unexploded ordnance risks;
- A Site reconnaissance by undertaking a visual inspection of readily accessible areas of the Site;
- Development of an outline Conceptual Site Model and completion of a Preliminary Risk Assessment with respect to potential contamination focussed on the proposed land use; and
- Provision of commentary on potential land contamination and geotechnical constraints in the context of the proposed development.

Data sources used in this assessment are listed in Appendix B.

#### 1.4 Limitations

The standard limitations associated with this assessment are presented in Appendix A. In addition, there are the following specific limitations that apply to this assessment:


- A Site 'drive-by' has been undertaken as part of this assessment, however, given the scale of the Cable Route Corridor it is not feasible to inspect all of the Site, although a wide coverage has been inspected;
- The Consultant undertaking the Site inspection maintained a general awareness for evidence of invasive plant species, particularly Japanese Knotweed. While none were observed during the walkover, it should be noted that the Consultant is not a trained ecologist. A separate survey is to be undertaken for the Cable Route Corridor by an experienced ecologist, as part of the wider Green Hill Solar Scheme.
- The Report includes an initial assessment of unexploded ordnance (UXO) risks for the Site using online data sources. Whilst a detailed UXO assessment has been undertaken for the Green Hill G site, a detailed UXO assessment falls outside of the scope of this Cable Route Corridor Report, further specialist assessment may be required.



## 2.0 Site Context & Data Review

The following sections provide a summary of the key Site features based on the data sources listed in Appendix B. All distances, measurements and dates are approximate and the accuracy limitations of the data sources should be noted.

#### 2.1 Site Information





	Courth and Cololla Books	T	T		
	Southern Cable Route: 488756.257816	Area	Length of 31km, width of between 1 and 7m, spanning to a maximum width of 50m.		
Site Address and Location	The Cable Route Corridor spans the distance of the Scheme, connecting Green Hill A to G and the Green Hill BESS. The total length of the Cable Route Corridor is approximately 31km.				
	Northern Cable Route traverses better Sywell Aerodrome – Centred at Goog		Valgrave to land north-east of the		
	<u>Central Cable Route</u> traverses between Centred at <u>Google Maps Link</u>	en land north of Mea	ars Ashby to land at Grendon BESS		
	Southern Cable Route traverses between Centred at Google Maps Link	ween land at Grendo	n Bess and land west of Lavendon		
	[Google, Imagery©2025 Landsat / Co	opernicus, Maxar Tec	hnologies, Map data ©2025]		
Site Description	The Site has been assessed through Lucion representative undertook a Si readily accessible areas of the Cable	te 'drive-by' walkove	= :		
	Given the size and complexity of the Site have been divided into the north with supporting photographs present	nern, central and sout	thern sections as described below,		
	Northern Cable Route	l	oltowel femalesed. The Cable Davite		
	The northern Cable Route is located crosses Kettering Road, Red House Cable Route intersects the north-connecting to Green Hill C.	Lane, two crossings	of the A43, and Sywell Road. The		
	The crossing of Kettering Road was inspected during the Site walkover, north of Gre A.2. The area consists mainly of undeveloped rolling fields, with some patches of vegetation, typically along field boundaries. An unnamed stream trends nort southwest and intercepts the Cable Route immediately north of Kettering Road. The sflows through a culvert under Kettering Road. Surface water drains are present on side of the road; no standing water was observed where the Cable Route intersects drains, although standing water was noted further west in the same drain. Medium to trees were noted present along the Cable Route within this area.				
	The Cable Route meanders around so before reaching the Red House Lane land north of the road comprises far between the northern farmland and land in this area is boggy, with dense of Red House Lane lies undeveloped running alongside the proposed Cab	crossing, which was in rmland on private produced d Red House Lane, tr vegetation and signified gd green field, with a	nspected during the walkover. The operty. An unnamed stream flows rending northeast-southwest. The cant ponding in some spots. South a drain approximately 1.0m deep		
	Continuing through undeveloped far turns and crosses multiple fields. The dense, with shallow, dry overland observed on both sides of the A43. adjacent to the A43, while the other Northampton Shooting Ground through the power lines trending northeast-sout Ground.	ne vegetation on eithe flow paths for surfa The Cable Route the ther navigates aroun ough more farmland.	ner side of the A43 is moderately ace water. Minor fly-tipping was en splits into two paths: one runs ad the western boundary of the This path crosses major overhead		
	Southeast of Holcot, the Cable Ro farmland adjacent to hedges, with la Lucion was denied entry to complete	rge trees present in t	he area.		
	Aerodrome.  Central Cable Route	c a walkover where the	The Cable House Glosses the Sywell		
	- Contrar Capie Noute				



The central Cable Route is located across vacant agricultural farmland. The Cable Route crosses Mears Ashby Road, the A4500 Main Road, Doddington Road, Mill Lane, two crossings of Station Road and the A45 roadway. The central Cable Route also crosses the River Nene.

The walkover included the Cable Route crossing Mears Ashby Road immediately east of Green Hill E. The route exits Green Hill E, crossing an unnamed stream that trends north-south, passing through dense vegetation before entering farmland. Overhead powerlines run adjacent to the Cable Route to the east as the path continues south across several fields. The portion of the Cable Route south of Mears Ashby Road was not accessed during the

The portion of the Cable Route south of Mears Ashby Road was not accessed during the walkover, except for the area north of the A45. Based on aerial imagery, the Cable Route continues across undeveloped farmland, crossing the A4500 Main Road and its associated drains, before turning to run adjacent to the A45.

North of the A45, the Cable Route runs adjacent to the road across several fields before crossing both the A45 and Station Road into recently ploughed farmland. The Cable Route then crosses an unnamed drain that trends east-west through the field. Standing water is present in the drain, which continues to flow around White Mills Marina and into the River Nene. The ground north of the River Nene, west of White Mills Marina, occupies a large area of the route and is slightly boggy. The area south of the River Nene was not accessed during the walkover. Beyond the green fields south of the river, the Cable Route extends into the northeast section of an active quarry (Heidelberg Materials and Aggregate Sand and Gravel Supplier) and its associated access road, Lucion was not provided entry to complete a walkover within this area.

Continuing along Station Road, the Cable Route enters Green Hill BESS, currently the Grendon Substation. A drain, approximately 1.0 m deep, is located on the northern side of Station Road.

#### Southern Cable Route

The southern Cable Route is located across vacant agricultural farmland. The Cable Route crosses Station Road, Yardley Road and the A509.

The land south of Green Hill BESS consists of farmland along the northern side of Station Road. Several hedges line the farm fences along the route. During a walkover of the fields south of Station Road, a stream with running water trending northeast-southwest crosses the Cable Route. A drain with dense vegetation runs along the southwest boundary of the Cable Route. Overhead powerlines, trending north-south, are located to the east of the route and eventually cross the path in a field southeast of Grendon Quarter Pond.

The Cable Route section west of Easton Maudit comprises rolling farmland. Some fields have drains with no standing water along the fence lines.

#### Description of Adjacent and Surrounding Land Uses

The majority of the Cable Route is surrounded by undeveloped agricultural land. Adjacent and surrounding land uses, aside from agriculture, are provided below:

#### Northern Cable Route

 The Cable Route crosses a small area along the northern boundary of the Sywell Aerodrome, though the larger portion of the Aerodrome lies southwest of the Cable Route. The route borders both the Sywell Shooting Range (also referred to as Northampton Shooting Ground) and Sywell Woodland.

#### Central Cable Route

- Borders an Industrial Area, used for car repairs and trucking services;
- A portion of the Cable Route crosses and is bordered by a quarry operated by Heidelberg Materials and Aggregate Sand and Gravel Supplier.

#### Southern Cable Route

• No adjacent or surrounding land uses of significant interest.

Where identified, the potential on-Site or off-Site sources of contamination are considered further in Section 3.0.



#### 2.2 Physical Setting

The physical setting of the subject property can influence the susceptibility to, and relative magnitude of, environmental impacts and liabilities associated with on- and off-Site sources of contamination. The following table provides physical setting information for the subject property and surrounding area.

#### **Published Geology**

British Geological Survey (BGS) online viewer (<u>mapapps2.bgs.ac.uk/geoindex</u>) and mapping (<u>bgs.ac.uk/maps</u>) (1:50,000, Sheet Number 185 Northampton, 186 Wellingborough and 203 Bedford) indicates that ground conditions at the Site comprise:

Strata	Location
<b>Superficial Deposits</b>	
Oadby Member	Northern Cable Route (between A, A.2, B and C) Central Cable Route (between C, D, E and BESS) Southern Cable Route (within F, and between F and G)
Glacio-fluvial Deposits	Southern Cable Route (south of BESS)
Alluvium	Northern Cable Route (between A and A.2) Central Cable Route (between E and BESS) Southern Cable Route (between BESS and F)
Bozeat Till	Southern Cable Route (between BESS and F)
Ecton Sand	Central Cable Route (between E and BESS)
River Terrace Deposits	Central Cable Route (between E and BESS)
Bedrock Geology	
Whitby Mudstone Formation	Northern Cable Route (south of A.2) Central Cable Route (between E and BESS) Southern Cable Route (between BESS and F)
Northampton Sand Formation	Northern Cable Route (between A and A.2, and south of A.2) Central Cable Route (between E and BESS)
Stamford Member	Northern Cable Route (between A, A.2, B and C) Central Cable Route (between C and D, between E and BESS) Southern Cable Route (north-west of F)
Wellingborough Limestone Member	Northern Cable Route (between A.2 and C) Central Cable Route (between E and BESS) Southern Cable Route (between BESS and F)
Rutland Formation	Northern Cable Route (between A, A.2 and B) Central Cable Route (between D, E and BESS) Southern Cable Route (between BESS and F)
Blisworth Limestone Formation	Central Cable Route (between E and BESS)  Southern Cable Route (between BESS and F and internal F)
Cornbrash Limestone Formation	Southern Cable Route (between F and G)

The mapped Bedrock Geology and Superficial Deposits have been included as Figures 2a and 2b, and 3a and 3b.



#### **Site-Specific Geology**

The following BGS recorded boreholes (<a href="mapapps2.bgs.ac.uk/geoindex">mapapps2.bgs.ac.uk/geoindex</a>) are located within the vicinity (less than approx. 100m) of the Cable Route Corridor.

#### Northern Cable Route

Within BGS Borehole SP87SW13, located in agricultural land, south of Green Hill A, the ground conditions encountered the following generalised sequence:

- Boulder clay to a depth of 6.70m below ground level (bgl);
- Clay and sand to a depth of 8.40m bgl;
- Ballast sandstone and rock to the base depth of 12.20m bgl, where the top of a blue rock strata was encountered.

Within BGS Borehole SP86NW63, located along the A43, east of Green Hill B, the ground conditions encountered the following generalised sequence:

- Topsoil to a depth of 0.15 m bgl;
- Made Ground comprising a stiff to very stiff slightly sandy, gravelly, silty clay, to a depth of 0.70m bgl;
- Made Ground comprising a medium dense silty, gravelly, fine to medium sand with pockets of stiff clay, to a depth of 1.10m bgl;
- Firm to stiff organic silty clay (Oadby Member Glacial Till), to a depth of 1.45m bgl;
- Firm to stiff finely fissured and friable sandy, very silty clay with occasional gravels and cobbles (Oadby Member Glacial Till), to a depth of 2.30m bgl;
- Stiff to very stiff fissured gravelly, silty clay, with occasional pockets of gravel and sand (Oadby Member Glacial Till), to the base depth of 3.20m bgl.

#### Central Cable Route

Within BGS Borehole SP86SE48, located within agricultural land, south-east of Green Hill E, the ground conditions encountered the following generalised sequence:

- Topsoil to a depth of 0.30 m bgl;
- Firm boulder clay with flint, to a depth of 4.00m bgl;
- Stiff clay with carbonaceous partings and calcareous band, to a depth of 4.60m bgl;
- Soft silty clay to the base depth of 4.70m bgl.

Within BGS Borehole SP86SE74, located within agricultural land off Station Road, north-west of Green Hill BESS, the ground conditions encountered the following generalised sequence:

- Soil to a depth of 1.00m bgl;
- Clayey, sandy silt with flint (Alluvium), to a depth of 1.50m bgl;
- Firm to stiff silty clay (Alluvium), to a depth of 2.60m bgl;
- Stiff clay (Whitby Mudstone Formation Upper Lias), to the base depth of 4.00m bgl.

#### Southern Cable Route

Within BGS Borehole SP86SE54, located within agricultural land off Station Road, south of Green Hill BESS, the ground conditions encountered the following generalised sequence:

- Soil to a depth of 0.30m bgl;
- Boulder clay to a depth of 1.00m bgl;



- Sand to a depth of 1.10m bgl;
- Stiff clay (Whitby Mudstone Formation Upper Lias), to the base depth of 2.70m bgl.

No BGS Borehole data containing ground conditions was available for review within the vicinity of the Cable Route Corridor between internal Green Hill F and Green Hill G.

#### Aquifers and Groundwater Receptors

The Environment Agency (EA) data <u>magic.defra.gov.uk</u> provides the following aquifer classification and designations:

Strata	Location	<b>Aquifer Designation</b>
Superficial Deposits		
Oadby Member	Northern Cable Route Central Cable Route Southern Cable Route	Secondary Undifferentiated
Glacio-fluvial Deposits	Southern Cable Route	Secondary A
Alluvium	Northern Cable Route Central Cable Route Southern Cable Route	Secondary A
Bozeat Till	Southern Cable Route	Unproductive Strata
Ecton Sand	Central Cable Route	Secondary A
River Terrace Deposits	Central Cable Route	Secondary A
Bedrock Geology		
Whitby Mudstone Formation	Northern Cable Route Central Cable Route Southern Cable Route	Unproductive Strata
Northampton Sand Formation	Northern Cable Route Central Cable Route	Secondary A
Stamford Member	Northern Cable Route Central Cable Route Southern Cable Route	Secondary A
Wellingborough Limestone Member	Northern Cable Route Central Cable Route Southern Cable Route	Secondary A
Rutland Formation	Northern Cable Route Central Cable Route Southern Cable Route	Secondary B
Blisworth Limestone Formation	Central Cable Route Southern Cable Route	Principal Aquifer
Cornbrash Limestone Formation	Southern Cable Route	Secondary A

- Source Protection Zones: The Cable Route Corridor is not located within a designated groundwater Source Protection Zone. The closest SPZ3 (Total Catchment Zone), is located approximately 6km from the Southern Cable Route Corridor, to the east northeast of the most southern point.
- Water Abstractions:



Northern Cable Route: Within 500m, there is one groundwater abstraction point, used for general agriculture and domestic uses, located approx. 65m north-west (Tea Caddy Farm, north of A43 roadway). Two surface water abstraction points, used for general agriculture and spray irrigation, located approx. 210m west and approx. 390m west (both south of Green Hill A.2, along Red House Lane). One revoked status, well/borehole abstraction point, used for general agriculture, located approx. 450m south-west (Sywell Grange).

Central Cable Route: Within 500m, there is one groundwater abstraction point from a well / borehole, used for general farming, domestic uses, and spray irrigation, located approx. 225m south-west of the Cable Route (south of Mears Ashby Road). One surface water abstraction point, used for mineral washing, sourced at Earls Barton Spinney Quarry, approx. 295m west (along the River Nene). Three revoked status, surface water abstraction points used for spray irrigation, two located approx. 40m east (in proximity to the A45 roadway) and one located approx. 435m north-east (proximity of Green Hill BESS).

<u>Southern Cable Route</u>: Within 500m, there is one groundwater and one surface water abstraction point, both at Hollowell Springs, use unknown, located approx. 300m southwest of the Cable Route (north of Green Hill F).

# Groundwater Levels and Flow Direction

#### Northern Cable Route

- Borehole SP87SW72 (approx. 1 km north-east of the Cable Route, between Green Hill A and A.2) encountered groundwater at 27.3 m below ground level (bgl), with a resting level at 23.1 m bgl.
- Borehole SP87SW69 (approx. 700 m east of the Cable Route, south of A.2) encountered groundwater at 25 m bgl, with a resting level at 8.5 m bgl.
- Borehole SP86NW78 (approx. 950 m south-east of the Cable Route, east Green Hill B) recorded a resting groundwater level of 4.1 m bgl.
- Borehole SP86NW82 (approx. 280 m south of the Cable Route, north-west of Green Hill
   C) recorded a resting groundwater level of 7.0 m bgl.

Groundwater is expected to flow to the south, towards the River Nene.

#### Central Cable Route

- Borehole SP86NW81 (approx. 440 m north-east of the Cable Route, between Green Hill C and D) recorded a resting groundwater level of 13.7 m bgl.
- Borehole SP86NE308 (approx. 430 m east of the Cable Route Corridor, east of Green Hill
   E) recorded a resting groundwater level of 5.65 m bgl.
- Borehole SP86SE64 (approx. 10m west of the Cable Route Corridor, north of Doddington Road B573) recorded a resting groundwater level of 0.45m bgl.
- Borehole SP86SE50 (approx. 150 m south of the Cable Route Corridor, along the A45) encountered groundwater at 2.3 m bgl.
- Borehole SP86SE47 (within 10 m of the Cable Route, north-east of Green Hill BESS) encountered groundwater at 2.1 m bgl.

Groundwater along the majority of the Central Cable Route is expected to flow to the south toward the River Nene. However, in the southern-most section, where the route crosses the River Nene, groundwater is anticipated to flow north-northeast toward the River Nene.

#### Southern Cable Route

 Borehole SP85NE10 (approx. 460 m east of the internal Green Hill F Cable Corridor) recorded a resting groundwater level of 31.0m bgl.



 Borehole SP95NW5 (approx. 1.25 km north-east of the Cable Route, at Green Hill G) recorded a resting groundwater level of 41.0m bgl.

In the Southern Cable Route, groundwater flow varies by location. In the northern section, it is expected to move north toward the River Nene, while in the southern section, it is anticipated to flow south-east toward the River Great Ouse.

#### Hydrology

#### Northern Cable Route

• The Cable Route Corridor crosses several agricultural drainage ditches. Between Green Hill A and A.2 it crosses two ditches, with a further two crossings located south of Green Hill A.2, running parallel to Red House Lane, and a final ditch crossing located south of the A43 roadway.

#### Central Cable Route

- The Cable Route Corridor crosses an agricultural drainage ditch located along the
  western boundary of Green Hill D. With two further minor waterway crossings located
  within the proximity of Green Hill E, at a spring associated with Wilby Spinney adjacent
  east to Green Hill E and a crossing located at Swanspool Brook located south-east of
  Green Hill E, running parallel to the A4500 roadway.
- The Cable Route Corridor towards Green Hill BESS, crosses River Nene with a further four drainage crossings located north-west of Green Hill BESS, running parallel to the A45 roadway.

#### Southern Cable Route

 The Cable Route Corridor crosses two minor waterways, located to the north-east of Grendon Quarter Pond, and across Grendon Brook crossing past Easton Way. There are a further two crossings of agricultural drainage ditches, located to the west of Green Hill G.

#### **Site Topography**

The regional topography along the Northern, Central, and Southern Cable Route is varied. It generally undulates downward from the north toward the Green Hill BESS, where the elevation reaches its lowest point, before rising again in an undulating pattern toward the south.

#### Northern Cable Route

The topography of the Cable Route Corridor from Green Hill A to A.2 slopes downward from approximately 122m AOD to 110m AOD. Beyond Green Hill A.2, the terrain becomes undulating before reaching 141m AOD at the A43 roadway. Moving south-west toward Sywell Road, the elevation gradually decreases to 119m AOD before rising again to 128m AOD at Green Hill B. From the A43 to Green Hill C, the topography remains undulating, starting at 137m AOD and gradually descending to 120m AOD.

#### Central Cable Route

Between Green Hill C and D, the topography gently slopes downward from 113m AOD to 108m AOD. From Green Hill D to E, the terrain remains relatively flat, averaging 116m AOD. Between Green Hill E and the A4500 roadway, the elevation decreases significantly from 96m AOD to 66m AOD. Between the A4500 and A45 roadways, the land rises to a peak of 104m AOD before sloping down to 70m AOD. Along the A45 and toward the Green Hill BESS, the elevation continues to decline before levelling out, ranging between 55m AOD and 47m AOD.

#### Southern Cable Route

From the Green Hill BESS, the topography rises from 54m AOD to 86m AOD at Yardley Road before sloping down to 64m AOD at the north-west of Green Hill F. Within Green Hill F, the elevation gradually increases from 74m AOD to 93m AOD. Between the south-west of Green Hill F and Green Hill G, the terrain is undulating, fluctuating between a maximum of 110m AOD and a minimum of 86m AOD, before reaching 92m AOD at Green Hill G.



#### Mining & Quarrying

Reference to the Mining Remediation Authority on-line viewer (https://datamine-cauk.hub.arcgis.com/) indicates that the Cable Route Corridor is not with a Coal Mining Reporting Area and is not within a Development High Risk Area. Consequently, a Coal Mining Risk Assessment (CMRA) is unlikely to be required under the planning regime.

The Envirocheck report and historical mapping record 14 no. areas of Mining and Quarrying Sites within 500m of the Cable Route Corridor:

#### Northern Cable Route

 One Historical BGS Recorded Mineral Site, located approx. 175m west at Hannington Pit, a now ceased opencast abstraction for Iron Ores.

#### **Central Cable Route**

- One Active BGS Recorded Mineral Site, Earls Barton Quarry, located approx. 50m south, relating to opencast quarrying of Sand and Gravel. Further Historical BGS Recorded Mineral Sites associated with Earls Barton includes Earls Barton Sand Pit, located approx. 390m west, a dormant opencast abstraction for Sand, Silica Sand and Ganister. Two Historical Earls Barton Gravel Pits located approx. 80m east, and approx. 470m west, now ceased opencast abstraction for Sand and Gravel. Two Historical Earls Barton Sand Pits located approx. 135m and approx. 300m east, now ceased opencast abstraction for Sand and Gravel.
- One Historical BGS Recorded Mineral Site, Mears Ashby, located approx. 500m south between Green Hill C and D, a now ceased opencast abstraction for Iron Ores.
- Two Historical BGS Recorded Mineral Sites, Wilby Stone Pits, located approx. 270m west, a now ceased opencast for iron ores; and approx.420m east, a now ceased opencast for Limestone.
- Two Historical BGS Recorded Mineral Sites, both under Grange Farm Pits, located approx. 410m and approx. 450m west, now ceased opencast abstraction for Limestone.
- One Historical BGS Mineral Site, Brookhill Farm Sand Pit, located further north-west to Earls Barton Sand Pit approx. 465m, a ceased opencast abstraction for Sand.
- One Historical Former Sand Quarry at Mears Ashby Road, Wilby was identified within historical mapping, between 1970 and 1993, with the Cable Route intersecting the eastern boundary (east of Green Hill E). However, this area of quarrying was not recorded as a BGS Recorded Mineral Site within the Envirocheck Report.

#### Southern Cable Route

 No Historical BGS Mineral Sites were mapped within approx. 500m of the Southern Cable Route.

#### Ground Stability Hazards

The Envirocheck Report indicates the following geo-hazards in the area of the Cable Route Corridor:

#### Northern Cable Route

- Dissolution Very Low to No Hazard
- Landslide Very Low Hazard
- Shrinking and swelling clay Low to No Hazard
- Collapsible ground Very Low to No Hazard
- Running sands Low to No Hazard
- Compressible Hazards Moderate to No Hazard



#### Central Cable Route

- Dissolution Very Low to No Hazard
- Landslide Low to No Hazard
- Shrinking and swelling clay Low to No Hazard
- Collapsible ground Very Low to No Hazard
- Running sands Low to No Hazard
- Compressible Hazards Moderate to No Hazard

#### Southern Cable Route

- Dissolution Low to No Hazard
- Landslide Very Low
- Shrinking and swelling clay Moderate to No Hazard
- Collapsible ground Very Low to No Hazard
- Running sands Low to No hazard
- Compressible Hazards Moderate to No Hazard

#### **Radon Gas**

The UK Health Security Agency (ukradon.org) indicates that the Cable Route Corridor lies within an area of varied radon probability, ranging from 0 - <1% to 30 - <100% of homes being above the action level for radon.

#### Northern Cable Route

The radon potential along the Northern Cable Route varies significantly. From Green Hill A to A.2, it ranges between 10 - <30%, but it decreases to 0 - <1% near the A43 roadway. As the Cable Route approaches Green Hill B, the radon potential rises again, reaching a maximum range of 30 - <100%. At Green Hill C, the probability is lower at 5 - <10%.

#### Central Cable Route

Between Green Hill C and D, the radon potential is relatively low at 1 - <3%. However, it increases to 10 - <30% from Green Hill D to E and continues rising to the south beyond Green Hill E, reaching 30 - <100%. After passing the A4500 roadway, the radon potential decreases to 10 - <30%, and it further lowers to 0 - <1% past the A45 roadway. As the Cable Route crosses the River Nene and reaches Green Hill BESS, the radon potential is mapped at 3 - <5%.

#### Southern Cable Route

South-east of Green Hill BESS, the radon potential is mapped between 10 - <30%. As the route nears Green Hill F and internally within F, the potential decreases to 3 - <5%. Upon reaching Green Hill G, it further declines, ranging between 0 - <1% and 1 - <3%.

While a detailed radon assessment falls outside of the scope of this Report, a commentary based on UK Health Security Agency guidance (as at ukradon.org.uk) is provided. However, it cannot be precluded that further assessment might be required by the Local Authority.

Due to the nature of the proposed installation of the Cable Route, which is free-venting and absent of enclosed spaces, the risk from any areas of elevated radon potential is considered negligible. Radon potential maps for across the Cable Route Corridor have been included in Figure 4a and 4b.

#### 2.3 Sensitive Land Use

#### **Ecological Receptors**

It is understood from information provided within the Envirocheck Report, the following are statutory ecological receptors located within 500 m of the Site:



#### Northern Cable Route

- Ancient Woodland Sywell Wood is mapped to the adjacent (within approx. 20m) north-east of the Cable Route Corridor (located north-west of Green Hill C).
- Ancient Woodland Hardwick Wood is mapped approx. 70m east of the Cable Route Corridor (located at the north-eastern portion of the A43 roadway).

#### Central Cable Route

- Sites of Special Scientific Interest (SSSI), Special Protection Areas (SPA) and Ramsar Sites

   Upper Nene Valley Gravel Pits, is mapped at closest approx. 235m north-east (start of the SSSI) to closest approx. 360m east (start of SPA and Ramsar) to the Cable Route Corridor.
- Nitrate Vulnerable Zones River Nene NVZ is mapped parallel to the A45, across the Cable Route Corridor (located north-west of Green Hill BESS).

#### Southern Cable Route

- Ancient Woodland Cold Oak Copse is mapped approx. 310m south-west to the Cable Route Corridor (located west of Green Hill F).
- Sites of Special Scientific Interest Bozeat Meadow is mapped approx. 70m northeast east of the Cable Route Corridor (located at the central-east of Green Hill F).
- Ancient Woodland Barsley Spinney is mapped adjacent (5m south-west) to the Cable Route Corridor (located south-west of Green Hill G).
- Ancient Woodland Broadlane Spinney is mapped approx. 240m south-west to the Cable Route Corridor (located south-west of Green Hill G).
- Ancient Woodland Newland Spinney is mapped approx. 395m south-west to the Cable Route Corridor (located south-west of Green Hill G).

#### **Heritage Interest**

Historic England Records (<u>historicengland.org.uk</u>) indicate that no areas of designated heritage interest are located within the Cable Route Corridor. A couple of Grade II listed buildings have been noted present within the surrounding area, alongside Castle Ashby Gardens (Grade I Listed), which is located to the adjacent south-west of the Southern Cable Route Corridor (from Green Hill BESS to Green Hill F).

#### 2.4 Historical Use of the Site & Surrounding Area

#### 2.4.1 Approach

The historical development of the Site and surrounding area has been assessed through a review of historical maps, aerial photographs, internet sources and Google Earth historical satellite imagery. A summary of the key historical Site uses and developments in the surrounding area is presented below. Copies of selected historical maps are included as Appendix D.

#### 2.4.2 Historical Use Summary

Based on a review of the compilation of historical sources dating back to 1883, it appears that the Cable Route Corridor has been largely in use as agricultural farmland to the present day, with occasional crossings of roadways, pathways and agricultural drainage ditches. Pertinent features are outlined below.

#### Northern Cable Route

Four farms have been mapped within the vicinity of the cable route. Teacaddy Farm located approx. 20m north of
the cable route (along the A43 roadway) has been mapped from 1900 to present day. Yeoman Farm located 20m
north of the cable route (along the A43 roadway) has been mapped from 1999 to present day. Manvell Farm located
approx. 80m south-west (south of Green Hill A) has been mapped within the latest 2024 mapping. Tithe Farm



located approx. 300m west (north of Green Hill B) has been mapped from 1900 to present day, with an associated pump mapped from 1900 to 1927.

- Two adjacent allotment gardens have been mapped, the first mapped from 1900, located adjacent east of the Cable Route Corridor (north of Red House Lane), with the Cable Route Corridor potentially encroaching onto the western allotment boundary. The second mapped from 1975, located approx. 20m south-west of the Cable Route Corridor (south of Red House Lane). Both allotment gardens are no longer mapped as present.
- A pond is mapped by 1926, encroaching slightly onto the cable route, south of Green Hill A.2
- An unnamed 'Depot' along with a pond has been mapped from 1992 and remaining to present day, located approx.
   130m east of the Cable Route Corridor (north of Red House Lane) with associated features present as close as approx.
   75m east of the Cable Route.
- A Rifle Range, later known as Northampton Shooting Ground, has been mapped since 1885 and remains in use to
  present day. It is located approx. 100m north and approx. 350m south of the Cable Route Corridor (south of the
  A43 roadway).
- Sywell Grange Airfield has been included within mapping since 1951, however, from a review of readily available online information (source: sywellaerodrome.co.uk), the airfield was constructed and opened in 1928 and was used as a satellite airfield during the second world war. Sywell Airfield remains to present day (currently known as Sywell Aerodrome), with the Cable Route Corridor mapped to intersect the most north-eastern boundary. Buildings and structures associated with Sywell Aerodrome are present at closest approximately 350m south-west, with an associated aviation museum and hotel approximately 800m south-west of the Cable Route Corridor (north-west of Green Hill C).

#### Central Cable Route

- Glebe House and Nurseries has been mapped from 1996 to present day, located adjacent west (south of Green Hill C).
- The A45 roadway intersects the cable route, constructed by 1981 1985, remaining to present day.
- A Corn Store and Depot has been mapped from 1968, located approx. 80m east (south of the A45 roadway). By 1977 – 1981, an adjacent nursery has been mapped within the same area, located approx. 150m east. By 1985 the developments have undergone earthworks, with embankments mapped from approx. 30m east.
- The Cable Route Corridor crosses the River Nene from the earliest mapping (1885).
- A railway line intersects the Cable Route Corridor (west of Castle Ashby Station), from the earliest mapping (1885).
   A coal yard has been mapped approx. 150m north-east of the Cable Route Corridor, associated with the station.
   The railway became disused by the early 1970s and was no longer mapped as present by the 1980s.
- An 'Old Gravel Pit' has been mapped from 1900, located approx. 50m south of the Cable Route Corridor, no longer mapped by the 1960s (the A45 roadway has been constructed within this area).
- A sewage works has been mapped from 1968 comprising numerous tanks and filter beds. The sewage works are
  located approx. 100m south of the Cable Route Corridor (north of Green Hill BESS). By the 1990s the sewage works
  were noted to be undergoing demolition/earthworks.
- A water tank has been mapped since 1969 to 1994, later named 'Tank' from 1999 with the feature remaining to
  present day. It is located approx. 195m southwest of the Cable Route Corridor (east of Highfield Road).
- An area of quarrying has been mapped between 1970 and 1993, with the Cable Route intersecting the eastern boundary. This area was later recorded as an area of historical landfill, held by Barton Plant Limited, with inert waste deposited between 1984 and 1986.
- An electricity grid substation and associated infrastructure has been constructed approx. 135m north-east of the Cable Route Corridor (located within the Green Hill BESS), from the early 1970s to present day.



- Two tanks are mapped from the late 1970s, associated with Glebe Farm, located adjacent west of the Cable Route Corridor (north of the A45 roadway).
- A series of ponds and lakes have been formed between 1972 to 1989, with continued minor expansions mapped to the present day, located approx. 500m north-east of the Cable Route Corridor (north of the Green Hill BESS).
- An unspecified 'Pump' has been mapped from 1900 to 1984, located approx. 40m south of the Cable Route (northwest of Green Hill BESS).
- A pumping station has been mapped from 1901 to 2006, located approx. 90m west of the Cable Route (north of the B573 Doddington Road).

#### Southern Cable Route

- An area of earthworks including an embankment has been mapped from c.1969-1970, anticipated to remain to present day. The Cable Route is anticipated to intersect this area (to the south of Green Hill BESS).
- A well has been mapped from 1975 to the present day, located approx. 350m southwest to the Cable Route Corridor (adjacent to southwest corner to Green Hill F).

#### 2.4.3 Unexploded Ordnance (UXO)

The Zetica Regional Unexploded Bomb Risk Map for the area of the Site (<u>zeticauxo.com</u>) indicates that there is a low risk of UXO in the area of the Cable Route Corridor. Any pertinent features located within 1km of the Cable Route Corridor has been included below:

#### Northern Cable Route

The Sywell Aerodrome, located to the adjacent south-west of the Cable Route Corridor (north-west of Green Hill C)
has been mapped as a potential Luftwaffe Target.

#### Central Cable Route

• No strategic targets or other points of note have been mapped.

#### Southern Cable Route

• Castle Ashby military site has been mapped approx.1km south-west of the Cable Route Corridor (between Green Hill BESS and Green Hill F).

A detailed UXO assessment falls outside of the scope of this Report, and specialist assessment may be required to support future groundworks.

#### 2.5 Environmental Database Review

The Landmark Envirocheck® Report provides a database of environmental information held by various statutory bodies including the EA, Local Authority (LA), Health & Safety Executive (HSE) and Public Health England amongst others. A copy of the Envirocheck Report is provided in Appendix E and the most relevant information is summarised below.

#### **Features On-Site**

The Landmark Envirocheck® Report lists the following as relating to the Cable Route Corridor:

#### Northern Cable Route

 No potentially contaminative features have been identified within the Northern Cable Route Corridor.

#### **Central Cable Route**

 One Landfill Site (surrendered license) located on-Site, associated with the Former Sand Quarry at Mears Ashby Road, Wilby comprising of Deposited Waste including Inert Waste. The First Input Date as 1<sup>st</sup> November 1984 to Last Input Date as 31<sup>st</sup> December 1986.

#### Southern Cable Route



• No potentially contaminative features have been identified within the Southern Cable Route Corridor.

#### Potentially Contaminative Features Off-Site

The Landmark Envirocheck® Report lists the following within 500m of the Cable Route Corridor:

#### Northern Cable Route

- Nine Discharge Consents, with five related to land/soakaway points, for domestic, commercial and wastewater treatment, located from approx. 140m east to approx. 420m south. Four are related to sewage discharge for domestic, commercial and wastewater treatment, located from approx. 160m east to approx. 345m west.
- One Historical BGS Recorded Mineral Site, located approx. 175m west at Hannington Pit, a now ceased opencast abstraction for Iron Ores.
- One groundwater abstraction point, used for general agriculture and domestic uses, located approx. 65m north-west (Tea Caddy Farm, north of A43 roadway). Two surface water abstraction points, used for general agriculture and spray irrigation, located approx. 210m west and approx. 390m west (both south of Green Hill A.2, along Red House Lane). One revoked status, well/borehole abstraction point, used for general agriculture, located approx. 450m south-west (Sywell Grange).
- One pollution incident to controlled waters, located approx. 400m south causing a Category 3 Minor Incident to the Billing Brook through the release of oil pollutants in 1994.
- One substantiated pollution incident register located approx. 140m west causing a Category 2 Significant Impact to Water. No further details have been provided.
- One Active Contemporary Trade Directory Entry located approx. 310m east, associated with Crisis Logistics Ltd road haulage services.
- Three areas of Historical Landfill Sites located adjacent north (from 10m), all relating to inert waste deposited at Sywell Range, associated with the Northampton and District Gun Club.
- One Landfill Site (surrendered licence) located to the adjacent north (within approx. 20m), associated with Northampton and District Gun Club (Sywell Range). The site is of medium size (equal to or greater than 25,000 and less than 75,000 tonnes per year) of solid inert soil waste.
- Two Licensed Waste Management Facilities located approx. 185m south-east, associated with Sywell Leisure Sports Limited, and approx. 390m south-west, associated with the Sywell Aerodrome, both relating to the use of waste in a deposit for recovery.

#### Central Cable Route

• Nineteen Discharge Consents, eight consents relate to sewage discharge, three in relation to domestic properties located between approx. 165m east and approx. 355m south, three to commercial properties located between approx. 10m south-west and approx. 360m west, and two to wastewater treatment located approx. 220m to approx. 290m north-east. Two consents relate to trade effluent from commercial properties located approx. 150m west and approx. 290m north-west. One discharge consent is related to Grange Farm, Mears Ashby, located approx. 400m south, with the discharge type and environment unknown. Eight revoked discharge consents have been identified, five of the revoked consents for sewage discharge, located between 115m east and 360m north and three revoked consents for unknown discharge located approx. 230m south-west, approx. 385m south-east and approx. 430m south-east.



- One Active BGS Recorded Mineral Site, Earls Barton Quarry, located approx. 50m south, relating to opencast quarrying of Sand and Gravel.
- Eleven Historical BGS Recorded Mineral Sites, five associated with Earls Barton which include Earls Barton Sand Pit, located approx. 390m west, a dormant opencast abstraction for Sand, Silica Sand and Ganister. Two Historical Earls Barton Gravel Pits located approx.80m east, and approx.470m west, now ceased opencast abstraction for Sand and Gravel. Two Historical Earls Barton Sand Pits located approx. 135m and approx. 300m east, now ceased opencast abstraction for Sand and Gravel. Six further Historical BGS Recorded Mineral Sites include Wilby Stone Pits a now ceased opencast for iron ores located approx. 270m west; and a ceased opencast for Limestone located approx. 420m east. Grange Farm Pits a ceased opencast abstraction for Limestone, located approx. 410m and approx. 450m west. Brookhill Farm Sand Pit a ceased opencast abstraction for Sand located approx. 465m north-west. Mears Ashby a ceased opencast abstraction for Iron Ores located approx. 500m south.
- One active groundwater abstraction, located approx. 225m south, related to Glebe Farm for general farming / domestic use and spray irrigation with water extracted from the Northampton Sandstone. One active surface water (stream) abstraction, located approx. 295m north-west, related to Storefield Aggregates Ltd for extractive mineral washing. Two revoked status surface water (stream) abstractions located approx. 40m south and approx. 440m south.
- Seven Pollution Incidents to Controlled Waters, one is located approx.25m north-east, listed as a Category 1 Major Incident of 'Sewage Treated Effluent' into the River Nene due to mechanical failure, which occurred on 31<sup>st</sup> July 1995. The remaining six incidents are listed as Category 3 Minor Incidents of oils diesel, crude sewage, inert suspended solids and miscellaneous pollutants, all impacting freshwater streams/rivers, located between approx. 100m and approx. 500m north-east.
- One Substantiated Pollution Incident Register, located approx. 80m north-east, associated with the release of crude sewage, causing a Category 2 Significant Incident to Land and a Category 3 Minor Incident to Water, occurring on the 23<sup>rd</sup> March 2018.
- Four Active Contemporary Trade Directory Entries, notably Viridor Waste Management (Recycling Services) located approx. 100m south, M A M Transport Services Ltd (Road Haulage Services) located approx. 145m east, Sprint Graphics (Car Customisation & Conversion Specialists) located approx. 220m north, and Hanson Aggregates (Sand, Gravel and Other Aggregates) located approx. 435m east.
- One Historical Landfill Site located approx. 55m north-east, associated with Earls Barton Quarry. The last input date was 30<sup>th</sup> September 1986 of deposited waste including inert waste.
- Two Licensed Waste Management Facilities located approx. 175m south-east, associated with Viridor Waste (Earls Barton) Limited (surrendered license) as a recycling transfer station for household, commercial and industrial waste. A further Licensed Facility located approx. 425m south-west, associated with Hanson Quarry Products Europe Limited relating to a physical treatment facility.
- Two Local Authority Pollution Prevention and Controls for White Plant (Recycling Centre) located approx. 135m south and Martin White Crushing located approx. 165m south.
- Six areas of Potentially Infilled Land (Non-Water) located from approx.85m south to approx. 425m west. The fill is of unknown content likely associated with pits, quarries, etc.



- Two areas of Potentially Infilled Land (Water) located approx. 460m and approx. .465m south-east. The fill is of unknown content likely associated with ponds, marshes, rivers, streams, etc.
- Tanks under the category 'Industrial Features' have been listed to the adjacent west (from approx. 15 to 20m).

#### Southern Cable Route

- Seventeen Discharge Consents, ten consents relate to sewage discharge, six in relation to domestic properties, located between 180m north-east and 475m east, two to commercial properties located approx. 175m east and approx. 480m north-east and two to wastewater treatment (water company) both located at approx. 225m east. Seven revoked discharge consents have been identified, three for agricultural effluents and sewage discharges from commercial properties located between approx. 105m north and approx. 480m east, one domestic property (land/soakaway) of unknown discharge located approx. 155m north-east, and three revoked wastewater treatment sewage discharges located between approx. 215m north-east and approx. 305m east.
- Three Pollution Incidents to Controlled Water, all listed as Category 3 Minor Incidents. One is related to sewage discharge from a Sewage Treatment Works into a freshwater river/stream located approx. 215m east, the remaining two are of unknown discharge into the River Nene and a freshwater river/stream, located approx. 435m east and approx. 490m north-east, respectively.
- Two Active Contemporary Trade Directory Entries, notably Mark Laxton Engineering Ltd (General Engineers) located approx. 450m east, and BP Car Wash and Petrol Filling Station located approx. 470m south.
- One Local Authority Pollution Prevention and Control for BP Three Counties Petrol Filling Station located approx. 470m south.

#### 2.6 Planning Review/Regulatory Enquiries

On-line Planning Review	West Northamptonshire Council <u>Link</u> North Northamptonshire Council <u>Link</u> Milton Keynes Council <u>Link</u>	Date Accessed	7 <sup>th</sup> March to 28 <sup>th</sup> March 2025.
On-Site Applications	Northern Cable Route  The Northern Cable Route is located primarily withir and North Northamptonshire Council areas. To the Route Corridor is located within the West Northampthe North Northamptonshire Council jurisdiction to the Anumber of planning applications records within the to minor alterations, change of use, removal of he Pertinent planning applications located within the Ca  (Ref. NW/21/00086/SCR – North Northamptonsh proposed development consisting of the installad Decision, EIA not required.	north of the A43 road tonshire Council jurisc ne south of the A43 ro Cable Route Corridor, edgerows, or tempora ble Route Corridor are lire Council). Screening	dway, the Cable diction, entering adway. generally relate ary installations. as follows:
	<ul> <li>(Ref. DA/2014/0694 – West Northamptonshir mounted solar park and associated fencing, et CCTV. Approved. Located west of Green Hill A.2.</li> <li>(NW/21/00589/CRA – North Northamptonshire ONN/21/00004/WASFUL - To create an undulatin material from the on-site recycling facility, for a second content of the content of th</li></ul>	quipment housing, ac Council). Consultation g area of landscape a	request for nd bunds, using



the shooting ground and ensure safety. Located within the Northampton Shooting Ground (north-west of Green Hill C).

 A number of planning applications prior to the year 2000, included the erection of agricultural bungalows, farmhouses and dwellings, located south-west of Green Hill A.2 (north and south of Red House Lane).

No relevant information in relation to land contamination is included within the supporting documentation.

#### Central Cable Route

The Central Cable Route is located within the North Northamptonshire Council district. A number of planning application records within the Cable Route Corridor, generally relate to minor alterations, change of use. Pertinent planning applications located within the Cable Route Corridor are as follows:

- (Ref. BW/1984/0666 & BW/1985/1025 North Northamptonshire Council). Two
  planning applications located south-east of Green Hill E, both relating to the infilling of
  former quarry with inert material (including builders' rubble) and restoration to
  agricultural use. Approved with Conditions and Deemed Approved, respectively.
- (Ref. WP/2007/0039 North Northamptonshire Council). Winning and working of sand and gravel with progressive restoration to wet woodland and agriculture utilising imported inert materials Approved with Conditions. Located to the south of the River Nene.
- (Ref. WP/2007/0625 North Northamptonshire Council). Sand and gravel extraction
  with restoration of flood plain habitats and agriculture. Located to the west of the Cable
  Route (south of the A45). Approved with Conditions.

#### Southern Cable Route

The southern cable route is located within North Northamptonshire Council district, with the southernmost area also infringing the Milton Keynes Council jurisdiction. A number of planning records are available for the land surrounding the Cable Route, generally relating to small alterations to building use etc. Pertinent applications are included below.

(Ref. WR/1965/0088 and Ref. WP/2010/0162 – North Northamptonshire Council). Two
planning applications located within the Cable Route Corridor in Green Hill BESS, both
relating to Sub Station Station Road Grendon Northampton Northamptonshire NN7 1JD,
Approved with Conditions and Proposed installation of an additional Super Grid
Transformer (SGT) at Grendon 400/132kV substation (permitted development).

#### **Off-Site Applications**

#### Northern Cable Route

Several planning applications are located near or adjacent to the Cable Route Corridor, primarily involving minor alterations that pose negligible risk of contamination. Pertinent applications are provided below:

- (Ref. WP/2010/0020 North Northamptonshire Council). Creation of undulating area
  on existing shooting ground through the importation of inert material and the
  temporary siting of a mobile crusher and screen to separate soils and recycled
  secondary aggregates to use in the construction of the mounding and already permitted
  go-kart track. Unknown Status. Located to the east / south of the cable route south of
  the A43. Located north-west of Green Hill C.
- (WP/2014/0066 North Northamptonshire Council). Construction of a new safety mound using inert material to protect permitted go kart track from the adjacent shooting ground. Unknown Status. Located north-west of Green Hill C.



- (Ref. WP/1999/0515 North Northamptonshire Council). Retrospective approval for storage of inert waste materials for the use of producing recycled aggregates. Approved with Conditions. Located north-west of Green Hill C.
- Several planning applications relate to the Sywell Aerodrome, dating from 1957 to 2020.
   Key applications that pre-date the year 2000 include the re-siting of petrol pumps (1962), the erection of multiple warehouses (1964 to 1968), petroleum spirit can store (1971), battery charging bay (1979), demolition of existing factories (1979), erection of three fuel storage tanks (6000 gallons in total) (1981), erection of new industrial buildings (1996) and construction of offices (1997).

More recent applications that post-date the year 2000 include a number of extensions, alterations, changes of use, fitting of vent soil pipes (2001) and erection of new office blocks (2005). However, no supporting documentation in relation to land contamination was provided within the planning applications listed above.

#### **Central Cable Route**

Several planning applications are located near or adjacent to the Cable Route Corridor, primarily involving minor alterations that pose no risk of contamination. Although, multiple applications related to the Materials Recycling Facility and Waste Transfer Station, located south-east to the Cable Route Corridor (south of A45 roadway), flood storage reservoir with overflow structures, pumping station, underground petrol storage tank.

- (NW/24/00649/EXT North Northamptonshire Council) Solar generating station and energy storage project. Decision awaited. Located adjacent west to the northern portion of the central Cable Route.
- (Ref. BW/1984/0275 North Northamptonshire Council). Flood storage reservoir with overflow/ control structures OP043,0052,0061 off A4500 Wilby OP 7536 Earls Barton. Approved with Conditions.
- (Ref. WR/1970/0258 North Northamptonshire Council). Temporary booster pumping station (To be removed on or before 31/12/1975) Approved with Conditions.
- (Ref. WP/2007/0443 North Northamptonshire Council). Materials Recycling Facility and Waste Transfer Station. Located to the south of the A45. Approved with Conditions.
- (Ref. WP/2007/0625 North Northamptonshire Council). Sand and gravel extraction
  with restoration of flood plain habitats and agriculture. Located to the west of the Cable
  Route (south of the A45). Approved with Conditions.
- (Ref. WR/1969/0143 North Northamptonshire Council) Underground petrol storage tank associated with the address Units 1 to 78 340 Grendon Road Earls Barton Northampton Northamptonshire NN6 OP. Approved with Conditions. Located adjacent west of the central Cable Route, as it crosses the River Nene.

#### Southern Cable Route

A small number of planning applications are located near to the Cable Route Corridor, primarily involving minor alterations that pose no risk of contamination, redevelopment of residential properties and sports training facility within 500m of the Southern Cable Route Corridor.

 (Ref. 24/01777/CONINF Milton Keynes Council) Consultation on scoping request under the Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 relating to an application for a Development Consent Order for the installation of solar panels, substation, battery energy storage system and associated fencing. Decision: No objections.



## 2.7 Previous Reports

No third-party reports have been made available to review from the Client or sourced through a review of planning application records.



# 3.0 Conceptual Site Model

#### 3.1 Introduction

A Conceptual Site Model (CSM) represents the relationships between contaminant sources, pathways and receptors, to support the identification and assessment of contaminant linkages.

#### 3.2 Overall Site Sensitivity

The Cable Route Corridor is considered to have low to moderate environmental sensitivity due to its historical and current general agricultural use, underlying aquifer designations (Secondary A superficial deposits and Principal bedrock), crossings of surface watercourses, and proximity to ecologically sensitive areas. Further it is noted that there is an absence of groundwater source protection zones or potable water supply abstraction points within the vicinity.

#### 3.3 Potential Contamination Sources

A source is a contaminant or pollutant that is in, on or under the land that has the potential to cause harm or pollution.

The following identified potential contamination sources are considered in the CSM:

#### Site-Wide

- Small-scale spills or leaks potentially linked to agricultural activities throughout the Cable Route Corridor, including
  those from general farming operations, mapped tank infrastructure, and the use of agrochemicals such as fertilisers
  and herbicides. Nearby farming infrastructure was primarily observed in the northern and central sections of the
  Cable Route Corridor.
- Potential contamination from limited areas of Made Ground, particularly associated with existing roadways that intersect the Cable Route Corridor.
- The assessment does not consider the risk of elevated radon and hazardous ground gases due to the proposed low sensitivity development. The underground Cable Route installation will be free-venting, and the absence of enclosed spaces prevents potential accumulation.

#### Northern Cable Route

- Historical inert landfill linked to Sywell Range, located from approx. 10m north.
- Two historically mapped allotments, one located adjacent to the east (possibly encroaching) and the other approx.
   20m south-west, which may present residual contamination risks such as Polycyclic Aromatic Hydrocarbons (PAHs), pesticides, and herbicides.
- Sywell Aerodrome, where the Cable Route intersects the northern boundary. The wider Aerodrome, located to the
  south-west of the Cable Route, may contain sources of contamination including petroleum and fuel storage tanks,
  aircraft hangars (associated with solvents, heavy metals, and paint residues), potential per- and polyfluoroalkyl
  substances (PFAS), and asbestos linked to pre-1999 building construction or demolition.
- Waste management facilities linked to Sywell, located from approx. 185m south-east.
- Unspecified depot site located approx. 130m east.

#### Central Cable Route

- On-Site historical inert landfill related to the former sand quarry at Mears Ashby Road, Wellingborough, located in the northern part of the central Cable Route Corridor (adjacent of Green Hill E).
- A historical railway line intersecting the central Cable Route Corridor (west of Castle Ashby Station), in use from 1885 until disuse in the 1970s and dismantling in the 1980s, potentially contributing residual contamination.
- Historical inert landfill linked to Earls Barton Quarry, located approx. 55m north-east.
- Waste management facilities located at Earls Barton and Hanson Quarries, located approx. 175m south-east and approx. 425m south-west, respectively.



- A historical sewage works comprising multiple tanks and filter beds, mapped from 1968 with demolition in the 1990s, located approx. 100m south.
- Areas of infilled land, associated with former pits and quarries, containing unknown fill materials, located from approx. 85m south.
- Unspecified depot site located approx. 80m east.

#### Southern Cable Route

• An area of earthworks including an embankment with unknown fill material, which the Cable Route Corridor is anticipated to intersect (south of Green Hill BESS).

#### 3.4 Potential Pathways

A pathway is a route by which a receptor is or could be affected by contaminant.

The potential pathways are considered to be as follows:

- Direct contact, ingestion or inhalation of soil bound contaminants / dust during or following redevelopment.
- Leaching of contamination into groundwater followed by migration of groundwater to the wider groundwater environment or discharge to surface waters.
- Direct contact between aggressive ground conditions and new infrastructure.

#### 3.5 Potential Receptors

A receptor is something that could be adversely affected by a contaminant, for example a person, controlled waters, an organism, an ecosystem, or Part 2A receptors such as buildings, crops or animals.

Relevant potential receptors are considered to include:

- Construction workers.
- Third parties during construction (adjacent Site users and adjacent residents).
- Future Site users and maintenance workers.
- The underlying aquifers (Principal, Secondary A and Secondary B).
- The Built Environment (new infrastructure / utilities).
- The surface watercourses of the River Nene and agricultural drainage ditches (crossed via the Cable Route Corridor).
- The ecologically sensitive land uses, including the Gravel Pits (SSSI, SPA, Ramsar), located at closest approx. 235m north-east of the central Cable Route Corridor.



	Contaminant Linkage Assessment						
Source(s)	Pathway(s)	Receptor(s)	Risk	Comments	Requires Investigation		
Potentially contaminated soils and/or groundwater located	Direct contact/ingestion and inhalation of dust and vapours.	Future Site users.	Low Risk	Limited potential sources of contamination have been identified, though include localised asbestos and other possible contaminants within 'builders' rubble' used as infill at the historical landfill on the site of a former sand quarry off Mears Ashby Road. The central Cable Route Corridor is mapped to briefly intersect the eastern part of this area. The former historical railway land crossing (central Cable Route), the area of earthworks with unknown fill (southern Cable Route) and the agricultural use of the land (across all Cable Route sections), provide other limited on-Site potential sources of contamination. Given the nature of the proposed development and low sensitivity enduse (trenching to install underground electrical cables, connecting Green Hill Solar Farm sites and BESS), the risk to future Site users, whereby any excavations will have been backfilled with 'clean' materials, is considered to be low.	No		
beneath the Site associated with the current and historical land uses.	Direct contact, ingestion and inhalation of dust and vapours.	Construction and maintenance workers during any future sub-surface works at the Site.	Low Risk (Localised Low to Moderate Risk)	Construction and maintenance workers may become exposed to localised contaminated soils and shallow groundwater during intrusive groundworks undertaken along the Cable Route Corridor. Safe working practices and hotspot protocols should be adopted, and appropriate Personal Protective Equipment (PPE) and Respiratory Protective Equipment (RPE) should be used that will reduce the risk. A localised higher risk is anticipated within the vicinity of the historical landfill sites that are potentially intersected or located adjacent to the Cable Route Corridor (northern and central sections). Along the remaining Cable Route the risk to construction and maintenance workers during subsurface works is considered to be low. Localised low to moderate risk has been identified with the historical landfill at Mears Ashby Road.	No		
	Leaching of contaminants and vertical migration.	Groundwater beneath the Site.	Low Risk	A limited area of unconfined Principal Aquifer (Blisworth Limestone Formation) is located along the southern Cable Route Corridor, however, no significant potential sources of contamination have been identified within this area. In addition, there are no licensed groundwater	No		



	Contaminant Linkage Assessment						
Source(s)	Pathway(s)	Receptor(s)	Risk	Comments	Requires Investigation		
				abstraction records for potable water within 500 m of the Cable Route Corridor. As such, the risk to controlled waters is considered to be low.			
	Leaching of contaminants through lateral migration.	Surface waters and ecologically sensitive areas.	Low Risk (Localised Low to Moderate Risk)	Limited potential sources of contamination have been identified, including the possible contaminants contained within the historical landfill area at Mears Ashby Road, which the central Cable Route is to briefly intersect. The former historical railway land crossing (central Cable Route), the area of earthworks with unknown fill (southern Cable Route) and the agricultural use of the land (across all Cable Route sections), provide other limited on-Site potential sources of contamination.  The main surface water receptor is considered to be the River Nene, which the central Cable Route crosses. The River Nene leads to the Upper Nene Valley Gravel Pits SSSI/SPA/Ramsar, an ecologically sensitive area. The remaining surface water receptors across the Cable Route Corridor are considered to comprise agricultural drainage ditches, with a few minor waterways including brooks and springs.  The limited areas of contamination identified above (historical landfill, railway and earthworks) are not located in areas which would impact surface water receptors or ecologically sensitive areas. The agricultural use of the land is not anticipated to be higher than background concentrations within the wider area. As such, the risk of contamination to surface waters and ecologically sensitive receptors is considered to be low.  A localised low to moderate risk has been determined within the area of the River Nene, due to the sensitivity of the downstream ecological receptor.	No		
	Direct contact.	Buried environment.	Low Risk	Sulphates within the ground have the potential to attack buried infrastructure including concrete. In addition, other types of contamination including Non-Aqueous Phase Liquids (NAPL), phenols and organic contamination can also degrade infrastructure. However,	No		



Contaminant Linkage Assessment						
Source(s)	Pathway(s)	Receptor(s)	Risk	Comments	Requires Investigation	
				based on the anticipated natural soils along the Cable Route Corridor, the lack of significant contamination anticipated, and in the context of the proposed infrastructure, the risk is considered to be very low. In addition, the infrastructure to be installed, comprising of underground electrical cables, will employ a durable sheathing and protective layer. New potable supply pipes are not required as part of the Cable Route Corridor installation.		
	Lateral migration through any groundwater beneath the Site.	Off-Site receptors (neighbouring properties/ users).	Low Risk	Significant widespread sources of contamination have not been identified associated with the current or historical agricultural use of the Cable Route Corridor. Localised Made Ground / potential contamination may be present associated with historic landfills or infilled land associated with quarrying in the area, however given the nature of the proposed development and low sensitivity end-use (trenching to install underground electrical cables, connecting Green Hill sites and BESS), the risk to off-Site receptors is considered to be low.	No	
Potentially contaminated soil and groundwater from off-Site sources.	Lateral migration and subsequent leaching to groundwater or inhalation by future users.	Groundwater beneath the Site, future Site users, and maintenance workers during any future sub-surface works at the Site.	Low Risk	The Cable Route Corridor is located within a largely agricultural setting, therefore, the likelihood of significant soil and groundwater contamination associated with off-Site sources is considered to be low. Areas of historical landfill including Sywell Range and Earls Barton Quarry have been identified in the vicinity of the northern and central Cable Route Corridor, respectively. Both historical landfills are reported to contain inert waste, which is not considered to pose a significant source of contamination. In addition, aerial imagery of the landfill at Sywell Range indicates that the landfill area is 'built up' in the form of bunds, making its boundaries more visually distinct and therefore easier to identify and avoid during construction. Nonetheless, while the likelihood of disturbance is low, the risk cannot be entirely discounted. The landfill at Earls Barton Quarry is located approx. 55m from the Cable Route Corridor and is therefore unlikely to come into contact during trenching.	No	



	Contaminant Linkage Assessment						
Source(s)	Pathway(s)	Receptor(s)	Risk	Comments	Requires Investigation		
				Sywell Aerodrome, situated west of Green Hill C, may contain contamination sources related to aircraft maintenance and storage, such as petroleum products, solvents, heavy metals, PFAS, and asbestos. However, aerial imagery indicates that relevant infrastructure is located at least 350m south-west of the Cable Route Corridor and Green Hill C, placing it beyond the likely zone of impact.			
				Other plausible sources of contamination in the surrounding area include tanks associated with adjacent farms, former gravel and sand pits (infilled land/earthworks), the rifle range, adjacent allotments, historical sewage works, and the construction of roadways. However, any intrusive works will be shallow to install the cable route and are unlikely to come into contact with significant potential sources from the surrounding land uses.			
				Therefore, there is a low risk of potential contamination from off-Site sources.			



# 4.0 Conclusions & Recommendations

## 4.1 Land Contamination Risks and Liabilities

Uncertainty and Data Gaps	This assessment is based on desk study information only. No Site-specific ground investigation data has made available for review.
Soils	Widespread significant soil contamination is not anticipated. Limited potential sources have been identified, including those associated with agricultural use, localised areas of Made Ground, a section of historical landfill that may be intersected by the Cable Route at Mears Ashby Road, and the crossing point of the former railway line. Localised low to moderate risks have been identified in areas of historical landfill, particularly in relation to construction workers, and in zones of increased sensitivity, such as the River Nene and the Upper Nene Valley Gravel Pits.  Potential off-Site sources include the historical landfill associated with Sywell Range (northern Cable Route), Earls Barton Quarry (central Cable Route), tanks linked to adjacent farms, former gravel and sand pits (infilled land/earthworks), the rifle range, nearby allotments, Sywell Aerodrome, historical sewage works, and historical roadway construction.  However, installation of the cable will involve only shallow intrusive works, which are unlikely to intersect with any significant contamination sources. Furthermore, no visible signs of contamination or other causes for concern were observed during the Cable Route Corridor walkover. In the context of the proposed development, no further assessment is considered necessary.
Groundwater	Widespread significant potential sources of groundwater contamination have not been identified within the Cable Route Corridor. An area of historical landfill is anticipated to be intersected by the central portion of the Cable Route, at Mears Ashby Road (adjacent to Green Hill E), alongside the crossing of the former railway line (central Cable Route). However, there are no licensed groundwater abstraction records for potable water supply within 500m of the Cable Route Corridor, in addition, the Site is not within a groundwater source protection zone. A limited area of the southern Cable Route Corridor is located within an area of unconfined Principal Aquifer (Blisworth Limestone Formation), however, with the lack of contamination sources within this area, and the proposed development comprising shallow trenching and cable laying, the overall risk to controlled waters is considered to be low.
Ground Gas	Due to the proposed installation of underground electrical cables connecting the Green Hill Solar Farm sites and BESS, the area will remain free venting with no enclosed structures proposed. The lack of enclosed spaces along the Cable Route Corridor eliminates the possibility of gas accumulation, allowing ground gas to be discounted as a potential risk.
Volatile Organic Vapours	No significant sources of potential volatile contamination have been identified within the Cable Route Corridor or adjacent surrounding area. Furthermore, due to the proposed installation of underground electrical cables connecting the Green Hill Solar Farm sites and BESS, the area will remain free venting with no enclosed structures proposed.
Potential Contaminated Land Development Risks	Widespread contamination is considered unlikely and the preliminary risk assessment has identified a generally <b>low</b> risk of soil/groundwater contamination and hazardous ground gas at the Site, with <b>localised low to moderate</b> risk where deemed appropriate.

## **4.2** Geotechnical Considerations

Uncertainty and Data Gaps	This assessment is based on desk study information only. No Site-specific ground
	investigation data has made available for review.



Preliminary Ground Model	Based on the available information, it is anticipated that the majority of the Site is likely underlain by topsoil and superficial deposits of the Oadby Member. Limited areas of Alluvium have been identified across all sections of the Cable Route, limited areas of Ecton Sand and River Terrace Deposits within the central Cable Route, with limited areas of Bozeat Till and Glacio-fluvial Deposits within the south. The underlying bedrock varies across the Site. Given the relatively consistent presence of drainage ditches across the Site, groundwater is expected to be shallow or perched. Groundwater may also be present at depth within the underlying bedrock strata.
Plausible Geo-Hazards	The geohazards listed below have been identified to follow guidance presented in the HE document CD622 'Managing Geotechnical Risk' (2019) which aims to identify and manage the geotechnical risks associated with a scheme throughout its lifespan, from planning to construction to maintenance.  The following geohazard is considered to be a potential substantial ground related risk associated with the proposed development. A substantial risk is defined by Lucion in Appendix F.
	<ul> <li>Potential for shallow groundwater may be present within areas of superficial deposits or within pockets of cohesive materials whereby perched groundwater is present. Localised dewatering of excavations may be required.</li> </ul>

## 4.3 Recommendations and Other Development Considerations

Recommendations	Based on the preliminary risk assessment and identified potential sources, intrusive investigation is not considered necessary to assess ground related risks further to support the proposed installation of the Cable Route.  However, the following recommendations are made:
	<ul> <li>Groundworkers and sub-surface maintenance workers should be made aware of the possibility of encountering contaminated soils through toolbox talks and ir particular the potential presence of asbestos within historical landfill areas that are potentially intersected via the central Cable Route, located approx. 10m from the northern Cable Route and approx. 55m from the central Cable Route. Ar appropriate hotspot protocol and health &amp; safety risk assessments to mitigate exposure of the workforce and general public should be in place. Good standards of personal hygiene should be observed, and appropriate levels of PPE / RPE utilised as necessary; and,</li> </ul>
	<ul> <li>Unidentified localised areas of contamination may exist at the Site and ar appropriate 'hotspot' protocol, included as Appendix G, should be in place for groundworkers to act upon should such contamination be identified during the construction process.</li> </ul>



Preliminary Geo-Environmental Risk Assessment Green Hill Solar Farm Cable Route Corridor Lucion Contract Reference 93791.666683


# **Figures**



Preliminary Geo-Environmental Risk Assessment Green Hill Solar Farm Cable Route Corridor Lucion Contract Reference 93791.666683


# Figure 1 – Site Location Plan






## Figure 2 – Bedrock Geology









## Figure 3 – Superficial Deposits









# Figure 4 – Radon Mapping







## **Appendices**



## **Appendix A – Limitations**



## Limitations

This Report was prepared by Lucion Delta Simons ("Lucion") for the sole and exclusive use of the Client and for the specific purpose for which Lucion was instructed. Nothing contained in this Report shall be construed to give any rights or benefits to anyone other than the Client and Lucion, and all duties and responsibilities undertaken are for the sole and exclusive benefit of the Client and not for the benefit of any other party. Lucion does not intend, without its written consent through a formal letter of reliance or warranty, for this Report to be disseminated to any party other than the named Client or to be used or relied upon by any party other than the named Client. Use of the Report by any other party is unauthorised and such use is at the sole risk of the user. Any party using or relying upon this Report, other than the Client, agrees by virtue of its use to indemnify and hold harmless Lucion from and against all claims, losses and damages (of whatsoever nature and howsoever or whensoever arising), arising out of or resulting from the performance of the work by Lucion. Unless explicitly agreed otherwise, in writing, this Report has been prepared under Lucion' Standard Terms and Conditions as included within our proposal to the Client.

The recommendations contained within this Report represent Lucions' professional opinions, based upon the information detailed within the Report, exercising the reasonable skill and care to be expected of a professional consultant holding itself out as having the competence, experience and resources necessary for the purpose of carrying out similar work in scope and character to the services performed. The Report needs to be considered in the light of the proposal and associated limitations of scope. The Report needs to be read and considered in full and isolated sections cannot be used without full reference to other elements of the report and any previous works referenced within the Report.

Where Lucion has obtained, reviewed and evaluated information in preparing this Report from the Client and others and Lucion conclusions, opinions and recommendations has been reasonably determined using this information, Lucion does not warrant the accuracy of the third-party information provided to it and cannot be responsible for any opinions which Lucion has expressed, or conclusions which it has reached in reliance upon information which is subsequently proven to be inaccurate.

Site surveys document the conditions encountered at the time of survey only and conditions may change due to natural processes or human intervention. As such, surveys represent an assessment at a specific point in time and Lucion cannot be responsible for adverse conditions which arise or become apparent after the time of the survey or for conditions which sit outside the scope for which the survey or Report was commissioned.

Where intrusive investigations have been completed, information, comments and opinions given in this report are based on the ground conditions encountered during the site work period and on the results of laboratory and field tests performed during the investigation. Ground conditions are inherently variable such that no investigation can be exhaustive to the extent that all adverse conditions are revealed. Conditions may therefore be present beneath the site that were not apparent in the data reviewed or obtained as part of this assessment. It should be noted that groundwater levels vary due to seasonal and other effects and may at times differ to those measured during the investigation. Lucion does not warrant or guarantee that the Site is free of hazardous or potentially hazardous materials or conditions. Where risk assessment is undertaken, this is based upon the standards, guidance and common practice at the time of the assessment and Lucion cannot be responsible for conditions which become apparent following changes in guidance or practice or advancements in scientific knowledge which change the position in relation to assessment of risk.

No aspect of this Report constitutes a design. Where this information is used in design, the designer should verify the information has been used appropriately.

Where budgets are prepared and presented within the Report, these are for information only to indicate the likely magnitude of a cost and do not represent an invitation to treat for the works. All budgets and programmes presented should be reviewed and verified by appropriately qualified and experienced independent Project Managers and Cost Consultants. .



## **Appendix B – Data Sources**

In completing this Assessment, Lucion has utilised the following data sources and third party information:

- Current and Historical Ordnance Survey (OS) maps;
- British Geological Survey (BGS) data;
- Environment Agency (EA) online data;
- Mining Remediation Authority (previously Coal Authority) online data;
- Landmark Envirocheck® Reports for the Site (Ref. 331731401\_1\_1, dated 18<sup>th</sup> January 2024), (Ref. 331730783\_1\_1, dated 18<sup>th</sup> January 2024), (Ref. 331729469\_1\_1, dated 18<sup>th</sup> January 2024), (Ref. 371271146\_1, dated 5<sup>th</sup> March 2025), (Ref. 371271575\_1, dated 5<sup>th</sup> March 2025) and (Ref. 371272082\_1, dated 5<sup>th</sup> March 2025).
- Historical Maps included as part of the Envirocheck Report; and
- Information provided by the Wellingborough Council, West Northamptonshire Council, North Northamptonshire Council and Milton Keynes Council.



# Appendix C – Site Photographs





PH03 (Onlooking north-east)




PH05 (Onlooking south drainage ditch)



Lucion

Protecting people and planet



COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations

Green Hill Cable Route Corridor PRA Site Features Plan 1 Kettering Road, North of Site A.2



PH04 (Onlooking west of drainage ditch)



SG	SCALE: NTS	PROJECT NO:
BC	REVISION:	93791.6666
TE: 01/04	/2025	APPENDIX:




PH09 (Onlooking north)



PH11 (Onlooking south-east drainage ditch)



Lucion
Protecting people and planet



COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations

Green Hill Cable Route Corridor PRA Site Features Plan 2 Red House Lane, South of Site A.2 PH08 (Onlooking north-west to boggy marshland)

PH10 (Onlooking north-east)



PH12 (Onlooking south-east)



DRAWN BY: SG	SCALE: NTS	PROJECT NO:	
CHECKED BY:	REVISION:	93791.666683	
DATE:	/2025	APPENDIX:	







PH17 (Onlooking south-west)



Lucion Protecting people and planet

COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations

Green Hill Cable Route Corridor PRA Site Features Plan 3 A43, North of Sywell Shooting Range



PH16 (Onlooking south-west)




PH18 (Onlooking south-east)



RAWN BY: SG	SCALE: NTS	PROJECT NO:
HECKED BY:	REVISION:	93791.666683
ATE:		APPENDIX:

01/04/2025







PH21 (Onlooking south-west)



COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations


Lucion Protecting people and planet

Green Hill Cable Route Corridor PRA Site Features Plan 4 Sywell Road, south-east of Holcot

DRAWN BY:	SCALE: NTS	PROJECT NO:
CHECKED BY:  BC	REVISION:	93791.666683
DATE:		APPENDIX:
01/04/2025		С

PH22 (Onlooking south-east)





PH24 (Onlooking north)

PH26 (Onlooking east)

PH25 (Onlooking south)




COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations



Green Hill Cable Route Corridor PRA
Site Features Plan 5
Highfield Road, connected Green Hill D and E

		<b>以下,其实</b>
DRAWN BY:	SCALE: NTS	PROJECT NO:
CHECKED BY:  BC	REVISION:	93791.666683
DATE: 01/04	4/2025	APPENDIX:








PH35 (Onlooking north)



COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations



Green Hill Cable Route Corridor PRA Site Features Plan 7 Land near A45, White Hills Marina and River Nene




PH32 (Onlooking north-west)



PH36 (Onlooking north-east



SG	NTS	PROJECT NO:
BC	REVISION:	93791.666683
ATE:	4/2025	APPENDIX:
0170	4//11/5	(









PH47 (Onlooking south)



Green Hill Cable Route Corridor PRA Site Features Plan 9 South of Station Road connecting Green Hill BESS and F



COMMENTS: There is uncertainty as unrecorded land use may have occurred and caused contamination that has not been identified by the observations



PH46 (Onlooking north-west)

PH44 (Onlooking south-west)



PH48 (Onlooking south-east)



DRAWN BY: SG NTS PROJECT NO: 93791.666683 CHECKED BY: BC 1 APPENDIX: 01/04/2025 С

Lucion

Protecting people and planet







PH53 (Onlooking north)







Green Hill Cable Route Corridor PRA Site Features Plan 10 Land south-east of Easton Meaudit, connecteing Green Hill F



PH52 (Onlooking north)



PH54 (Onlooking south)



DRAWN BY:	SCALE: NTS	PROJECT NO:
CHECKED BY:  BC	REVISION:	93791.666683
DATE:		APPENDIX:
01/04/2025		С

# **Appendix D – Historical Maps**



# **Historical Mapping Legends**

## **Ordnance Survey County Series 1:10,560** Other Gravel Pits Orchard Osiers Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Bench Mark Site of Antiquities Pump, Guide Post, Well, Spring, Signal Post **Boundary Post** Surface Level Sketched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Sunken Road Raised Road Railway over Road over Ri∨er Railway Railway over Level Crossing Road Road over Road over Stream Road over

County Boundary (Geographical)

County & Civil Parish Boundary

Co. Boro. Bdy.

Co. Burgh Bdy.

RD. Bdy.

County Borough Boundary (England)


County Burgh Boundary (Scotland)

Rural District Boundary

····· Civil Parish Boundary

Administrative County & Civil Parish Boundary

## Ordnance Survey Plan 1:10,000



TCP

Telephone Call Post

MP

Mile Post

## 1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock	3 3	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
	County boundary (England only) District, Unitary,	• • • • • •	Civil, parish or community boundary
	Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup> **	Area of wooded vegetation	۵ <sup>۵</sup>	Non-coniferous trees
<i>۵</i>	Non-coniferous trees (scattered)	** **	Coniferous trees
<b>*</b>	Coniferous trees (scattered)	Ö	Positioned tree
71			
ф ф ф ф	Orchard	* *	Coppice or Osiers
ф ф	,	W William Will	
ф ф ф ф	Orchard Rough	Mi SAMA	or Ösiers
φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ	Orchard Rough Grassland	# """ """ """ """ """ """ """ """ """ "	or Osiers  Heath  Marsh, Salt
φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ φ	Orchard  Rough Grassland  Scrub	# """ """ """ """ """ """ """ """ """ "	or Osiers Heath Marsh, Salt Marsh or Reeds
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Orchard  Rough Grassland  Scrub  Water feature  Mean high	31 (11111) (1	or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line	31 (11111) (1	or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line (where shown)  Bench mark	M	or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line (with poles) Triangulation
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line (where shown)  Bench mark (where shown)  Point feature (e.g. Guide Post	MLW(S)	or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line (with poles) Triangulation station  Pylon, flare stack



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1900 - 1901	3
Northamptonshire	1:10,560	1927	4
Northamptonshire	1:10,560	1951 - 1952	5
Ordnance Survey Plan	1:10,000	1958	6
Ordnance Survey Plan	1:10,000	1963 - 1968	7
Ordnance Survey Plan	1:10,000	1968	8
Ordnance Survey Plan	1:10,000	1982 - 1988	9
Ordnance Survey Plan	1:10,000	1993	10
10K Raster Mapping	1:10,000	1999	11
Street View	Variable		12

## **Historical Map - Slice C**



## Order Details

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 479020, 269160
Slice: C

Slice: Site Area

Site Area (Ha): 245.49 Search Buffer (m): 1000


## **Site Details**


Grendon Solar Scheme



l: 0844 844 9952 x: 0844 844 9951 eb: www.envirocheck.

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 12








## **Northamptonshire** Published 1900 - 1901 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)

 	031SW 1901 1:10,560		031SE 1901 1:10,560	1
'   	038NW 1900 1:10,560		038NE 1900 1:10,560	   
•		i		- 1

## **Historical Map - Slice C**



### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 479020, 269160 245.49

Site Area (Ha): Search Buffer (m):


### **Site Details**


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 12








## **Northamptonshire Published 1951 - 1952** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)

 	031S <b>W</b> 1952 1:10,560		031SE 1952 1:10,560	 
' ! !	038NW 1952 1:10,560	-   	 038NE 1951 1:10,560	   
•		i		- 1

## **Historical Map - Slice C**



### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 479020, 269160 Slice: 245.49


Site Area (Ha): Search Buffer (m):

**Site Details** Grendon Solar Scheme

**Landmark** 

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 12







## **Ordnance Survey Plan Published 1958** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 479020, 269160 Slice:


Site Area (Ha): Search Buffer (m): 245.49

**Site Details** Grendon Solar Scheme

**Landmark** 

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 6 of 12







# Ordnance Survey Plan Published 1963 - 1968 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 479020, 269160
Slice: C

Site Area (Ha): 245.49 Search Buffer (m): 1000


## **Site Details**

Grendon Solar Scheme



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 7 of 12







## **Ordnance Survey Plan Published 1968** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 479020, 269160 Slice:

Site Area (Ha): Search Buffer (m):

245.49


### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 8 of 12







# Ordnance Survey Plan Published 1982 - 1988 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 479020, 269160
Slice: C

Site Area (Ha): 245.49 Search Buffer (m): 1000


## **Site Details**

Grendon Solar Scheme



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 9 of 12







# Ordnance Survey Plan Published 1993 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice C**



### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 479020, 269160
Slice: C


Site Area (Ha): 245.49 Search Buffer (m): 1000


Site Details
Grendon Solar Scheme

Landmark®


Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 10 of 12





## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough Well

Signal Post

Telephone Call Box

S.P

Sl.

Tr:

B.R.

E.P

F.B.

M.S

Bridle Road


Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

#77 <b>8</b> - C	~~~~	Slopes <sub>Top</sub>			
	m رئىخىلىن	Тор	utaniiman		
,					
523	Rock	7,5	Rock (scattered)		
$\triangle_{a}$	Boulders	Δ	Boulders (scattered)		
	Positioned Boulder		Scree		
ফ্র	Non-Coniferous Tree (surveyed)	-1-	Coniferous Tree (sur∨eyed)		
ඊ්ඊ	Non-Coniferous Trees (not surveyed)	<b>→ → →</b>	Coniferous Trees (not surveyed)		
දා	Orchard $Q = Q = Q$	Scrub	<sub>ໃ</sub> ເຼື Bracken		
* ~	Coppice, Ma F	Reeds 🗝	<u>سے ساتہ</u> Marsh, Saltings		
astte,	Rough ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Heath	Culvert		
<del>&gt;&gt;&gt;</del>		Friangulation Station	Antiquity (site of)		
E <u>T</u> L	_ Electricity Transmiss	ion Line	Electricity Pylon		
K BM	231.60m Bench Mark		Buildings with Building Seed		
	Roofed Building		Glazed Roof Building		
· •	Civil parish/o		oundary		
_ •	—— County bour	ndary			
٥	Boundary po	st/stone			
			ol (note: these d pairs or groups		
Bks	Barracks	P	Pillar, Pole or Post		
Bty	Battery	PO PO	Post Office		
Cemy Chy	Cemetery Chimney	PC Pp	Public Convenience Pump		
Cis	Cistern	гр Ppg Sta	Pumping Station		
Dismtd F		PW	Place of Worship		
El Gen S	ta Electricity Generating Station	Sewage Pp	og Sta Sewage Pumping Station		
EIP	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge		
El Sub S	ta Electricity Sub Station	SP, SL	Signal Post or Light		
FB	Filter Bed	Spr	Spring		
Fn/DFr	Fountain / Drinking Ftn.	Tk	Tank or Track		

Gas Gov

GVC

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1988	6
Large-Scale National Grid Data	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1996	8

## **Historical Map - Segment C4**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 479020, 269160 Slice:

245.49 Site Area (Ha): Search Buffer (m):


## **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 8













## **Ordnance Survey Plan Published 1964** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment C4**



## **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 479020, 269160

Site Area (Ha): Search Buffer (m): 245.49

## **Site Details**


Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024

Page 5 of 8






0844 844 9951 www.envirocheck.co.uk



## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr:

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



e
ì

	County Boundary (Geographical)
. — . — .	County & Civil Parish Boundary
	Ci∨il Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

			Slopes			
للخلاب لإبدائي		_		Top		
ļ	Cliff		Top 	13313	\$\$\$\$\$\$\$\$\$\$\$\$	
				M		
52	Rock		23	Rock (s	cattered)	
$\Box_{a}$	Boulders		<i>△</i>	Boulder	rs (scattered)	
$\triangle$	Positioned	Boulder		Scree		
දමු	Non-Conif (surveyed	erous Tree )	*	Conifer (surve)	rous Tree yed)	
స్తోల్	Non-Conif (not surve	erous Trees yed)	* **		rous Trees rveyed)	
දා	Orchard Tree	Q a.	Scrub	T,	Bracken	
* ~	Coppice, Osier	sHu,	Reeds -=	10c — 20](c	Marsh, Saltings	
arm,	Rough Grassland	1411111 <sub>11</sub>	Heath	1	Culvert	
<b>&gt;&gt;&gt;</b>	Direction of water flo	Δ ow	Triangulation Station	, &	Antiquity (site of)	
_ETL_	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ <del>€</del> \	231.60m E	Bench Mark			ngs with ng Seed	
	Roofe	ed Building		259	Blazed Roof Building	
		Civil parieb	/community b	oundars	,	
		District bo	<del>-</del>	ouriuar y	,	
			-			
_ •		County boo	undary			
٥		Boundary	ost/stone			
٥	,	-	mereing symb pear in oppose	•		
Bks	Barracks		Р	Pillar, P	ole or Post	
Bty	Battery		PO	Post Of	fice	
Cemy	Cemetery		PC	Public (	Convenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumpin	g Station	
Dismtd R	dy Disman	tled Railway	PW	Place o	fWorship	
El Gen S	ta Electric Station	ity Generating	Sewage F		Sewage Pumping Station	
EIP		Pole, Pillar	SB, S Br		Box or Bridge	
	ta Electricity		SP, SL	_	Post or Light	
FB	Filter Bed		Spr	Spring	ostor Light	
	to: Dea		Opi	Shiniñ		

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1964	5
Additional SIMs	1:2,500	1988	6
Large-Scale National Grid Data	1:2,500	1993	7

## **Historical Map - Segment C8**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 479020, 269160 Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks

245.49 Site Area (Ha): Search Buffer (m):


## **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7














## Gravel Pit Other Orchard Mixed Wood Brushwood Deciduous Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post Surface Level Ske ched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway Ri∨er Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Co. Burgh Bdy. Rural District Boundary R.D. Bdy.

····· Civil Parish Boundary

**Ordnance Survey County Series 1:10,560** 

## Ordnance Survey Plan 1:10,000

وسرسه		alk Pit, Clay Pit Quarry		Gravel Pit
	Sa	nd Pit		□ Disused Pit     ✓ or Quarry
(	٠.	fuse or g Heap		Lake, Loch or Pond
	Du	nes		Boulders
<b>* * :</b>	Co Tre	niferous ees	4 4 4	Non-Coniferous Trees
<b>ሩ</b>	Orcha	ard Ωn_	Scrub	\Υ <sub>N</sub> Coppice
ជា ជា	Brack	en willing	Heath '	、 , , , , Rough Grassland
<u> </u>	– Marsh	1Y///	Reeds	<u>→</u> ± <u>≠</u> Saltings
		Direc	tion of Flow of	Water
0000000 0000000	Buildir	ng	1/5	Shingle
		4	<i>A A A A A A A A A A</i>	
<b>XX</b>	Glass	house		Sand
200	Glass	House		
			Pylon	Electricity
TOTAL TOTAL				- Transmission
	Slopin	ig Masonry		Line
			Pole	2
Cutting	g !!!!!!!!!	Embankm	ent 	Standard Gauge
	*******			
	11.	//	\\	Standard Gauge
Road '	··□···	Road Leve	Foot	Siandard Gauge Single Track
Under	11	Over Cross		•
				Siding, Tramway
				or Mineral Line
<del></del>			<del></del>	→ Narrow Gauge
	_	Geographical Co	unty	
		Administrative Co		Borough
		Municipal Boroug Burgh or District	gh, Urban or R	ural District,
		Borough, Burgh		
		Civil Parish		of boundaries occurs
BP, BS	Bounda	ry Post or Stone	Pol Sta	Police Station
Ch	Church		PO	Post Office
СН	Club Ho	use	PC	Public Convenience
F E Sta	Fire Eng	jine Station	PH	Public House
FB	Foot Bri	-	SB	Signal Box
Fn	Fountaii		Spr	Spring
GP	Guide P		TCB	Telephone Call Box
MP	Mile Pos		TCP	Telephone Call Post

## 1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock	3 3	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
-•-•	County boundary (England only)	• • • • • •	Ci∨il, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup>	Area of wooded vegetation	۵ <sup>۵</sup>	Non-coniferous trees
$\Diamond$	Non-coniferous trees (scattered)	** **	Coniferous trees
<b>*</b>	Coniferous trees (scattered)	Ċ̄	Positioned tree
4 4 4 4	Orchard	* *	Coppice or Osiers
αŒ,	Rough Grassland	www.	Heath
On_	Scrub	<u>⊿\\</u> /\∟	Marsh, Salt Marsh or Reeds
5	Water feature	<b>← ←</b>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)	<b></b>	Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
+	Site of (antiquity)		Glasshouse
	General Building		Important Building



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1900 - 1901	3
Northamptonshire	1:10,560	1927	4
Northamptonshire	1:10,560	1951 - 1952	5
Ordnance Survey Plan	1:10,000	1958	6
Ordnance Survey Plan	1:10,000	1963 - 1968	7
Ordnance Survey Plan	1:10,000	1968	8
Ordnance Survey Plan	1:10,000	1971 - 1975	9
Ordnance Survey Plan	1:10,000	1982 - 1989	10
Ordnance Survey Plan	1:10,000	1993	11
10K Raster Mapping	1:10,000	1999	12
Street View	Variable		13

## **Historical Map - Slice D**



## **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice:

Site Area (Ha):

245.49 Search Buffer (m): 1000


## **Site Details**


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 13









## **Northamptonshire** Published 1900 - 1901 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481350, 269750

**Site Details** 


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 13

245.49







# **Northamptonshire** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every

## Map Name(s) and Date(s)






331731401\_1\_1 93791.580478 National Grid Reference: 481350, 269750



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 13







# Northamptonshire Published 1951 - 1952 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481350, 269750
Slice: D

ice: te Area (Ha

Site Area (Ha): 245.49 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 13






## **Ordnance Survey Plan Published 1958** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)

1 1	SP77SE 1958 1:10,560	I	SP87 1958 1:10,		 
L			1.10,	_	_'
1 '	SP76NE 1958 1:10,560	 	SP86 1958 1:10,		-     

## **Historical Map - Slice D**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice:

Site Area (Ha): Search Buffer (m): 245.49


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 6 of 13







## **Ordnance Survey Plan Published 1963 - 1968** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



## **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice: 245.49

Site Area (Ha): Search Buffer (m):


**Site Details** 

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 7 of 13







# Ordnance Survey Plan Published 1968 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



## **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481350, 269750
Slice: D

Site Area (Ha): 245.49 Search Buffer (m): 1000


## **Site Details**

Grendon Solar Scheme



Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 8 of 13







## **Ordnance Survey Plan Published 1971 - 1975** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice:

Site Area (Ha): 245.49 Search Buffer (m):


### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 9 of 13






## **Ordnance Survey Plan** Published 1982 - 1989 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)

<sub>SE</sub> I	7SW I
1 000	000 I
	- 1
NE L	NW I
100 I	000 I
I	I

## **Historical Map - Slice D**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice:

Site Area (Ha): Search Buffer (m): 245.49


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 10 of 13







## **Ordnance Survey Plan Published 1993** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice D**



## **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice: 245.49

Site Area (Ha): Search Buffer (m):


## **Site Details**


Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 11 of 13





## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well


S.P

T.C.B

Sl.

 $T_{T}$ 

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



County Boundary (Geographical) County & Civil Parish Boundary

Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slopes			
<u> </u>	لكناب		Тор	111111	Top
(	Cliff	1111	HIIIIIIIIIIIIIII	_ 111111	111111111111
,		1111			
523	Rock		7.52	Rock (s	cattered)
$\triangle_{\Delta}$	Boulders		<i>\triangle</i>	Boulder	s (scattered)
$\Box$	Positioned	Boulder		Scree	
2월	Non-Conifo (surveyed)	erous Tree )	*	Conifer (survey	ous Tree ed)
ర్హోద్త	Non-Conife (not surve	erous Trees yed)	* **	Conifer (not sur	ous Trees veyed)
දා	Orchard Tree	۵ ۵ .	Scrub	ئړٽ	Bracken
* ~	Coppice, Osier	aNu,	Reeds 🛥	<u> ന് ന്</u> വില	Marsh, Saltings
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough Grassland	$uuun_{t_t}$	Heath	1	Culvert
<del>*** &gt;</del>	Direction of water flo	Δ	Triangulation Station	, of	Antiquity (site of)
E <u>T</u> L	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
N 231.60m Bench Mark ⊞ Buildings with Building Seed					
	Roofe	ed Building		25	lazed Roof uilding
		Civil narish	/community b	oundary	,
		District box	=	, our laur y	
			-		
_ •		County bou	ındary		
٥	Boundary post/stone				
۵ر			nereing symb ear in oppos		
Bks	Barracks		Р	Pillar, Po	ole or Post
Bty	Battery		PO	Post Off	
Cemy	Cemetery		PC	Public C	Convenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta		g Station
Dismtd R	ly Disman	tled Railway	PW	Place of	Worship
El Gen St	ta Electric Station	ity Generating	Sewage F		ewage umping Station
EIP		Pole, Pillar	SB, S Br		Box or Bridge
	a Electricity		SP, SL	_	Post or Light
FB	Filter Bed		Spr	Spring	
			•		

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1964 - 1970	5
Additional SIMs	1:2,500	1981 - 1988	6
Large-Scale National Grid Data	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Large-Scale National Grid Data	1:2,500	1996	6
Large-Scale National Grid Data	1:2,500	1996	10

## **Historical Map - Segment D1**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750

Slice:

Tank or Track

Works (building or area)

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Tr

Wd Pp

Wks

Site Area (Ha): 245.49 Search Buffer (m):


## **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 10












## **Ordnance Survey Plan** Published 1964 - 1970 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)

- 1		ı		_	
1	SP7969 1964	ı	SP8069 1969	ı	
1	1:2,500	I	1:2,500	ı	
		1		-	
- 1	SP7968 1964	ī	SP8068 1970	ı	
- 1	1:2,500	I	1:2,500	ı	
1		ı		ı	

## **Historical Map - Segment D1**



## **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750

Site Area (Ha): Search Buffer (m): 245.49


### **Site Details**


Grendon Solar Scheme





0844 844 9951 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 10












## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

Sl.

Tr

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



Non-Coniferous Tree Coniferous Tree (surveyed) (surveyed) Non-Coniferous Trees Coniferous Trees (not surveyed) (not surveyed) Orchard Scrub Bracken

Masonry

Archway

Marsh, Coppice, Reeds Saltings Rough Culvert யார் Heath Grassland Direction Bench Antiquity of water flow (site of) Electricity Cave Triangulation ÷

**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

لخمابانمانات			Slopes			
			Тор	1111111	Top 	
(	Cliff	111			((((((((	
,						
520	Rock		52	Rock (so	cattered)	
	Boulders		₽	Boulders	s (scattered)	
	Positioned	Boulder		Scree		
ফ্র	Non-Conif (surveyed	erous Tree )	*	Conifero		
Çç	Non-Conif (not surve	erous Trees yed)	*	Conifero	ous Trees /eyed)	
දා	Orchard Tree	© a.	Scrub	$^{5}\mathcal{U}_{\sim}$	Bracken	
* ~	Coppice, Osier	siNts,	Reeds 🛥	100 — <u>- 11</u> 00	Marsh, Saltings	
willing	Rough Grassland	$uuu_{h}$	Heath	1	Culvert	
<b>&gt;&gt;→</b>	Direction of water flo	Δ ow	Triangulation Station	, ÷	Antiquity (site of)	
E <u>T</u> L	_ Electric	ity Transmi	ssion Line	$\boxtimes$	Electricity Pylon	
\ <del>€</del> \8₩	291.60m E	Bench Mark		Building Building		
	Roofe	ed Building		881	azed Roof iilding	
		Ci∨il parish	/community b	oundary		
		District bo	=	•		
		County box	•			
_ •	_					
٥		Boundary		-1 (	41	
Þ	,	-	mereing symb pear in oppose	,		
Bks	Barracks		Р	Pillar, Pol	le or Post	
Bty	Battery		PO	Post Offi		
Cemy	Cemetery		PC	Public Co	onvenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumping		
Dismtd R	•	tled Railway	PW	Place of\		
El Gen Si	ta Electric Station	ity Generating	Sewage F		ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
El Sub St	ta Electricity		SP, SL	_	ost or Light	
FB	Filter Bed		Spr	Spring	_	
	Fountain (	Drinking Etc	Tν	TonkorT		

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1969 - 1970	5
Additional SIMs	1:2,500	1981	6
Large-Scale National Grid Data	1:2,500	1993	7
Large-Scale National Grid Data	1:2,500	1994	8
Large-Scale National Grid Data	1:2,500	1996	9

## **Historical Map - Segment D2**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:

Site Area (Ha):

245.49 Search Buffer (m):

#### **Site Details**

Tank or Track

Works (building or area)

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Tr


Wd Pp


Wks


Grendon Solar Scheme




0844 844 9952 0844 844 9951












## **Ordnance Survey Plan** Published 1969 - 1970 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.


#### Map Name(s) and Date(s)





331731401\_1\_1 93791.580478 National Grid Reference: 481350, 269750


0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024










## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr:

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Flectricity Transmission Line** 

Liectricity Harismission Line					
County Boundary (Geographical)					
County & Civil Parish Boundary					
Civil Parish Boundary					
Admin. County or County Bor. Boundary					
London Borough Boundary					
Symbol marking point where boundary mereing changes					

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

770-CVC-500-50		Slopes <sub>Top</sub>			
 			Тор	<b>!!!!!!</b> !!!!!!!	
525	Rock		52	Rock (so	cattered)
$\triangle_{\Delta}$	Boulders		<i>_</i>	Boulders	s (scattered)
2	Positioned	Boulder		Scree	
<u>ක</u> ු	Non-Conif	erous Tree )	*	Coniferd (surveye	ous Tree ed)
ਨ੍ਹਿੰਦੀ	Non-Conife (not surve	erous Trees yed)	* **	Conifero	ous Trees /eyed)
දා	Orchard Tree	Q a.	Scrub	Jr,	Bracken
* ~	Coppice, Osier	siVe,	Reeds 🛥	। <u>ए —ग्र</u> ीह	Marsh, Saltings
asstu,	Rough Grassland	mmn,	Heath	1	Culvert
<del>&gt;&gt;&gt; &gt;-</del>	Direction of water flo	Δ	Triangulatior Station	, &	Antiquity (site of)
E <u>T</u> L_	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
H BM	231.6ûm E	Bench Mark		Building Building	gs with g Seed
	Roofe	ed Building		×1	azed Roof uilding
• •		Civil parish	/community b	oundary	
			-		
	. ——	County bou	<u>=</u>		
4		Boundary p	ost/stone		
×			nereing symb ear in oppose		
Bks	Barracks		Р	Pillar, Po	le or Post
Bty	Battery		PO	Post Offi	ce
Cemy	Cemetery		PC	Public C	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	Station
Dismtd F	-	tled Railway	PW	Place of	Worship
El Gen S	Station	ity Generating	Sewage P	Pı	ewage umping Station
EIP		Pole, Pillar	SB, S Br	Signal B	ox or Bridge
	ta Electricity	Sub Station	SP, SL	_	ost or Light
FB	Filter Bed	<u> </u>	Spr	Spring	
Fn / D Fr	n Fountain /	Drinking Ftn.	Tk Tr	Tank or T	rack

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1969 - 1970	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

## **Historical Map - Segment D3**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme




0844 844 9952 0844 844 9951













## **Ordnance Survey Plan** Published 1969 - 1970 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment D3**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 245.49

Site Area (Ha): Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024





## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



## **Electricity Transmission Line**

	County Boundary (Geographical)
· — · — ·	County & Ci∨il Parish Boundary
	Ci∨il Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
P. C.	Symbol marking point where boundary mereing changes

BH	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

## 1:1,250

			Slopes Top			
لانتهنت التبديلان			Тор	1111111	11111111111	
	Cliff	1111			9999999	
,				1111111	[1][1][1]	
523	Rock		2,3	Rock (so	cattered)	
$\Box$	Boulders		₽	Boulders	s (scattered)	
	Positioned	Boulder		Scree		
ফ্র	Non-Conif	erous Tree )	\$	Conifero	ous Tree ed)	
ζţά	Non-Conife (not surve	erous Trees yed)	* **	Conifero	ous Trees /eyed)	
දා	Orchard Tree	Q (a).	Scrub	<sup>1</sup> L	Bracken	
* ~	Coppice, Osier	siVe.	Reeds 🛥	100 — <u>M</u> [0	Marsh, Saltings	
wille,	Rough Grassland	<i>1</i> 11111111111111111111111111111111111	Heath	1	Culvert	
<del>*** &gt;</del>	Direction of water flo	Δ	Triangulation Station	, &	Antiquity (site of)	
E_TL	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
/ <del>/</del> / вм	231.60m E	Bench Mark		Building Building		
	Roofe	ed Building		251	azed Roof uilding	
		Civil parish	/community b	oundary		
		District box	undarv			
_ •		County box	•			
٥		Boundary				
,		Boundary	mereing symb pear in oppose			
Bks	Barracks		P	Pillar Po	le or Post	
Btv	Battery		PO	Post Offi		
Cemy	Cemetery		PC		onvenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumping	Station	
Dismtd R	Rly Disman	tled Railway	PW	Place of	Worship	
El Gen S	ta Electric Station	ity Generating	Sewage F		ewage umping Station	
EIP		Pole, Pillar	SB, S Br		ox or Bridge	
	ta Electricity		SP, SL	_	ost or Light	
FB	Filter Bed		Spr	Spring		
En (D En		Drinking Etn	Th	Topker	Fun als	

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1964 - 1969	5
Additional SIMs	1:2,500	1988	6
Large-Scale National Grid Data	1:2,500	1993	7

## **Historical Map - Segment D5**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks


Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951















## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr

### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** 

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump
	BP, BS Cn, C Chy D Fn EI P FAP FB GP H LC MH MP MS	BP, BS Boundary Post or Stone Cn, C Capstan, Crane Chy Chimney DFn Drinking Fountain EI P Electricity Pillar or Post FAP Fire Alarm Pillar FB Foot Bridge GP Guide Post H Hydrant or Hydraulic LC Level Crossing MH Manhole MP Mile Post or Mooring Post MS Mile Stone	BP, BS         Boundary Post or Stone         PO           Cn, C         Capstan, Crane         PC           Chy         Chimney         PH           D Fn         Drinking Fountain         Pp           EI P         Electricity Pillar or Post         SB, S Br           FAP         Fire Alarm Pillar         SP, SL           FB         Foot Bridge         Spr           GP         Guide Post         Tk           H         Hydrant or Hydraulic         TCB           LC         Level Crossing         TCP           MH         Manhole         Tr           MP         Mile Post or Mooring Post         Wr Pt, Wr T           MS         Mile Stone         W

## 1:1,250

لالماليات			Slopes Top			
	Cliff		Тор	<b>                                      </b>		
523	Rock		7,3	Rock (so	cattered)	
$\triangle_{a}$	Boulders		Δ	Boulders	s (scattered)	
$\Box$	Positioned	Boulder		Scree		
<u> </u>	Non-Conif (surveyed	erous Tree )	*	Coniferd (surveye		
ζķά	Non-Conif (not surve	erous Trees yed)	* **	Conifero	ous Trees /eyed)	
දා	Orchard Tree	Q a.	Scrub	<sup>1</sup> T,	Bracken	
* ~	Coppice, Osier	siVis,	Reeds 🛥	<u> пре</u>	Marsh, Saltings	
willing.	Rough Grassland	$mnn_{b}$	Heath	1	Culvert	
<b>→</b>	Direction of water flo	Δ ow	Triangulation Station	, of	Antiquity (site of)	
_ E T L _	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ K B₩	231.6ûm E	Bench Mark	7	Building Building		
	Roofe	ed Building		25	azed Roof uilding	
		Ci∨il parish	/community b	oundary		
		District box	undary	_		
_ •		County box	undary			
٥		Boundary p	ost/stone			
£	>	Boundary r	mereing symb ear in oppose			
Bks	Barracks		Р	Pillar, Po	le or Post	
Bty	Battery		PO	Post Offi	ce	
Cemy	Cemetery		PC -		onvenience	
Chy	Chimney		Pp Ppg Sta	Pump	Station	
Cis Dismtd F	Cistern N∨ Disman	tled Railway	Ppg Sta PW	Pumping Place of		
El Gen S	•	ity Generating	Sewage P	pg Sta Se	worship ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
El Sub S	ta Electricity	Sub Station	SP, SL	Signal P	ost or Light	
FB	Filter Bed		Spr	Spring		
Fn/DFr	ı Fountain /	Drinking Ftn.	Tk	Tank or T	<b>Track</b>	
0- 0	0		<b>T</b>	T		

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

## **Historical Map - Segment D6**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): 245.49 Search Buffer (m):

#### **Site Details**

Grendon Solar Scheme



0844 844 9952 0844 844 9951






## Northamptonshire **Published 1885**


## Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment D6**



#### **Order Details**

331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750


245.49


Grendon Solar Scheme


Landmark


0844 844 9951 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024












## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information**



**Electricity Transmission Line** 

of water flow

Cave

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Triangulation

(site of)

Electricity

÷

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

## 1:1,250

			Slopes <sub>Top</sub>			
	لكنيسات		Тор	utmittimiii		
p = 10 = 10 = 10	Cliff	111				
		[]]	111111111111111111111111111111111111111			
23	Rock		7,3	Rock (scattered)		
$\triangle$	Boulders		Δ	Boulders (scattered)		
	Positioned	Boulder		Scree		
<u>කු</u>	Non-Conif (surveyed	erous Tree )	*	Coniferous Tree (surveyed)		
ਨੁੱਖ	Non-Conif (not surve	erous Trees yed)	大大	Coniferous Trees (not surveyed)		
දා	Orchard Tree	Q a.	Scrub	<sub>າ</sub> ຕຸ Bracken		
* ~	Coppice, Osier	sHu,	Reeds ÷	<u>வடி அட</u> ி Marsh, Saltings		
actilia,	Rough Grassland	$uuu_{t_0}$	Heath	Culvert		
<del>»» &gt;</del>	Direction of water flo	Δ	Triangulatio Station	n Antiquity (site of)		
E_TL	_ Electric	ity Transmi	ssion Line	Electricity Pylon		
/ <del>/</del> / BM	231.60m E	Bench Mark		Buildings with Building Seed		
	Roofe	ed Building		Glazed Roof Building		
		Civil pariet	ı/community l	houndary		
		District bo	=	bouridary		
			-			
٥		County boundary  Boundary post/stone				
٥		Boundary i	mereing syml	ool (note: these ed pairs or groups		
Bks	Barracks		Р	Pillar, Pole or Post		
Bty	Battery		PO	Post Office		
Cemy	Cemetery		PC	Public Convenience		
Chy	Chimney		Pp	Pump		
Cis	Cistern	tlad Daikvas	Ppg Sta PW	Pumping Station		
Dismtd R El Gen Si	-	tled Railway ity Generating		Place of Worship Ppg Sta Sewage Pumping Station		
EIP		Pole, Pillar	SB, S Br	Signal Box or Bridge		
	ta Electricity		SP, SL	Signal Post or Light		
FB	Filter Bed		Spr	Spring		

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

## **Historical Map - Segment D7**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks


Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951















#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough Well

Signal Post

Telephone Call Box

S.P

Sl.

Tr:

B.R.

E.P

F.B.

M.S

Bridle Road


Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL Electricity Transmission Line			
	County Boundary (Geographical)		
· — · — ·	County & Civil Parish Boundary		
	Civil Parish Boundary		

Cave

ry Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

Triangulation

Electricity

Ŧ.

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

			SI	opes	Тор
ئەندىنىدىنىدى			Тор	uu	uuumu
	Cliff	1111			991100000
,		[[]]	mmmmm	11111	11111111111
232	Rock		23	Rock (	scattered)
$\Omega_{\Delta}$	Boulders		0	Boulde	ers (scattered)
	Positioned	Boulder		Scree	
<u> </u>	Non-Conifo (surveyed)	erous Tree	*	Conife (surve	rous Tree yed)
Öö	Non-Conife (not surve	erous Trees /ed)	* **		rous Trees ırveyed)
දා	Orchard Tree	Q a.	Scrub	<sup>1</sup> L	Bracken
* ~	Coppice, Osier	aNu,	Reeds =	<u>।।ए —ग्र</u> ी	Marsh, Saltings
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough Grassland	$uuun_{t_t}$	Heath	1	Culvert
<del>&gt;&gt;&gt; →</del>	Direction of water flo	Δ	Triangulation Station	ુ નું	Antiquity (site of)
E <u>T</u> L	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
\ K BM	231.6ûm E	ench Mark			ngs with ng Seed
	Roofe	ed Building		25	Glazed Roof Building
		Civil parish	/community b	oundar	v
		District bou			,
		County box	-		
_ •					
٥		Boundaryp		17.1	a.
٥			nereing symb ear in oppos		
Bks	Barracks		Р	Pillar, F	Pole or Post
Bty	Battery		PO	Post 0	ffice
Cemy	Cemetery		PC	Public	Convenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta		ng Station
Dismtd R	ly Disman	lled Railway	PW	Place	ofWorship
El Gen St	a Electric Station	ity Generating	Sewage F		Sewage Pumping Station
EIP	Electricity	Pole, Pillar	SB, S Br		Box or Bridge
El Sub St	a Electricity		SP, SL	_	Post or Light
FB	Filter Bed		Spr	Spring	_

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

#### **Historical Map - Segment D8**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks


Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme



0844 844 9952 0844 844 9951










## **Northamptonshire Published 1926**


## Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment D8**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750


245.49

#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9952 0844 844 9951 www.envirocheck.co.uk







# Ordnance Survey Plan Published 1969 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment D8**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750

Slice:


Site Area (Ha): 245.49 Search Buffer (m): 100


#### **Site Details**

Grendon Solar Scheme


Landmark®

l: 0844 844 9952 x: 0844 844 9951 eb: www.envirocheck.co.uk





#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information**



ETL Electricity Transmission L	ine
--------------------------------	-----

Cave

E T L Electricity Transmission Line			
	County Boundary (Geographical)		
	County & Civil Parish Boundary		
	Civil Parish Boundary		
· <del></del> · ·	Admin. County or County Bor. Boundary		
L B Bdy	London Borough Boundary		
2	Symbol marking point where boundary mereing changes		

Triangulation

Electricity

Ŧ.

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

***************************************		Slopes <sub>Top</sub>		
		Top		
523	Rock	2,3	Rock (scattered)	
$\triangle_{\alpha}$	Boulders	2	Boulders (scattered)	
	Positioned Boulder		Scree	
<u> 원</u>	Non-Coniferous Tre (surveyed)	ee ‡	Coniferous Tree (surveyed)	
ජීජ	Non-Coniferous Tro (not surveyed)	ees 大水	Coniferous Trees (not surveyed)	
දා	Orchard ৫ ব Tree 🖁	Scrub	<sub>ປ</sub> ິ Bracken	
* ~	Coppice, Osier	. Reeds ≝	<u>அம்</u> Marsh, Saltings	
acette,	Rough ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	n Heath	Culvert	
<b>&gt;&gt;&gt;→</b>	Direction of water flow	Triangulation Station	n Antiquity (site of)	
E_TL	_ Electricity Trans	mission Line	⊠ Electricity Pylon	
/ <del>/</del> / BM	231.60m Bench Ma	ark 🗇	Buildings with Building Seed	
	Roofed Buildin	ng	Glazed Roof Building	
	• • • Civil par	rish/community t	ooundary	
		boundary	•	
_ •	County	boundary		
٥	Bounda	ry post/stone		
	Bounda	ry mereing symb	ool (note: these	
٥	always: of three		ed pairs or groups	
Bks	Barracks	Р	Pillar, Pole or Post	
Bty Cemy	Battery Cemetery	PO PC	Post Office Public Convenience	
Cemy Chy	Cemetery Chimney	Pp Pp	Public Convenience Pump	
Cis	Cistern	Ppg Sta	Pumping Station	
Dismtd R	Rly Dismantled Railwa	-	Place of Worship	
El Gen S	ta Electricity General Station	ing Sewage F	Ppg Sta Sewage Pumping Station	
EIP	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge	
El Sub S	ta Electricity Sub Statio	n SP, SL	Signal Post or Light	
FB	Filter Bed	Spr	Spring	
Fn / D Fn	Fountain / Drinking F	tn. Tk	Tank or Track	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969 - 1972	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

#### **Historical Map - Segment D11**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme




0844 844 9952 0844 844 9951













## **Ordnance Survey Plan Published 1969 - 1972** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



## **Historical Map - Segment D11**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk







## **Large-Scale National Grid Data** Published 1993 Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment D11**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk



#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr:

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



## **Electricity Transmission Line**

	County Boundary (Geographical)
	County & Civil Parish Boundary
	Civil Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

	-	Slopes		
	ביייי טבאובטונט	Тор	Top	
	Cliff	111111111111111111111111111111111111111	)))))))	
,		HUMBHUM		
523	Rock	52	Rock (scattered)	
$\Box_{a}$	Boulders	₽	Boulders (scattered)	
	Positioned Boulder		Scree	
ফ্র	Non-Coniferous Tree (surveyed)	-1-	Coniferous Tree (surveyed)	
ర్జీట్	Non-Coniferous Trees (not surveyed)	杰杰	Coniferous Trees (not surveyed)	
ද	Orchard $Q = Q = Q$	Scrub	<sub>າ</sub> ຕຸ Bracken	
* ~	Coppice, Mico	Reeds 📲	<u>س سرد</u> Marsh, Saltings	
astilie,	Rough "miin, Grassland	Heath	Culvert	
<del>&gt;&gt;&gt; →</del>		Triangulation Station	Antiquity (site of)	
_ E_TL _	Electricity Transmis	sion Line	Electricity Pylon	
\ K B₩	231.60m Bench Mark		Buildings with Building Seed	
	Roofed Building		Glazed Roof Building	
	Civil parish/ District bou	community be	oundary	
_ •	— County bou	ndary		
٥	Boundary po	ost/stone		
٥			ol (note: these d pairs or groups	
Bks	Barracks	Р	Pillar, Pole or Post	
Bty	Battery	PO	Post Office	
Cemy	Cemetery	PC	Public Convenience	
Chy Cis	Chimney Cistern	Pp Ppg Sta	Pump Pumping Station	
Dismtd F		PW	Place of Worship	
El Gen S		Sewage P	·	
EIP	Electricity Pole, Pillar	SB, S Br	Signal Box or Bridge	
	ta Electricity Sub Station	SP, SL	Signal Post or Light	
FB	Filter Bed	Spr	Spring	
Fn/DFr	Fountain / Drinking Ftn.	Tk	Tank or Track	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969 - 1972	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

#### **Historical Map - Segment D12**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:

Site Area (Ha):


245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme




0844 844 9952 0844 844 9951













## **Ordnance Survey Plan Published 1969 - 1972** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment D12**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): Search Buffer (m): 245.49


#### **Site Details**

Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk





#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Pump

Sluice

Spring

Trough Well

Signal Post

Telephone Call Box

S.P

T.C.B

Sl.

Tr:

B.R.

E.P

F.B.

M.S

Bridle Road


Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary

mereing changes

.~ .	3	.5	
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

	Slopes			
لخناب	т.	ор	Top	
Cliff	11111111	iinnuunn	)))))))))))))	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
SZ Rock		7,3	Rock (scattered)	
△ Boulders		<u>a</u>	Boulders (scattered)	
Positioned	Boulder		Scree	
جي Non-Conife (surveyed)		-1-	Coniferous Tree (surveyed)	
ූධ Non-Conife (not surve)	erous Trees red)	<del></del> ላ	Coniferous Trees (not surveyed)	
රු Orchard Tree	Q o Scr	ub	<sub>ໃ</sub> ໃ Bracken	
Coppice, Osier	w. Ree	eds 🗝	<u>س عهان</u> Marsh, Saltings	
Rough Grassland	տուտ, Hea	ath	Culvert	
Direction of water flo		ingulation tion	Antiquity (site of)	
ETL Electric	ity Transmissior	n Line	⊠ Electricity Pylon	
BM 238.60m Bench Mark Buildings with Building Seed				
Roofe	ed Building		Glazed Roof Building	
	Civil parich/con	amunity b	oundary	
<del></del>	District bounda	Civil parish/community boundary		
		-		
_ •	County boundary			
0	Boundary post/stone Boundary mereing symbol (note: these			
,0			d pairs or groups	
Bks Barracks		Р	Pillar, Pole or Post	
Bty Battery		PO	Post Office	
Cemy Cemetery		PC -	Public Convenience	
Chy Chimney		Pp Pna Sta	Pump	
Cis Cistern  Dismtd Rly Disman	led Railway	Ppg Sta PW	Pumping Station Place of Worship	
El Gen Sta Electrici	ty Generating	Sewage P	og Sta Sewage	
Station EIP Electricity	Pole, Pillar	SB, S Br	Pumping Station Signal Box or Bridge	
El Sub Sta Electricity		SP, SL	Signal Post or Light	
FB Filter Bed		Spr	Spring	

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1972	5
Additional SIMs	1:2,500	1992	6
Large-Scale National Grid Data	1:2,500	1993	7

#### **Historical Map - Segment D15**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750

Slice:

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp

Wks

Site Area (Ha): 245.49 Search Buffer (m):


#### **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951


Page 1 of 7

















## **Large-Scale National Grid Data Published 1993**

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

#### Map Name(s) and Date(s)

#### **Historical Map - Segment D15**




331731401\_1\_1 93791.580478 National Grid Reference: 481350, 269750

245.49



0844 844 9951 www.envirocheck.co.uk

#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well


S.P

Sl.

 $T_T$ 

T.C.B

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250




ETL **Electricity Transmission Line** 

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary

mereing changes

Beer House Pillar, Pole or Post **Boundary Post or Stone** РО Post Office Capstan, Crane **Public Convenience** PH Chv Chimney **Public House** D Fn Drinking Fountain Pump EIP Electricity Pillar or Post SB, SB Signal Box or Bridge FAP Fire Alarm Pillar SP. SL Signal Post or Light FB Foot Bridge Spring Tank or Track Guide Post Τk Hydrant or Hydraulic TCB Telephone Call Box LC Level Crossing TCP Telephone Call Post Manhole Trough MP Mile Post or Mooring Post Wr Pt. W Water Point, Water Tap MS NTL Normal Tidal Limit Wd Pp Wind Pump

# 1:1,250



Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1972	5
Additional SIMs	1:2,500	1992	6
Large-Scale National Grid Data	1:2,500	1993	7

#### **Historical Map - Segment D16**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481350, 269750 Slice:


Site Area (Ha): 245.49 Search Buffer (m): 100


#### **Site Details**


Grendon Solar Scheme




0844 844 9952 0844 844 9951












## **Ordnance Survey Plan Published 1972** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)

- 1		ı		_	ı
1	SP8171 1972	ı	SP82 1972		ı
- 1	1:2,500	I	1:2,50	0	I
		1		_	¦
- 1	SP8170 1972	ı	SP82 1972		ı
- 1	1:2,500	I	1:2,50	0	I
- 1		ı			ı

#### **Historical Map - Segment D16**





331731401\_1\_1 93791.580478 National Grid Reference: 481350, 269750

245.49



0844 844 9951 www.envirocheck.co.uk





#### Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post **Boundary Post** Surface Level Ske ched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway Ri∨er Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary R.D. Bdy.

····· Civil Parish Boundary

**Ordnance Survey County Series 1:10,560** 

#### Ordnance Survey Plan 1:10,000

Errom	Chalk Pit, Clay P	it 000000000000000000000000000000000000	🖔 Gravel Pit
	Sand Pit		Disused Pit     or Quarry
(000)	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
<b>*</b> * ;	Coniferous Trees	$\Diamond \Diamond \Diamond \Diamond$	Non-Coniferous Trees
ቀ ቀ	P Orchard Ωn_	Scrub	∖Yn/ Coppice
า ก	Bracken	· Heath '	、 , , , Rough Grassland
<u> </u>	- Marsh 、、、V//	, Reeds	<u>→</u> ≤ Saltings
		ection of Flow of	Water
	Building	1/5	Shingle
	>_	**	Sand
	Glasshouse		Cand
		Pylon	
			_ Electricity
<b>}</b>	Sloping Masonry		Transmission
		Pole	Line
		<b></b>	_
Cuttina	. Fush sult		
Cutting	***************************************		
			Manaple Track
Road '	⊔ ''∏''' Road Le	evel Foot	⊨ Standard Gauge Single Track
Under	Over Cro	ssing Bridge	, Siding, Tramway
			or Mineral Line
	<del></del>		→ Narrow Gauge
	Geographical C	County	
	— — Administrative or County of C	County, County I	Borough
	Municipal Bord Burgh or Distri	ough, Urban or Ru ct Council	ural District,
		h or County Con not coincident with	
	Civil Parish Shown alternately	y when coincidence	of boundaries occurs
BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church		Post Office
СН	Club House		Public Convenience
F E Sta	Fire Engine Station		Public House
FB 5	Foot Bridge		Signal Box
Fn GP	Fountain Guide Post	•	Spring Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MC	Mile Oteres	144	M-11

#### 1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders	2 0	Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
*******	Slopes		Top of cliff
	General detail		Underground detail
	- Overhead detail	<del></del>	Narrow gauge railway
_	Multi-track railway		Single track railway
	County boundary (England only)	• • • • •	Ci∨il, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup>	Area of wooded vegetation	۵ <sup>۵</sup>	Non-coniferous trees
<i>۵</i>	Non-coniferous trees (scattered)	**	Coniferous trees
<b>*</b>	Coniferous trees (scattered)	Ö	Positioned tree
4 4 4 4	Orchard	* *	Coppice or Osiers
ωTι,	Rough Grassland	www.	Heath
On_	Scrub	7 <u>₩</u> ۲	Marsh, Salt Marsh or Reeds
6	Water feature	<b>←</b>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)	<b></b> -	Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
•	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
+	Site of (antiquity)		Glasshouse
	General Building		Important Building



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1901	3
Northamptonshire	1:10,560	1952	4
Ordnance Survey Plan	1:10,000	1958	5
Ordnance Survey Plan	1:10,000	1968	6
Ordnance Survey Plan	1:10,000	1975	7
Ordnance Survey Plan	1:10,000	1988 - 1989	8
Ordnance Survey Plan	1:10,000	1993	9
10K Raster Mapping	1:10,000	1999	10
Street View	Variable		11

#### **Historical Map - Slice G**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 Slice:


Site Area (Ha): 245.49 Search Buffer (m): 1000

#### **Site Details**

Grendon Solar Scheme



0844 844 9952 0844 844 9951 www.envirocheck.co.uk







## **Northamptonshire Published 1884** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice G**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481250, 272570


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk







## **Northamptonshire Published 1901** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice G**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481250, 272570


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk







## **Northamptonshire Published 1952** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice G**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481250, 272570


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk







## **Ordnance Survey Plan** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every

#### Map Name(s) and Date(s)




#### **Historical Map - Slice G**



331731401\_1\_1 93791.580478 National Grid Reference: 481250, 272570

245.49

0844 844 9951 www.envirocheck.co.uk







## **Ordnance Survey Plan Published 1968** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### Historical Map - Slice G



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 Slice: G


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk







## **Ordnance Survey Plan Published 1975** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice G**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481250, 272570


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk







## **Ordnance Survey Plan** Published 1988 - 1989 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice G**



#### **Order Details**

331731401\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481250, 272570


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk







## **Ordnance Survey Plan Published 1993** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### Historical Map - Slice G



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 G

Site Area (Ha): Search Buffer (m):


245.49


#### **Site Details**

Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk





#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL	Electricity Transmission Line
-----	-------------------------------

	County Boundary (Geographical)
	County & Ci∨il Parish Boundary
	Civil Parish Boundary
· <del></del>	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
24	Symbol marking point where boundary mereing changes

-			
вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

		Slopes _				
الميانية. الميانية	لخنبان			1111111	Top 	
(	Cliff	1111	Top 	111111	1111111111111	
,		1111				
523	Rock		7,52	Rock (so	cattered)	
$\triangle_{a}$	Boulders		<i>△</i>	Boulders	s (scattered)	
$\Box$	Positioned	Boulder		Scree		
ফ্র	Non-Conif	erous Tree )	*	Coniferd (surveye	ous Tree ed)	
ζţά	Non-Conife (not surve	erous Trees yed)	大大	Coniferd (not sur	ous Trees veyed)	
දා	Orchard Tree	Q a.	Scrub	ıμ,	Bracken	
* ~	Coppice, Osier	áVu,	Reeds 🛥	<u>।ए —ग्री</u> ह	Marsh, Saltings	
artities.	Rough Grassland	$u_{11111}$	Heath	1	Culvert	
<b></b>	Direction of water flo	Δ	Triangulatior Station	, &	Antiquity (site of)	
_ E T L _	Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ ₩ BM	291.6ûm E	Bench Mark		Building Building		
s	Roofe	ed Building		251	azed Roof uilding	
		Civil parish	/community b	oundary		
		District bou	-			
_	_		-			
_ •		County bou	<del>-</del>			
٥		Boundary p				
٥		-	nereing symb ear in oppose	`		
Bks	Barracks		Р	Pillar, Po	le or Post	
Bty	Battery		PO	Post Offi		
Cemy	Cemetery		PC	Public C	onvenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumping		
Dismtd R	•	tled Railway	PW -	Place of		
El Gen St	ta Electric Station	ity Generating	Sewage P		ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br	Signal B	ox or Bridge	
El Sub St	a Electricity	Sub Station	SP, SL	Signal P	ost or Light	
FB	Filter Bed		Spr	Spring		
E. / P. E	Farmer 1	Data Lita a Et				

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1972	4
Additional SIMs	1:2,500	1992	5
Large-Scale National Grid Data	1:2,500	1993	6

### **Historical Map - Segment G3**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570 Slice: 245.49 Site Area (Ha):

#### **Site Details**

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Tr

Wd Pp


Wks


Search Buffer (m):


Grendon Solar Scheme





0844 844 9952 0844 844 9951












#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



	County Boundary (Geographical)
· — · — ·	County & Ci∨il Parish Boundary
	Ci∨il Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
A. T.	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

## 1:1,250

ene-C			Slopes <sub>Top</sub>			
	 Clitt		Тор	<b>                                      </b>		
523	Rock		7,3	Rock (so	cattered)	
$\triangle_{a}$	Boulders		<u> </u>	Boulders	s (scattered)	
$\Box$	Positioned	Boulder		Scree		
<u> </u>	Non-Conif (surveyed	erous Tree )	*	Coniferd (surveye	ous Tree ed)	
ζķά	Non-Conif (not surve	erous Trees yed)	* **	Conifero (not sun	ous Trees veyed)	
දා	Orchard Tree	Q a.	Scrub	'n,	Bracken	
* ~	Coppice, Osier	áVir	Reeds 🛥	<u> ஈ அந்</u>	Marsh, Saltings	
willing.	Rough Grassland	1111111 <sub>11</sub>	Heath	1	Culvert	
<b>››→</b>	Direction of water flo	Δ ow	Triangulation Station	, ÷	Antiquity (site of)	
_ E T L _	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ K B₩	231.60m E	Bench Mark	7		gs with g Seed	
	Roofe	ed Building		251	azed Roof uilding	
		Ci∨il parish	/community b	oundary		
		District bo	undary	-		
_ •		County box	undary			
٥		Boundary p	ost/stone			
£	,	Boundary i	mereing symb pear in oppose			
Bks	Barracks		Р	Pillar, Po	le or Post	
Bty	Battery		PO	Post Offi	ice	
Cemy	Cemetery		PC		onvenience	
Chy Cis	Chimney		Pp Pna Sta	Pump	s Station	
CIS Dismtd F	Cistern tlv Disman	tled Railway	Ppg Sta PW	Pumping Place of		
El Gen S	•	ity Generating		pg Sta S	ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
El Sub S	ta Electricity	Sub Station	SP, SL	Signal P	ost or Light	
FB	Filter Bed		Spr	Spring		
Fn/DFr	Fountain /	Drinking Ftn.	Tk -	Tank or	Track	
0- 0			T	T		

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1972	4
Additional SIMs	1:2,500	1988 - 1992	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

### **Historical Map - Segment G6**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570 Slice: 245.49


Site Area (Ha): Search Buffer (m):


**Site Details** 


Grendon Solar Scheme



0844 844 9952 0844 844 9951











# Ordnance Survey Plan Published 1972 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment G6**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481250, 272570
Slice: G


Site Area (Ha): 245.49 Search Buffer (m): 100


#### **Site Details**

Grendon Solar Scheme



el: 0844 844 9952 ax: 0844 844 9951 eb: www.envirocheck.co.uk








## **Large-Scale National Grid Data Published 1993** Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

#### Map Name(s) and Date(s)

I I	SP80 1993 1:2,50		1	SP8172 1993 1:2,500	I
1			T		I
-	-				_
1	0000		1		- 1
	SP80	71		SP8171	•
1	1993 1:2,50		i	SP8171 1993 1:2,500	i
 	1993		-  -	1993	! !

#### **Historical Map - Segment G6**




Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 245.49

Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024



#### **Ordnance Survey County Series and Ordnance Survey Plan 1:2,500**



B.R.

EP

F.B.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

 $T_{T_i}$ 

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



දකු	Non-Coniferou (surveyed)	ıs Tree	*	Coniferd	ous Tree ed)
ਨ੍ਹਿੰਦੱ	Non-Coniferou (not surveyed)		杰杰	Conifero	ous Trees veyed)
දා	Orchard Tree	Q a.	Scrub	$^{\imath}\! \Upsilon_{\stackrel{\circ}{}}$	Bracken
* ~	Coppice, Osier	siNt,	Reeds 🛥	<u> </u>	Marsh, Saltings
actities,	Rough Grassland	amin,	Heath	1	Culvert

	Rough Grassland	mun,	Heath	1	Culvert
<del>*** &gt;</del>	Direction of water flow	∱ВМ	Bench Mark	ઌ૾ૺ૰	Antiquity (site of)
8	Cave Entrance	Δ	Triangulation Station	æ	Electricity Pylon
E_TL	Electrici	ty Trans	mission Line		
	0	County E	Boundary (Geo	graphic	al)

	County Boundary (Geographical)
. — . — .	County & Ci∨il Parish Boundary
	Ci∨il Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
**************************************	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

777-0	~~~~		S	lopes	Тор
	Clift ئىنىنىنى		Тор	uuu	uuuuu
		1111		1 111111	711111111111111111111111111111111111111
		[][]			1111111111
23	Rock		7.55	Rock (so	cattered)
$\Box_{a}$	Boulders		Δ	Boulders	s (scattered)
	Positioned	Boulder		Scree	
දුනු	Non-Conife (surveyed)		本	Conifero	
ర్గోల్	Non-Conife (not survey	erous Trees /ed)	* **	Coniferd (not surv	ous Trees /eyed)
දා	Orchard Tree	Q 0.	Scrub	$^{j}\mathcal{L}^{\overset{\circ}{}}$	Bracken
* ~	Coppice, Osier	siVe,	Reeds =	<u>ज।ए —ग्रीए</u>	Marsh, Saltings
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough Grassland	mum,	Heath	1	Culvert
<del>*** &gt;</del>	Direction of water flo	Δ w	Triangulatio Station	n of∞	Antiquity (site of)
E_TL	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
\ <b>€</b> \	1 231.60m B	ench Mark		Building Building	
	Roofe	ed Building		888	azed Roof uilding
		Civil parich	/community	houndary	
` <u> </u>		District bo		bouridar y	
			-		
_ •	. ——	County box	<del>-</del>		
9		Boundary p			
×	>	-	nereing syml pear in oppos		
Bks	Barracks		Р	Pillar, Po	le or Post
Bty	Battery		PO	Post Offi	ce
Cemy	Cemetery		PC	Public C	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	
Dismtd F	-	tled Railway	PW	Place of	
El Gen S	ta Electrici Station	ity Generating	Sewage		ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge
	ta Electricity		SP, SL	_	ost or Light
FB	Filter Bed		Spr	Spring	<u></u>
Fn/DFr		Drinking Ftn.	Tk	Tank or 1	[rack
	Gae Valve	_	Tr	Trough	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Trough

Wind Pump

WrPt, WrT Water Point, Water Tap

Works (building or area)


Wd Pp



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1972	4
Additional SIMs	1:2,500	1992	5
Large-Scale National Grid Data	1:2,500	1993	6

### **Historical Map - Segment G7**



#### **Order Details**


Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 Slice: 245.49 Site Area (Ha):

Search Buffer (m): **Site Details** 

Grendon Solar Scheme



0844 844 9952 0844 844 9951 www.enviroche







## Northamptonshire

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment G7**




331731401\_1\_1 93791.580478 National Grid Reference: 481250, 272570 G

245.49



0844 844 9951 www.envirocheck.co.uk






## Northamptonshire Published 1900


Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveyes of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment G7**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570 Slice: G


Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk







# Ordnance Survey Plan Published 1972 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Segment G7**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481250, 272570
Slice: G
Site Area (Ha): 245.49

Site Area (Ha): 24 Search Buffer (m): 10

#### **Site Details**


Grendon Solar Scheme




Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024

-Jan-2024 Page 4 of 6









## Large-Scale National Grid Data Published 1993 Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)



#### **Historical Map - Segment G7**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481250, 272570
Slice: G
Site Area (Ha): 245.49
Search Buffer (m): 100

#### **Site Details**

Grendon Solar Scheme




Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024

024 Page 6

#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

 $T_{T}$ 

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



E_TL	Electricity Transmission Line

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump
	BP, BS Cn, C Chy D Fn EI P FAP FB GP H LC MH MP MS	BP, BS Boundary Post or Stone Cn, C Capstan, Crane Chy Chimney DFn Drinking Fountain EI P Electricity Pillar or Post FAP Fire Alarm Pillar FB Foot Bridge GP Guide Post H Hydrant or Hydraulic LC Level Crossing MH Manhole MP Mile Post or Mooring Post MS Mile Stone	BP, BS         Boundary Post or Stone         PO           Cn, C         Capstan, Crane         PC           Chy         Chimney         PH           D Fn         Drinking Fountain         Pp           EI P         Electricity Pillar or Post         SB, S Br           FAP         Fire Alarm Pillar         SP, SL           FB         Foot Bridge         Spr           GP         Guide Post         Tk           H         Hydrant or Hydraulic         TCB           LC         Level Crossing         TCP           MH         Manhole         Tr           MP         Mile Post or Mooring Post         Wr Pt, Wr T           MS         Mile Stone         W

## 1:1,250

			Sle	opes	_
المالاند	للنابلان		_		Top
ļ	Cliff	1111	Top 	13313	\$\$\$\$\$\$\$\$\$\$\$\$
				M	
52	Rock		23	Rock (s	cattered)
$\Box_{a}$	Boulders		<i>△</i>	Boulder	rs (scattered)
$\triangle$	Positioned	Boulder		Scree	
දමු	Non-Conif (surveyed	erous Tree )	*	Conifer (surve)	rous Tree yed)
స్తోల్	Non-Conif (not surve	erous Trees yed)	* **		rous Trees rveyed)
දා	Orchard Tree	Q a.	Scrub	T,	Bracken
* ~	Coppice, Osier	sHu,	Reeds -=	10c — 20](c	Marsh, Saltings
arm,	Rough Grassland	1411111 <sub>11</sub>	Heath	1	Culvert
<b>&gt;&gt;&gt;</b>	Direction of water flo	Δ ow	Triangulation Station	, &	Antiquity (site of)
_ETL_	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
\ <del>€</del> \	231.60m E	Bench Mark			ngs with ng Seed
	Roofe	ed Building		259	Blazed Roof Building
		Civil parieb	/community b	oundars	,
		District bo	<del>-</del>	ouriuar y	,
			-		
_ •		County boo	undary		
٥		Boundary	ost/stone		
٥	,	-	mereing symb pear in oppose	•	
Bks	Barracks		Р	Pillar, P	ole or Post
Bty	Battery		PO	Post Of	fice
Cemy	Cemetery		PC	Public (	Convenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumpin	g Station
Dismtd R	dy Disman	tled Railway	PW	Place o	fWorship
El Gen S	ta Electric Station	ity Generating	Sewage F		Sewage Pumping Station
EIP		Pole, Pillar	SB, S Br		Box or Bridge
	ta Electricity		SP, SL	_	Post or Light
FB	Filter Bed		Spr	Spring	ostor Light
	to: Dea		Opi	Shiniñ	

Tk

Tr

Wd Pp

Wks

Tank or Track

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

GVC

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1972	4
Additional SIMs	1:2,500	1988	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

#### **Historical Map - Segment G10**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570 Slice: 245.49 Site Area (Ha):


**Site Details** 


Search Buffer (m):


Grendon Solar Scheme



0844 844 9952 0844 844 9951











# **Ordnance Survey Plan** Published 1972 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment G10**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 Slice: G

Site Area (Ha): Search Buffer (m): 245.49


#### **Site Details**


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 7









# Large-Scale National Grid Data Published 1993 Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)



## **Historical Map - Segment G10**



#### **Order Details**

Order Number: 331731401\_1\_1
Customer Ref: 93791.580478
National Grid Reference: 481250, 272570
Slice: G
Sito Arga (Ha): 245.40

Site Area (Ha): 245.49 Search Buffer (m): 100


#### **Site Details**

Grendon Solar Scheme




Tel: 0844 844 9952 Fax: 0844 844 9951 Web: www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024



## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Guide Post or Board

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well


S.P

Sl.

 $T_T$ 

T.C.B

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL **Electricity Transmission Line** 

Entrance

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary

mereing changes

Beer House Pillar, Pole or Post **Boundary Post or Stone** РО Post Office Capstan, Crane **Public Convenience** PH Chv Chimney **Public House** D Fn Drinking Fountain Pump EIP Electricity Pillar or Post SB, SB Signal Box or Bridge FAP Fire Alarm Pillar SP. SL Signal Post or Light FB Foot Bridge Spring Tank or Track Guide Post Τk Hydrant or Hydraulic TCB Telephone Call Box LC Level Crossing TCP Telephone Call Post Manhole Trough MP Mile Post or Mooring Post Wr Pt. W Water Point, Water Tap MS NTL Normal Tidal Limit Wd Pp Wind Pump

GVC


Gas Governer

Mile Post or Mile Stone

**Guide Post** 

Manhole

1:1,250



Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Ordnance Survey Plan	1:2,500	1972	4
Large-Scale National Grid Data	1:2,500	1993	5

## **Historical Map - Segment G11**



#### **Order Details**

Order Number: 331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570 Slice: G Site Area (Ha): 245.49

100


Search Buffer (m): **Site Details** 


Grendon Solar Scheme




0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 5











# **Ordnance Survey Plan** Published 1972 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



#### **Historical Map - Segment G11**



#### **Order Details**

Order Number: 331731401\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481250, 272570 G

Site Area (Ha): Search Buffer (m): 245.49

#### **Site Details**


Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024

Page 4 of 5







# **Large-Scale National Grid Data Published 1993** Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)



## **Historical Map - Segment G11**



331731401\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481250, 272570

Site Area (Ha): Search Buffer (m): 245.49

# **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024

## Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post **Boundary Post** Surface Level Ske ched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway Ri∨er Railway over Level Crossing Road Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary R.D. Bdy.

····· Civil Parish Boundary

**Ordnance Survey County Series 1:10,560** 

## Ordnance Survey Plan 1:10,000

وسسه		lk Pit, Clay Pit luarry	0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Gravel Pit
	San	d Pit		Disused Pit or Quarry
(		ıse or ı Heap		Lake, Loch or Pond
	Dun	es	000	Boulders
<b>* *</b> <i>*</i>	Con Tree	iferous es	4 4 6	Non-Coniferous Trees
ቀ ቀ	Orchar	rd No_	Scrub	Yn Coppice
ជ ជ ជ	Bracke	en allin	Heath	Grassland
<u> </u>	- Marsh	wV///	Reeds	스크스 Saltings
		Direc	tion of Flow of	F Water
	Building		15	Shingle
			<i>s</i> // <i>i</i> :	Shingle
		>_	*//	Sand
<b>***</b>	Glassh	ouse		
			Pylon	
				_ Electricity
	Slopino	Masonry	_	Transmission
		,	Pole	Line
			• -	_
Cutting	ļ	Embankm	ent	Standard Gauge
	*************		***************************************	
	⊔	//	\\	Standard Gauge
Road		Road / Lev	el Foot	1
Under		Over Cross		e
				Siding, Tramway
				or Mineral Line
+	+ +	<del></del>	+ + +	→ Narrow Gauge
	_	Geographical Co	ounty	
		Administrative C or County of City		Borough
		Municipal Borou Burgh or District	Council	·
• • • • •		Borough, Burgh Shown only when n		
	,	Civil Parish Shown alternately v	vhen coincidence	of boundaries occurs
BP, BS	Bounden	/ Post or Stone	Pol Sta	Police Station
Ch	Church	, roscor stone	Poi Sta PO	Police Station Post Office
CH	Club Hou	se	PC	Public Convenience
F E Sta	Fire Engi	ne Station	PH	Public House
FB	Foot Brid	ge	SB	Signal Box
Fn	Fountain		Spr	Spring
GP	Guide Po	st	TCB	Telephone Call Box

Mile Post

TCP

Telephone Call Post

## 1:10,000 Raster Mapping


	Gravel Pit		Refuse tip or slag heap
	Rock		Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	- Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
_•-•	County boundary (England only)	• • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>0</sup>	Area of wooded vegetation	۵ <sup>۵</sup> ۵	Non-coniferous trees
$\Box$	Non-coniferous trees (scattered)	**	Coniferous trees
* *	Coniferous trees (scattered)	Ÿ	Positioned tree
ф ф ф ф	Orchard	* *	Coppice or Osiers
ωTι,	Rough Grassland	www.	Heath
On_	Scrub	7 <u>₩</u> \r	Marsh, Salt Marsh or Reeds
6	Water feature	<b>← ←</b>	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
-••-	Telephone line (where shown)	<b></b>	Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stac or lighting tower
•‡•	Site of (antiquity)		Glasshouse
	General Building		Important Building



## **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1900 - 1901	3
Northamptonshire	1:10,560	1927	4
Northamptonshire	1:10,560	1951 - 1952	5
Ordnance Survey Plan	1:10,000	1958	6
Ordnance Survey Plan	1:10,000	1971	7
Ordnance Survey Plan	1:10,000	1988	8
10K Raster Mapping	1:10,000	1999	9
Street View	Variable		10

## **Historical Map - Slice B**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9952 0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 10







# **Northamptonshire Published 1884** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 93791.580478 Order Number: Customer Ref: National Grid Reference: 481870, 268690 Slice: 102.14

Site Area (Ha): Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 2 of 10







# **Northamptonshire** Published 1900 - 1901 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 10







# **Northamptonshire Published 1927** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



## **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 10







# **Northamptonshire** Published 1951 - 1952 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 10







# **Ordnance Survey Plan Published 1958** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 6 of 10






# **Ordnance Survey Plan Published 1971** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 7 of 10







# **Ordnance Survey Plan Published 1988** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



#### **Historical Map - Slice B**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**


Grendon Solar Scheme




0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 8 of 10





## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough

Well

S.P

Sl.

Tr:

Co. Burgh Bdy.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor


B.R.

E.P

F.B.

M.S

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL Elect	tricity Transmission Line
	County Boundary (Geographical)
	County & Civil Parish Boundary
	Civil Parish Boundary
· <del></del> · ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
2	Symbol marking point where boundary mereing changes

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

GVC

Gas Governer

Mile Post or Mile Stone

**Guide Post** 

Manhole

Wd Pp

Wind Pump Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

# 1:1,250


			Slopes <sub>Top</sub>		
لكنابين		Тор		11111111111111111	
	Cliff	1111			!!!!!!!!
,		1111		1111111	1111111111
3	Rock		చె	Rock (so	attered)
$\triangle_{\Delta}$	Boulders		$\Box$	Boulders	s (scattered)
	Positioned B	oulder		Scree	
කු	Non-Conifer (surveyed)	ous Tree	*	Conifero	
Öö	Non-Conifer (not surveye		* **	Conifero	ous Trees /eyed)
දා	Orchard Tree	Q a.	Scrub	r,	Bracken
* ~	Coppice, Osier	sNu,	Reeds 🛥	<u> </u>	Marsh, Saltings
artiliz,	Rough Grassland	annna,	Heath	1	Culvert
* <del>** &gt;</del>	Direction of water flow	, A	Triangulation Station	· of	Antiquity (site of)
E_TL	_ Electricity	/ Transmis	ssion Line	$\boxtimes$	Electricity Pylon
\ <del>{</del> \	231.60m Be	nch Mark	7	Building Building	
	Roofed	Building		81	azed Roof iilding
		ivil parish	/community b	oundary	
		istrict bo	-	<b>,</b>	
		ounty bou	-		
	_	-			
9			oost/stone	17.1	(1
×	a		mereing symb pear in oppose		
Bks	Barracks		Р	Pillar, Pol	e or Post
Bty	Battery		PO	Post Offi	ce
Cemy	Cemetery		PC		onvenience
Chy	Chimney		Pp	Pump	<b>-</b>
Cis	Cistern	al Dati	Ppg Sta	Pumping	
Dismtd F El Gen S	-	d Railway Generating	PW Sewage Pi	Place of\ pg Sta Se	•
2136113	Station	Serieraung	Jewaye F		mping Station
EIP	Electricity Po		SB, S Br	Signal B	ox or Bridge
	ta Electricity Su	ıb Station	SP, SL	_	ost or Light
FB	Filter Bed	d1.d. =*	Spr	Spring	
Fn / D Fr		-	Tk	Tank or T	rack
Gas Gov	Gas Valve Co	mpouna	Tr	Trough	



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6

## **Historical Map - Segment B12**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690 Slice: Site Area (Ha): 102.14

100


Search Buffer (m): **Site Details** 


Grendon Solar Scheme





0844 844 9952 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 6












## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

## Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL	Electricity Transmission Line
-----	-------------------------------

	County Boundary (Geographical)
	County & Civil Parish Boundary
	Ci∨il Parish Boundary
• •	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
***	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

لخمك لتماثث			Slopes <sub>Top</sub>			
Cliff			Тор	uuu	uuuuu	
Cilli		1111		1 111111	711111111111111111111111111111111111111	
		[][]			1111111111	
23	Rock		7.53	Rock (so	cattered)	
$\Box_{a}$	Boulders		<i>D</i>	Boulders	s (scattered)	
	Positioned	Boulder		Scree		
දුනු	Non-Conife (surveyed)		本	Conifero		
ర్గోల్	Non-Conife (not survey	erous Trees /ed)	* **	Coniferd (not surv	ous Trees /eyed)	
දා	Orchard Tree	Q 0.	Scrub	$^{j}\mathcal{L}^{\overset{\circ}{}}$	Bracken	
* ~	Coppice, Osier	siVe,	Reeds =	<u>ज।ए —ग्रीए</u>	Marsh, Saltings	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough Grassland	mum,	Heath	1	Culvert	
<del>*** &gt;</del>	Direction of water flo	Δ w	Triangulatio Station	n of∞	Antiquity (site of)	
E_TL	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
\ <b>€</b> \	1 231.60m B	ench Mark		Building Building		
	Roofe	ed Building		888	azed Roof iilding	
		Civil parich	/community	houndary		
` <u> </u>		District bo		bouridar y		
		•				
_ •	. ——	County boundary				
9		Boundary p				
×	>	-	nereing syml pear in oppos			
Bks	Barracks		Р	Pillar, Po	le or Post	
Bty	Battery		PO	Post Offi	ce	
Cemy	Cemetery		PC	Public C	onvenience	
Chy	Chimney		Pp	Pump		
Cis	Cistern		Ppg Sta	Pumping		
Dismtd F	-	tled Railway	PW	Place of		
El Gen S	ta Electrici Station	ity Generating	Sewage		ewage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
	ta Electricity		SP, SL	_	ost or Light	
FB	Filter Bed		Spr	Spring	<u></u>	
Fn/DFr		Drinking Ftn.	Tk	Tank or 1	[rack	
	Gae Valve	_	Tr	Trough		

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969 - 1970	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

## **Historical Map - Segment B15**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690 Slice: Site Area (Ha): 102.14

Search Buffer (m):


**Site Details** Grendon Solar Scheme



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7

100






# Northamptonshire


# Published 1885 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



#### **Historical Map - Segment B15**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690

Slice:

Site Area (Ha): Search Buffer (m): 102.14 100


#### **Site Details**

Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 2 of 7







# Northamptonshire **Published 1900** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment B15**




331730783\_1\_1 93791.580478 National Grid Reference: 481870, 268690

102.14 100



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 7







# Northamptonshire **Published 1926** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



## **Historical Map - Segment B15**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): Search Buffer (m): 102.14 100


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 7







# **Ordnance Survey Plan** Published 1969 - 1970 Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

#### Map Name(s) and Date(s)



## **Historical Map - Segment B15**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690 Slice:

Site Area (Ha): Search Buffer (m): 102.14


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024






# **Large-Scale National Grid Data** Published 1993 Source map scale - 1:2,500

'Large Scale National Grid Data' superseded SIM cards (Ordnance Survey's 'Survey of Information on Microfilm') in 1992, and continued to be produced until 1999. These maps were the fore-runners of digital mapping and so provide detailed information on houses and roads, but tend to show less topographic features such as vegetation. These maps were produced at both 1:2,500 and 1:1,250 scales.

## Map Name(s) and Date(s)

1	SP8169 1993	I I	SP8269 1993	!
ı	1:2,500		1:2,500	'
I		- 1		ı
_				Т.
1	SP8168 1993	- 1	SP8268 1993	'
1	1:2,500	- 1	1:2,500	ı
1		- 1		ı

## **Historical Map - Segment B15**




Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481870, 268690

102.14


**Landmark** 

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024



## **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

 $T_{T}$ 

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



	County Boundary (Geographical)
· — · — ·	County & Ci∨il Parish Boundary
	Ci∨il Parish Boundary
<del></del>	Admin. County or County Bor. Bounda
L B Bdy	London Borough Boundary

Symbol marking point where boundary mereing changes Beer House Pillar, Pole or Post **Boundary Post or Stone** Post Office Capstan, Crane PH Public House Drinking Fountain Pump

Public Convenience Chy D Fn EIP Electricity Pillar or Post SB, SB Signal Box or Bridge FAP Fire Alarm Pillar SP. SL Signal Post or Light FΒ Foot Bridge Spring Tank or Track Guide Post Τk тсв Hydrant or Hydraulic Telephone Call Box LC Level Crossing TCP Telephone Call Post Manhole Trough MP Mile Post or Mooring Post Water Point, Water Tap MS NTL Normal Tidal Limit Wd Pp Wind Pump

# 1:1,250

الأماريات Slopes Top			Ton		
	Cliff		Тор	<b>                                      </b>	
523	Rock		7,3	Rock (so	cattered)
$\triangle_{a}$	Boulders		Δ	Boulders	s (scattered)
$\Box$	Positioned	Boulder		Scree	
<u> </u>	Non-Conif (surveyed	erous Tree )	*	Coniferd (surveye	
ర్జీట్	Non-Conif (not surve	erous Trees yed)	* **	Conifero	ous Trees /eyed)
දා	Orchard Tree	Q a.	Scrub	<sup>1</sup> T,	Bracken
* ~	Coppice, Osier	siVis,	Reeds 🛥	<u> пре</u>	Marsh, Saltings
willing.	Rough Grassland	$mnn_{b}$	Heath	1	Culvert
<b>→</b>	Direction of water flo	Δ ow	Triangulation Station	, &	Antiquity (site of)
_ E T L _	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
Buildings with Building Seed					
Roofed Building Glazed Roof Building					
		Ci∨il parish	/community b	oundary	
		District box	undary	_	
_ •		County box	undary		
Boundary post/stone					
£	>	Boundary r	mereing symb ear in oppose		
Bks	Barracks		Р	Pillar, Po	le or Post
Bty	Battery		PO	Post Offi	ce
Cemy	Cemetery		PC -		onvenience
Chy	Chimney		Pp Ppg Sta	Pump	Station
Cis Dismtd F	Cistern N∨ Disman	tled Railway	Ppg Sta PW	Pumping Place of	
El Gen S	•	ity Generating	Sewage P	pg Sta Se	worship ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge
El Sub S	ta Electricity	Sub Station	SP, SL	Signal P	ost or Light
FB	Filter Bed		Spr	Spring	
Fn/DFr	ı Fountain /	Drinking Ftn.	Tk	Tank or T	<b>Track</b>
0- 0	0		<b>T</b>	T	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6

## **Historical Map - Segment B16**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690 Slice: Site Area (Ha): 102.14

Search Buffer (m): **Site Details** 


Grendon Solar Scheme



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 6

100






# **Northamptonshire**


## **Published 1885** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

## Map Name(s) and Date(s)



#### **Historical Map - Segment B16**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 481870, 268690

> 102.14 100


#### **Site Details**


Grendon Solar Scheme

Landmark


0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 2 of 6





Page 4 of 6







# **Ordnance Survey Plan Published 1969** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment B16**



### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 481870, 268690

Site Area (Ha): Search Buffer (m): 102.14

### **Site Details**


Grendon Solar Scheme



0844 844 9952 0844 844 9951 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024

Page 5 of 6




# **Historical Mapping Legends**

# **Ordnance Survey County Series 1:10,560** Other Gravel Orchard



Fir	Furze
<del>****</del>	Arrow denotes flow of water
<b>.</b>	Site of Antiquities

- Trigonometrical Station
- Pump, Guide Post, Well, Spring, Signal Post **Boundary Post**





Fenced
Un-Fenced

Minor Roads



Rough Pasture

Bench Mark



Sunken Road



Administrative County & Civil Parish Boundary

Railway over Ri∨er

Fenced







MP

Mile Post

Mile Stone

TCP

Telephone Call Post



County Boundary (Geographical)

County & Civil Parish Boundary


County Borough Boundary (England) Co. Boro. Bdy.

County Burgh Boundary (Scotland) Co. Burgh Bdy. RD. Bdy.

Rural District Boundary

····· Civil Parish Boundary

### Ordnance Survey Plan 1:10,000



### 1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock	3 3	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
-•-•	County boundary (England only)	• • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>0</sup>	Area of wooded vegetation	۵ <sup>۵</sup>	Non-coniferous trees
۵ ۵	Non-coniferous trees (scattered)	**	Coniferous trees
<b>*</b>	Coniferous trees (scattered)	Ö	Positioned tree
4 4 4 4	Orchard	4. 4.	Coppice or Osiers
NITH,	Rough Grassland	www.	Heath
On_	Scrub	<u>⊅</u> <u>\</u> \'∟	Marsh, Salt Marsh or Reeds
6	Water feature	←	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)	<b></b>	Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stack or lighting tower
•‡•	Site of (antiquity)		Glasshouse


General Building



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884 - 1885	2
Northamptonshire	1:10,560	1900 - 1901	3
Northamptonshire	1:10,560	1926 - 1927	4
Northamptonshire	1:10,560	1938 - 1952	5
Northamptonshire	1:10,560	1952	6
Ordnance Survey Plan	1:10,000	1958	7
Ordnance Survey Plan	1:10,000	1971 - 1977	8
Ordnance Survey Plan	1:10,000	1983 - 1988	9
Ordnance Survey Plan	1:10,000	1990	10
10K Raster Mapping	1:10,000	1999	11
Street View	Variable		12

## **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: C Site Area (Ha): 102.14 Search Buffer (m): 1000

#### **Site Details**

Important


Building

Grendon Solar Scheme



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 12







# **Northamptonshire** Published 1884 - 1885 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**



### **Order Details**


331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: Site Area (Ha): Search Buffer (m): 102.14

1000 **Site Details** 

Landmark<sup>®</sup>

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 2 of 12







# **Northamptonshire** Published 1900 - 1901 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

Site Area (Ha): 102.14 Search Buffer (m): 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 12







# **Northamptonshire** Published 1926 - 1927 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 С

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 12







# **Northamptonshire** Published 1938 - 1952 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



### **Historical Map - Slice C**



### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

102.14 Site Area (Ha): Search Buffer (m): 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 12







# **Northamptonshire Published 1952** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

Site Area (Ha): Search Buffer (m): 102.14 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 6 of 12







# **Ordnance Survey Plan** Published 1958 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**




331730783\_1\_1 93791.580478 National Grid Reference: 484060, 268170 С

102.14 1000

Landmark

0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 7 of 12






# **Ordnance Survey Plan Published 1971 - 1977** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**




331730783\_1\_1 93791.580478 National Grid Reference: 484060, 268170

102.14 1000

**Landmark** 

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 8 of 12







# **Ordnance Survey Plan** Published 1983 - 1988 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 С

102.14 Site Area (Ha): Search Buffer (m): 1000


#### **Site Details**


Grendon Solar Scheme


**Landmark** 

0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 9 of 12








# **Historical Mapping Legends**

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr:

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



E T L	Electricity Transmission Line

	monty framomicolon zino
	County Boundary (Geographical)
. — . — .	County & Civil Parish Boundary
	Civil Parish Boundary
· <del></del> -	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
o de la companya de l	Symbol marking point where boundary mereing changes

Ŧ.

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

	Slopes Top			Ton	
للتفييسانيين		To	ор	1111111	11111111111
Cliff		11111111	iinnuun –	_))))))	))))))))
,		111111111	HHHHHH	1111111	111111111
523	Rock		7,5	Rock (sc	attered)
$\Box$	Boulders		Δ.	Boulders	(scattered)
	Positioned Bou	ılder		Scree	
දුමු	Non-Coniferou (surveyed)	s Tree	-1-	Conifero (surveye	
ජීජ	Non-Coniferou (not surveyed)	s Trees	A A	Conifero (not surv	us Trees reyed)
දා	Orchard Tree	୍ଲ ଜିଲି Scr	ub	ئيرّ	Bracken
* ~	Coppice, Osier	₩. Ree	eds <u>w</u>	<u> </u>	Marsh, Saltings
wille,	Rough Grassland	<sub>mum</sub> , Hea	ath	1	Culvert
<del>*** &gt;</del>	Direction of water flow		ingulation tion	ઌ૾ૺ	Antiquity (site of)
E_TL	_ Electricity T	ransmissior	n Line	$\boxtimes$	Electricity Pylon
/ <del>/</del> / ВМ	291.60m Benc	h Mark		Building Building	
	Roofed B	uilding		g g	azed Roof ilding
	• • • Civ	il parish/con	nmunity bo	oundary	
		trict bounda	_		
		ınty bounda	-		
	_	indary post/			
		ındary mere		ol (note: f	hese
Å	alw alw	ays appear nree)			
Bks	Barracks		Р	Pillar, Pol	e or Post
Bty	Battery		PO	Post Offic	
Cemy	Cemetery		PC		onvenience
Chy Cis	Chimney Cistern		Pp Ppg Sta	Pump Pumping	Station
Dismtd F		Railwav	PW Sta	Place of V	
El Gen S	•	•	Sewage Pp	g Sta Se	wage
EIP	Station Electricity Pole,	Pillar	SB, S Br		mping Station ox or Bridge
	ta Electricity Sub		SP, SL	_	st or Light
FB	Filter Bed	**	Spr	Spring	<del> </del>
Fn / D Fr	n Fountain / Drink	ing Ftn.	Tk	Tank or T	rack
0 0			_	Tourselle	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1996	7

# **Historical Map - Segment C9**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice:

Site Area (Ha): 102.14 Search Buffer (m): 100


### **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7















# **Historical Mapping Legends**

### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr

Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL	Electricity Transmission Line
	<ul> <li>County Boundary (Geographic</li> </ul>

ical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

***************************************			Slopes <sub>Top</sub>			
Clift			Тор	<b>!!!!!!</b> !!!!!!		
233	Rock		7,3	Rock (so	cattered)	
$\triangle_{\alpha}$	Boulders		Δ	Boulders	(scattered)	
$\triangle$	Positioned	Boulder		Scree		
<u> දකු</u>	Non-Conif (surveyed	erous Tree )	*	Coniferd (surveye		
ζţά	Non-Conif (not surve	erous Trees yed)	未未	Conifero	ous Trees /eyed)	
ද	Orchard Tree	Q a.	Scrub	<sup>1</sup> L	Bracken	
* ~	Coppice, Osier	siVis,	Reeds 🛥	<u>।ए —ग्र</u> ीह	Marsh, Saltings	
artite,	Rough Grassland	1111111 <sub>11</sub>	Heath	1	Culvert	
<del>*** &gt;</del>	Direction of water flo	Δ ow	Triangulation Station	, of	Antiquity (site of)	
E <u>T</u> L	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon	
<b>∤</b> ∤Вм	231.60m E	Bench Mark	7	Building Building		
	Roofe	ed Building		8	azed Roof iilding	
		Ci∨il parish	/community b	oundary		
		District bou	undary	•		
_ •		County box	County boundary			
9		Boundary p				
,c	>	Boundary r	nereing symb ear in oppose	. `		
Bks	Barracks		Р	Pillar, Pol	le or Post	
Bty	Battery		PO	Post Offic	ce	
Cemy	Cemetery		PC -		onvenience	
Chy	Chimney		Pp Ppg Sta	Pump	Station	
Cis Dismtd F	Cistern	tled Railway	Ppg Sta PW	Pumping Place of\		
El Gen S	-	ity Generating	Sewage P	pg Sta Se	wage umping Station	
EIP	Electricity	Pole, Pillar	SB, S Br		ox or Bridge	
El Sub S	ta Electricity	Sub Station	SP, SL	Signal Po	ost or Light	
FB	Filter Bed		Spr	Spring		
Fn/DFr	Fountain /	Drinking Ftn.	Tk	Tank or T	rack	
			<b>T</b>	T		

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1996	7

## **Historical Map - Segment C13**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: Site Area (Ha): 102.14

Search Buffer (m): **Site Details** 


Grendon Solar Scheme



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7

100







# **Northamptonshire Published 1885** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

# Map Name(s) and Date(s)



### **Historical Map - Segment C13**



### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170

Slice:

Site Area (Ha): Search Buffer (m): 102.14


## **Site Details**


Grendon Solar Scheme

Landmark

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024








# **Northamptonshire**


# Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment C13**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170

Site Area (Ha): Search Buffer (m): 102.14 100


### **Site Details**

Grendon Solar Scheme



0844 844 9952 0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024







# **Ordnance Survey Plan Published 1969** Source map scale - 1:2,500

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas and by 1896 it covered the whole of what were considered to be the cultivated parts of Great Britain. The published date given below is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas.

### Map Name(s) and Date(s)



### **Historical Map - Segment C13**



### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice:

Site Area (Ha):

102.14 Search Buffer (m): 100


### **Site Details**


Grendon Solar Scheme

Landmark

0844 844 9952 0844 844 9951 www.envirocheck.co.uk


A Landmark Information Group Service v50.0 18-Jan-2024






# **Historical Mapping Legends**

# **Ordnance Survey County Series 1:10,560** Other Gravel Orchard



Fir	Furze
<del>    </del>	Arrow denotes flow of water
<b>.</b>	Site of Antiquities

- Trigonometrical Station
- Pump, Guide Post, Well, Spring, Signal Post **Boundary Post**





Fenced	
Un-Fenced	

Minor Roads



Rough Pasture

Bench Mark



Sunken Road



Administrative County & Civil Parish Boundary

Railway over Ri∨er

Fenced







MP

Mile Post

Mile Stone

TCP

Telephone Call Post



County Boundary (Geographical)

County & Civil Parish Boundary


County Borough Boundary (England) Co. Boro. Bdy.

County Burgh Boundary (Scotland) Co. Burgh Bdy. RD. Bdy.

Rural District Boundary

····· Civil Parish Boundary

### Ordnance Survey Plan 1:10,000



### 1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock	3 3	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
********	Slopes		Top of cliff
	General detail		Underground detail
	Overhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
_•-•	County boundary (England only)	• • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>0</sup>	Area of wooded vegetation	۵ <sup>۵</sup>	Non-coniferous trees
۵ ۵	Non-coniferous trees (scattered)	** **	Coniferous trees
<b>*</b>	Coniferous trees (scattered)	Ö	Positioned tree
4 4 4 4	Orchard	4. 4.	Coppice or Osiers
alli,	Rough Grassland	www.	Heath
On_	Scrub	7 <u>₩</u> ۲	Marsh, Salt Marsh or Reeds
6	Water feature	←	Flow arrows
MHW(S)	Mean high water (springs)	MLW(S)	Mean low water (springs)
	Telephone line (where shown)	<b></b>	Electricity transmission line (with poles)
← BM 123.45 m	Bench mark (where shown)	Δ	Triangulation station
	Point feature (e.g. Guide Post or Mile Stone)	$\boxtimes$	Pylon, flare stack or lighting tower
•‡•	Site of (antiquity)		Glasshouse


General Building



### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884 - 1885	2
Northamptonshire	1:10,560	1900 - 1901	3
Northamptonshire	1:10,560	1926 - 1927	4
Northamptonshire	1:10,560	1938 - 1952	5
Northamptonshire	1:10,560	1952	6
Ordnance Survey Plan	1:10,000	1958	7
Ordnance Survey Plan	1:10,000	1971 - 1977	8
Ordnance Survey Plan	1:10,000	1983 - 1988	9
Ordnance Survey Plan	1:10,000	1990	10
10K Raster Mapping	1:10,000	1999	11
Street View	Variable		12

## **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: C Site Area (Ha): 102.14 Search Buffer (m): 1000

#### **Site Details**

Important


Building

Grendon Solar Scheme



0844 844 9952 0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 12







# **Northamptonshire** Published 1884 - 1885 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**



### **Order Details**


331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: Site Area (Ha): Search Buffer (m): 102.14

1000 **Site Details** 

Landmark<sup>®</sup>

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 2 of 12







# **Northamptonshire** Published 1900 - 1901 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

Site Area (Ha): 102.14 Search Buffer (m): 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 3 of 12







# **Northamptonshire** Published 1926 - 1927 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 С

Site Area (Ha): 102.14 Search Buffer (m): 1000


#### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 4 of 12







# **Northamptonshire** Published 1938 - 1952 Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

## Map Name(s) and Date(s)



### **Historical Map - Slice C**



### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

102.14 Site Area (Ha): Search Buffer (m): 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 5 of 12







# **Northamptonshire Published 1952** Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

# Map Name(s) and Date(s)



### **Historical Map - Slice C**



#### **Order Details**

331730783\_1\_1 Order Number: Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 Slice: С

Site Area (Ha): Search Buffer (m): 102.14 1000


### **Site Details**

Grendon Solar Scheme



0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 6 of 12







# **Ordnance Survey Plan** Published 1958 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

### Map Name(s) and Date(s)



### **Historical Map - Slice C**




331730783\_1\_1 93791.580478 National Grid Reference: 484060, 268170 С

102.14 1000

Landmark

0844 844 9951

A Landmark Information Group Service v50.0 18-Jan-2024 Page 7 of 12






# **Ordnance Survey Plan Published 1971 - 1977** Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice C**




331730783\_1\_1 93791.580478 National Grid Reference: 484060, 268170

102.14 1000

**Landmark** 

0844 844 9951 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 18-Jan-2024 Page 8 of 12







# **Ordnance Survey Plan** Published 1983 - 1988 Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice C**



#### **Order Details**

Order Number: 331730783\_1\_1 Customer Ref: 93791.580478 National Grid Reference: 484060, 268170 С

102.14 Site Area (Ha): Search Buffer (m): 1000


#### **Site Details**


Grendon Solar Scheme


**Landmark** 

0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 9 of 12







#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary

Symbol marking point where boundary mereing changes

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt, WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

_	Slopes Top				
	 ئانىلىلىن	Тор		11111111	IIIIIIIII
(	Cliff	111111111111			]]]]]]]])
,					11111111
520	Rock		32	Rock (sca	attered)
$\triangle$	Boulders		<i>△</i>	Boulders	(scattered)
	Positioned Bould	er		Scree	
(월	Non-Coniferous (surveyed)	Tree	-1-	Coniferou (surveye	
ඊ්ඊ	Non-Coniferous (not surveyed)	Trees	A A	Conifero (not surv	
Ą.	Orchard ( Tree ত	ີ≙ົດ Scrub	)	r,	Bracken
* ~	Coppice, Osier	M. Reed	s <u></u>	<u> </u>	Marsh, Saltings
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Rough "I Grassland	um, Heath	h /	1	Culvert
<del>*** &gt;</del>	Direction of water flow	∆ Triang Statio	gulation on	ઌ૾ૺ૰	Antiquity (site of)
_ E T L _	_ Electricity Tra	nsmission l	Line	$\boxtimes$	Electricity Pylon
<b>/</b> €/ вм	291.60m Bench l	Mark		Building Building	
	Roofed Build	ding		a a	zed Roof Iding
		arish/comn		oundary	
_ •	Count	y boundary	,		
o.	Bound	dary post/st	one		
مر		dary merein s appear in ee)			
Bks	Barracks	Р	•	Pillar, Pole	or Post
Bty	Battery		0	Post Offic	
Cemy	Cemetery		C		nvenience
Chy Cis	Chimney Cistern		'p 'pg Sta	Pump Pumping :	Station
Dismtd R			pg Sta 'W	Place of W	
El Gen St	-	_	ewage Pp	g Sta Sev	wage mping Station
EIP	Electricity Pole, Pil	llar S	B, S Br		x or Bridge
	a Electricity Sub Sta		P, SL	_	st or Light
FB	Filter Bed		pr	Spring	=
Fn / D Fn	Fountain / Drinkin	g Ftn. T	k	Tank or Tr	ack

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Tr

Wd Pp

Wks

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap


Works (building or area)



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885 - 1886	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1968 - 1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7
Large-Scale National Grid Data	1:2,500	1996	8

## **Historical Map - Segment C6**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: Site Area (Ha): 102.14

#### **Site Details**

Search Buffer (m):


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 8


100


















#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring


Trough Well

S.P

Sl.

Tr

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



ETL	Electricity Transmission Line

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary Admin. County or County Bor. Boundary L B Bdy London Borough Boundary Symbol marking point where boundary mereing changes

вн	Beer House	P	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	WrPt,WrT	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

***************************************			Slopes	Тор
		Top	<b>111</b> 111111111111111111111111111111111	
525	Rock	52	Rock (so	cattered)
$\triangle_{\Delta}$	Boulders	Δ	Boulders	s (scattered)
	Positioned Boulde	r 🎄	Scree	
<u> </u>	Non-Coniferous Ti (surveyed)	ree ‡	Conifero	
ਨੁੱਖ	Non-Coniferous Ti (not surveyed)	rees 🎄	Coniferd	ous Trees /eyed)
දා	Orchard ৫ Tree <sup>©</sup>	⊊ Scrub	$^{\jmath}\mathcal{U}_{\overset{\circ}{}}$	Bracken
* ~	Coppice, Osier	n Reeds	<u>-माहर —मोहर</u>	Marsh, Saltings
A11111,	Rough ,utt Grassland	un, Heath	1	Culvert
<del>&gt;&gt;&gt; →</del>	Direction 2 of water flow	∆ Triangula Station	tion 😽	Antiquity (site of)
E_TL	_ Electricity Tran	smission Line	$\boxtimes$	Electricity Pylon
/F/ BM	231.60m Bench M	lark	) Building Building	
	Roofed Buildi	ing	20000	azed Roof uilding
	· • • Civil pa	ırish/communi	tv boundarv	
		: boundary	, ,	
_ •	—— County	boundary		
٥	Bounda	ary post/stone		
	Bounda	ary mereing sy	mbol (note:	these
٥	always of three	appear in opp e)	osed pairs o	or groups
Bks	Barracks	P		le or Post
Bty Cemv	Battery Cemeters	PO PC	Post Offi Public C	ce onvenience
Chy	Cemetery Chimney	Pp	Pump	V.114011161166
Cis	Cistern	Ppg S	•	Station
Dismtd R	ly Dismantled Railw	-	Place of	Worship
El Gen St	a Electricity Genera Station	ating Sewa		ewage umping Station
EIP	Electricity Pole, Pilla		Br Signal B	ox or Bridge
El Sub St	a Electricity Sub Stati	on SP, SL	_ Signal P	ost or Light
FB	Filter Bed	Spr	Spring	
Fn / D Fn	Fountain / Drinking	Ftn. Tk	Tank or 1	rack rack

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

GVC

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1886	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1994	7

#### **Historical Map - Segment C7**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: 102.14

Site Area (Ha): Search Buffer (m): 100


**Site Details** 


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7















#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

M.S

Bridle Road


Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



**Electricity Transmission Line** 

County Boundary (Geographical) County & Civil Parish Boundary Civil Parish Boundary

Admin. County or County Bor. Boundary L B Bdy

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough Well

S.P

Sl.

Tr

Cave

London Borough Boundary Symbol marking point where boundary mereing changes

Triangulation

Electricity

÷

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	w	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

			SI	opes	T
وأعلان	لكناب		Тор	111111	Top !!!!!!!!!!
(	Cliff	1111	101111111111111111111111111111111111111	111111	1111111111111
~~~~~				$ \Pi\Pi$	[[[[[[]]]]
75 E	Rock		7,5	Rock (se	cattered)
$ \mathcal{Q}^{\nabla} $	Boulders		₽	Boulder	s (scattered)
	Positioned	Boulder		Scree	
දුමු	Non-Conif	erous Tree )	*	Conifero	ous Tree ed)
ඊූර්	Non-Conife (not surve	erous Trees yed)	* **	Conifer (not sur	ous Trees ∨eyed)
දා	Orchard Tree	© a.	Scrub	Jr,	Bracken
* ~	Coppice, Osier	siVe,	Reeds 🛥	<u> سالە</u>	Marsh, Saltings
artite,	Rough Grassland	$mnn_{t}$	Heath	1	Culvert
<del>&gt;&gt; →</del>	Direction of water flo	Δ ow	Triangulation Station	n ∯	Antiquity (site of)
E <u>T</u> L	_ Electric	ity Transmis	ssion Line	$\boxtimes$	Electricity Pylon
\ ₩ BM	231.6ûm E	Bench Mark			gs with g Seed
	Roofe	ed Building		29	lazed Roof uilding
		Civil narish	/community b	oundary	
		District box	=	,ouridar y	
			-		
_ •		County bot			
٥		Boundary			
٥			mereing symb ear in oppos		
Bks	Barracks		Р	Pillar, Po	ole or Post
Bty	Battery		PO	Post Off	
Cemy	Cemetery		PC	Public C	onvenience
Chy	Chimney		Pp	Pump	
Cis	Cistern		Ppg Sta	Pumping	g Station
Dismtd R	ly Disman	tled Railway	PW	Place of	Worship
El Gen St	ta Electric Station	ity Generating	Sewage F		ewage umping Station
EIP	Electricity	Pole, Pillar	SB, S Br		sox or Bridge
El Sub St	a Electricity	-	SP, SL	_	ost or Light
FB	Filter Bed		Spr	Spring	-

Fn / D Fn Fountain / Drinking Ftn.

Gas Governer

**Guide Post** 

Manhole

Gas Valve Compound


Mile Post or Mile Stone



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1885 - 1886	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925 - 1926	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6
Large-Scale National Grid Data	1:2,500	1996	7

## **Historical Map - Segment C10**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: 102.14

Site Area (Ha): Search Buffer (m):

100

#### **Site Details**

Tank or Track

Works (building or area)

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Tr

Wd Pp


Wks


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 7















#### **Ordnance Survey County Series and** Ordnance Survey Plan 1:2,500



B.R.

E.P

F.B.

Bridle Road

Foot Bridge

Mile Stone

M.P.M.R. Mooring Post or Ring

Electricity Pylor

Police Call Box

Telephone Call Box

Signal Post

Pump

Sluice

Spring

Trough


Well

S.P

Sl.

Tr:

#### Ordnance Survey Plan, Additional SIMs and Large-Scale National Grid Data 1:2,500 and **Supply of Unpublished Survey Information** 1:2,500 and 1:1,250



	County Boundary (Geographical)
	County & Civil Parish Boundary
	Civil Parish Boundary
· <del></del> · <del></del> ·	Admin. County or County Bor. Boundary
L B Bdy	London Borough Boundary
***	Symbol marking point where boundary mereing changes

вн	Beer House	Р	Pillar, Pole or Post
BP, BS	Boundary Post or Stone	PO	Post Office
Cn, C	Capstan, Crane	PC	Public Convenience
Chy	Chimney	PH	Public House
D Fn	Drinking Fountain	Pp	Pump
EIP	Electricity Pillar or Post	SB, S Br	Signal Box or Bridge
FAP	Fire Alarm Pillar	SP, SL	Signal Post or Light
FB	Foot Bridge	Spr	Spring
GP	Guide Post	Tk	Tank or Track
Н	Hydrant or Hydraulic	TCB	Telephone Call Box
LC	Level Crossing	TCP	Telephone Call Post
MH	Manhole	Tr	Trough
MP	Mile Post or Mooring Post	Wr Pt, Wr T	Water Point, Water Tap
MS	Mile Stone	W	Well
NTL	Normal Tidal Limit	Wd Pp	Wind Pump

# 1:1,250

لالمالياليالي		Slopes Top			
	ניידי דיידי Cliff 	Тор	<b>313 (13)</b>		
523	Rock	B	Rock (so	cattered)	
$\triangle_{\alpha}$	Boulders	Δ	Boulders	s (scattered)	
	Positioned Boulde	r 🎄	Scree		
<u> </u>	Non-Coniferous To (surveyed)	ree ‡	Conifero	ous Tree ed)	
ජීජ	Non-Coniferous To (not surveyed)	rees 🎄	Conifero	ous Trees /eyed)	
දා	Orchard 6 Tree ♀	Scrub	'پر ّ	Bracken	
* ~	Coppice, and Osier	n, Reeds	<u>-11)(r. –11)(r.</u>	Marsh, Saltings	
acette,	Rough "װ Grassland	un, Heath	1	Culvert	
<b>&gt;&gt;&gt;→</b>	Direction 2 of water flow	∆ Triangula Station	tion 🕂	Antiquity (site of)	
E_TL	_ Electricity Tran	smission Line	$\boxtimes$	Electricity Pylon	
/ <del>/</del> / вм	231.60m Bench M	lark	) Building Building		
	Roofed Build	ing	2000	azed Roof uilding	
	· · · Civil pa	ırish/communi	tv boundarv		
		: boundary	, ,		
_ •	—— County	boundary			
٥	Bounda	ary post/stone			
	Bounda	ary mereing sy	mbol (note:	these	
٥	always of three	appear in opp e)	osed pairs o	or groups	
Bks	Barracks	P		le or Post	
Bty Cemy	Battery Cemetery	PO PC	Post Offi Public C	ce onvenience	
Cemy Chy	Cemetery Chimney	Pp Pp	Public C	OUAGUIGUCA	
Cis	Cistern	Ppg S	•	Station	
Dismtd R	tly Dismantled Railw	ray PW	Place of	Worship	
El Gen S	ta Electricity Genera Station	ating Sewa		ewage umping Station	
EIP	Electricity Pole, Pilla	ar SB, S	Br Signal B	ox or Bridge	
El Sub S	ta Electricity Sub Stati	on SP, SL	. Signal P	ost or Light	
FB	Filter Bed	Spr	Spring		
Fn / D Fn	Fountain / Drinking	Ftn. Tk	Tank or 1	Track	

Gas Valve Compound

Mile Post or Mile Stone

Gas Governer

**Guide Post** 

Manhole

Trough

Wind Pump

Wr Pt. Wr T Water Point, Water Tap

Works (building or area)

Wd Pp


Wks



#### **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:2,500	1886	2
Northamptonshire	1:2,500	1900	3
Northamptonshire	1:2,500	1925	4
Ordnance Survey Plan	1:2,500	1969	5
Large-Scale National Grid Data	1:2,500	1993	6

## **Historical Map - Segment C11**



#### **Order Details**

Order Number: 331730783\_1\_1 93791.580478 Customer Ref: National Grid Reference: 484060, 268170 Slice: 102.14

Site Area (Ha):

Search Buffer (m): 100


#### **Site Details**


Grendon Solar Scheme





0844 844 9952 0844 844 9951


A Landmark Information Group Service v50.0 18-Jan-2024 Page 1 of 6











### Gravel Pit Other Orchard Mixed Wood Deciduous Brushwood Furze Rough Pasture Arrow denotes Trigonometrical flow of water Station Site of Antiquities Bench Mark Pump, Guide Post, Well, Spring, Signal Post Boundary Post Surface Level Ske ched Instrumental Contour Contour Fenced Main Roads Minor Roads Un-Fenced Raised Road Sunken Road Railway over Road over Railway Ri∨er Railway over Level Crossing Road over Road over Road over County Boundary (Geographical) County & Civil Parish Boundary Administrative County & Civil Parish Boundary County Borough Boundary (England) Co. Boro. Bdy. County Burgh Boundary (Scotland) Rural District Boundary R.D. Bdy.

····· Civil Parish Boundary

**Ordnance Survey County Series 1:10,560** 

#### Ordnance Survey Plan 1:10,000

Eum	Chalk Pit, Clay Pit or Quarry	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Gravel Pit
	Sand Pit	(	、 Disused Pit ✓ or Quarry
()	Refuse or Slag Heap		Lake, Loch or Pond
	Dunes		Boulders
* * *	Coniferous Trees	444	Non-Coniferous Trees
<b>ф</b>	Orchard 0 n _	Scrub	∖Y₁v Coppice
ជា ជា	Bracken	Heath '	、 , , , Rough Grassland
<u> </u>	Marsh ⋯V///	Reeds	<u>→</u> ± <u>←</u> Saltings
	Direct	ion of Flow of	Water
	Building	1/=	Shingle
	*		
	Glasshouse		Sand
		Pylon	
			_ Electricity
<b>******</b>	Sloping Masonry	_	Transmission Line
		Pole — —	_
Cutting	Embankme	ent	Ctdd O
		************	
⊔	//	\\	Standard Gauge
Road '''□ Under	''' Road Leve Over Crossi		Single Track
Onder	Over Crossi	ng Bridge	Siding, Tramway
			or Mineral Line
<del></del>	<del></del>	+ +	→ Narrow Gauge
	— Geographical Cou	inty	
	<ul> <li>Administrative Co or County of City</li> </ul>	unty, County I	Borough
	Municipal Boroug Burgh or District (		ural District,
	Borough, Burgh of Shown only when no		
	Civil Parish Shown alternately wh	nen coincidence	of boundaries occurs
BP, BS E	Boundary Post or Stone	Pol Sta	Police Station
Ch C	Church	PO	Post Office
1	Club House		Public Convenience
	Fire Engine Station Foot Bridge		Public House Signal Box
	oot Bridge Jountain		Signal Box Spring
	Guide Post	TCB	Telephone Call Box
	Alla Boot	TCB	Telephone Call Boot

Mile Post

Telephone Call Post

### 1:10,000 Raster Mapping

	Gravel Pit		Refuse tip or slag heap
	Rock	3 3	Rock (scattered)
	Boulders		Boulders (scattered)
	Shingle	Mud	Mud
Sand	Sand		Sand Pit
fiftffft*	Slopes		Top of cliff
	General detail		Underground detail
	- O∨erhead detail		Narrow gauge railway
	Multi-track railway		Single track railway
_•-•	County boundary (England only)	• • • • •	Civil, parish or community boundary
	District, Unitary, Metropolitan, London Borough boundary		Constituency boundary
۵ <sup>۵</sup>	Area of wooded vegetation	۵ <sup>۵</sup> ۵	Non-coniferous trees
$\Diamond$	Non-coniferous trees (scattered)	** **	Coniferous trees
		**	
♠	trees (scattered) Coniferous	**	trees Positioned
* *	trees (scattered)  Coniferous trees (scattered)	<u></u>	trees Positioned tree Coppice
\$ \$\phi \phi \phi \phi \phi \phi \phi \phi	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough	<u>₽</u>	trees Positioned tree Coppice or Osiers
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland	A MILLINGS AND	trees Positioned tree Coppice or Osiers Heath Marsh, Salt
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland  Scrub	A MILLINGS AND	trees Positioned tree Coppice or Osiers Heath Marsh, Salt Marsh or Reeds
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland  Scrub  Water feature  Mean high	\$ \$\frac{1}{2}\$  \$\f	trees  Positioned tree  Coppice or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line	\$ \$\frac{1}{2}\$  \$\f	trees  Positioned tree  Coppice or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line (where shown)  Bench mark	ΔΩ  **  **  **  **  **  **  **  **  **	trees  Positioned tree  Coppice or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line (with poles)  Triangulation
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	trees (scattered)  Coniferous trees (scattered)  Orchard  Rough Grassland  Scrub  Water feature  Mean high water (springs)  Telephone line (where shown)  Bench mark (where shown)  Point feature (e.g. Guide Post	∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴	trees  Positioned tree  Coppice or Osiers  Heath  Marsh, Salt Marsh or Reeds  Flow arrows  Mean low water (springs)  Electricity transmission line (with poles)  Triangulation station  Pylon, flare stack


General Building

Building

#### Protecting people and planet **Historical Mapping & Photography included:**

Mapping Type	Scale	Date	Pg
Northamptonshire	1:10,560	1884	2
Northamptonshire	1:10,560	1901	3
Northamptonshire	1:10,560	1927	4
Northamptonshire	1:10,560	1938 - 1952	5
Historical Aerial Photography	1:10,560	1947	6
Northamptonshire	1:10,560	1952	7
Ordnance Survey Plan	1:10,000	1958	8
Ordnance Survey Plan	1:10,000	1971 - 1972	9
Ordnance Survey Plan	1:10,000	1983 - 1989	10
Ordnance Survey Plan	1:10,000	1991	11
10K Raster Mapping	1:10,000	1999	12
10K Raster Mapping	1:10,000	2006	13
VectorMap Local	1:10,000	2024	14

### **Historical Map - Slice A**



#### **Order Details**

Order Number: 371271146\_1\_1 Customer Ref: 20242 National Grid Reference: 485390, 261750

Slice: Site Area (Ha): Search Buffer (m): 1000


**Site Details** 

Section 1



0844 844 9952

A Landmark Information Group Service v50.0 05-Mar-2025 Page 1 of 14



# Lucion

Protecting people and planet

#### **Northamptonshire**

## **Published 1884**


# Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)

			_1			_1
- 1	045N 1884			046N 1884	W	ı
i		,560	1	1:10,	560	ı
I			H			I
1	045	SE		0468	w	I
1	1884 1:10	1 ,560		1884 1:10,	560	'
ı		,	į	,		

#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 371271146\_1\_1 Customer Ref: 20242 National Grid Reference: 485390, 261750

Slice:


Site Area (Ha): Search Buffer (m):

**Site Details** 

Landmark<sup>®</sup>

0844 844 9952

A Landmark Information Group Service v50.0 05-Mar-2025 Page 2 of 14



# Lucion

Protecting people and planet

#### **Northamptonshire**

# **Published 1901**


# Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)

_			-1 -		_	_1
1	045NE			046NV 1901	٧	- 1
i	1901 1:10,5	60	}	1:10,5	60	ı
I			_			1
			_!:			- 1
1	045SE			046SV	V	- 1
	1901		- 1	1901		
•	1:10,5	60	i	1:10,5	60	- 1
1			ì			
						- 1

#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 371271146\_1\_1 Customer Ref: 20242 National Grid Reference: 485390, 261750


Site Area (Ha): Search Buffer (m): 8.51

**Site Details** 

Landmark<sup>®</sup>

0844 844 9952

A Landmark Information Group Service v50.0 05-Mar-2025 Page 3 of 14



# Lucion

Protecting people and planet


#### **Northamptonshire**

# **Published 1927**


# Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840's. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940's, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

#### Map Name(s) and Date(s)



#### **Historical Map - Slice A**



#### **Order Details**

Order Number: 371271146\_1\_1 Customer Ref: 20242 National Grid Reference: 485390, 261750

Slice:

Α Site Area (Ha): Search Buffer (m): 8.51

## **Site Details**

Section 1



0844 844 9952 www.envirocheck.co.uk

A Landmark Information Group Service v50.0 05-Mar-2025 Page 4 of 14