

The Droves Solar Farm


Figure 6.12: PM6, PM8, PM12 and PM14 Parameter Based Winter Photowires (Part A)

Prepared by: LDA Design Date: November 2025

PINS reference: EN0110013

Document reference: APP/6.3 (Original)

APFP Regulation Reg 5(2)(a)





Existing Photograph (Left)

LDĀDESIGN

Camera Location (OS Grid Reference): Ground Level (mAOD): Direction of View: bearing from North (0°): 135°

Horizontal Field of View: 90° (Cylindrical projection) 841mm x 297mm (Half A1)

Camera Model and Sensor Format: Lens Make, Model and Focal Length: Height of Camera Lens above Ground (mAOD): 1.5m

29/01/2025 13:30 Canon EOS 6D, FFS Canon EF50mm f/1.8 STM



Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright, All rights reserved. 2025 Reference number AC0000808122.

PROJECT TITLE
THE DROVES SOLAR FARM

6.3 Environmental Statement Volume 3

DRAWING TITLE
ES Figure 6.12 Viewpoint 6 - PRoW South Acre RB2, South Acre
REVISION P0, DCO Submission DRN JB CHK OWh/MB APP RP



Existing Photograph (Right)

Camera Location (OS Grid Reference): 578841 E 313687 N Ground Level (mAOD): Direction of View: bearing from North (0°): 225°

Horizontal Field of View: 90° (Cylindrical projection) 841mm x 297mm (Half A1)

Camera Model and Sensor Format: Lens Make, Model and Focal Length: Height of Camera Lens above Ground (mAOD): 1.5m

29/01/2025 13:30 Canon EOS 6D, FFS Canon EF50mm f/1.8 STM



Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright, All rights reserved. 2025 Reference number AC0000808122.

PROJECT TITLE
THE DROVES SOLAR FARM

6.3 Environmental Statement Volume 3

DRAWING TITLE
ES Figure 6.12 Viewpoint 6 - PRoW South Acre RB2, South Acre REVISION PO, DCO Submission DRN JB CHK OWh/MB APP RP



Wireline (Left)

LDĀDESIGN

Camera Location (OS Grid Reference): Ground Level (mAOD): Direction of View: bearing from North (0°): 135°

Paper Size:

Horizontal Field of View: 90° (Cylindrical projection) 841mm x 297mm (Half A1) Camera Model and Sensor Format: Lens Make, Model and Focal Length: Height of Camera Lens above Ground (mAOD): 1.5m

29/01/2025 13:30 Canon EOS 6D, FFS Canon EF50mm f/1.8 STM

This wireframe is based upon LiDAR digital terrain data with spot heights at 1m resampled to 5m (which does not precisely model small scale changes in landform or sharp breaks in slope).

The three dimensional model of the development is based on 9485_0250_G_Concept_Masterplan.



Ordnance Survey material by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright, All rights reserved. 2025 Reference number AC0000808122.

Maximum extent of siting zone for Solar PV Array (modelled at 4.5m high)

Maximum extent of siting zone for BESS (modelled at 3.5m high)

Maximum extent of siting zone for Customer Substation (modelled at 13m high) Maximum extent of siting zone for National Grid Substation (modelled at 13m high)

--- Maximum extent of siting zone for Grid Connection Infrastructure (modelled at 55m high)

THE DROVES SOLAR FARM

6.3 Environmental Statement Volume 3 The Infrastructure Planning (Applications: Prescribed Forms and Pr Regulations 2009 – Reg 5(2)(a). PINS Ref. EN0110013.

ES Figure 6.12 Viewpoint 6 - PRoW South Acre RB2, South Acre

REVISION PO, DCO Submission DRN JB CHK OWh/MB APP RP



Wireline (Right)

Camera Location (OS Grid Reference): Ground Level (mAOD): Direction of View: bearing from North (0°): 225°

Horizontal Field of View: 90° (Cylindrical projection) Paper Size:

841mm x 297mm (Half A1)

Camera Model and Sensor Format: Lens Make, Model and Focal Length: Height of Camera Lens above Ground (mAOD): 1.5m

29/01/2025 13:30 Canon EOS 6D, FFS Canon EF50mm f/1.8 STM

This wireframe is based upon LiDAR digital terrain data with spot heights at 1m resampled to 5m (which does not precisely model small scale changes in landform or sharp breaks in slope).

The three dimensional model of the development is based on 9485_0250_G_Concept_Masterplan.



Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown Copyright, All rights reserved. 2025 Reference number AC0000808122.

Maximum extent of siting zone for Solar PV Array (modelled at 4.5m high)

Maximum extent of siting zone for BESS (modelled at 3.5m high) Maximum extent of siting zone for Customer Substation (modelled at 13m high) Maximum extent of siting zone for National Grid Substation (modelled at 13m high)

--- Maximum extent of siting zone for Grid Connection Infrastructure (modelled at 55m high) THE DROVES SOLAR FARM

6.3 Environmental Statement Volume 3

ES Figure 6.12 Viewpoint 6 - PRoW South Acre RB2, South Acre

REVISION PO, DCO Submission DRN JB CHK OWh/MB APP RP The Infrastructure Planning (Applications: Prescribed Forms and Proc Regulations 2009 – Reg 5(2)(a). PINS Ref. EN0110013.

