WHITESTONE SOLAR FARM


Volume 6: Environmental Statement

6.20 Appendix 9.3: Landmark Envirocheck® Report: Whitestone 2

Application Document ref. EN0110020/APP/6.20
Revision 01
June 2026

Planning Act (2008)
Infrastructure Planning
(Applications: Prescribed
Forms and Procedure)
Regulations 2009
Regulations 5(2)(a)

whitestonesolarfarm.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Index Map

For ease of identification, your site and buffer have been split into Slices, Segments and Quadrants. These are illustrated on the Index Map opposite and explained further below.

Slice
Each slice represents a 1:10,000 plot area (2.7km x 2.7km) for your site and buffer. A large site and buffer may be made up of several slices (represented by a red outline), that are referenced by letters of the alphabet, starting from the bottom left corner of the slice "grid". This grid does not relate to National Grid lines but is designed to give best fit over the site and buffer.

Segment
A segment represents a 1:2,500 plot area. Segments that have plot files associated with them are shown in dark green, others in light blue. These are numbered from the bottom left hand corner within each slice.

Quadrant
A quadrant is a quarter of a segment. These are labelled as NW, NE, SW, SE and are referenced in the datasheet to allow features to be quickly located on plots. Therefore a feature that has a quadrant reference of A7NW will be in Slice A, Segment 7 and the NW Quadrant.

A selection of organisations who provide data within this report:

Map data

British Geological Survey
NATURAL ENVIRONMENT RESEARCH COUNCIL

Environment Agency

NATURAL ENGLAND

Envirocheck reports are compiled from 136 different sources of data.

Client Details

Mr Russell, Environmental Resources Management Ltd,
2nd Floor, Exchequer Court, 33 St Mary Axe, London,
EC3A 8AA

Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447710, 387450
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Full Terms and Conditions can be found on the following link:
http://www.landmarkinfo.co.uk/Terms/Show/515

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
447750, 385850

Slice:
A

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	6
Hazardous Substances	-
Geological	7
Industrial Land Use	-
Sensitive Land Use	9
Data Currency	10
Data Suppliers	16
Useful Contacts	17

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents			
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature			
Pollution Incidents to Controlled Waters			
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 3	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 4	Yes	n/a
Superficial Aquifer Designations	pg 4	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences			
Flooding from Rivers or Sea without Defences			
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines			
Water Framework Directive - Catchment	pg 5	Yes	
Water Framework Directive - Groundwater	pg 5	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 6	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 7	Yes	n/a
BGS Estimated Soil Chemistry	pg 7	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 7	Yes	n/a
Mining Instability	pg 8	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 8	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 8	Yes	Yes
Potential for Running Sand Ground Stability Hazards			
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 8	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure			
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 9	1	
Areas of Adopted Green Belt	pg 9	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 9	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	447850 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448800 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	446750 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	0	1	448600 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448600 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	449100 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	446750 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448750 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	449000 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (SW)	0	1	447300 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	447600 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448700 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	448800 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	449150 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448700 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	449150 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	447650 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	447700 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	446700 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448900 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	448850 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	0	1	449050 386500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	449150 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NE)	0	1	448700 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	0	1	449150 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	4	1	448550 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	8	1	448850 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	13	1	448900 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	19	1	448900 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	25	1	448800 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	29	1	449100 385853
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	34	1	448550 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	39	1	448700 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	43	1	449100 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	46	1	448850 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	47	1	448350 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	65	1	449100 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	71	1	448300 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	73	1	448800 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	84	1	448850 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	85	1	448350 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	89	1	448900 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	93	1	449050 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	105	1	449050 385853

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	108	1	447500 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	116	1	449000 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	139	1	448500 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	143	1	448450 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NE)	151	1	448250 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	220	1	448050 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	234	1	448150 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	A15SW (SW)	239	1	447250 385500
	Nearest Surface Water Feature None				
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449156 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449111 386061
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449000 385853

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	447000 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	2	447745 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NE)	0	2	448000 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449000 386000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A15NE (N)	0	3	447745 385853
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(E)	0	3	449111 386061
	Extreme Flooding from Rivers or Sea without Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
	OS Water Network Lines None				
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	A15NE (N)	0	2	447745 385853
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Pigeon Bridge Brook from Source to River Rother WaterBody ID: GB104027057730 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	A16NW (E)	0	2	447800 385853
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	A15NE (N)	0	2	447745 385853

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	4	447745 385853

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	A15NE (N)	0	1	447745 385853
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A16NW (E)	0	1	448000 385883
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	(N)	0	1	447745 386000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A14NE (W)	0	1	447000 385853
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A15NE (N)	19	1	447745 385853
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A12SE (SE)	28	1	448444 384729
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	A15NE (N)	0	5	447745 385853

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	A15NE (N)	0	-	447745 385853
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A16NW (E)	4	1	447822 385846
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(NE)	0	1	447886 385993
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A15NE (N)	0	1	447745 385853

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Ancient Woodland** Name: Spring Wood Reference: 1105148 Area(m²): 61905.91 Type: Ancient and Semi-Natural Woodland	(NW)	0	6	446968 386586
2	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	A15NE (N)	0	7	447745 385853
3	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	A15NE (N)	0	2	447745 385853
4	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	(N)	0	2	447737 386030

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
North East Derbyshire District Council - Environmental Health Department	October 2017	Annual Rolling Update
Sheffield City Council - Environmental Protection Service	October 2017	Annual Rolling Update
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Midlands Region	March 2013	
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Midlands Region	January 2009	
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
North East Derbyshire District Council - Environmental Health Department	August 2014	Variable
Sheffield City Council - Environmental Protection Service	December 2020	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
North East Derbyshire District Council - Environmental Health Department	August 2014	Annual Rolling Update
Sheffield City Council - Environmental Protection Service	December 2020	Annual Rolling Update
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
North East Derbyshire District Council - Environmental Health Department	August 2014	Variable
Sheffield City Council - Environmental Protection Service	June 2014	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - Midlands Region	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - Midlands Region - East Area	April 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	April 2025	Quarterly
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - Midlands Region	October 2017	
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified

Data Currency

Agency & Hydrological	Version	Update Cycle
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	As notified
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Data Currency

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Midlands Region	January 2009	Not Applicable
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Midlands Region - East Area	May 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	May 2025	Quarterly
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Midlands Region - East Area	April 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	April 2025	Quarterly
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Derbyshire County Council	February 2003	Not Applicable
North East Derbyshire District Council - Environmental Health Department	February 2003	Not Applicable
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Sheffield City Council - Environmental Protection Service	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Derbyshire County Council	October 2018	
North East Derbyshire District Council - Environmental Health Department	October 2018	
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Sheffield City Council - Environmental Protection Service	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Midlands Region - East Area	March 2006	Not Applicable
Environment Agency - Midlands Region - Lower Trent Area	March 2006	Not Applicable
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Midlands Region - East Area	April 2018	
Environment Agency - Midlands Region - Lower Trent Area	April 2018	
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - Midlands Region - East Area	June 2015	
Environment Agency - Midlands Region - Lower Trent Area	June 2015	
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Derbyshire County Council	February 2016	Variable
Sheffield City Council	February 2016	Variable
Rotherham Metropolitan Borough Council	March 2023	Variable
North East Derbyshire District Council - Planning Department	May 2023	Variable
Planning Hazardous Substance Consents		
Derbyshire County Council	February 2016	Variable
North East Derbyshire District Council - Planning Department	February 2016	Variable
Rotherham Metropolitan Borough Council	February 2016	Variable
Sheffield City Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	
Cheshire Brine Subsidence Compensation Board (CBSCB)	November 2020	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	February 2023	
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Data Currency

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt		
North East Derbyshire District Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Unadopted Green Belt		
North East Derbyshire District Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas		
Natural England	August 2023	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Natural England	March 2025	Bi-Annually
Marine Nature Reserves		
Natural England	February 2025	Bi-Annually
National Nature Reserves		
Natural England	January 2025	Bi-Annually
National Parks		
Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	November 2024	Annually
Ramsar Sites		
Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural England	May 2025	Bi-Annually
Special Areas of Conservation		
Natural England	January 2025	Bi-Annually
Special Protection Areas		
Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
5	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
6	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
7	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	SLIP	Landslide Deposit	Clay, Sand and Gravel	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Gravel, Sand, Silt and Clay	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	OR	Oaks Rock	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**100**
Map Name:	**Sheffield**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice A



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903 - 1905	7
Yorkshire	1:10,560	1924 - 1931	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1938 - 1950	11
Yorkshire	1:10,560	1948	12
Derbyshire	1:10,560	1951	13
Ordnance Survey Plan	1:10,000	1956	14
Ordnance Survey Plan	1:10,000	1967	15
Ordnance Survey Plan	1:10,000	1974 - 1978	16
Sheffield	1:25,000	1977	17
Ordnance Survey Plan	1:10,000	1983 - 1985	18
Ordnance Survey Plan	1:10,000	1990 - 1996	19
10K Raster Mapping	1:10,000	2000	20
10K Raster Mapping	1:10,000	2006	21
VectorMap Local	1:10,000	2024	22

Historical Map - Slice A



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 447750, 385850
Slice: A
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903 - 1905	7
Yorkshire	1:10,560	1924 - 1931	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1938 - 1950	11
Yorkshire	1:10,560	1948	12
Derbyshire	1:10,560	1951	13
Ordnance Survey Plan	1:10,000	1956	14
Ordnance Survey Plan	1:10,000	1967	15
Ordnance Survey Plan	1:10,000	1974 - 1978	16
Sheffield	1:25,000	1977	17
Ordnance Survey Plan	1:10,000	1983 - 1985	18
Ordnance Survey Plan	1:10,000	1990 - 1996	19
10K Raster Mapping	1:10,000	2000	20
10K Raster Mapping	1:10,000	2006	21
VectorMap Local	1:10,000	2024	22

Russian Map - Slice A




Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 447750, 385850
Slice: A
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1854 - 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1875


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1892 - 1894


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1903 - 1905


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1924 - 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


445800
446000
446200
446400
446600
446800
447000
447200
447400
447600
447800
448000
448200
448400
385800
385600
385400
385200
385000
384800
384600
384400
384200
384000
383800
383600
383400
CUM AUGHTON
Aston
Old Quarry
Common Farm
Reservoir
Condell Moor or Common
Woodville Cottage
Old Quarry
Dam Ing Pond
Yellow Lion Inn
Laundry
The Cottage
Netherthorpe
Netherthorpe Farm
All Saints Ch
Aston Hall
Cricket Ground
Park Plantation
ASTON PARK
Condell Well
Aston Common Farm
Union Row
Sewage Works (Rotherham R. D. C.)
Engine House Plantation
Engine House
Nicker Wood
Boon House
Fiddle Neck Pond
Old Quarry
North Staveley Colliery
Rotherham & Clowne
Hemsworth Pond
Union Plantation
Todwick Lodge Farm
Pigeon Bridge
Rookery Bottom
Waleswood Junction
Waleswood Station
Waleswood Collieries
Waleswood Row
Reservoir
Low Farm
Wales Court
Lodge
Rectory Ground
Pinfolding Ground
Waleswood Farm
Waleswood
Waleswood Hall
Windpump
Mission Hall
Gasmotor
Water Beds
Rookery Bottom
Tank
Stone Quarry
Rises
Lane
Common
Sheffield... Workshop
Workshop
Schools
Brick Kilns
Footpath
Reading Room
Chapel
Cottages
Cottage
Farm
Pond
Tank
Reservoir
Quarry
Plantation
Ground
Gasmotor
Windpump
Hall
Lodge
Court
Row
Collieries
Junction
Station
Bridge
Pond
Works
Colliery
Sewage Works
Engine House
Boon House
Fiddle Neck Pond
Water Beds
Stone Quarry
Rookery Bottom
Waleswood Row
Waleswood Collieries
Waleswood Junction
Waleswood Station
Waleswood Farm
Waleswood Hall
Mission Hall
Gasmotor
Windpump
Pigeon Bridge
Todwick Lodge Farm
Hemsworth Pond
Union Plantation
Nicker Wood
Boon House
Fiddle Neck Pond
Engine House Plantation
Park Plantation
Aston Hall
All Saints Ch
Aston Common Farm
Condell Well
Woodville Cottage
Common Farm
Reservoir
Condell Moor or Common
Old Quarry
Yellow Lion Inn
Dam Ing Pond
Laundry
The Cottage
Netherthorpe
Netherthorpe Farm
Sewage Works (Rotherham R. D. C.)
North Staveley Colliery
Rotherham & Clowne
Union Row
Rectory Ground
Pinfolding Ground
Waleswood Farm
Waleswood
Waleswood Hall
Windpump
Mission Hall
Gasmotor
Water Beds
Rookery Bottom
Tank
Stone Quarry



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1938 - 1950


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1956
1:10,560

SK48SE
1956
1:10,560

Historical Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1967
1:10,560

SK48SE
1967
1:10,560

Historical Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1974 - 1978

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1974
1:10,000

SK48SE
1978
1:10,000

Historical Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1983 - 1985

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1983
1:10,000

SK48SE
1985
1:10,000

Historical Map - Slice A



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1990 - 1996

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1996
1:10,000

SK48SE
1990
1:10,000

Historical Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE
2000
1:10,000

SK48SE
2000
1:10,000

Historical Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE
2006
1:10,000

SK48SE
2006
1:10,000

Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

VectorMap Local

Published 2024

Source map scale - 1:10,000


VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SK48NE
2024
Variable

SK48SE
2024
Variable

Historical Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- 8 Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour 105


Master Contour 100 95

Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice A



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice A



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice A




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice A




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447750, 385850
Slice:	A
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
450360, 385040

Slice:
B

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	15
Hazardous Substances	-
Geological	18
Industrial Land Use	23
Sensitive Land Use	26
Data Currency	27
Data Suppliers	32
Useful Contacts	33

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 6		2
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 7	Yes	
Pollution Incidents to Controlled Waters	pg 7		1
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 7	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 11	2	n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 11	Yes	n/a
Superficial Aquifer Designations	pg 11	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 11	Yes	
Flooding from Rivers or Sea without Defences	pg 11	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 11	8	14
Water Framework Directive - Catchment	pg 14	Yes	
Water Framework Directive - Groundwater	pg 14	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites	pg 15	1	
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)	pg 15		2
Local Authority Landfill Coverage	pg 15	1	n/a
Local Authority Recorded Landfill Sites	pg 15	1	
Potentially Infilled Land (Non-Water)	pg 15		1
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites	pg 16		3
Registered Waste Treatment or Disposal Sites	pg 17		1
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 18	Yes	n/a
BGS Estimated Soil Chemistry	pg 18	Yes	Yes
BGS Recorded Mineral Sites	pg 19		1
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 19	Yes	n/a
Mining Instability	pg 19	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 20	Yes	Yes
Potential for Compressible Ground Stability Hazards	pg 20		Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 20	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 20	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 21	Yes	Yes
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 23		15
Fuel Station Entries			
Points of Interest - Commercial Services	pg 24		3
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 24		4
Points of Interest - Public Infrastructure	pg 24		2
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt	pg 26	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves	pg 26		1
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 26	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	0	1	450000 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	0	1	450100 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B8NE (SE)	0	1	450850 384400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449150 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449450 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	448700 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449250 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	450700 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NE (NW)	0	1	449750 385600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NE (NW)	0	1	449800 385600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NE (NW)	0	1	449500 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449300 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449450 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B8NW (SE)	0	1	450700 384350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NW (E)	0	1	450800 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NE (NW)	0	1	449550 385700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B8NW (SE)	0	1	450750 384500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	448750 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449150 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NE (E)	0	1	450850 384950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	448800 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449050 386550

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12NW (E)	0	1	450750 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12NW (E)	0	1	450750 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B12NW (NE)	0	1	450500 385100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449250 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449400 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NE (E)	0	1	450900 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NE (E)	0	1	450900 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16SE (E)	0	1	451000 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	448800 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	448850 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449200 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12NW (E)	0	1	450550 385050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12NW (E)	0	1	450600 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B8NE (SE)	0	1	450900 384550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B16SE (E)	0	1	451000 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12SW (SE)	0	1	450500 384800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	0	1	449400 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NE (NW)	0	1	449700 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B12NE (E)	0	1	451100 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B12NE (E)	0	1	451150 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	448800 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449200 386400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449250 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449550 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	0	1	449400 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11SE (S)	0	1	450300 384650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (S)	0	1	450350 384900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449150 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449300 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NW (SE)	0	1	450550 384900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	0	1	450000 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (W)	0	1	450250 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (SW)	0	1	450300 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	448900 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449100 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12SW (SE)	0	1	450600 384850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NE (NW)	0	1	449600 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449250 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449650 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	0	1	449450 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	448750 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	449200 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449500 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	449700 386100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	4	1	448700 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B12NW (SE)	8	1	450500 384950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	8	1	448900 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	10	1	451500 384150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11SW (SW)	12	1	450150 384700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	13	1	448950 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	19	1	449750 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B8NE (SE)	19	1	450850 384250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	19	1	449100 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	25	1	448850 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SW (NW)	27	1	449900 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	29	1	449200 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	30	1	449300 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	30	1	449350 385700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	30	1	449250 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SE (NW)	31	1	449500 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	31	1	449400 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	32	1	449550 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	32	1	449600 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	32	1	449650 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	33	1	449700 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	34	1	448650 386500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	39	1	448800 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (SE)	43	1	450450 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (NW)	43	1	449150 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	46	1	448900 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	47	1	448700 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (N)	55	1	450363 385050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B16SE (E)	56	1	451150 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NW (NW)	65	1	449250 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NE (E)	65	1	450400 385037
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NW (NW)	65	1	449200 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NW (NW)	66	1	449300 385700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NW (NW)	66	1	449350 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B15SW (NW)	68	1	449850 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SE (NW)	68	1	449650 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	68	1	449600 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	69	1	449750 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	71	1	448600 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	72	1	451550 384100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SE (NW)	73	1	449800 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	73	1	448850 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SE (W)	74	1	449700 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	75	1	450050 385000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	84	1	448900 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (NW)	85	1	449050 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	89	1	449000 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (NW)	93	1	449100 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SE (NW)	103	1	449550 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (NW)	105	1	449100 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SE (W)	109	1	449800 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	116	1	450000 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B11NW (W)	123	1	450000 384900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	134	1	451600 384050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	139	1	448550 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	143	1	448550 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	151	1	448550 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B16SW (N)	197	1	450500 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	200	1	451650 384000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	220	1	448100 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	234	1	448450 386450
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Gipsy Camp - Sws (2 Con), Common Road, North Anston, Rotherham Authority: Environment Agency, Midlands Region Catchment Area: Upper Ryton to Poulter Reference: T/75/03423/O Permit Version: 1 Effective Date: 21st October 1972 Issued Date: 21st October 1972 Revocation Date: 31st March 2000 Discharge Type: Discharge Of Other Matter-Surface Water Discharge Environment: Freshwater Stream/River Receiving Water: Cramfit Brook / Eel Mires Dyke **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	B16SE (NE)	27	2	451000 385400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Gipsy Camp - Sws (2 Con), Common Road, North Anston, Rotherham Authority: Environment Agency, Midlands Region Catchment Area: Upper Ryton to Poulter Reference: T/75/03423/O Permit Version: 1 Effective Date: 21st October 1972 Issued Date: 21st October 1972 Revocation Date: 31st March 2000 Discharge Type: Discharge Of Other Matter-Surface Water Discharge Environment: Freshwater Stream/River Receiving Water: Cramfit Brook / Eel Mires Dyke **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	B16SE (NE)	109	2	451100 385400
	Nearest Surface Water Feature	B11SE (S)	0	-	450451 384821
3	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Unknown Location: North Anston Trading Estate Authority: Environment Agency, Midlands Region Pollutant: Oils - Diesel (Including Agricultural) Note: Oil In Inlet To Bal.Pond; Amenity Effected Incident Date: 8th May 1997 Incident Reference: 2802550 Catchment Area: Trent Catchment : Upper Ryton To Confluence With Poulter Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	B16SE (NE)	179	2	451150 385450
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12NW (E)	0	2	450611 385000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B16SE (E)	0	2	451012 385300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	449252 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12NW (NE)	0	2	450524 385125
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	449680 386123
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12SE (E)	0	2	451000 384836

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12NE (E)	0	2	451000 385000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12NE (E)	0	2	450842 385000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B11NW (W)	0	2	450000 385037
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B11NE (S)	0	2	450363 385037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B12NE (E)	0	2	451000 385037
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	448000 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	449000 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	2	450000 386000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	B11NE (S)	0	2	450363 385000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	B12NE (E)	0	2	451000 385037
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	B12NE (E)	0	2	451000 385000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B11NE (S)	0	4	450363 385000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B11NW (W)	0	4	450000 385037
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	B11NE (S)	0	4	450363 385037
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(NW)	0	4	449680 386123
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B12NW (E)	0	4	450611 385000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B12NW (NE)	0	4	450524 385125
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	B16SE (E)	0	4	451012 385300
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B11NE (S)	0	2	450363 385037
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	B11NE (S)	0	2	450363 385035
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
4	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 750.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	B11NE (NE)	0	5	450423 385149

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B14SE (NW)	0	5	449710 385438
6	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B14SE (NW)	0	5	449726 385430
7	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 975.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B11SE (SE)	0	5	450487 384811
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 38.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B11SE (S)	0	5	450451 384821
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 230.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B11NE (S)	0	5	450357 384948
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 92.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B11NE (SW)	0	5	450337 385023
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 282.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B11NE (E)	0	5	450402 385034
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 323.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B15NW (NW)	10	5	449983 385803
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B14SE (NW)	18	5	449751 385414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 468.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B11NE (SW)	26	5	450337 385023
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 127.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	B16SE (NE)	45	5	451005 385423
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 129.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 2	B16SE (NE)	45	5	451005 385423
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 133.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	B15SW (NW)	60	5	450018 385367
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 205.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B11NE (NE)	109	5	450423 385149
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	B16SE (NE)	144	5	451117 385436
20	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 5.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B15NW (NW)	178	5	449987 385799
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 199.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B15NW (N)	181	5	450125 385654
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.4 Watercourse Level: Underground Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	B16SE (NE)	183	5	451152 385454

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	B16SE (NE)	199	5	451167 385460
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B15SE (N)	200	5	450361 385328
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 385.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	B15SE (N)	203	5	450360 385331
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Anston Brook from Source to Ryton WaterBody ID: GB104028058210 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	B11NE (S)	0	2	450363 385037
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	B11NE (S)	0	2	450363 385037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	**Historical Landfill Sites** Licence Holder: Kiveton Park Rural District Council Location: Railway Cutting, Cramfit Road, North Anston, Worksop, Nottinghamshire Name: Railway Cutting Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04766 First Input Date: 31st December 1964 Last Input Date: 31st December 1974 Specified Waste Type: Deposited Waste included Commercial and Household Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0207 BGS Ref: Not Supplied Other Ref: 4400/(58)	B16SE (NE)	0	2	451029 385315
27	**Licensed Waste Management Facilities (Locations)** Licence Number: 43202 Location: Magilla H W R C, Common Road, North Anston, Rotherham, South Yorkshire, S25 4AH Operator Name: H W Martin Waste Limited Operator Location: Not Supplied Authority: Environment Agency - Midlands Region, East Area Site Category: Household, Commercial And Industrial Transfer Stations **Licence Status:** **Issued** Issued: 6th November 1992 Last Modified: 6th November 1992 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B16SE (NE)	76	2	451011 385471
28	**Licensed Waste Management Facilities (Locations)** Licence Number: 120124 Location: Common Road Dismantlers, COMMON ROAD, Sheffield, ROTHERHAM, S25 4AH Operator Name: Connor Tongue Operator Location: Not Supplied Authority: Environment Agency - Midlands Region, East Area Site Category: Vehicle depollution facility **Licence Status:** **Issued** Issued: 30th October 2019 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	B16NE (NE)	202	2	450871 385623
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	6	450363 385037
29	**Local Authority Recorded Landfill Sites** Location: Railway Cutting, Off Cramfit Road, North Anston Reference: 58 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Domestic Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	B16SE (NE)	0	6	451020 385331
30	**Potentially Infilled Land (Non-Water)** Bearing Ref: NE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1989	B16SW (NE)	95	-	450685 385554

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	**Registered Waste Transfer Sites** Licence Holder: B.D.R. Waste Disposal Ltd Licence Reference: WD20 R 907 MOD 3 Site Location: Magilla Dumpit Site, Common Road, North Anston, Sheffield, South Yorkshire Operator Location: Thorncliffe Hall, Thorncliffe Park Estate, Chapeltown, SHEFFIELD, South Yorkshire, S35 2PQ Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Civic Amenity Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Operational as far as is knownOperational Dated: 18th August 1997 Preceded By Licence: WD20 R 907 MOD 1 Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Contaminated Rubbish/Bags/Sacks Empty Used Containers Ferrous Metal Scrap Gen. Construction/Demolition Wastes Household Waste Industrial Wastes Mineral Oils Mixed Domestic/Commercial Waste Non-Ferrous Metal Scrap Scrap Rubber (Including Tyres) Prohibited Waste: Spec.Waste (Epa'90:S62/1996 Regs)	B16SE (NE)	83	2	451020 385470
31	**Registered Waste Transfer Sites** Licence Holder: B.D.R. Waste Disposal Ltd Licence Reference: WD20 R 907 MOD 1 Site Location: Magilla Dumpit Site, Common Road, North Anston, Sheffield, South Yorkshire Operator Location: Templeborough House, Mill Close, ROTHERHAM, South Yorkshire, S60 1BZ Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Civic Amenity Max Input Rate: Small (Equal to or greater than 10,000 and less than 25,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Record superseded Dated: 6th November 1992 Preceded By Licence: WD 5 R 5 Superseded By Licence: WD20 R 907 MOD 3 Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Asbestos Contaminated Rubbish/Bags/Sacks Empty Used Containers Ferrous Metal Scrap Gen. Construction/Demolition Wastes Household Waste Industrial Wastes Mineral Oils Mixed Domestic/Commercial Waste Non-Ferrous Metal Scrap Scrap Rubber (Including Tyres)	B16SE (NE)	83	2	451020 385470

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
31	**Registered Waste Transfer Sites** Licence Holder: Rotherham M.B.C. Licence Reference: WD 5 R 5 Site Location: Magilla Dumpit Site, Common Road, North Anston, Sheffield, South Yorkshire Operator Location: As Site Address Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Civic Amenity Max Input Rate: Small (Equal to or greater than 10,000 and less than 25,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Record superseded Dated: 1st October 1989 Preceded By Licence: Not Given Superseded By Licence: WD20 R 907 MOD 1 Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Bonded Asbestos Glass House. + Com. Untreated Waste Mineral Oils Used Tyres	B16SE (NE)	83	2	451020 385470
32	**Registered Waste Treatment or Disposal Sites** Licence Holder: P Hewison Licence Reference: WD20 R1023 Site Location: Common Road Autos, North Anston, SHEFFIELD, South Yorkshire, S31 7AH Operator Location: Maw-Fen, Morthen Road, Thurcroft, ROTHERHAM, South Yorkshire, S66 9JE Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Scrapyard Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Licence Status: Licence lapsed/cancelled/defunct/not applicable/surrendered Dated: 1st December 1994 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Approximate location provided by supplier Boundary Quality: Not Supplied Authorised Waste: Batteries Max.Stor. Max.Waste Permitted By Licence Scrap Vehicles/Cars/Commercials M.Stor	B16NW (NE)	214	2	450800 385600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	B11NE (S)	0	1	450363 385037
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	B12NW (NE)	0	1	450530 385203
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	B12NE (E)	0	1	450879 385084
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B11NE (SW)	0	1	450314 384983
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B11NE (S)	0	1	450363 385037
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B12NW (NE)	0	1	450600 385199
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B11NE (NE)	0	1	450376 385052

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B11NW (NW)	0	1	450000 385221
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9NE (W)	19	1	449000 384983
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B8NW (S)	28	1	450604 384315
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	B16SW (N)	210	1	450536 385461
33	**BGS Recorded Mineral Sites** Site Name: Anston Brick Works Location: Anston, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 37152 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Upper Coal Measures Formation Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	B16SW (NE)	180	1	450815 385570
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	B11NE (S)	0	7	450363 385037
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	B11NE (S)	0	-	450363 385037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B16SW (NE)	125	1	450679 385548
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B12SW (SE)	0	1	450683 384697
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B12NW (NE)	0	1	450510 385115
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B12NW (E)	0	1	450608 385000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16SE (E)	0	1	451044 385241
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B16SW (NE)	125	1	450679 385548
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NW (NW)	0	1	450000 385204
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (SW)	0	1	450361 385033
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B14NE (NW)	0	1	449741 385869
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B15SW (NW)	0	1	449973 385495
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B12NE (E)	0	1	450884 385037
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B12NE (E)	0	1	450884 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (SE)	0	1	450414 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (SW)	0	1	450323 384990
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (SW)	0	1	450310 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B8NW (S)	7	1	450604 384353
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	39	1	450363 385037
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	116	1	450000 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B16SW (N)	204	1	450535 385454

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B11NW (W)	0	1	450000 385037
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385037
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B11NE (S)	0	1	450363 385000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	**Contemporary Trade Directory Entries** Name: Lemark Office Equipment Location: UNIT 2 TO 3, UNIVERSAL CRESCENT, NORTH ANSTON, ROTHERHAM, S25 4NZ Classification: Office Furniture & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	133	-	451001 385555
34	**Contemporary Trade Directory Entries** Name: Lemark Office Equipment Ltd Location: Unit 3, Universal Crescent, North Anston Trading Estate, North Anston, Sheffield, South Yorkshire, S25 4NZ Classification: Office Furniture & Equipment **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	135	-	450989 385561
34	**Contemporary Trade Directory Entries** Name: Advance Alloy Services Ltd Location: Unit 4, Universal Crescent, North Anston, Sheffield, S25 4NZ Classification: Alloys **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16NE (NE)	149	-	450974 385581
34	**Contemporary Trade Directory Entries** Name: Advanced Alloy Services Location: Unit 4-8, Universal Crescent, North Anston, Sheffield, S25 4NZ Classification: Scrap Metal Merchants **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16NE (NE)	149	-	450974 385581
34	**Contemporary Trade Directory Entries** Name: Ellanesse Alloys & Metals Ltd Location: Unit 5, Universal Crescent, North Anston, Sheffield, S25 4NZ Classification: Metal Industries - Primary **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16NE (NE)	160	-	450969 385593
35	**Contemporary Trade Directory Entries** Name: Livefoods Direct Location: Houghton Road, North Anston, Sheffield, S25 4JJ Classification: Pet Foods & Animal Feeds **Status: Active** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	140	-	451018 385553
36	**Contemporary Trade Directory Entries** Name: Hallam Express Ltd Location: NORTHERN GARAGE, HOUGHTON ROAD, NORTH ANSTON, ROTHERHAM, S25 4JJ Classification: Road Haulage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	168	-	451097 385509
36	**Contemporary Trade Directory Entries** Name: Hallam Express Ltd Location: NORTHERN GARAGE, HOUGHTON ROAD, NORTH ANSTON, ROTHERHAM, S25 4JJ Classification: Road Haulage Services **Status: Active** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	168	-	451097 385509
36	**Contemporary Trade Directory Entries** Name: Mass Engineering Ltd Location: Houghton Road, North Anston, Sheffield, S25 4JJ Classification: Engineers - General **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16SE (NE)	178	-	451092 385534
37	**Contemporary Trade Directory Entries** Name: Wrights Location: Unit 1, North Anston Business Centre, Houghton Road, North Anston, Sheffield, S25 4JJ Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16NE (NE)	212	-	451036 385625
37	**Contemporary Trade Directory Entries** Name: Regional Waste Re Cycling Plc Location: Houghton Rd, North Anston Trading Est/North, Sheffield, South Yorkshire, S25 4JJ Classification: Waste Disposal Services **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	B16NE (NE)	238	-	451007 385664

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	**Contemporary Trade Directory Entries** Name: S M C Pneumatics (Uk) Ltd Location: Anston Business Park, North Anston, Sheffield, South Yorkshire, S25 4JL Classification: Pneumatic Systems & Equipment **Status: Inactive** Positional Accuracy: Manually positioned to the address or location	B16NE (NE)	244	-	451025 385664
38	**Contemporary Trade Directory Entries** Name: Full Point Associates Location: Unit 9-10, Houghton Road, North Anston, Sheffield, S25 4JJ Classification: Printers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	B16NE (NE)	226	-	450932 385660
39	**Contemporary Trade Directory Entries** Name: M Thompson Location: Common Rd, Anston, Sheffield, South Yorkshire, S25 4AH Classification: Salvage Dealers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	B16NW (NE)	230	-	450807 385622
39	**Contemporary Trade Directory Entries** Name: A & P Auto Salvage Location: Unit 3 Common Rd, Anston, Sheffield, South Yorkshire, S25 4AH Classification: Salvage Dealers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	B16NW (NE)	233	-	450804 385624
40	**Points of Interest - Commercial Services** Name: Hallam Express Ltd Location: Northern Garage, Houghton Road, North Anston, Rotherham, S25 4JJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	B16SE (NE)	168	8	451096 385509
40	**Points of Interest - Commercial Services** Name: Hallam Express Ltd Location: Northern Garage, Houghton Road, North Anston, Rotherham, S25 4JJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	B16SE (NE)	168	8	451096 385509
41	**Points of Interest - Commercial Services** Name: T N T Newsfast Ltd Location: Unit 7 North Anston Business Centre, Houghton Road, North Anston, Sheffield, S25 4JJ Category: Transport, Storage and Delivery Class Code: Distribution and Haulage Positional Accuracy: Positioned to address or location	B16NE (NE)	181	8	450962 385615
42	**Points of Interest - Manufacturing and Production** Name: D J Teasdale Location: Sheffield Road, Todwick, Sheffield, S26 1DJ Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	B11NE (NW)	79	8	450269 385095
42	**Points of Interest - Manufacturing and Production** Name: D J Teasdale Location: Burne Farm, Sheffield Road, Todwick, Rotherham, S26 1DJ Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	B11NE (NW)	79	8	450269 385095
43	**Points of Interest - Manufacturing and Production** Name: Business Centre Location: S25 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	B16NE (NE)	219	8	451041 385631
43	**Points of Interest - Manufacturing and Production** Name: North Anston Business Centre Location: S25 Category: Industrial Features Class Code: Business Parks and Industrial Estates Positional Accuracy: Positioned to an adjacent address or location	B16NE (NE)	243	8	451077 385638
44	**Points of Interest - Public Infrastructure** Name: Magilla Recycling Centre Location: Cramfit Road, S25 Category: Infrastructure and Facilities Class Code: Recycling Centres Positional Accuracy: Positioned to address or location	B16SE (NE)	75	8	451010 385471

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	**Points of Interest - Public Infrastructure** Name: Sewage Pumping Station Location: S25 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	B16SE (NE)	145	8	451084 385486

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
45	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	B11NE (S)	0	9	450363 385037
46	**Local Nature Reserves** Name: Anston Stones Wood Multiple Area: Y Area (m2): 433376.82 Source: Natural England Designation Date: 1st June 2002	(SE)	64	10	451602 384293
47	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	B10SE (SW)	0	2	449808 384573
48	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	B11NE (S)	0	2	450363 385037

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified

Agency & Hydrological	Version	Update Cycle
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Midlands Region - East Area	April 2025	Quarterly
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Midlands Region - Lower Trent Area	April 2018	
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - Midlands Region - Lower Trent Area	June 2015	
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2025	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Rotherham Metropolitan Borough Council - Planning Department** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Website: www.rotherham.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
6	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
10	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CDF	Cadeby Formation	Dolostone	Not Supplied - GUADALUPIAN
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®
LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	100
Map Name:	Sheffield
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice B




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice B




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice B




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice B




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice B



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903	7
Derbyshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Yorkshire	1:10,560	1931	10
Yorkshire	1:10,560	1947 - 1950	11
Derbyshire	1:10,560	1951	12
Ordnance Survey Plan	1:10,000	1956	13
Ordnance Survey Plan	1:10,000	1967	14
Ordnance Survey Plan	1:10,000	1974 - 1978	15
Sheffield	1:25,000	1977	16
Ordnance Survey Plan	1:10,000	1981 - 1985	17
Ordnance Survey Plan	1:10,000	1989	18
Ordnance Survey Plan	1:10,000	1990 - 1996	19
10K Raster Mapping	1:10,000	2000	20
10K Raster Mapping	1:10,000	2006	21
VectorMap Local	1:10,000	2024	22

Historical Map - Slice B



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 450360, 385040
Slice: B
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903	7
Derbyshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Yorkshire	1:10,560	1931	10
Yorkshire	1:10,560	1947 - 1950	11
Derbyshire	1:10,560	1951	12
Ordnance Survey Plan	1:10,000	1956	13
Ordnance Survey Plan	1:10,000	1967	14
Ordnance Survey Plan	1:10,000	1974 - 1978	15
Sheffield	1:25,000	1977	16
Ordnance Survey Plan	1:10,000	1981 - 1985	17
Ordnance Survey Plan	1:10,000	1989	18
Ordnance Survey Plan	1:10,000	1990 - 1996	19
10K Raster Mapping	1:10,000	2000	20
10K Raster Mapping	1:10,000	2006	21
VectorMap Local	1:10,000	2024	22

Russian Map - Slice B




Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 450360, 385040
Slice: B
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1854 - 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1875


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1892 - 1894

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW
1892
1:10,560

300NW
1894
1:10,560

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1903

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW
1903
1:10,560

300NW
1903
1:10,560

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW
1931
1:10,560

300NW
1931
1:10,560

Historical Map - Slice B




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1947 - 1950

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW
1950
1:10,560

300NW
1947
1:10,560

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE 1956 1:10,560	SK58NW 1956 1:10,560
SK48SE 1956 1:10,560	SK58SW 1956 1:10,560

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE 1967 1:10,560	SK58NW 1967 1:10,560
SK48SE 1967 1:10,560	SK58SW 1967 1:10,560

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1974 - 1978

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1974
1:10,000

SK48SE
1978
1:10,000

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1981 - 1985


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE 1983 1:10,000	SK58NW 1981 1:10,000
SK48SE 1985 1:10,000	SK58SW 1982 1:10,000

Historical Map - Slice B



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1990 - 1996

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1996
1:10,000

SK48SE
1990
1:10,000

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE 2000 1:10,000	SK58NW 2000 1:10,000
SK48SE 2000 1:10,000	SK58SW 2000 1:10,000

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE 2006 1:10,000	SK58NW 2006 1:10,000
SK48SE 2006 1:10,000	SK58SW 2006 1:10,000

Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice B



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour 105


Master Contour 100

Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice B



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice B



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice B



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP®

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice B



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice B



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice B



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	450360, 385040
Slice:	B
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice C



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
451400, 384530

Slice:
C

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	10
Hazardous Substances	-
Geological	11
Industrial Land Use	14
Sensitive Land Use	15
Data Currency	16
Data Suppliers	22
Useful Contacts	23

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 2		1
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls	pg 2		1
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 2	Yes	
Pollution Incidents to Controlled Waters	pg 3		2
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 3	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 5	2	n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 5	Yes	n/a
Superficial Aquifer Designations	pg 5	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 5	Yes	
Flooding from Rivers or Sea without Defences	pg 5	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 6	7	21
Water Framework Directive - Catchment	pg 9	Yes	
Water Framework Directive - Groundwater	pg 9	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites	pg 10		1
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 10	1	n/a
Local Authority Recorded Landfill Sites	pg 10		1
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites	pg 10		1
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 11	Yes	n/a
BGS Estimated Soil Chemistry	pg 11	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 12	Yes	n/a
Mining Instability	pg 12	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 12	Yes	
Potential for Compressible Ground Stability Hazards	pg 12		Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 12	Yes	
Potential for Running Sand Ground Stability Hazards	pg 13	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 13	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 14		1
Fuel Station Entries			
Points of Interest - Commercial Services	pg 14		1
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 14		2
Points of Interest - Public Infrastructure			
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt	pg 15	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves	pg 15		1
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 15	1	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C9SE (NE)	0	1	451650 384750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	450850 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450750 384350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	450850 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450850 384450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	450900 384900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	450800 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	451000 384750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	450700 385200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	451000 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	450950 384950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	451100 385200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	450750 385000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	451100 384600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C5NW (S)	0	1	451401 384450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	451100 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5NW (SW)	0	1	451250 384400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	0	1	451150 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C9NW (N)	0	1	451250 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450600 384550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450600 384850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450500 384800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	450650 384800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	8	1	450550 384900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5SW (S)	10	1	451500 384150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	12	1	450850 384100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	19	1	450950 384200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	43	1	450500 384950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	C13SW (N)	56	1	451200 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5SE (S)	72	1	451550 384100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5SE (S)	134	1	451600 384050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	197	1	450550 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	C5SE (SE)	200	1	451650 384000
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Cramfit Road - Sws, North Anston, Rotherham Authority: Environment Agency, Midlands Region Catchment Area: Upper Ryton to Poulter Reference: T/75/12298/O Permit Version: 1 Effective Date: 10th May 1988 Issued Date: 10th May 1988 Revocation Date: 31st March 2000 Discharge Type: Discharge Of Other Matter-Surface Water Discharge Environment: Freshwater Stream/River Receiving Water: Alcove Plantation Brook **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	C13SW (N)	123	2	451320 385240
2	**Local Authority Pollution Prevention and Controls** Name: Plaxtons Ltd Location: Ryton Road, Anston, Sheffield, S25 4es Authority: Rotherham Metropolitan Borough Council, Planning Department Permit Reference: E65/17 Dated: 30th September 1993 Process Type: Local Authority Air Pollution Control Description: PG6/34 Respraying of road vehicles **Status: Authorised** Positional Accuracy: Located by supplier to within 10m	C5SW (S)	98	3	451500 384000
	Nearest Surface Water Feature	C5NW (S)	0	-	451363 384241

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Pollution Incidents to Controlled Waters** Property Type: Coal Location: Field 400 Yards From Mill Farm, Main Street, NORTH ANSTON Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Amenity Affected; Field Covered In Black Oily Sub Incident Date: 22nd June 1998 Incident Reference: 2804672 Catchment Area: Trent Catchment : Upper Ryton To Confluence With Poulter Receiving Water: Watercourse Cause of Incident: Weather Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5NW (SW)	4	2	451200 384350
4	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Surface Water Outfall Location: Adj To Mclean Homes Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Inert Suspended Solids Note: Anston Brook; Polystyrene In Brook Incident Date: 5th May 1999 Incident Reference: 2806033 Catchment Area: Trent Catchment : Upper Ryton To Confluence With Poulter Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	C5NE (SE)	175	2	451700 384250
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	451000 384535
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C9NW (N)	0	2	451203 385121
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	450842 385000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C5NW (S)	0	2	451409 384470
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C5NW (NE)	0	2	451401 384535
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	451000 384836
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	451000 385000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	C9NW (N)	0	2	451401 385000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	451000 384472
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C9NW (N)	0	2	451401 385000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	C5NW (NE)	0	2	451401 384535
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C5NW (NE)	0	4	451401 384535
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	C9NW (N)	0	4	451401 385000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C5NW (S)	0	4	451409 384470
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(NW)	0	4	450842 385000
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	C9NW (N)	0	4	451203 385121
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C5NW (S)	0	2	451445 384330
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	C5NW (S)	0	2	451455 384330
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 482.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	C5NW (S)	0	5	451485 384330
6	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 975.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	C5NW (SW)	0	5	451186 384380
7	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9SW (NW)	0	5	451201 384776
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 160.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9SW (NW)	0	5	451199 384784
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (NW)	0	5	451233 384934
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (N)	0	5	451234 384937
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 79.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (NW)	0	5	451221 384964
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 85.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9SW (NW)	3	5	451230 384696
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 59.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (N)	13	5	451253 385036

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 176.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C5NW (W)	14	5	451249 384534
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 40.3 Watercourse Level: Underground Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	C5NW (SE)	29	5	451509 384326
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 384.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	C5NE (SE)	39	5	451548 384334
17	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 7.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (N)	39	5	451268 385093
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 10.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9SW (NW)	88	5	451232 384687
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 153.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C5NW (W)	98	5	451250 384544
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 342.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C9NW (N)	155	5	451494 385089
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 204.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	167	5	451307 385334
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	172	5	451341 385328

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C5NW (W)	180	5	451249 384535
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 104.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	185	5	451332 385339
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	192	5	451239 385384
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 90.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	195	5	451226 385389
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	195	5	451226 385389
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	(N)	199	5	451167 385460
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 135.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Cramfit Brook Catchment Name: Trent Primacy: 1	C13SW (N)	227	5	451194 385471
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	227	5	451194 385471
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	245	5	451212 385476

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 103.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	C13SW (N)	246	5	451213 385476
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Anston Brook from Source to Ryton WaterBody ID: GB104028058210 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	C5NW (NE)	0	2	451401 384535
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	C5NW (NE)	0	2	451401 384535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	**Historical Landfill Sites** Licence Holder: W Warnes Location: Main Street, North Anston, Worksop, Nottinghamshire Name: Old Mill Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04770 First Input Date: 15th September 1982 Last Input Date: 30th November 1988 Specified Waste Type: Deposited Waste included Inert Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0244 BGS Ref: Not Supplied Other Ref: 4400/R343, 609, 50, WD20/R343	C5NE (SE)	74	2	451630 384351
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	6	451401 384535
34	**Local Authority Recorded Landfill Sites** Location: Old Mill, Main Street, North Anston Reference: 95 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Inert, Non-Flammable, Construction, Demolition Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	C5NE (SE)	73	6	451626 384341
35	**Registered Landfill Sites** Licence Holder: W Warnes Licence Reference: WD20 R 343 Site Location: Adj. The Old Mill, Main Street, North Anston, Sheffield, South Yorkshire Licence Easting: 451650 Licence Northing: 384300 Operator Location: As Site Address Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Landfill Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source Restrictions: No known restriction on source of waste Status: Licence lapsed/cancelled/defunct/not applicable/surrendered Dated: 1st September 1982 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste Construction And Demolition Wastes Prohibited Waste Liquids In Containers Over 4l Cap. Slurry In Containers Over 4l Cap.	C5NE (SE)	117	2	451650 384300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	C5NW (NE)	0	1	451401 384535
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	C5NW (NE)	0	1	451411 384555
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	C5NW (SW)	0	1	451292 384342
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	C5NW (NE)	0	1	451401 384535
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	C5NW (NE)	0	1	451412 384551
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	(SW)	28	1	450913 384124
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	C5SW (S)	98	1	451500 384000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	C5SE (SE)	201	1	451651 384000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	C9NW (N)	247	1	451500 385000
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	C5NW (NE)	0	7	451401 384535
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	C5NW (NE)	0	-	451401 384535
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NE (N)	199	1	451535 385090
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C5NW (S)	0	1	451405 384454
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451205 385117
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NE (N)	199	1	451535 385090
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	C5NW (SW)	0	1	451214 384365
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C9NW (N)	0	1	451401 385000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	C5NW (NE)	0	1	451401 384535

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	**Contemporary Trade Directory Entries** Name: Express Cleaners Location: 82, Sheffield Road, Anston, SHEFFIELD, S25 5DW Classification: Commercial Cleaning Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	C5SE (SE)	168	-	451631 384036
37	**Points of Interest - Commercial Services** Name: Spencer's Auto Salvage Location: 2 Wilberforce Court, South Anston, Rotherham, S60 2JF Category: Recycling Services Class Code: Scrap Metal Merchants Positional Accuracy: Positioned to address or location	C5SE (SE)	102	8	451606 384185
38	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	C5NE (E)	233	8	451618 384516
38	**Points of Interest - Manufacturing and Production** Name: Works Location: S25 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	C5NE (E)	233	8	451618 384516

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	C5NW (NE)	0	10	451401 384535
40	**Local Nature Reserves** Name: Anston Stones Wood Multiple Area: Y Area (m2): 433376.82 Source: Natural England Designation Date: 1st June 2002	C5NE (SE)	64	9	451602 384293
41	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	C5NW (NE)	0	2	451401 384535

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Bassetlaw District Council - Environmental Health Department	June 2025	Annual Rolling Update
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - Midlands Region	March 2013	
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - Midlands Region	January 2009	
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Bassetlaw District Council - Environmental Health Department	August 2014	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Bassetlaw District Council - Environmental Health Department	August 2014	Not Applicable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Bassetlaw District Council - Environmental Health Department	August 2014	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - Midlands Region	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - Midlands Region - East Area	April 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	April 2025	Quarterly
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - Midlands Region	October 2017	
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified

Agency & Hydrological	Version	Update Cycle
Source Protection Zones Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Data Currency

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - Midlands Region	January 2009	Not Applicable
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Midlands Region - East Area	May 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	May 2025	Quarterly
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - Midlands Region - East Area	April 2025	Quarterly
Environment Agency - Midlands Region - Lower Trent Area	April 2025	Quarterly
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Bassetlaw District Council - Environmental Health Department	February 2003	Not Applicable
Nottinghamshire County Council - Environment Department	February 2003	Not Applicable
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Bassetlaw District Council - Environmental Health Department	October 2018	
Nottinghamshire County Council - Environment Department	October 2018	
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Midlands Region - East Area	March 2006	Not Applicable
Environment Agency - Midlands Region - Lower Trent Area	March 2006	Not Applicable
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - Midlands Region - East Area	April 2018	
Environment Agency - Midlands Region - Lower Trent Area	April 2018	
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - Midlands Region - East Area	June 2015	
Environment Agency - Midlands Region - Lower Trent Area	June 2015	
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Nottinghamshire County Council	June 2023	Variable
Bassetlaw District Council - Environmental Health Department	March 2023	Variable
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Bassetlaw District Council - Environmental Health Department	April 2015	Variable
Nottinghamshire County Council	August 2007	Variable
Rotherham Metropolitan Borough Council	February 2016	Variable
Geological	**Version**	**Update Cycle**
BGS 1:625,000 Solid Geology		
British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry		
British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites		
British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District		
Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	
Cheshire Brine Subsidence Compensation Board (CBSCB)	November 2020	As notified
Coal Mining Affected Areas		
The Coal Authority - Property Searches	February 2023	
Mining Instability		
Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain		
British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards		
British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas		
British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures		
British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt		
Bassetlaw District Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt		
Bassetlaw District Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas		
Natural England	August 2023	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Natural England	March 2025	Bi-Annually
Marine Nature Reserves		
Natural England	February 2025	Bi-Annually
National Nature Reserves		
Natural England	January 2025	Bi-Annually
National Parks		
Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	November 2024	Annually
Ramsar Sites		
Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural England	May 2025	Bi-Annually
Special Areas of Conservation		
Natural England	January 2025	Bi-Annually
Special Protection Areas		
Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Rotherham Metropolitan Borough Council - Planning Department** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Website: www.rotherham.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
6	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
10	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	GFDMP	Glaciofluvial Deposits, Mid Pleistocene	Sand and Gravel	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CDF	Cadeby Formation	Dolostone	Not Supplied - GUADALUPIAN
	CDF	Cadeby Formation	Mudstone, Calcareous	Not Supplied - GUADALUPIAN
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®
LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID: 1
Map Sheet No: 100
Map Name: Sheffield
Map Date: 2011
Bedrock Geology: Available
Superficial Geology: Available
Artificial Geology: Available
Faults: Not Supplied
Landslip: Available
Rock Segments: Not Supplied

Geology 1:50,000 Maps - Slice C




Order Details:

Order Number: 380948625_1_1
Customer Reference: 0720724
National Grid Reference: 451400, 384530
Slice: C
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice C




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice C




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice C




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice C



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy.
County Borough Boundary (England)
Co. Burgh Bdy.
County Burgh Boundary (Scotland)
R.D. Bdy.
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Standard Gauge Single Track
Road Under
Road Over
Level Crossing
Foot Bridge
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	2
Nottinghamshire	1:10,560	1885	3
Yorkshire	1:10,560	1892 - 1894	4
Nottinghamshire	1:10,560	1900	5
Yorkshire	1:10,560	1903	6
Nottinghamshire	1:10,560	1923	7
Derbyshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Yorkshire	1:10,560	1930 - 1932	10
Yorkshire	1:10,560	1947 - 1950	11
Nottinghamshire	1:10,560	1948	12
Ordnance Survey Plan	1:10,000	1956	13
Ordnance Survey Plan	1:10,000	1967	14
Ordnance Survey Plan	1:10,000	1981 - 1982	15
Ordnance Survey Plan	1:10,000	1989	16
10K Raster Mapping	1:10,000	2000	17
10K Raster Mapping	1:10,000	2006	18
VectorMap Local	1:10,000	2024	19

Historical Map - Slice C




Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 451400, 384530
Slice: C
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1854 - 1855

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

29600
1855
1:10,560

30000
1854
1:10,560

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Nottinghamshire

Published 1885


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1892 - 1894


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Nottinghamshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1903


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW 1903 1:10,560	296SE 1903 1:10,560
300NW 1903 1:10,560	300NE 1903 1:10,560

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Nottinghamshire

Published 1923


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


Dinnington
DINNINGTON PARK
Dinnington Hall
Fish Pond
Alcove Plantation
Anston Plantation
High Nook Plantation
White Wall Plantation
White Quarry Plantation
Greenland Quarry (Disused)
North Field Limekiln
Anston Quarry
Hen Eggs
Ashleigh House
Water Tank (Kiveton Park R.D. Council)
Windmill Plantation
Hunger Hill Plantation
North Anston
Anston Hall
Anston Bridge
Anston Station
Anston House
Sewage Works (Kiveton Park R.D.C.)
Recreation Ground
Allotment Gardens
The Clump
Sykes' Plantation
Rackford Farm
South Anston
Meth. Ch.
St. James's Church
Vicarage
Manor House
Stepping Stones
Little Sloucher
Narrow Lane
Crowgit Road
New Road
Quarry Flatts Road
Rackford Lane
Old Coach Road
Windypump
Crow Gate
Town Wells
Starch House
Clerk's House
Spring
Allot. Gdns.
Fish Pond
Cross (Remains of)
Lodge
Beech
Ash
Icehouse
Swinston
Swinston Hill Plantation
Swinston Hill Farm
Swinston Hill Cottages
Swinston Hill Lane
Swinston Hill Road
Swinston Hill Wood



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1947 - 1950


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296SW 1950 1:10,560	296SE 1948 1:10,560
300NW 1947 1:10,560	300NE 1950 1:10,560

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Nottinghamshire

Published 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK58NW
1956
1:10,560

SK58SW
1956
1:10,560

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK58NW
1967
1:10,560

SK58SW
1967
1:10,560

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1981 - 1982

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK58NW
1981
1:10,000

SK58SW
1982
1:10,000

Historical Map - Slice C



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK58NW
2000
1:10,000

SK58SW
2000
1:10,000

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK58NW
2006
1:10,000

SK58SW
2006
1:10,000

Historical Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


North Anston
South Anston
Alcove Plantation
Dinnington Park
Cemetery
Greenfields Park
Recreation Ground
Windmill Plantation
Hunger Hill Farm
Swinston
White Walls Farm
Town Wells Farm
Brooklands
Skateboard Park
Pav Cricket Ground
Anston Brook Primary School
Anston Hillcrest Primary School
Pipeline
Sykes' Plantation
Sewage Works
Little Stores
Rackford Farm
Windy Corner
The Clump
Crow Gate Hill
Springfield Terrace
Crowgate
Playing Field
Sewage Ppg Sta
Govt Offices
Hospice
Anston Brook
Drain
Path
Track
Mast
Weir
Hall
Sch
Spr
Sks
FB
PW
NURSERY DRIVE
NURSERY ROAD
MAIN STREET
NEW ROAD
WOODSETTS ROAD
BACKFORD ROAD
SHEFFIELD ROAD
SWINSTON HILL ROAD
WINDSOR WALK
PINE AVENUE
WILLOW CLOSE
ST JAMES AVENUE
AMBLESIDE WALK
KENDAL AVENUE
WOODLAND DRIVE
WOODLAND AVENUE
WRIGHT STREET
MILLFIELD LANE
PARK LANE
MILL LANE
QUARRY LANE
HAWTHORNE AVENUE
HAWTHORNE DRIVE
BROOKSIDE ROAD
BROOKSIDE CRESCENT
BROOKSIDE CLOSE
BROOKSIDE DRIVE
BROOKSIDE AVENUE
BROOKSIDE WAY
BROOKSIDE GROVE
BROOKSIDE COURT
BROOKSIDE
BROOKSIDE MEWS



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®
LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice C




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour 105


Master Contour 100 95

Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice C



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice C



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice C




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice C



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice C



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice C




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	451400, 384530
Slice:	C
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice D



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
444620, 387970

Slice:
D

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	15
Hazardous Substances	-
Geological	16
Industrial Land Use	21
Sensitive Land Use	22
Data Currency	23
Data Suppliers	28
Useful Contacts	29

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 3		5
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 4	Yes	
Pollution Incidents to Controlled Waters	pg 4	1	1
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions	pg 4		(*1)
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 5	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 8	Yes	n/a
Superficial Aquifer Designations	pg 8	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 9	Yes	Yes
Flooding from Rivers or Sea without Defences	pg 11	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas	pg 11	Yes	
Flood Defences	pg 11		Yes
OS Water Network Lines	pg 11	5	19
Water Framework Directive - Catchment	pg 14	Yes	
Water Framework Directive - Groundwater	pg 14	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites	pg 15	1	
Historical Landfill Sites	pg 15	1	1
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 15	1	n/a
Local Authority Recorded Landfill Sites	pg 15		2
Potentially Infilled Land (Non-Water)	pg 15		3
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 16	Yes	n/a
BGS Estimated Soil Chemistry	pg 16	Yes	Yes
BGS Recorded Mineral Sites	pg 17		3
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 18	Yes	n/a
Mining Instability	pg 18	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 18	Yes	
Potential for Compressible Ground Stability Hazards	pg 18	Yes	Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 19	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 19	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 20	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 21		2
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 21		2
Points of Interest - Public Infrastructure	pg 21		3
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 22	2	1
Areas of Adopted Green Belt	pg 22	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 22	1	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	443400 389050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NE (E)	0	1	445600 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	443600 389250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D15SE (E)	0	1	445000 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D15SE (NE)	0	1	444800 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	445750 388900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SW (W)	0	1	444600 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SE (NE)	0	1	444850 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11SW (S)	0	1	444700 387450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SE (E)	0	1	445000 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	446550 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11NW (S)	0	1	444623 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D11SW (S)	0	1	444750 387450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	446100 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SE (NE)	0	1	444900 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15NW (N)	1	1	444750 388300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SE (NE)	5	1	444850 388150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D15SE (E)	9	1	444950 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D15SE (E)	12	1	444900 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	13	1	443750 388950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	15	1	443600 389000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	21	1	445950 389200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NW (SE)	24	1	445300 387600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	28	1	445950 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15NW (N)	28	1	444700 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NW (E)	31	1	445100 387900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	32	1	443800 388900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	D12NW (E)	34	1	445100 387850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(N)	62	1	444623 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D13SE (W)	72	1	443700 388250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	72	1	445900 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	74	1	443600 389100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D15SE (E)	77	1	445000 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D14SW (W)	100	1	443750 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NW (E)	103	1	445150 387800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D14SW (W)	104	1	443850 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D14SW (W)	113	1	443800 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	117	1	445850 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	D12NW (SE)	132	1	445150 387750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	167	1	445800 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(E)	167	1	445850 387972
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	203	1	443450 388750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	223	1	445500 389150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	239	1	446450 386050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	248	1	444850 388750
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Aughton (Treeton Lane) Sps Treeton Lane, Aughton, Sheffield, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8727 Permit Version: 2 Effective Date: 4th June 2007 Issued Date: 4th June 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Ulley Brook **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	D7NE (S)	222	2	444950 387110
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Aughton (Treeton Lane) Sps Treeton Lane, Aughton, Sheffield, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8727 Permit Version: 2 Effective Date: 4th June 2007 Issued Date: 4th June 2007 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Ulley Brook **Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	D7NE (S)	222	2	444950 387110
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Aughton (Treeton Lane) Sps Treeton Lane, Aughton, Sheffield, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8727 Permit Version: 1 Effective Date: 1st April 2005 Issued Date: 11th March 2005 Revocation Date: 3rd June 2007 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Ulley Brook **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	D7NE (S)	222	2	444950 387110
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Aughton (Treeton Lane) Sps Treeton Lane, Aughton, Sheffield, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8727 Permit Version: 1 Effective Date: 1st April 2005 Issued Date: 11th March 2005 Revocation Date: 3rd June 2007 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Ulley Brook **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	D7NE (S)	222	2	444950 387110

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Aughton (Treeton Lane) Sps Treeton Lane, Aughton, Sheffield, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wadc469 Permit Version: 1 Effective Date: 2nd November 1989 Issued Date: 2nd November 1989 Revocation Date: 12th July 2005 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Unknown **Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 100m	D7NE (S)	242	2	444950 387070
	Nearest Surface Water Feature	D11NW (S)	0	-	444629 387664
2	**Pollution Incidents to Controlled Waters** Property Type: Private Sewage (Non-PLC): Surface Water Outfall Location: Whiston Brook At, WHISTON Authority: Environment Agency, North East Region Pollutant: Oils - Waste Oil Note: No Fish Killed Incident Date: 2nd April 1997 Incident Reference: SH970105 Catchment Area: Rother Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	D15SE (E)	0	2	444800 388000
3	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Pumping Station Location: Gas Distribution Depot, Pleasley Road Authority: Environment Agency, North East Region Pollutant: Sewage - Storm Overflow Note: Whiston Brook; Fish Killed: No Information Incident Date: 21st June 1998 Incident Reference: SH980245 Catchment Area: Rother Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	D12NW (E)	136	2	445200 387900
	Water Abstractions Operator: Yorkshire Water Licence Number: 2/27/03/004 Permit Version: Not Supplied Location: Location Description Not Available Authority: Environment Agency, North East Region Abstraction: Water Undertaking Abstraction Type: Not Supplied Source: Surface Daily Rate (m3): 0 Yearly Rate (m3): 981936 Details: Licence Revoked Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	D12NW (E)	369	2	445400 387700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SE (E)	0	2	444948 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SE (E)	0	2	445000 387972
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	(NW)	0	2	444000 389143
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SE (NE)	0	2	444821 388109

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	446000 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	D14SW (W)	0	2	444000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SE (NE)	0	2	444872 388175
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SW (N)	0	2	444623 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SE (E)	0	2	445000 388080
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	446000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D15SW (NW)	0	2	444623 387972
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	D11NE (E)	0	2	445000 387905

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	446000 387972
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	(NW)	0	2	443400 389100
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	(NW)	0	2	444000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NE)	0	2	446000 389000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D15SW (NW)	0	3	444623 387972
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D15SE (E)	0	3	445000 387972
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D15SE (NE)	0	3	444821 388109

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	D15SE (E)	0	3	445000 387972
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444472 388571
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444468 388580
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444460 388597
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444681 388281
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444660 388510
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444926 388145
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444484 388550
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444684 388466
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444680 388478
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444672 388486
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444668 388494
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444664 388498
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	0	2	444456 388605
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444454 388606
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444499 388510
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444472 388570

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444470 388574
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444466 388582
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444459 388598
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	(N)	0	2	444324 388913
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	0	2	444685 388471
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444771 388190
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444928 388145
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444923 388150
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444789 388204
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15SE (NE)	1	2	444791 388210
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15SE (NE)	4	2	444931 388135
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	4	2	444756 388371
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	8	2	444686 388275
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15NW (N)	9	2	444680 388280
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	10	2	444691 388274
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	D15NW (N)	10	2	444686 388277

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	D12NW (SE)	189	2	445258 387597
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D12SW (SE)	0	2	445235 387590
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	D15SE (NE)	0	2	444775 388190
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas Type: Flood Water Storage Areas Reference: Not Supplied	D15NW (N)	0	2	444601 388411
	Flood Defences Type: Flood Defences Reference: Not Supplied	D15NW (N)	4	2	444613 388585
4	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1115.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15NW (N)	0	4	444522 388540
5	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 85.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15NW (N)	0	4	444544 388546
6	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 617.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D15SE (NE)	0	4	444773 388210
7	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 509.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D11NW (S)	0	4	444629 387664
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 151.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D11NE (SE)	0	4	445019 387771
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D11NE (SE)	1	4	445008 387748

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D15NW (N)	2	4	444620 388585
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 374.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15NW (N)	3	4	444621 388588
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15NW (N)	4	4	444621 388588
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 926.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D15NW (N)	5	4	444620 388588
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15SE (E)	10	4	444915 388039
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 344.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D15SE (NE)	10	4	444912 388132
16	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 28.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D15SE (E)	18	4	444915 388039
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 96.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D11NE (E)	25	4	445091 387876
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D12NW (E)	104	4	445157 387808

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 70.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D12NW (E)	106	4	445159 387808
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D12NW (SE)	145	4	445155 387735
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 784.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D12NW (E)	145	4	445266 387727
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D12NW (SE)	147	4	445154 387731
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 231.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 2	D12NW (E)	174	4	445212 387766
24	**OS Water Network Lines** Watercourse Form: Transfer Watercourse Length: 65.9 Watercourse Level: On ground surface Permanent: False Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D12NW (E)	174	4	445214 387768
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 68.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	D7NE (S)	221	4	444961 387137
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 136.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	D12NW (SE)	239	4	445258 387709
27	**OS Water Network Lines** Watercourse Form: Transfer Watercourse Length: 74.5 Watercourse Level: On ground surface Permanent: False Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 2	D12NW (E)	239	4	445266 387727

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	D15SW (NW)	0	2	444623 387972
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Rother, Doe Lea to Don WaterBody ID: GB104027057772 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	D10NE (W)	0	2	444320 387900
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	D15SW (NW)	0	2	444623 387972

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	**BGS Recorded Landfill Sites** Site Name: Bole Hill Location: Treeton, ROTHERHAM, South Yorks Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Derived	D14NW (NW)	0	-	443949 388466
29	**Historical Landfill Sites** Licence Holder: Rotherham Rural District Council / Former South Yorkshire County Council Location: Treeton, Rotherham Name: Bole Hill Operator Location: Public Health Department Boundary Accuracy: As Supplied Provider Reference: EAHLD04734 First Input Date: 31st December 1965 Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Inert, Commercial and Household Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0210 BGS Ref: 576 Other Ref: 4400/(61), (61)R	D14NW (NW)	0	2	443816 388441
30	**Historical Landfill Sites** Licence Holder: Rotherham Metropolitan Borough Council Location: Guilthwaite Common, Sheffield Name: Land off Pleasley Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04758 First Input Date: 31st December 1952 Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Inert Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0185 BGS Ref: Not Supplied Other Ref: (36)R, 4400/(36)	D16SW (E)	9	2	445146 388085
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	5	444623 387972
31	**Local Authority Recorded Landfill Sites** Location: Guilthwaite Common Reference: 36 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Open** Types of Waste: Excavation (Inert) Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	D16SW (E)	9	5	445143 388092
32	**Local Authority Recorded Landfill Sites** Location: Bole Hill, Treeton Reference: 61 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Domestic, Excavation Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	D14NW (NW)	13	5	443838 388461
33	**Potentially Infilled Land (Non-Water)** Bearing Ref: E Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1996	D16SW (E)	13	-	445132 388087
34	**Potentially Infilled Land (Non-Water)** Bearing Ref: NW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1996	D14NW (NW)	143	-	443812 388590
35	**Potentially Infilled Land (Non-Water)** Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1996	D13SE (W)	171	-	443737 388041

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	D15SW (NW)	0	1	444623 387972
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	(NE)	0	1	445479 388755
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	(NE)	0	1	445615 388620
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	D15SW (N)	0	1	444623 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	D16SE (E)	0	1	445500 387972
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	D15SW (NW)	0	1	444623 387972
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D11NW (S)	0	1	444623 387651

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D15SW (W)	0	1	444585 387965
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D15SE (NE)	0	1	444872 388175
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D15SE (NE)	33	1	444925 388111
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D15SE (NE)	33	1	444821 388250
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	D11NE (E)	35	1	445095 387890
36	**BGS Recorded Mineral Sites** Site Name: Guilthwaite Common Quarry Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97584 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	D16SW (E)	53	1	445182 388137

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	**BGS Recorded Mineral Sites** Site Name: New Bole Hill Location: Treeton, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 109060 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	D14NW (NW)	74	1	443780 388507
38	**BGS Recorded Mineral Sites** Site Name: Bole Hill Location: Treeton, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 109059 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pennine Middle Coal Measures Formation Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	D13NE (NW)	149	1	443728 388571
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	D15SW (NW)	0	6	444623 387972
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	D15SW (NW)	0	-	444623 387972
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SE (NE)	0	1	444845 388187
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 388009
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SW (NE)	0	1	444748 388172
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (NE)	0	1	444845 388187
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SW (SW)	0	1	444605 387962
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 388009
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D15NW (N)	0	1	444579 388273

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Potential for Compressible Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NE)	0	1	444748 388172
	Potential for Compressible Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D14NW (NW)	128	1	443830 388586
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D10NW (W)	161	1	443966 387791
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D14NE (NW)	0	1	444352 388310
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SW (SW)	0	1	444605 387962
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NE)	0	1	444644 387983
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D14NE (NW)	17	1	444236 388301
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D14SW (W)	22	1	443998 387999
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D14NW (NW)	26	1	443760 388453
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D13NE (NW)	105	1	443732 388526
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	D13SE (W)	164	1	443663 388139
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D10SE (SW)	199	1	444202 387310
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15NW (N)	0	1	444579 388273
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NE)	0	1	444748 388172

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (NE)	0	1	444845 388187
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SW (SW)	0	1	444605 387962
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 388009
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D14NW (NW)	128	1	443830 388586
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D10NW (W)	161	1	443966 387791
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SW (SW)	0	1	444587 387946
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 388009
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D11NW (S)	0	1	444647 387669
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D15SE (NE)	0	1	444845 388187
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	D11SW (S)	0	1	444710 387460
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D15SW (NW)	0	1	444623 387972
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	D15SE (E)	0	1	445000 387972

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	**Contemporary Trade Directory Entries** Name: Trez Tech Location: 38, Bole Hill, Treeton, Rotherham, South Yorkshire, S60 5RA Classification: Electrical Goods Sales, Manufacturers & Wholesalers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	D13NE (W)	239	-	443525 388319
39	**Contemporary Trade Directory Entries** Name: Power Command Location: A, 19, Bole Hill, Treeton, Rotherham, South Yorkshire, S60 5RA Classification: Generators - Sales & Service **Status: Inactive** Positional Accuracy: Automatically positioned to the address	D13NE (W)	248	-	443506 388354
40	**Points of Interest - Manufacturing and Production** Name: Spa Well (Mineral) Location: Not Supplied Category: Extractive Industries Class Code: Ore Mining Positional Accuracy: Positioned to an adjacent address or location	D14NE (NW)	16	7	444129 388366
40	**Points of Interest - Manufacturing and Production** Name: R Hirst DIY Livery Location: Spa Farm, Spa Houses, Treeton, Rotherham, S60 5RG Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	D14NE (NW)	51	7	444097 388353
41	**Points of Interest - Public Infrastructure** Name: Weir Location: S26 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	D12NW (E)	172	7	445203 387755
42	**Points of Interest - Public Infrastructure** Name: Sewage Pump House Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	D7NE (S)	240	7	444961 387093
42	**Points of Interest - Public Infrastructure** Name: Sewage Pump House Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	D7NE (S)	245	7	444964 387086

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	**Ancient Woodland** Name: Burnt Wood Reference: 1105146 Area(m²): 102658.17 Type: Ancient and Semi-Natural Woodland	D15SW (SW)	0	8	444608 387961
44	**Ancient Woodland** Name: Burnt Wood Reference: 1105146 Area(m²): 18961.45 Type: Plantation on Ancient Woodland	D15SW (NW)	0	8	444623 387972
45	**Ancient Woodland** Name: Treeton Wood Reference: 1105145 Area(m²): 253971.89 Type: Ancient and Semi-Natural Woodland	D10SE (SW)	86	8	444224 387353
46	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	D15SW (NW)	0	9	444623 387972
47	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	D15SW (NW)	0	2	444623 387972

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Sheffield City Council - Environmental Protection Service	October 2017	Annual Rolling Update
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Sheffield City Council - Environmental Protection Service	December 2020	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Sheffield City Council - Environmental Protection Service	December 2020	Annual Rolling Update
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Sheffield City Council - Environmental Protection Service	June 2014	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	February 2023	

Data Currency

Agency & Hydrological	Version	Update Cycle
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Sheffield City Council - Environmental Protection Service	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Sheffield City Council - Environmental Protection Service	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Sheffield City Council	February 2016	Variable
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable
Sheffield City Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt		
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Unadopted Green Belt		
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas		
Natural England	August 2023	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Natural England	March 2025	Bi-Annually
Marine Nature Reserves		
Natural England	February 2025	Bi-Annually
National Nature Reserves		
Natural England	January 2025	Bi-Annually
National Parks		
Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	November 2024	Annually
Ramsar Sites		
Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural England	May 2025	Bi-Annually
Special Areas of Conservation		
Natural England	January 2025	Bi-Annually
Special Protection Areas		
Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
6	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
9	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
10	**Sheffield City Council** Howden House, 1 Union Street, Sheffield, South Yorkshire, S1 2SH	Telephone: 0114 273 4215 Fax: 0114 273 5002 Website: www.sheffield.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Gravel, Sand, Silt and Clay	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	OR	Oaks Rock	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**100**
Map Name:	**Sheffield**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice D



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice D




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice D




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice D



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice D



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy.
County Borough Boundary (England)
Co. Burgh Bdy.
County Burgh Boundary (Scotland)
R.D. Bdy.
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875 - 1882	4
Yorkshire	1:10,560	1893 - 1894	5
Derbyshire	1:10,560	1899 - 1900	6
Yorkshire	1:10,560	1904 - 1905	7
Yorkshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1935	11
Yorkshire	1:10,560	1938	12
Yorkshire	1:10,560	1948	13
Derbyshire	1:10,560	1950 - 1951	14
Ordnance Survey Plan	1:10,000	1956	15
Ordnance Survey Plan	1:10,000	1967	16
Ordnance Survey Plan	1:10,000	1974	17
Sheffield	1:25,000	1977	18
Ordnance Survey Plan	1:10,000	1981 - 1983	19
Ordnance Survey Plan	1:10,000	1991 - 1996	20
Ordnance Survey Plan	1:10,000	1996	21
10K Raster Mapping	1:10,000	2000	22
10K Raster Mapping	1:10,000	2006	23
VectorMap Local	1:10,000	2024	24

Historical Map - Slice D



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 444620, 387970
Slice: D
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney (бум.)
- Factory or Mill without Chimney (скип.)
- Mine or Open Pit Mine (медн.)
- Operating Shaft or Mine (кам. уг.)
- Non-Operating Shaft or Mine
- Salt Mine (сол.)
- Tailings Pile
- Pit (– 1.7)
- Stone Quarry (гл. пес. кам.)
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station (б.тр.)
- Cemetery
- Burial Mound (height in metres) (∅ + 8.1)
- Triangulation Point on Burial Mound (95.7)
- Triangulation Point (92.6)
- Bench Mark (52.1)
- Bench Mark (monumented) (71.1)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway (Cut, Fill, Km Post, Plantings, Telegraph/Telephone Lines)
- Highway under Construction
- Improved Dirt Road (former truck road) (Width of Road, Steep Grade)
- Double-track Railroad with First Class Station (Small Bridge, Pipe (Culvert), Tunnel)
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment (+2.4)
- Direction and velocity of current (Water Gauge, 135.1, Water Level Mark)
- Well (К. 125.0 гл.8м (г.-сол.))
- Water Reservoir or Rain Water Pit (вдхр.)
- Spring (156.2 кл.)
- Isobath with value (20)
- Heavy (Index) Contour Line
- Contour Line and Value (20)
- Half Contour Line
- Spot Elevation Value (347.1)
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875 - 1882	4
Yorkshire	1:10,560	1893 - 1894	5
Derbyshire	1:10,560	1899 - 1900	6
Yorkshire	1:10,560	1904 - 1905	7
Yorkshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1935	11
Yorkshire	1:10,560	1938	12
Yorkshire	1:10,560	1948	13
Derbyshire	1:10,560	1950 - 1951	14
Ordnance Survey Plan	1:10,000	1956	15
Ordnance Survey Plan	1:10,000	1967	16
Ordnance Survey Plan	1:10,000	1974	17
Sheffield	1:25,000	1977	18
Ordnance Survey Plan	1:10,000	1981 - 1983	19
Ordnance Survey Plan	1:10,000	1991 - 1996	20
Ordnance Survey Plan	1:10,000	1996	21
10K Raster Mapping	1:10,000	2000	22
10K Raster Mapping	1:10,000	2006	23
VectorMap Local	1:10,000	2024	24

Russian Map - Slice D




Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 444620, 387970
Slice: D
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1875 - 1882


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1893 - 1894

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

295NE
1893
1:10,560

295SE
1894
1:10,560

Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1899 - 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1904 - 1905

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

295NE
1904
1:10,560

295SE
1905
1:10,560

Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1924

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

295NE
1924
1:10,560

295SE
1924
1:10,560

Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1935


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1938

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

295NE
1938
1:10,560

295SE
1938
1:10,560

Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1948

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

295NE
1948
1:10,560

295SE
1948
1:10,560

Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1950 - 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1981 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1991 - 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Map ID

Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour 105 100 95


Master Contour

Spot Height 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice D



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice D



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice D



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice D




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice D



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice D




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	444620, 387970
Slice:	D
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice E



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
447150, 387410

Slice:
E

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	24
Hazardous Substances	-
Geological	25
Industrial Land Use	34
Sensitive Land Use	36
Data Currency	37
Data Suppliers	42
Useful Contacts	43

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Envirocheck®
LANDMARK INFORMATION GROUP®

Report Version v53.0

Contents

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents			
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 6	Yes	
Pollution Incidents to Controlled Waters	pg 6	1	5
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register	pg 7	1	4
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 8	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 12	Yes	n/a
Superficial Aquifer Designations	pg 12	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 13	Yes	Yes
Flooding from Rivers or Sea without Defences	pg 13	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 13	57	28
Water Framework Directive - Catchment	pg 22	Yes	
Water Framework Directive - Groundwater	pg 23	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)	pg 24		1
Local Authority Landfill Coverage	pg 24	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)	pg 24		1
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 25	Yes	n/a
BGS Estimated Soil Chemistry	pg 25	Yes	Yes
BGS Recorded Mineral Sites	pg 29		9
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 31	Yes	n/a
Mining Instability	pg 31	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 31	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 31	Yes	Yes
Potential for Running Sand Ground Stability Hazards			
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 32	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 34		4
Fuel Station Entries			
Points of Interest - Commercial Services	pg 34		1
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 34	9	5
Points of Interest - Public Infrastructure	pg 35	1	2
Points of Interest - Recreational and Environmental	pg 35		1
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 36	1	
Areas of Adopted Green Belt	pg 36	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 36	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	0	1	447700 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	448150 389100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448800 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E6NE (SW)	0	1	446850 387250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	448600 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	0	1	447000 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	445100 387850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	0	1	447000 388400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NE (NE)	0	1	447600 387800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448700 387800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	0	1	447500 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	0	1	447800 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	449100 387250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11NE (NE)	0	1	447550 387900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448650 387900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448600 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449100 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12SW (E)	0	1	448000 387350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E6SW (SW)	0	1	446750 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448750 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449000 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5NW (W)	0	1	446100 387000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NW (N)	0	1	447154 388550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NW (N)	0	1	447200 388550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	0	1	446950 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7NE (SE)	0	1	447700 387150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NW (SE)	0	1	447800 387100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E6NE (S)	0	1	447050 386950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448550 387600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11SE (E)	0	1	447650 387450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448650 387450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448500 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448700 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	448800 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449150 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448600 387500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	0	1	446850 388450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NE (NE)	0	1	447600 388300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E11SE (E)	0	1	447600 387550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	449050 387300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448700 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449150 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	448750 388350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3SE (S)	0	1	447550 386200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15SE (NE)	0	1	447500 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E14NE (N)	0	1	446900 388350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NE (NE)	0	1	447650 388350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NE (SE)	0	1	447650 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E2NW (SW)	0	1	446700 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448900 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SE (NE)	0	1	448400 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448700 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	448850 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449050 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E7SE (SE)	0	1	447750 386650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	448650 386650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448950 386950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	449150 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	448700 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	449150 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(E)	0	1	449100 386750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448800 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	1	1	448300 389050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	4	1	448550 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E12SW (E)	5	1	448100 387300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	8	1	448850 386250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	12	1	448900 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	13	1	448900 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	19	1	448900 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	21	1	446000 389200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E5NW (W)	24	1	446100 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	25	1	448800 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SW (NW)	28	1	446000 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	29	1	449100 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	31	1	445150 387850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	34	1	445150 387800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	34	1	448550 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	39	1	448700 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	43	1	449100 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	46	1	448850 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NE (SE)	47	1	448350 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	65	1	449100 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	71	1	447100 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SE (SE)	71	1	448300 386700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16SW (NE)	72	1	448050 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SW (NW)	72	1	445950 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	73	1	448800 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NE (E)	73	1	448200 387250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	84	1	448850 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NW (SE)	85	1	448000 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4SE (SE)	85	1	448350 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	89	1	448500 386700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	89	1	448900 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	93	1	449050 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E16NW (NE)	100	1	447950 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	103	1	445300 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	105	1	449050 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E3NW (S)	108	1	447450 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E13SW (NW)	117	1	445900 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	132	1	445200 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	139	1	448500 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NE (SE)	143	1	448450 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E4NE (SE)	151	1	448250 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NE (E)	165	1	448250 387150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E9NW (W)	167	1	445900 387900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	E13SW (NW)	167	1	445900 387950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E15NE (NE)	181	1	447750 388600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8NW (SE)	196	1	448100 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SE (SE)	199	1	448350 386800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E4NW (SE)	220	1	448050 386350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	223	1	445800 389150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E8SW (SE)	234	1	448100 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	E2SW (SW)	239	1	446500 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	244	1	447700 388650
	Nearest Surface Water Feature	E7NW (S)	0	-	447180 387209
1	**Pollution Incidents to Controlled Waters** Property Type: Highway/Car Park Location: Road Bridges A631 /, Road Bridge A630 Rother 02 Authority: Environment Agency, North East Region Pollutant: Oils - Vegetable Oil Note: Not Supplied Incident Date: 19th June 1990 Incident Reference: 115483 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	E12NW (E)	0	2	448000 387600
2	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Foul Sewer Location: Hero Drinks, KEGWORTH Authority: Environment Agency, Midlands Region Pollutant: Crude Sewage Note: Sewage From Manhole To Yard; Amenity Effected Incident Date: 11th December 1997 Incident Reference: 2803751 Catchment Area: Trent Catchment : Soar To Confluence With Kingston Brook Receiving Water: Watercourse Cause of Incident: Blocked Sewer Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E12SE (E)	10	2	448320 387450
3	**Pollution Incidents to Controlled Waters** Property Type: Road Location: Morthern Brook/Ulley Reservoir, ROTHERHAM Authority: Environment Agency, North East Region Pollutant: Oils - Diesel (Including Agricultural) Note: Watercourse :Rother; From Treeton Brook To Whiston Brook Fish Killed: No Information Incident Date: 6th March 1998 Incident Reference: SH980099 Catchment Area: Rother Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E13SW (NW)	119	2	445880 388050
4	**Pollution Incidents to Controlled Waters** Property Type: Other Farming Location: Morthen Brook Inlet To, Ulley Reservoir Authority: Environment Agency, North East Region Pollutant: Unknown Note: No Fish Killed Incident Date: 6th June 1996 Incident Reference: SH960269 Catchment Area: Rother Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E13SW (NW)	171	2	445900 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
4	**Pollution Incidents to Controlled Waters** Property Type: Other Farming Location: Morthen Brook Inlet To Ulley, Reservoir Authority: Environment Agency, North East Region Pollutant: Unknown Note: Pollution Found; No Fish Killed Incident Date: 6th June 1996 Incident Reference: SH960269 Catchment Area: Rother Tributaries Receiving Water: Freshwater Stream/River Cause of Incident: Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E13SW (NW)	176	2	445900 387995
5	**Pollution Incidents to Controlled Waters** Property Type: Surface Water Sewers Location: Rd Brdg A630/Catcliffe Road Rother 03 Authority: Environment Agency, North East Region Pollutant: Unknown Sewage Note: Not Supplied Incident Date: 16th July 1994 Incident Reference: 152636 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	E1SE (SW)	182	2	446400 386100
6	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 4th June 2003 Incident Reference: 163117 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Agricultural: Carcasses Pollutant: Agricultural Materials And Wastes: Other Agricultural Material Or Waste Pollutant: Specific Waste Materials: Commercial Waste	E10SW (W)	0	2	446729 387320
7	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 8th May 2020 Incident Reference: 1804759 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Pollutant Not Identified: Not Identified	E15NW (N)	4	2	447194 388601
8	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 7th August 2006 Incident Reference: 425259 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: General Biodegradable : Other Pollutant: Inert Materials And Wastes: Soils And Clay Pollutant: Asbestos Waste	E5NE (SW)	5	2	446228 386950
9	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 9th December 2005 Incident Reference: 365139 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Inert : Construction / Demolition Material Pollutant: Inert Materials And Wastes: Soils And Clay Pollutant: Asbestos Waste Pollutant: Specific Waste Materials: Batteries Pollutant: Specific Waste Materials: Commercial Waste Pollutant: Specific Waste Materials: Tyres	E5SE (SW)	58	2	446199 386866

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 24th May 2018 Incident Reference: 1616614 Water Impact: Category 4 - No Impact Air Impact: Category 4 - No Impact Land Impact: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Inert : Construction / Demolition Material	E5NE (W)	120	2	446323 387222
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	449156 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449091 386773
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	445187 387748
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	449000 386000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E6NE (S)	0	2	447000 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E7NW (S)	0	2	447154 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E8NW (SE)	0	2	448000 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449000 387000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E13SW (NW)	0	2	446000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E14SE (N)	0	2	447000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E15SW (N)	0	2	447154 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E16SW (NE)	0	2	448000 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E9SW (W)	0	2	446000 387413
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E10SE (W)	0	2	447000 387413
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E11SW (S)	0	2	447154 387413
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	E12SW (E)	0	2	448000 387413

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449000 387413
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	2	447000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	2	447154 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NE)	0	2	448000 389000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	E11SW (S)	0	3	447154 387413
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(E)	0	3	449091 386773
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(W)	0	3	445187 387748

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E5NE (W)	0	2	446121 387000
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E14NW (NW)	0	2	446731 388350
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	E5NW (W)	189	2	445864 387105
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	E13SW (W)	211	2	445882 387939
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E9NW (W)	244	2	445871 387915
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	E14NW (NW)	0	2	446730 388350
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 312.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E15NE (N)	0	4	447465 388529
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 153.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12NW (E)	0	4	448042 387632
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 39.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448411 387571
14	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 14.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448448 387559
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448348 387582

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448341 387583
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 58.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448348 387582
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448337 387584
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448319 387586
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 277.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (NW)	0	4	446949 387570
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 99.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E6NE (SW)	0	4	447017 387254
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E6NE (SW)	0	4	447020 387252
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 171.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (S)	0	4	447140 387212
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (S)	0	4	447187 387207

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 280.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SW (E)	0	4	447280 387367
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (SE)	0	4	447436 387186
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 434.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (SE)	0	4	447436 387186
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (SE)	0	4	447448 387182
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SE (E)	0	4	447476 387483
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 47.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SE (E)	0	4	447478 387488
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 433.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NE (SE)	0	4	447512 387186
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 147.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NE (SE)	0	4	447512 387186
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NE (E)	0	4	447639 387257

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 69.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SE (E)	0	4	447655 387269
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 282.3 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SE (E)	0	4	447707 387300
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (SE)	0	4	447884 387012
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 139.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (SE)	0	4	447893 387011
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (E)	0	4	447986 387258
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 184.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E11SW (SE)	0	4	447268 387347
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 253.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E7NW (S)	0	4	447187 387207
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 78.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448150 387289
42	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 4.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448205 387342

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	0	4	448209 387341
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 65.8 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446128 388222
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 107.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446221 388267
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 49.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E13NE (NW)	0	4	446267 388278
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446221 388267
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13NE (NW)	0	4	446265 388352
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 300.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13NE (NW)	0	4	446372 388418
50	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 75.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13NE (NW)	0	4	446267 388278
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 107.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446348 388249

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 136.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446364 388117
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 14.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446357 388237
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	0	4	446347 388248
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 930.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E14NW (NW)	0	4	446752 388378
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 914.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E5NW (W)	0	4	446102 386982
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E1NE (SW)	0	4	446353 386306
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E1NE (SW)	0	4	446400 386326
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 294.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E1NE (SW)	0	4	446355 386302
60	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E1NE (SW)	0	4	446409 386326

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1336.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (SW)	0	4	446933 387268
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (W)	0	4	446841 387452
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (W)	0	4	446851 387460
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 103.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (W)	0	4	446872 387355
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (W)	0	4	446873 387353
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 105.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E10SE (SW)	0	4	446917 387303
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 120.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E13NW (NW)	0	4	446085 388272
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (E)	2	4	447997 387254
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 187.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E15NW (N)	4	4	447190 388600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 336.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E13SE (NW)	13	4	446120 388189
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 127.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (E)	17	4	448034 387236
72	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 4.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E12SE (E)	20	4	448261 387340
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (E)	43	4	448032 387230
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 301.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E8NW (E)	45	4	448032 387230
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 210.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16SW (NE)	50	4	448083 387973
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 127.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16SE (NE)	86	4	448195 388236
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 83.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NW (SE)	92	4	447926 386403
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 31.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16SE (NE)	100	4	448153 388180

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E5NW (W)	106	4	446018 387028
80	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 30.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 2	E5NW (W)	106	4	446018 387028
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16SE (NE)	107	4	448150 388172
82	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 363.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16NW (NE)	108	4	448013 388371
83	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 160.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16SW (NE)	108	4	448088 388237
84	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	E16NW (NE)	109	4	448013 388371
85	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 172.2 Watercourse Level: Underground Permanent: True Watercourse Name: Swallow Mills Pond Catchment Name: Don and Rother Primacy: 1	E15NE (N)	122	4	447465 388529
86	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 184.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E5NW (W)	137	4	445989 387021
87	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 784.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	E13SW (NW)	145	4	445883 388023

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
88	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 2	E13SW (NW)	146	4	445883 388021
89	**OS Water Network Lines** Watercourse Form: Reservoir Watercourse Length: 602.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 2	E13SW (NW)	148	4	445873 387974
90	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 28.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NW (SE)	176	4	448009 386397
91	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 110.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Morthen Brook Catchment Name: Don and Rother Primacy: 1	E15NE (NE)	190	4	447635 388556
92	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 9.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NW (SE)	203	4	448042 386411
93	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 109.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NW (SE)	203	4	448037 386403
94	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 49.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NE (SE)	207	4	448448 386392
95	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 98.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	E4NE (SE)	242	4	448364 386344
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	E11SW (S)	0	2	447154 387413

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Anston Brook from Source to Ryton WaterBody ID: GB104028058210 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	E3NE (SE)	0	2	447710 386580
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Pigeon Bridge Brook from Source to River Rother WaterBody ID: GB104027057730 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	E3NE (S)	0	2	447600 386290
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	E11SW (S)	0	2	447154 387413

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	**Licensed Waste Management Facilities (Locations)** Licence Number: 61579 Location: Yard Of Ulley Lane, Aston, Sheffield, South Yorkshire, S26 2DR Operator Name: Simsmetal Uk (northern) Ltd Operator Location: Hillbrook Works, Ulley Lane, Aston, Sheffield, South Yorkshire, S26 2DR Authority: Environment Agency - North East Region, Ridings Area Site Category: Metal Recycling Sites (Mixed) **Licence Status: Issued** Issued: 12th June 1989 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	E2SW (SW)	212	2	446500 386100
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	5	447154 387413
97	**Potentially Infilled Land (Non-Water)** Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1996	E9SE (W)	170	-	446260 387312

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	E11SW (S)	0	1	447154 387413
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	E13SE (NW)	0	1	446206 387959
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	E13NW (NW)	0	1	445951 388524
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	E16NE (NE)	0	1	448347 388305
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E4SW (SE)	0	1	448000 386000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E11SW (S)	0	1	447154 387413
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E7NW (S)	0	1	447154 387000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E15SE (NE)	0	1	447548 388142
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E16SW (NE)	0	1	447842 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E14NE (N)	0	1	447000 388449
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E15NE (NE)	0	1	447719 388362
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	E14SE (N)	0	1	447000 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	E13SE (NW)	0	1	446210 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	E14SW (NW)	0	1	446500 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	E10SW (W)	0	1	446614 387500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	E13SW (NW)	0	1	446000 388159
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E12NE (E)	0	1	448327 387729
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E16SW (NE)	0	1	448000 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E13SW (NW)	0	1	446000 388257

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 15 - 30 mg/kg	E10SE (NW)	0	1	447000 387500
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E15SW (N)	0	1	447154 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E16SE (NE)	0	1	448161 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E14NE (N)	0	1	446894 388360
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E6NE (SW)	0	1	446850 387204
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E3SW (S)	19	1	447154 386000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	E13SW (NW)	33	1	446000 388027
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E16NW (NE)	119	1	448000 388438
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	E13SW (NW)	160	1	446000 388000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: 100 - 200 mg/kg Nickel Concentration: 30 - 45 mg/kg	E13SW (NW)	169	1	445971 388000
98	**BGS Recorded Mineral Sites** Site Name: Guilthwaite Common Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97582 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E13SW (NW)	7	1	445839 388170
99	**BGS Recorded Mineral Sites** Site Name: Turnshaw Plantation Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97577 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E5SE (SW)	11	1	446231 386759

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
100	**BGS Recorded Mineral Sites** Site Name: Turnshaw Plantation Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97579 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E5SE (SW)	11	1	446246 386819
101	**BGS Recorded Mineral Sites** Site Name: Turnshaw Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 16015 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Wickersley Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E5NE (W)	25	1	446230 387035
102	**BGS Recorded Mineral Sites** Site Name: Turnshaw Plantation Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97580 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E5SE (SW)	25	1	446227 386914
103	**BGS Recorded Mineral Sites** Site Name: Turnshaw Common Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97578 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E1NW (SW)	156	1	446012 386551
104	**BGS Recorded Mineral Sites** Site Name: Spring Wood Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 97581 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E2NE (S)	180	1	446888 386526
105	**BGS Recorded Mineral Sites** Site Name: Blackmoor Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 8430 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E9SE (W)	183	1	446260 387325

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
106	**BGS Recorded Mineral Sites** Site Name: Ulley Holt Location: Ulley, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 8431 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	E5NW (W)	216	1	445920 387115
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	E11SW (S)	0	6	447154 387413
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	E11SW (S)	0	-	447154 387413
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E15NW (N)	0	1	447379 388327
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E13NE (NW)	0	1	446172 388302
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E14SE (NW)	0	1	446867 388017
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E6NE (SW)	0	1	446943 386996
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	0	1	448124 387340
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E6NE (SW)	0	1	446921 387067
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E6NE (SW)	0	1	446835 387113
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	0	1	448044 387304

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E10NW (NW)	0	1	446549 387798
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E14SW (NW)	0	1	446723 387991
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E15SW (N)	0	1	447422 388265
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E15NW (N)	0	1	447360 388543
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E14SE (N)	0	1	446831 388233
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E6NE (S)	0	1	447000 387023
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E3SE (SE)	4	1	447780 386100
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E15NW (N)	12	1	447438 388577
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E8NW (E)	36	1	448035 387250
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E15NE (NE)	72	1	447611 388442
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	E8NW (SE)	99	1	448007 387019
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	E15NE (NE)	205	1	447727 388602
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E16SW (NE)	0	1	447819 388026
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	0	1	447931 387430
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E14NE (N)	0	1	446859 388377
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7SE (SE)	0	1	447683 386609
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E8SE (SE)	0	1	448279 386702
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E7NE (E)	0	1	447652 387232
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E12SW (E)	0	1	447803 387263

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E6NE (SW)	0	1	446826 387195
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E15NE (NE)	0	1	447701 388385
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E12NE (E)	0	1	448450 387727
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E8NE (SE)	0	1	448167 386988
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E16NE (NE)	0	1	448344 388312
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3NW (S)	0	1	447422 386266
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E11SE (E)	0	1	447613 387555
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	E3SW (S)	167	1	447296 386236
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	E11SW (S)	0	1	447154 387413

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
107	**Contemporary Trade Directory Entries** Name: R G Install Location: UNIT 1, PENNY HILL LANE, ULLEY, ROTHERHAM, S66 9BQ Classification: Office Furniture & Equipment **Status: Active** Positional Accuracy: Automatically positioned to the address	E12SE (E)	28	-	448368 387376
107	**Contemporary Trade Directory Entries** Name: Bsc Recovery Location: Unit 1-2, Pennyhill Lane, Thurcroft, Rotherham, South Yorkshire, S66 9BQ Classification: Car Breakdown & Recovery Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	E12SE (E)	38	-	448361 387385
107	**Contemporary Trade Directory Entries** Name: Boogie Motorcycles Ltd Location: Unit 2, Pennyhill Lane, Thurcroft, Rotherham, S66 9BQ Classification: Garage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	E12SE (E)	41	-	448357 387382
107	**Contemporary Trade Directory Entries** Name: Wudwurx Joinery Ltd Location: Unit 2c West Midlands Sectional Buildings,Pennyhill Lane, Thurcroft, Rotherham, South Yorkshire, S66 9BQ Classification: Caravans - Servicing & Repairs **Status: Active** Positional Accuracy: Automatically positioned to the address	E12SE (E)	41	-	448357 387382
108	**Points of Interest - Commercial Services** Name: Boogie Motorcycles Ltd Location: Unit 2, Penny Hill Lane, Ulley, Rotherham, S66 9BQ Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	E12SE (E)	41	7	448356 387381
109	**Points of Interest - Manufacturing and Production** Name: Penny Hill Location: Ulley, East of Rotherham, Near the Junction of the M1 and M18, S66 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to an adjacent address or location	E11NE (NE)	0	7	447539 387621
110	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S26 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E15NE (NE)	0	7	447651 388283
111	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S26 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E15SW (N)	0	7	447342 387994
112	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S66 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E11SW (NE)	0	7	447398 387530
113	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S66 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E7NE (SE)	0	7	447705 387174
114	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S26 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E7SW (S)	0	7	447305 386885
115	**Points of Interest - Manufacturing and Production** Name: Penny Hill Turbine Location: S66 Category: Industrial Features Class Code: Energy Production Positional Accuracy: Positioned to address or location	E12NW (NE)	0	7	447835 387859

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
116	**Points of Interest - Manufacturing and Production** Name: J R Walker & Sons Location: Ulley Beeches Farm, Ulley Beeches, Thurcroft, Rotherham, S66 9BH Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	E12SW (E)	0	7	447981 387384
116	**Points of Interest - Manufacturing and Production** Name: J R Walker & Sons Location: Ulley Beeches Farm, Ulley Beeches, Thurcroft, Rotherham, S66 9BH Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	E12SW (E)	0	7	448008 387388
117	**Points of Interest - Manufacturing and Production** Name: Works Location: Not Supplied Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	E12SE (E)	22	7	448409 387445
117	**Points of Interest - Manufacturing and Production** Name: Works Location: S66 Category: Industrial Features Class Code: Unspecified Works Or Factories Positional Accuracy: Positioned to an adjacent address or location	E12SE (E)	29	7	448401 387444
118	**Points of Interest - Manufacturing and Production** Name: M A Longford Location: Ulley Hall Farm, Turnshaw Road, Ulley, Sheffield, S26 3YG Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	E10SW (W)	65	7	446570 387398
119	**Points of Interest - Manufacturing and Production** Name: W Lovely & Sons Location: West End Farm, Main Street, Ulley, Sheffield, S26 3YD Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	E9SE (W)	137	7	446335 387542
120	**Points of Interest - Manufacturing and Production** Name: M A & D Longford Location: Ulley Holt Cottage, Ulley Lane, Ulley, Sheffield, S26 3YH Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	E5NW (W)	192	7	445936 387087
121	**Points of Interest - Public Infrastructure** Name: Filter Bed Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	E10SE (W)	0	7	446881 387412
122	**Points of Interest - Public Infrastructure** Name: Sluice Location: S26 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	E13SW (NW)	123	7	445895 388048
122	**Points of Interest - Public Infrastructure** Name: Sluice Location: S26 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	E13SW (NW)	126	7	445887 388044
123	**Points of Interest - Recreational and Environmental** Name: Play Area Location: S26 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	E9SE (W)	129	7	446409 387490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
124	**Ancient Woodland** Name: Spring Wood Reference: 1105148 Area(m²): 61905.91 Type: Ancient and Semi-Natural Woodland	E6SE (S)	0	8	447016 386724
125	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	E11SW (S)	0	9	447154 387413
126	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	E11SW (S)	0	2	447154 387413
127	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	E12SE (E)	0	2	448208 387338

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	February 2023	

Agency & Hydrological	Version	Update Cycle
Flood Water Storage Areas		
Environment Agency - Head Office	June 2025	Quarterly
Flood Defences		
Environment Agency - Head Office	August 2022	
OS Water Network Lines		
Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment		
Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater		
Environment Agency - Head Office	July 2024	Annually
Waste	**Version**	**Update Cycle**
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents Rotherham Metropolitan Borough Council	February 2016	Variable
Geological	**Version**	**Update Cycle**
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2025	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
6	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
9	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Gravel, Sand, Silt and Clay	Not Supplied - Holocene
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	OR	Oaks Rock	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	100
Map Name:	Sheffield
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice E




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice E




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice E



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice E



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice E



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy.
County Borough Boundary (England)
Co. Burgh Bdy.
County Burgh Boundary (Scotland)
R.D. Bdy.
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping

Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903 - 1905	7
Yorkshire	1:10,560	1924 - 1931	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1930	11
Yorkshire	1:10,560	1935	12
Yorkshire	1:10,560	1938 - 1950	13
Yorkshire	1:10,560	1948	14
Derbyshire	1:10,560	1951	15
Ordnance Survey Plan	1:10,000	1956	16
Ordnance Survey Plan	1:10,000	1967	17
Ordnance Survey Plan	1:10,000	1974	18
Sheffield	1:25,000	1977	19
Ordnance Survey Plan	1:10,000	1983	20
Ordnance Survey Plan	1:10,000	1996	21
10K Raster Mapping	1:10,000	2000	22
10K Raster Mapping	1:10,000	2006	23
VectorMap Local	1:10,000	2024	24

Historical Map - Slice E



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 447150, 387410
Slice: E
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892 - 1894	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903 - 1905	7
Yorkshire	1:10,560	1924 - 1931	8
Derbyshire	1:10,560	1924	9
Derbyshire	1:10,560	1924	10
Yorkshire	1:10,560	1930	11
Yorkshire	1:10,560	1935	12
Yorkshire	1:10,560	1938 - 1950	13
Yorkshire	1:10,560	1948	14
Derbyshire	1:10,560	1951	15
Ordnance Survey Plan	1:10,000	1956	16
Ordnance Survey Plan	1:10,000	1967	17
Ordnance Survey Plan	1:10,000	1974	18
Sheffield	1:25,000	1977	19
Ordnance Survey Plan	1:10,000	1983	20
Ordnance Survey Plan	1:10,000	1996	21
10K Raster Mapping	1:10,000	2000	22
10K Raster Mapping	1:10,000	2006	23
VectorMap Local	1:10,000	2024	24

Russian Map - Slice E




Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 447150, 387410
Slice: E
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1875


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1892 - 1894


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1903 - 1905


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1924 - 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1930


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1935


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1938 - 1950


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK48NE
1956
1:10,560

Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice E




Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


445800
446000
446200
446400
446600
446800
447000
447200
447400
447600
447800
448000
448200
448400
388600
388400
388200
388000
387800
387600
387400
387200
387000
386800
386600
386400
386200
386000
Nether Field
ULLEY CP
Ulley
Ulley Grange
West End Farm
Ulley Hall
Sandstone Quarry
Reservoir
Sluice
Sluice
Stoker Lane
Brampton Lane
Pipe Line
Southern Mills Road
Wood Piece
Nursery
Spring Hole
God Lane
Penny Hill
Penny Hill Lane
Ulley Beeches
Hardwick
Vessey Close Farm
Vessey Close Cottages
Turnshaw Plantation
Turnshaw Common
Spring Wood
Turnshaw Road
Ulley Brook
Ulley Lane
South View
Hill Brook
Bail Rigg
York House
Ulley Dam
Ulley Hall
Ulley Lane
Ulley Dam
Ulley Lane
Ulley Brook
Turnshaw Road
Turnshaw Plantation
Turnshaw Common
Spring Wood
Hardwick
Vessey Close Farm
Vessey Close Cottages
Penny Hill
Penny Hill Lane
Ulley Beeches
Nursery
Wood Piece
Spring Hole
God Lane
Brampton Lane
Stoker Lane
Pipe Line
Southern Mills Road
Nether Field
ULLEY CP
Ulley
Ulley Grange
West End Farm
Ulley Hall
Sandstone Quarry
Reservoir
Sluice
Sluice



Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE
2000
1:10,000

Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK48NE
2006
1:10,000

Historical Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SK48NE
2024
Variable

Historical Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice E




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad


Contours (height in meters)

Standard Contour 105 | Master Contour 100 95 | Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice E



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice E



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice E



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice E




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice E



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice E




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447150, 387410
Slice:	E
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice F



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
449240, 387100

Slice:
F

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	24
Hazardous Substances	-
Geological	25
Industrial Land Use	30
Sensitive Land Use	32
Data Currency	33
Data Suppliers	38
Useful Contacts	39

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 7	1	
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls	pg 7		1
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 7	Yes	
Pollution Incidents to Controlled Waters	pg 7	1	1
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions	pg 8	8	1
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 10	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk	pg 14	1	n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 14	Yes	n/a
Superficial Aquifer Designations	pg 14	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 14	Yes	
Flooding from Rivers or Sea without Defences	pg 14	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 15	41	34
Water Framework Directive - Catchment	pg 23	Yes	
Water Framework Directive - Groundwater	pg 23	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites	pg 24		1
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 24	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites	pg 24		1
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 25	Yes	n/a
BGS Estimated Soil Chemistry	pg 25	Yes	
BGS Recorded Mineral Sites	pg 27		2
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 27	Yes	n/a
Mining Instability	pg 27	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 27	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 28	Yes	
Potential for Running Sand Ground Stability Hazards	pg 28	Yes	
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 28	Yes	
Radon Potential - Radon Affected Areas	pg 29	Yes	n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 30		5
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 30		3
Points of Interest - Public Infrastructure	pg 30		4
Points of Interest - Recreational and Environmental	pg 31		2
Underground Electrical Cables			

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt	pg 32	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 32	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (SW)	0	1	448750 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	448250 389100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NE (SW)	0	1	448900 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	0	1	449400 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F1NW (SW)	0	1	448700 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449242 386400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F11SW (E)	0	1	449850 387350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F7NW (E)	0	1	450000 387101
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	449600 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	449750 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449450 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F2SW (S)	0	1	449250 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F2SW (S)	0	1	449350 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9NW (NW)	0	1	448750 387800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449500 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5NE (W)	0	1	448850 387100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F6NW (W)	0	1	449200 387101
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9NW (NW)	0	1	448700 387900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	0	1	448700 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449150 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	448100 387300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F5SW (SW)	0	1	448800 386600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F5SE (S)	0	1	449050 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	447800 387101
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	450550 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	447900 387100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449242 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449300 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9NW (NW)	0	1	448600 387600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	450950 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9SW (NW)	0	1	448700 387450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	451000 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9NW (NW)	0	1	448550 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	0	1	448800 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F1NE (SW)	0	1	448850 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449200 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	450550 385150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F9SW (NW)	0	1	448650 387500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F10SW (N)	0	1	449400 387500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	451000 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	0	1	449300 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SE (S)	0	1	449650 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5NE (NW)	0	1	449100 387250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	0	1	451100 385300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	0	1	448800 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449200 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F10NW (N)	0	1	449350 387650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	0	1	449242 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F2SE (S)	0	1	449500 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	449350 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NE (S)	0	1	449000 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2NW (S)	0	1	449250 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F13SW (NW)	0	1	448650 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F13SW (NW)	0	1	448750 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449800 385250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NE (SW)	0	1	448900 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NE (S)	0	1	449100 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	448100 386650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (SW)	0	1	448700 386650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5NE (SW)	0	1	449000 386950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449550 385700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F2SW (S)	0	1	449242 386050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SE (S)	0	1	449550 386000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	0	1	449400 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F1NW (SW)	0	1	448750 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	0	1	449200 386150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F2SW (S)	0	1	449450 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F6SW (S)	0	1	449200 386750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5NE (W)	0	1	448900 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F6NW (S)	0	1	449242 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F6NW (E)	0	1	449450 387150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	1	1	448600 389050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	4	1	448700 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	5	1	448150 387250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F1NE (S)	8	1	448900 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5NE (W)	12	1	448950 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	F1SE (S)	13	1	448950 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	19	1	449700 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (S)	19	1	449000 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NE (SW)	25	1	448850 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	27	1	449850 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F11SW (NE)	29	1	450000 387500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	29	1	449200 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	30	1	449250 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	30	1	449300 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	30	1	449242 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	31	1	449350 385650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	31	1	449350 385700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	32	1	449500 385550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	32	1	449550 385500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	32	1	449600 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	33	1	449650 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1NW (SW)	34	1	448650 386550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	39	1	448800 386250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F2SW (S)	43	1	449150 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (S)	46	1	448900 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	47	1	448700 386300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	56	1	451150 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	65	1	449242 385800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	65	1	449200 385850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	66	1	449250 385750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	66	1	449300 385700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	68	1	449800 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	68	1	449550 385400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	68	1	449550 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	69	1	449700 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (SW)	71	1	448600 386600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	72	1	448100 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(S)	73	1	449750 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (SW)	73	1	448850 386200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	73	1	448250 387200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	74	1	449650 385350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (S)	84	1	448900 386150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	85	1	448050 387050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F1SW (SW)	85	1	448800 386200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (SW)	89	1	448600 386700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (S)	89	1	448950 386100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1SE (S)	93	1	449100 385950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F7NW (E)	100	1	449950 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	100	1	448000 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	103	1	449500 385450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	105	1	449100 385900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	109	1	449750 385300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	139	1	448550 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	143	1	448550 386450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	F1NW (SW)	151	1	448500 386350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	165	1	448300 387101
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	181	1	447800 388600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	196	1	448150 387000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	197	1	450500 385500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F5SW (SW)	199	1	448500 386750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	220	1	448100 386350

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	234	1	448450 386500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	F6SE (SE)	237	1	449750 386850
1	**Discharge Consents** Operator: Mr D Myers Property Type: Not Given Location: Long Lane, Brampton En Le Morthen, ROTHERHAM Authority: Environment Agency, Midlands Region Catchment Area: Not Given Reference: WQ/72/909 /1 Permit Version: Not Supplied Effective Date: Not Supplied Issued Date: 17th December 1976 Revocation Date: Not Supplied Discharge Type: Sewage Effluent Discharge Environment: Groundwater Receiving Water: Not Supplied **Status: Not Given** Positional Accuracy: Located by supplier to within 100m	F9SE (NW)	0	2	448900 387300
2	**Local Authority Pollution Prevention and Controls** Name: Arb Plant Ltd Location: Holme Stud Farm, Brampton Le Morthen, Rotherham Authority: Rotherham Metropolitan Borough Council, Planning Department Permit Reference: EAJLTCBRAM/1 Dated: 2nd January 2007 Process Type: Local Authority Pollution Prevention and Control Description: PG3/16 Mobile screening and crushing processes **Status: Authorisation revoked** Positional Accuracy: Located by supplier to within 10m	F13SW (NW)	129	3	448607 388267
	Nearest Surface Water Feature	F10SW (N)	0	-	449148 387583
3	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Unknown Location: Straight Mile Fishery, Thurcroft, ROTHERHAM Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Other Note: Amenity Affected; Anston Brook; Cess Pit Overflow To Watercourse Incident Date: 26th April 1996 Incident Reference: 2800565 Catchment Area: Trent Catchment : Upper Ryton To Confluence With Poulter Receiving Water: Watercourse Cause of Incident: Other Incident/Unknown Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F2NE (S)	0	2	449500 386300
4	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Other Location: Off Hardwick Lane, ASTON Authority: Environment Agency, Midlands Region Pollutant: Miscellaneous - Natural Note: Fish Killed; Dead Fish In Farm Pool Incident Date: 13th June 1996 Incident Reference: 2000847 Catchment Area: Trent Catchment : Upper Ryton To Confluence With Poulter Receiving Water: Pond/Lake Cause of Incident: Miscellaneous/Other Pollution Type Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	F1NW (SW)	54	2	448650 386400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**Water Abstractions** Operator: Mrs J Cox Licence Number: 03/28/75/0098 Permit Version: 101 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Amenity: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th December 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449600 386190
5	**Water Abstractions** Operator: Mrs J Cox Licence Number: 03/28/75/0098 Permit Version: 101 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Private Water Undertaking: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th December 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449600 386190
5	**Water Abstractions** Operator: Mrs J Cox Licence Number: 03/28/75/0098 Permit Version: 102 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Amenity: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th December 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449600 386190
5	**Water Abstractions** Operator: Mrs J Cox Licence Number: 03/28/75/0098 Permit Version: 102 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Private Water Undertaking: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 9th December 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449600 386190

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
5	**Water Abstractions** Operator: A Cox Licence Number: 03/28/75/0098 Permit Version: 100 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Private Water Undertaking: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 11th June 1996 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	F2SE (S)	0	2	449600 386190
5	**Water Abstractions** Operator: A Cox Licence Number: 03/28/75/0098 Permit Version: 100 Location: Straight Mile Fishery,Todwick - Borehole Authority: Environment Agency, Midlands Region Abstraction: Amenity: Make-Up Or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Straight Mile Fishery,Todwick - Borehole Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 11th June 1996 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449600 386190
5	**Water Abstractions** Operator: A Cox Licence Number: 03/28/75/0098/1 Permit Version: Not Supplied Location: Straight Mile Fishery Authority: Environment Agency, Midlands Region Abstraction: Water Level Maintenance Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 116 Yearly Rate (m3): 27734 Details: Kiveton Park Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449605 386185
5	**Water Abstractions** Operator: A Cox Licence Number: 03/28/75/0098/1 Permit Version: Not Supplied Location: Straight Mile Fishery Authority: Environment Agency, Midlands Region Abstraction: Private Water Supplies (Domestic) Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 15 Yearly Rate (m3): 5475 Details: Kiveton Park Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F2SE (S)	0	2	449605 386190

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	**Water Abstractions** Operator: Mr & Mrs Da & Lk Tyler Licence Number: 03/28/75/0112 Permit Version: 1 Location: Side Farm, Rotherham - Borehole Authority: Environment Agency, Midlands Region Abstraction: Aquaculture: Make-Up or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Side Farm, Thurcroft, Rotherham Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 15th March 2005 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	F11NW (NE)	230	2	450120 387800
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	451017 385362
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F2SW (S)	0	2	449242 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	450547 385238

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F5SE (SW)	0	2	449103 386776
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F2SW (S)	0	2	449252 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F3SW (SE)	0	2	450000 386000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F4SE (SE)	0	2	451000 386000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	448000 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F5NE (SW)	0	2	449000 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F6NW (S)	0	2	449242 387000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	448000 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F13SE (N)	0	2	449000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(W)	0	2	448000 387101
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F5NE (W)	0	2	449000 387101
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F6NW (NE)	0	2	449242 387101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	F7NW (E)	0	2	450000 387101
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NW)	0	2	448000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(N)	0	2	449000 389000
	Groundwater Vulnerability - Soluble Rock Risk Classification: Significant Risk - Problems Unlikely	F4SE (SE)	0	2	451000 386000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F6NW (NE)	0	4	449242 387101
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	F7NW (E)	0	4	450000 387101
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	F5SE (SW)	0	4	449103 386776
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(SE)	0	4	450547 385238
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - Undifferentiated	(SE)	0	4	451017 385362
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	F2NE (SE)	0	2	449620 386325
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	F2NE (SE)	0	2	449615 386310

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
7	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 37.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	0	5	449269 386609
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 336.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NW (S)	0	5	449421 386518
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 220.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SE (S)	0	5	449555 386149
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 116.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6NW (E)	0	5	449444 387118
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 154.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SE (SE)	0	5	449641 386162
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 22.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2SE (SE)	0	5	449658 386172
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 496.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SE (NE)	0	5	449696 387314
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.2 Watercourse Level: Underground Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SE (SE)	0	5	449744 386048

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 212.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5NW (W)	0	5	448675 387031
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 183.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5NE (W)	0	5	448836 386944
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	0	5	448692 386374
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	0	5	448706 386366
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	0	5	448710 386365
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 152.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	0	5	448781 386327
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5NE (W)	0	5	448856 386985
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 76.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5SE (SW)	0	5	448897 386899
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NE (SW)	0	5	448841 386288

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 366.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NE (SW)	0	5	448848 386283
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5SE (SW)	0	5	448900 386897
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 463.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5SE (SW)	0	5	449005 386817
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 352.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F5NE (SW)	0	5	449131 387026
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 66.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2SW (S)	0	5	449168 386024
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 45.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2SW (S)	0	5	449223 385988
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SW (S)	0	5	449227 385990
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SE (NE)	0	5	449662 387535
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SE (NE)	0	5	449659 387551

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 134.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SE (NE)	0	5	449659 387552
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 203.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F9SE (NW)	0	5	448948 387588
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SW (N)	0	5	449152 387558
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 189.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SW (N)	0	5	449149 387581
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 47.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SW (N)	0	5	449149 387581
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 433.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SW (N)	0	5	449149 387581
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F9SE (NW)	0	5	448961 387588
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F9SE (NW)	0	5	448954 387589
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10SW (N)	0	5	449194 387595

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 198.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10NW (N)	0	5	449197 387596
43	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 24.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10NW (N)	0	5	449392 387607
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F13SW (NW)	0	5	448704 388162
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.4 Watercourse Level: Underground Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SW (S)	0	5	449232 385994
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 230.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SW (S)	0	5	449413 386081
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	0	5	449264 386611
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 51.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F13SE (N)	2	5	449003 387977
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 344.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F11SW (E)	2	5	450025 387323
50	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 133.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	5	5	448691 386376

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6NE (E)	6	5	449525 387034
52	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 260.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6NE (E)	6	5	449527 387032
53	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 348.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F7NW (E)	6	5	449834 387078
54	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 90.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NE (SE)	7	5	449613 386247
55	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	7	5	449259 386845
56	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 327.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 2	F7NW (E)	8	5	450064 387196
57	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 360.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F7NW (E)	9	5	449834 387078
58	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 323.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Anston Brook Catchment Name: Trent Primacy: 1	F2SE (SE)	10	5	449758 386034
59	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 257.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	10	5	449263 386839

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2SW (S)	11	5	449187 385961
61	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 21.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	13	5	449293 386613
62	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 59.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1SE (S)	14	5	449128 386047
63	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2SW (S)	14	5	449166 386027
64	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 287.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F11SW (NE)	16	5	450006 387430
65	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 185.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F7NW (E)	23	5	450092 387099
66	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 148.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	33	5	449301 386593
67	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 344.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	36	5	449436 386600
68	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NE (SE)	61	5	449637 386319

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 29.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NE (SE)	62	5	449640 386315
70	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 59.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NE (SE)	67	5	449659 386292
71	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 436.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F7SW (SE)	68	5	449860 386679
72	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F2NW (S)	112	5	449418 386520
73	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	113	5	449422 386636
74	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	113	5	449414 386631
75	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 385.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F10NE (NE)	115	5	449640 387686
76	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 15.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (SE)	121	5	449434 386646
77	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 144.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SE (SE)	134	5	449551 386732

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
78	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 108.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	135	5	448556 386434
79	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SW (S)	137	5	449433 386604
80	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 49.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F1NW (SW)	207	5	448489 386418
81	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 182.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	F6SE (SE)	248	5	449559 386739
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	F9SW (W)	0	2	448510 387350
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Anston Brook from Source to Ryton WaterBody ID: GB104028058210 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	F6NW (NE)	0	2	449242 387101
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	F6NW (NE)	0	2	449242 387101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
82	**Historical Landfill Sites** Licence Holder: John Shaw Location: Common Road, Near Brampton, Thurcroft, Rotherham Name: Brampton Straight Mile Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04759 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Commercial Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: Not Supplied Other Ref: WD20/R492, 4400/R492	F2SE (SE)	36	2	449733 386175
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	6	449242 387101
83	**Registered Landfill Sites** Licence Holder: J Shaw Licence Reference: WD20 R 492 Site Location: Brampton Straight Mile, Thurcroft, Rotherham, South Yorkshire Licence Easting: 449750 Licence Northing: 386150 Operator Location: Manor View Farm, Bampton, Thurcroft, Rotherham, South Yorkshire Authority: Environment Agency - Midlands Region, Lower Trent Area Site Category: Landfill Max Input Rate: Undefined Waste Source Restrictions: No known restriction on source of waste Status: Licence lapsed/cancelled/defunct/not applicable/surrendered Dated: 1st February 1986 Preceded By Licence: Not Given Superseded By Licence: Not Given Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Non-Haz. Building Rubble Non-Haz.Excav.Waste,Soil,Subsoil Prohibited Waste: Asbestos Paper Plasterboard Plastic Timber	F2SE (SE)	66	2	449750 386150

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	F5SE (SW)	0	1	449015 386858
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	F6NW (NE)	0	1	449242 387101
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	F9SW (NW)	0	1	448711 387446
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	F9NW (NW)	0	1	448764 387776
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	F6NW (SW)	0	1	449206 387082
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	F11SW (E)	0	1	449878 387327
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F1SE (S)	0	1	449000 386109

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F1NE (S)	0	1	449000 386455
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F5SE (SW)	0	1	449040 386894
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F5NE (SW)	0	1	449000 386971
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	F6NW (NE)	0	1	449440 387212
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F6NW (NE)	0	1	449242 387101
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F1SE (S)	0	1	449000 386216

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F1NE (SW)	0	1	449000 386579
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	F5SE (SW)	0	1	449059 386913
84	**BGS Recorded Mineral Sites** Site Name: Hardwick Grange Quarry Location: Hardwick, Todwick, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 245322 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	F1NW (SW)	102	1	448587 386351
85	**BGS Recorded Mineral Sites** Site Name: Hardwick Grange Quarry Location: Hardwick Grange, Hardwick, Todwick, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 109031 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	F1SW (SW)	120	1	448760 386180
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	F6NW (NE)	0	7	449242 387101
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	F6NW (NE)	0	-	449242 387101
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F5SE (SW)	0	1	449098 386781
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SE (SW)	0	1	449049 386891
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F9SE (NW)	0	1	449049 387426
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F10SE (NE)	0	1	449502 387299
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F11SW (E)	0	1	450000 387345
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	F7SW (E)	0	1	450000 386904
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F2SE (S)	0	1	449521 386081
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SE (SW)	0	1	448971 386628
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F2SW (S)	0	1	449342 386000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (SW)	0	1	448822 386419
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F11SW (E)	0	1	449869 387341
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449423 387204
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F6NW (SW)	0	1	449209 387075
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F9SW (NW)	0	1	448708 387457
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F5SW (SW)	0	1	448803 386812
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NE (SW)	0	1	448866 386556
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F9NW (NW)	0	1	448785 387743
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F1NW (SW)	0	1	448764 386310
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	F11SW (NE)	27	1	450000 387493
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F2SE (S)	0	1	449500 386150
	Radon Potential - Radon Affected Areas Affected Area: The property is in an Intermediate probability radon area (1 to 3% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F2SW (S)	0	1	449275 386050
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F2SE (S)	0	1	449500 386150
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F2SW (S)	0	1	449275 386050
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F6NW (NE)	0	1	449242 387101
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	F7NW (E)	0	1	450000 387101

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
86	**Contemporary Trade Directory Entries** Name: Radioswap Location: Double Acre, Long Road, Thurcroft, Rotherham, S66 9BJ Classification: Radio Communication Equipment **Status: Active** Positional Accuracy: Automatically positioned to the address	F9SE (NW)	43	-	448987 387306
87	**Contemporary Trade Directory Entries** Name: Cavendish Water Coolers Location: Toad La, Brampton-en-le-Morthen, Rotherham, South Yorkshire, S66 9BG Classification: Water Coolers **Status: Inactive** Positional Accuracy: Manually positioned to the road within the address or location	F13SW (NW)	66	-	448742 388220
88	**Contemporary Trade Directory Entries** Name: Morris Transport Location: Greenlands, Long Road, Thurcroft, Rotherham, South Yorkshire, S66 9BJ Classification: Road Haulage Services **Status: Inactive** Positional Accuracy: Automatically positioned to the address	F5SE (SW)	73	-	449147 386879
89	**Contemporary Trade Directory Entries** Name: Cavendish Location: Toad Lane, Brampton-en-le-Morthen, Rotherham, South Yorkshire, S66 9BG Classification: Water Coolers **Status: Inactive** Positional Accuracy: Automatically positioned to the address	F13SW (NW)	75	-	448623 388215
90	**Contemporary Trade Directory Entries** Name: Mint Tints Location: 31, Zamor Crescent, Thurcroft, Rotherham, S66 9QD Classification: Window Tinting **Status: Inactive** Positional Accuracy: Automatically positioned to the address	F13NE (N)	247	-	449125 388319
91	**Points of Interest - Manufacturing and Production** Name: John Bell & Sons Location: The Croft, Main Street, Brampton-en-le-Morthen, Rotherham, S66 9BD Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	F13SW (NW)	76	8	448491 388207
91	**Points of Interest - Manufacturing and Production** Name: John Bell & Son Location: The Croft, Brampton Road, Brampton-en-le-Morthen, Rotherham, S66 9BD Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	F13SW (NW)	76	8	448491 388207
92	**Points of Interest - Manufacturing and Production** Name: H & G C Waller Location: Hardwick Lane, Aston, Sheffield, S26 2BE Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	F1NW (SW)	157	8	448536 386322
93	**Points of Interest - Public Infrastructure** Name: Slurry Tank Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	F13SW (NW)	6	8	448656 388133
93	**Points of Interest - Public Infrastructure** Name: Slurry Tank Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	F13SW (NW)	9	8	448653 388119
94	**Points of Interest - Public Infrastructure** Name: Sluice Location: S26 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	F1NW (SW)	12	8	448684 386375
94	**Points of Interest - Public Infrastructure** Name: Sluice Location: S26 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	F1NW (SW)	17	8	448675 386372

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
95	**Points of Interest - Recreational and Environmental** Name: Playground Location: Not Supplied Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	F13NW (NW)	174	8	448557 388289
95	**Points of Interest - Recreational and Environmental** Name: Playground Location: Brampton Road, S66 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to address or location	F13NW (NW)	178	8	448564 388299

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	F6NW (NE)	0	10	449242 387101
97	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	F9SW (NW)	0	2	448745 387532
98	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	F6NW (NE)	0	2	449242 387101

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified

Agency & Hydrological	Version	Update Cycle
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - Midlands Region - Lower Trent Area	March 2006	Not Applicable
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2025	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Rotherham Metropolitan Borough Council - Planning Department** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Website: www.rotherham.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
6	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
10	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CDF	Cadeby Formation	Dolostone	Not Supplied - GUADALUPIAN
	CDF	Cadeby Formation	Mudstone, Calcareous	Not Supplied - GUADALUPIAN
	YWS	Yellow Sands Formation	Sandstone	Not Supplied - Cisuralian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**100**
Map Name:	**Sheffield**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice F




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice F




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice F



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice F




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice F



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903	7
Derbyshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Yorkshire	1:10,560	1930 - 1931	10
Yorkshire	1:10,560	1930	11
Yorkshire	1:10,560	1948 - 1950	12
Derbyshire	1:10,560	1951	13
Ordnance Survey Plan	1:10,000	1956	14
Ordnance Survey Plan	1:10,000	1967	15
Ordnance Survey Plan	1:10,000	1974	16
Sheffield	1:25,000	1977	17
Ordnance Survey Plan	1:10,000	1981 - 1983	18
Ordnance Survey Plan	1:10,000	1989	19
Ordnance Survey Plan	1:10,000	1996	20
10K Raster Mapping	1:10,000	2000	21
10K Raster Mapping	1:10,000	2006	22
VectorMap Local	1:10,000	2024	23

Historical Map - Slice F



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 449240, 387100
Slice: F
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Direction and velocity of current
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1855	3
Derbyshire	1:10,560	1875	4
Yorkshire	1:10,560	1892	5
Derbyshire	1:10,560	1900	6
Yorkshire	1:10,560	1903	7
Derbyshire	1:10,560	1924	8
Derbyshire	1:10,560	1924	9
Yorkshire	1:10,560	1930 - 1931	10
Yorkshire	1:10,560	1930	11
Yorkshire	1:10,560	1948 - 1950	12
Derbyshire	1:10,560	1951	13
Ordnance Survey Plan	1:10,000	1956	14
Ordnance Survey Plan	1:10,000	1967	15
Ordnance Survey Plan	1:10,000	1974	16
Sheffield	1:25,000	1977	17
Ordnance Survey Plan	1:10,000	1981 - 1983	18
Ordnance Survey Plan	1:10,000	1989	19
Ordnance Survey Plan	1:10,000	1996	20
10K Raster Mapping	1:10,000	2000	21
10K Raster Mapping	1:10,000	2006	22
VectorMap Local	1:10,000	2024	23

Russian Map - Slice F




Order Details


Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 449240, 387100
Slice: F
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


448600
448800
449000
449200
449400
449600
449800
450000
450200
450400
450600
450800
451000
388600
388400
388200
388000
387800
387600
387400
387200
387000
386800
386600
386400
386200
386000
Sawn Moors
Sawn Moor Quarry
Sandstone
Green Harbour
Willows
BROOKHOUSE
(Detached)
Common Side Farm
Laughton Common
Hawk Hill
Brampton Gorse
Brampton Common
Brampton Common
DINNINGTON
(Detached)
Common Farm
Hardwicks Hall
Sandstone Quarry
Sandstone Quarry
Well
Shed
Trough
Trough
Trough



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1875


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1892

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296NW
1892
1:10,560

296SW
1892
1:10,560

Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1900


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1903

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296NW
1903
1:10,560

296SW
1903
1:10,560

Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1924


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1930 - 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296NW
1930
1:10,560

296SW
1931
1:10,560

Historical Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1930


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1948 - 1950

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

296NW
1948
1:10,560

296SW
1950
1:10,560

Historical Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Derbyshire

Published 1951


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1981 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice F




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

F1 F2 F3 F4

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Site Sensitivity Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour 105


Master Contour 100 95

Spot Height 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice F



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice F



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice F



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice F




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice F



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice F



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449240, 387100
Slice:	F
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice G



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
443930, 389090

Slice:
G

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	21
Hazardous Substances	-
Geological	23
Industrial Land Use	28
Sensitive Land Use	30
Data Currency	31
Data Suppliers	36
Useful Contacts	37

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 3		13
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 6	Yes	
Pollution Incidents to Controlled Waters	pg 6		6
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 7	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 10	Yes	n/a
Superficial Aquifer Designations	pg 11	Yes	n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 11	Yes	Yes
Flooding from Rivers or Sea without Defences	pg 15	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas	pg 15	Yes	Yes
Flood Defences	pg 15	Yes	Yes
OS Water Network Lines	pg 16	3	38
Water Framework Directive - Catchment	pg 20	Yes	
Water Framework Directive - Groundwater	pg 20	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites	pg 21	1	1
Historical Landfill Sites	pg 21	1	1
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)	pg 21		1
Local Authority Landfill Coverage	pg 21	1	n/a
Local Authority Recorded Landfill Sites	pg 22		3
Potentially Infilled Land (Non-Water)	pg 22		1
Potentially Infilled Land (Water)	pg 22	1	
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 23	Yes	n/a
BGS Estimated Soil Chemistry	pg 23	Yes	Yes
BGS Recorded Mineral Sites	pg 25		2
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 25	Yes	n/a
Mining Instability	pg 25	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 25	Yes	
Potential for Compressible Ground Stability Hazards	pg 26	Yes	Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 26	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 26	Yes	Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 27	Yes	Yes
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure	pg 28		7
Points of Interest - Recreational and Environmental			
Underground Electrical Cables	pg 28		5

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 30	2	
Areas of Adopted Green Belt	pg 30	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 30	1	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G1NE (W)	0	1	443550 389200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	445650 387750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G1NE (NW)	0	1	443600 389250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	0	1	445000 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G2NW (N)	0	1	443929 389150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G4NE (E)	0	1	445750 388950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G2SW (S)	0	1	443850 388850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	444800 388450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G3NE (E)	0	1	445000 389087
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	443929 387950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	446300 391750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	444900 388150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G2NE (NE)	1	1	444150 389250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	5	1	444850 388200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	9	1	444950 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SE)	12	1	444900 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G2NW (W)	13	1	443750 389050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G5SE (NW)	14	1	443650 389300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G1NE (W)	15	1	443650 389087
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	21	1	445950 389200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	28	1	445950 388150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	28	1	444700 388600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G2NW (SW)	32	1	443800 388950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G3SW (SE)	62	1	444500 388800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	72	1	443700 388300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	72	1	445900 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G1NE (W)	74	1	443600 389100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	76	1	446300 389300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	77	1	445000 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G6SE (NE)	86	1	444100 389350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	100	1	443750 388150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	104	1	443850 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	113	1	443800 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	117	1	445850 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G6SW (N)	135	1	443850 389300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G5NE (NW)	136	1	443500 389650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	167	1	445800 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SE)	167	1	445850 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G5NE (NW)	193	1	443550 389700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	G1NE (W)	203	1	443550 389000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	G6SW (N)	215	1	443929 389300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G4NE (E)	223	1	445500 389150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	G6SE (NE)	248	1	444150 389300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 6 Effective Date: 1st January 2010 Issued Date: 24th September 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 6 Effective Date: 1st January 2010 Issued Date: 24th September 2009 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 3 Effective Date: 16th December 1999 Issued Date: 16th December 1999 Revocation Date: 31st December 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 3 Effective Date: 16th December 1999 Issued Date: 16th December 1999 Revocation Date: 31st December 2000 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 4 Effective Date: 1st January 2001 Issued Date: 16th December 1999 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200
1	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 4 Effective Date: 1st January 2001 Issued Date: 16th December 1999 Revocation Date: 31st December 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	G1NE (NW)	19	2	443680 389200
2	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 2 Effective Date: 23rd December 1985 Issued Date: 23rd December 1985 Revocation Date: 15th December 1999 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400
2	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 2 Effective Date: 23rd December 1985 Issued Date: 23rd December 1985 Revocation Date: 15th December 1999 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from COPA 1974** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
2	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 1 Effective Date: 1st June 1981 Issued Date: 1st June 1981 Revocation Date: 22nd December 1985 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from 1978 Order** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400
2	**Discharge Consents** Operator: Yorkshire Water Services Limited Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 1 Effective Date: 1st June 1981 Issued Date: 1st June 1981 Revocation Date: 22nd December 1985 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from 1978 Order** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400
2	**Discharge Consents** Operator: Rotherham Rural District Council Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 5 Effective Date: 18th May 1966 Issued Date: 18th May 1966 Revocation Date: 31st May 1981 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from Rivers (Prevention of Pollution) Act 1951-1961** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400
2	**Discharge Consents** Operator: Rotherham Rural District Council Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Long Lane Stw Long Lane, Treeton, Rotherham, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: 2081 Permit Version: 5 Effective Date: 18th May 1966 Issued Date: 18th May 1966 Revocation Date: 31st May 1981 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Transferred from Rivers (Prevention of Pollution) Act 1951-1961** Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	69	2	443700 389400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: National Grid Company Plc Property Type: Undefined Or Other Location: The National Grid Co.Landat Brinswo, Rth 275/400kv Substation Consent, Number Wra 7218 Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra7218 Permit Version: 1 Effective Date: 20th June 1996 Issued Date: 20th June 1996 Revocation Date: 25th March 2011 Discharge Type: Trade Discharges - Site Drainage (Contaminated Surface Water, Not Waste Sites) Discharge Environment: Freshwater Stream/River Receiving Water: River Rother **Status: Surrendered under EPR 2010** Positional Accuracy: Located by supplier to within 100m	G5NW (NW)	191	2	443400 389700
	Nearest Surface Water Feature	G5SE (NW)	0	-	443656 389435
4	**Pollution Incidents to Controlled Waters** Property Type: Other General Premises Location: Road Bridges A631 /, Road Bridge A630 Rother 02 Authority: Environment Agency, North East Region Pollutant: Miscellaneous - Vegetation/Cuttings Note: Not Supplied Incident Date: 19th March 1990 Incident Reference: 109284 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	G5SE (NW)	99	2	443500 389600
5	**Pollution Incidents to Controlled Waters** Property Type: Miscellaneous Premises: Unknown Location: Rd Brdg A630/ Road Brdg A633 Don 35 Authority: Environment Agency, North East Region Pollutant: Oils - Diesel (Including Agricultural) Note: Not Supplied Incident Date: 15th September 1994 Incident Reference: 153129 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	G5SW (NW)	170	2	443300 389600
6	**Pollution Incidents to Controlled Waters** Property Type: Water Company Sewage: Foul Sewer Location: Rd Brdg A630/Catcliffe Road Rother 03 Authority: Environment Agency, North East Region Pollutant: Unknown Sewage Note: Not Supplied Incident Date: 14th May 1991 Incident Reference: 122351 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	G5NW (NW)	186	2	443400 389695
6	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: Rd Brdg A630/Catcliffe Road Rother 03 Authority: Environment Agency, North East Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 20th May 1991 Incident Reference: 122529 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	G5NW (NW)	191	2	443400 389700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	**Pollution Incidents to Controlled Waters** Property Type: Industrial Premises Location: Road Bridges A631 /, Road Bridge A630 Rother 02 Authority: Environment Agency, North East Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 13th August 1989 Incident Reference: 102372 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	G5NE (NW)	193	2	443500 389700
8	**Pollution Incidents to Controlled Waters** Property Type: Domestic/Residential Location: Road Bridges A631 /, Road Bridge A630 Rother 02 Authority: Environment Agency, North East Region Pollutant: Crude Sewage Note: Not Supplied Incident Date: 4th December 1989 Incident Reference: 105847 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	G3SE (SE)	201	2	444800 388700
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	444948 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	445000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	G2NW (NW)	0	2	443893 389156

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	G2NE (E)	0	2	444178 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	G2NW (S)	0	2	443929 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	G2NE (E)	0	2	444384 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	G2NW (SE)	0	2	444000 389000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	G3NE (E)	0	2	445000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	446000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	444000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	445052 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	446000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	G5SE (NW)	0	2	443640 389349
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: 3-10m Superficial Recharge: High	G2NW (E)	0	2	443929 389087
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	446000 389087
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G2NW (E)	0	4	443929 389087
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G3NE (E)	0	4	445000 389087
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G11SE (NE)	0	4	445000 390000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	G2NW (NW)	0	4	443893 389156
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	(SE)	0	4	445000 388080
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443592 389434
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G2SE (SE)	0	2	444230 388894
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443556 389445
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G3SW (SE)	0	2	444444 388622
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G1NE (NW)	0	2	443684 389266
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G3SW (SE)	0	2	444444 388622
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G2NW (N)	0	2	443936 389112
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G6SW (N)	0	2	443916 389352
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G3SW (SE)	0	2	444540 388802
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G2SE (SE)	0	2	444236 388878
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G2NW (N)	0	2	443928 389090
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G2NW (W)	0	2	443868 389087
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443538 389349
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G2NW (E)	0	2	444035 389077
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443568 389410

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443592 389438
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G2NW (N)	0	2	443929 389098
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443569 389407
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	0	2	443602 389431
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	47	2	443604 389504
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	50	2	443608 389506
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	53	2	443607 389510
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G5SW (NW)	55	2	443397 389542
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	76	2	443608 389534
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	78	2	443500 389578
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G2NW (N)	94	2	443888 389278
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	97	2	443432 389610
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5SE (NW)	97	2	443429 389610
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	102	2	443436 389616
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G5SE (NW)	102	2	443436 389616
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5SE (NW)	104	2	443440 389618

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	107	2	443439 389627
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G2NW (W)	110	2	443872 389099
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	111	2	443428 389624
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G5NE (NW)	112	2	443472 389625
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5NE (NW)	112	2	443440 389627
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G2NW (W)	113	2	443900 389098
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5NE (NW)	114	2	443491 389624
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	115	2	443440 389629
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	121	2	443405 389629
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	122	2	443408 389631
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5NW (NW)	132	2	443382 389630
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	132	2	443392 389634
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	134	2	443412 389650
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G2NW (NW)	135	2	443904 389098
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	135	2	443380 389631
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G5NW (NW)	140	2	443374 389634

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G6SE (NE)	152	2	444156 389290
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	152	2	443487 389660
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5NE (NW)	156	2	443412 389666
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G3SW (SE)	163	2	444540 388803
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G3SW (SE)	164	2	444536 388812
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G3SW (SE)	164	2	444532 388821
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G3SW (SE)	164	2	444537 388810
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G3SW (SE)	166	2	444535 388814
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	168	2	443484 389678
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	168	2	443410 389678
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G3SW (SE)	168	2	444531 388822
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5NE (NW)	171	2	443482 389682
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	183	2	443480 389694
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial Events Boundary Accuracy: As Supplied	G5NW (NW)	185	2	443322 389651
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G2NW (E)	196	2	444021 389083
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	198	2	443308 389656

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models and Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NE (NW)	210	2	443509 389720
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	G6NW (N)	216	2	444028 389710
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial / Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	230	2	443407 389741
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Undefined Events Boundary Accuracy: As Supplied	G5NW (NW)	236	2	443264 389664
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	G2NW (NE)	0	2	443944 389110
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas Type: Flood Water Storage Areas Reference: Not Supplied	G1NE (NW)	0	2	443666 389224
	Flood Water Storage Areas Type: Flood Water Storage Areas Reference: Not Supplied	G2NW (N)	0	2	443937 389114
	Flood Water Storage Areas Type: Flood Water Storage Areas Reference: Not Supplied	G6SW (N)	57	2	443925 389335
	Flood Defences Type: Flood Defences Reference: Not Supplied	G2NW (N)	0	2	443928 389252
	Flood Defences Type: Flood Defences Reference: Not Supplied	G1NE (NW)	0	2	443654 389219
	Flood Defences Type: Flood Defences Reference: Not Supplied	G2NE (E)	4	2	444316 389048
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5SE (NW)	66	2	443415 389572
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5SE (NW)	79	2	443711 389333
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	179	2	443434 389693
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	179	2	443437 389695
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	181	2	443485 389693
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	181	2	443437 389695
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	205	2	443421 389722
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	214	2	443474 389729

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	223	2	443431 389737
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NE (NW)	223	2	443431 389737
	Flood Defences Type: Flood Defences Reference: Not Supplied	G5NW (NW)	224	2	443383 389729
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1115.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NE (E)	0	5	444090 389095
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 167.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G5SE (NW)	0	5	443656 389435
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	0	5	443680 389204
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 374.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	(SE)	3	5	444621 388588
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 926.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	G2NW (NE)	5	5	444070 389248
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 375.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G1NE (W)	19	5	443659 389163
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 24.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (W)	19	5	443659 389163
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 41.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	29	5	443722 389196

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 43.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	29	5	443683 389212
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 186.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (W)	32	5	443624 389189
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 321.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NW (N)	50	5	443926 389236
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 146.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G5SE (NW)	54	5	443695 389390
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 81.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G5SE (NW)	55	5	443690 389465
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 19.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	65	5	443699 389253
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	65	5	443707 389253
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 55.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G5SE (NW)	71	5	443695 389335
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 45.3 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 2	G5SE (NW)	71	5	443740 389384

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	72	5	443718 389254
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 63.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G1NE (NW)	75	5	443697 389271
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 335.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NW (N)	82	5	443925 389267
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 32.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 2	G6SW (NW)	112	5	443770 389374
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 407.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G6SW (N)	135	5	443753 389515
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 303.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 2	G6SW (NW)	143	5	443778 389373
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 60.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1SE (SW)	143	5	443699 388899
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 167.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1SE (SW)	149	5	443670 388929
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1SE (SW)	149	5	443673 388925

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 261.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G6SW (N)	189	5	443826 389507
36	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NE (E)	190	5	444086 389103
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 23.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NE (E)	190	5	444090 389095
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.4 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NE (E)	198	5	444106 389111
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 26.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NE (E)	198	5	444109 389112
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 7.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NW (E)	199	5	444083 389109
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G5NE (NW)	201	5	443499 389714
42	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 873.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Rother Catchment Name: Don and Rother Primacy: 1	G5NE (NW)	202	5	443411 389713
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 50.9 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 2	G5NE (NW)	202	5	443411 389713

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
44	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 144.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G2NW (NE)	206	5	444056 389162
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 321.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Whiston Brook Catchment Name: Don and Rother Primacy: 1	G5NE (NW)	206	5	443499 389714
46	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 156.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (W)	209	5	443468 389101
47	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 16.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G1NE (W)	209	5	443468 389101
48	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 99.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G6SW (N)	231	5	443924 389350
49	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 139.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	G4NE (E)	241	5	445643 389222
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	G2NW (E)	0	2	443929 389087
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Rother, Doe Lea to Don WaterBody ID: GB104027057772 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	G1NE (W)	0	2	443740 389087
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	G2NW (E)	0	2	443929 389087

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
50	**BGS Recorded Landfill Sites** Site Name: Bole Hill Location: Treeton, ROTHERHAM, South Yorks Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Derived	G2SW (S)	0	-	443877 388862
51	**BGS Recorded Landfill Sites** Site Name: Off Whitehill Lane Location: Brinsworth, ROTHERHAM, South Yorkshire Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Positioned by the supplier Boundary Accuracy: Derived	G1NW (W)	208	-	443314 389135
52	**Historical Landfill Sites** Licence Holder: Rotherham Rural District Council / Former South Yorkshire County Council Location: Treeton, Rotherham Name: Bole Hill Operator Location: Public Health Department Boundary Accuracy: As Supplied Provider Reference: EAHLD04734 First Input Date: 31st December 1965 Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Inert, Commercial and Household Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0210 BGS Ref: 576 Other Ref: 4400/(61), (61)R	G1SE (SW)	0	2	443727 388848
53	**Historical Landfill Sites** Licence Holder: Grren and Tomlinson Location: Sheffield Parkway Name: Canklow Tip Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD04732 First Input Date: 31st December 1952 Last Input Date: Not Supplied Specified Waste Type: Deposited Waste included Industrial Waste EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 4400/0184 BGS Ref: Not Supplied Other Ref: 4400/(35), WD20/R339	G1NW (W)	203	2	443316 389141
54	**Licensed Waste Management Facilities (Locations)** Licence Number: 65466 Location: Long Lane W W T W, Long Lane, Treeton, Rotherham, South Yorkshire, S60 5RF Operator Name: YORKSHIRE WATER SERVICES LIMITED Operator Location: Not Supplied Authority: Environment Agency - North East Region, Yorkshire Area Site Category: Treatment - Biological **Licence Status: Issued** Issued: 17th May 2006 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	G2SW (S)	18	2	443900 388900
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	6	443929 389087

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	**Local Authority Recorded Landfill Sites** Location: Bole Hill, Treeton Reference: 61 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Domestic, Excavation Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	G2SW (SW)	13	6	443750 388824
56	**Local Authority Recorded Landfill Sites** Location: Canklow Tip, Sheffield Parkway Reference: 35 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Industrial Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	G5SW (W)	225	6	443174 389305
57	**Local Authority Recorded Landfill Sites** Location: Canklow Tip, Sheffield Parkway Reference: 35 Authority: Rotherham Metropolitan Borough Council, Environmental Health Department **Last Reported Status:** **Closed** Types of Waste: Industrial Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	G1NW (W)	225	6	443281 389144
58	**Potentially Infilled Land (Non-Water)** Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1996	G2SW (SW)	143	9	443772 388719
59	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1956	G5SE (NW)	0	9	443564 389362

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	G2NW (E)	0	1	443929 389087
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	G7SW (NE)	0	1	444757 389543
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	G4SE (E)	0	1	445615 388620
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	G2NW (SE)	0	1	444000 389000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	G4SE (E)	0	1	445690 388902
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	G4SE (E)	0	1	445764 388887
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G4NW (E)	0	1	445363 389092

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	G2NW (E)	0	1	443929 389087
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G2SW (S)	0	1	443850 388834
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G2NW (SW)	0	1	443766 388969
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G3SW (SE)	31	1	444515 388804
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	G7NW (NE)	95	1	444634 389637
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G2NE (NE)	129	1	444163 389251

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	G1NE (W)	201	1	443553 389000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	G3NE (E)	225	1	444981 389258
60	**BGS Recorded Mineral Sites** Site Name: Bole Hill Location: Treeton, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 109057 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	G2SW (SW)	166	1	443773 388724
61	**BGS Recorded Mineral Sites** Site Name: Bole Hill Location: Treeton, Rotherham, South Yorkshire Source: British Geological Survey, National Geoscience Information Service Reference: 109058 Type: Opencast **Status: Ceased** Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Mexborough Rock Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	G2SW (S)	200	1	443781 388639
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	G2NW (E)	0	7	443929 389087
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	G2NW (E)	0	9	443929 389087
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G5SE (NW)	0	1	443623 389421
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2NE (NE)	0	1	444163 389238

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NW (NE)	0	1	443998 389127
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NE (NE)	0	1	444163 389238
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G5SE (NW)	0	1	443623 389421
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NW (S)	0	1	443928 389086
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	G2SE (SE)	0	1	444140 388897
	Potential for Compressible Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G2NW (NE)	0	1	443998 389127
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	31	1	443929 389087
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2SW (SW)	128	1	443760 388819
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G2SW (S)	0	1	443872 388924
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G1SE (SW)	0	1	443730 388926
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	G2SW (SW)	26	1	443815 388919
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G4SE (E)	43	1	445687 388941
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2SE (SE)	0	1	444140 388897
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	G2NW (NE)	0	1	443998 389127

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NE (NE)	0	1	444163 389238
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2NW (S)	0	1	443928 389086
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G5SE (NW)	0	1	443623 389421
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	31	1	443929 389087
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2SW (SW)	128	1	443760 388819
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G2SW (SW)	0	1	443829 388865
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G7SE (E)	0	1	445000 389455
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G4SE (E)	0	1	445727 388911
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	G6SW (N)	0	1	443920 389285
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	G6SW (N)	210	1	443943 389355
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G2NW (E)	0	1	443929 389087
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	G3NE (E)	0	1	445000 389087

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
62	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	G2SW (SE)	43	8	444007 388900
62	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	G2SW (SE)	44	8	444006 388901
62	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	G2NW (SE)	70	8	444077 388957
62	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	G2SW (SE)	89	8	443991 388946
62	**Points of Interest - Public Infrastructure** Name: Sewage Works Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	G2NW (SE)	111	8	444017 388975
63	**Points of Interest - Public Infrastructure** Name: Sluice Location: S60 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	G5NE (NW)	200	8	443425 389713
63	**Points of Interest - Public Infrastructure** Name: Sluice Location: S60 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	G5NE (NW)	201	8	443418 389713
64	**Underground Electrical Cables** Unique Feature Identifier: 10056124 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	G5SW (NW)	127	9	443339 389582
65	**Underground Electrical Cables** Unique Feature Identifier: 10007406 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	G5SW (NW)	158	9	443238 389469
66	**Underground Electrical Cables** Unique Feature Identifier: 0 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 6th February 2023	G5SW (NW)	161	9	443236 389470
67	**Underground Electrical Cables** Unique Feature Identifier: 10007407 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	G5SW (NW)	176	9	443223 389481

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
68	**Underground Electrical Cables** Unique Feature Identifier: 10007408 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	G5SW (NW)	196	9	443205 389487

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	**Ancient Woodland** Name: Burnt Wood Reference: 1105146 Area(m²): 102658.17 Type: Ancient and Semi-Natural Woodland	(SE)	0	10	444511 388166
70	**Ancient Woodland** Name: Burnt Wood Reference: 1105146 Area(m²): 18961.45 Type: Plantation on Ancient Woodland	(SE)	0	10	444559 388103
71	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	G2NW (E)	0	11	443929 389087
72	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	G2NW (E)	0	2	443929 389087

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Sheffield City Council - Environmental Protection Service	October 2017	Annual Rolling Update
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Sheffield City Council - Environmental Protection Service	December 2020	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Sheffield City Council - Environmental Protection Service	December 2020	Annual Rolling Update
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Sheffield City Council - Environmental Protection Service	June 2014	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	February 2023	

Agency & Hydrological	Version	Update Cycle
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Sheffield City Council - Environmental Protection Service	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Sheffield City Council - Environmental Protection Service	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Sheffield City Council	February 2016	Variable
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable
Sheffield City Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt		
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Unadopted Green Belt		
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Sheffield City Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas		
Natural England	August 2023	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Natural England	March 2025	Bi-Annually
Marine Nature Reserves		
Natural England	February 2025	Bi-Annually
National Nature Reserves		
Natural England	January 2025	Bi-Annually
National Parks		
Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	November 2024	Annually
Ramsar Sites		
Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural England	May 2025	Bi-Annually
Special Areas of Conservation		
Natural England	January 2025	Bi-Annually
Special Protection Areas		
Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Rotherham Metropolitan Borough Council - Planning Department** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Website: www.rotherham.gov.uk
4	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
6	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
7	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
8	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
9	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6619 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
10	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
11	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	SLIP	Landslide Deposit	Unknown/Unclassified Entry	Not Supplied - Quaternary

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Gravel, Sand, Silt and Clay	Not Supplied - Holocene
	TILMP	Till, Mid Pleistocene	Diamicton	Not Supplied - Cromerian
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	WYR	Wickersley Rock	Sandstone	Not Supplied - Westphalian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**100**
Map Name:	**Sheffield**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice G




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice G



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice G



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice G



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice G



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1893	4
Yorkshire	1:10,560	1904	5
Yorkshire	1:10,560	1924	6
Yorkshire	1:10,560	1935	7
Yorkshire	1:10,560	1938	8
Yorkshire	1:10,560	1948	9
Ordnance Survey Plan	1:10,000	1956	10
Ordnance Survey Plan	1:10,000	1967 - 1968	11
Ordnance Survey Plan	1:10,000	1974	12
Sheffield	1:25,000	1977	13
Ordnance Survey Plan	1:10,000	1981 - 1985	14
Ordnance Survey Plan	1:10,000	1989	15
Ordnance Survey Plan	1:10,000	1991 - 1996	16
Ordnance Survey Plan	1:10,000	1993 - 1996	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2024	20

Historical Map - Slice G



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 443930, 389090
Slice: G
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping

SK48_Sheffield

No.	Description
68	Sewage Works


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1893	4
Yorkshire	1:10,560	1904	5
Yorkshire	1:10,560	1924	6
Yorkshire	1:10,560	1935	7
Yorkshire	1:10,560	1938	8
Yorkshire	1:10,560	1948	9
Ordnance Survey Plan	1:10,000	1956	10
Ordnance Survey Plan	1:10,000	1967 - 1968	11
Ordnance Survey Plan	1:10,000	1974	12
Sheffield	1:25,000	1977	13
Ordnance Survey Plan	1:10,000	1981 - 1985	14
Ordnance Survey Plan	1:10,000	1989	15
Ordnance Survey Plan	1:10,000	1991 - 1996	16
Ordnance Survey Plan	1:10,000	1993 - 1996	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2024	20

Russian Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


443200
443400
443600
443800
444000
444200
444400
444600
444800
445000
445200
445400
445600
391200
391000
390800
390600
390400
390200
390000
389800
389600
389400
389200
389000
388800
Whiston
Middle Fields
The Greave
Wanger Hill
Hall Closes
Waterslacks
Whiston Hall
Jane's Chapel
Revel Wood
Guilthwaite
Upper Whiston
Haworth Hall
Bole Hill Plantation
The Bank
Wood Foot
Kiverith Bridge
Middle Bridge
Old Sandstone Quarry
Sandstone Quarry
Old Manor House
Old Vicarage
Whiston Cliff
Whiston Rough
Whiston Hall Farm
Whiston Cliff Farm
Whiston Cliff Cottages
Whiston Rough Cottages
Whiston Rough Farm
Whiston Rough Quarry
Whiston Hall
Whiston Hall Cottages
Whiston Hall Farm
Whiston Hall Quarry
Whiston Hall Sch
Whiston Cliff Quarry
Whiston Cliff Sch



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1893

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

289SE
1893
1:10,560

295NE
1893
1:10,560

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


443200
443400
443600
443800
444000
444200
444400
444600
444800
445000
445200
445400
445600
391200
391000
390800
390600
390400
390200
390000
389800
389600
389400
389200
389000
388800
Oakwood Grange
Oakwood Farm
Oakwood Hall
Lodge
Sitwell House
Sitwell Vale
Red House
Lane End House
Sitwell Grange
Elm
Bent Lathes
M.P
Sheffield 8
Tickhill 9½
Old Quarry
Hunger Hill
Worry Green Lane
Kennels
Whiston Grange
Castle Lane
Hunger Hill Lane
Cow Rake Lane
Manor House
Moorhouse
Whiston Brook
Old Quarry
Sheffield 7
Tickhill 10½
Wood Foot
Whiston Hall
Chap.
Melrose Cottages
Whiston
St. Mary Magdalene's Church
Schools
Rectory
Acres
3 4 3 1 · 1 9 3
Haworth Bridge
Sewage Works
Rotherham R.D. Council
Abbey Farm
River Rother (Old Course)
Middle Bridge
The Bank
Quarry
Old Quarry
Blue Main's Bower
Mound
Weir
Haworth Hall
Quarry
Guilthwaite House
Upper Whiston Lane
Spring
Rotherham 3
Clowne 91
Guilthwaite
Guilthwaite Grange
The Poplars
Spring
Bole Hill
Plantation
Old Quarry
Guilthwaite Hall
Wood
Inn
Ford
Lodge
Hall
Farm
Chapel
Schools
Rectory
Abbey Farm
Sewage Works
Quarry
Spring



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1924

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

289SE
1924
1:10,560

295NE
1924
1:10,560

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1935

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

289SE
1935
1:10,560

295NE
1935
1:10,560

Historical Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1938

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

289SE
1938
1:10,560

295NE
1938
1:10,560

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


443200
443400
443600
443800
444000
444200
444400
444600
444800
445000
445200
445400
445600
391200
391000
390800
390600
390400
390200
390000
389800
389600
389400
389200
389000
388800
Oakwood Hall Sanatorium (Rotherham Corporation)
Oakwood Grange
Oakwood Farm
Sitwell House
Lane End House
Red House
Sitwell Grange
SITWELL VALE
HUNGER HILL
CASTLE LANE
Whiston Grange
Whiston Hall
Whiston
Moorhouse
Moorhouse Brook
Worry Goose Lane
Cow Rakes Lane
Upper Whiston Lane
Whiston Tank
Sewage Works
Cricket Ground
Recovery
Abdy Cottage
Haworth Hall
Haworth Bridge
Haworth Lane
Blue Man's Bower
Moat
Dam
River Rother (Old Course)
Canklow Cut
Wood Foot
The Beeches
Guilthwaite House
Guilthwaite Grange
Guilthwaite
Guilthwaite Hall
Sewage Works (Rotherham R.D.C.)
Pumping Sta.
Holm Hill Plantation
Spring
Rotherham 2 Clowne 10¼
Sheffield 7 Tickhill 10¼
Rotherham 3 Clown 9¾
Kennels
Gornes
Flood Yard
Rises
Dolle
The Poplars
Old Quarry
Allotment Gardens
Cricket Gd.
St. Mary Magdalene's Church
Schools
Meth. Ch.
Wyn
Mourville
Milestones
Dukes Hill
Scavage Beds
Rotherwood
Lane End
Sports Ground
Lawton La
Lodge
Co. Boro. By.
Parly. Boro. By.
M.P
F.P.
B.M. 319·63
B.M. 309·26
B.M. 250·63
B.M. 132·81
B.M. 204·64
B.M. 240·95
B.M. 241·92
B.M. 302·37
B.M. 199·67
Meth. Ch. 186·20
Wyn 212·58
144·13
116·99
182·46
Abdy Farm
Bent Bushes
Sheffield 8
Tickhill 9¼
M.P
M.S
Gas Gov.
Tel.
Ch.
Sch.
Inst.
Rec.
Gdns.
Allotment Gardens
Cricket Gd.
Flood Yard
Abdy Farm
Abdy Cottage
Rises
Dolle
The Poplars
Old Quarry
Allotment Gardens
Spring
Guilthwaite Hall
Guilthwaite Grange
Guilthwaite
Upper Whiston Lane
Worry Goose Lane
Cow Rakes Lane
Hunger Hill Lane
Castle Lane
Whiston Brook
Haworth Lane
Canklow Cut
River Rother (Old Course)



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SW 1956 1:10,560	SK49SE 1956 1:10,560
SK48NW 1956 1:10,560	SK48NE 1956 1:10,560

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967 - 1968


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SW 1968 1:10,560	SK49SE 1967 1:10,560
SK48NW 1967 1:10,560	SK48NE 1967 1:10,560

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice G



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Sheffield

Published 1977

Source map scale - 1:25,000


These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

SK49
1977
1:25,000

SK48
1977
1:25,000

Russian Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1981 - 1985


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SW 1985 1:10,000	SK49SE 1982 1:10,000
SK48NW 1981 1:10,000	SK48NE 1983 1:10,000

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1991 - 1996

Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.


Map Name(s) and Date(s)

SK49SW 1991 1:10,000

SK48NW 1991 1:10,000

SK48NE 1996 1:10,000

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1993 - 1996

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SW
1993
1:10,000

SK48NW
1996
1:10,000

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


443200
443400
443600
443800
444000
444200
444400
444600
444800
445000
445200
445400
445600
391200
391000
390800
390600
390400
390200
390000
389800
389600
389400
389200
389000
388800
Moorgate
The Oakwood School
Hospital
Amb Sta
Car Park
Sitwell County Primary School
Lane End House
Settlement
Enclosure
Path
Schools
Sch
Newman School
Whiston
Cricket Ground
Rectory
Allot Gdns
Hotel & Leisure Club
Boro Const Bdy
Co Const Bdy
Underpass
Brinsworth Switching Station
Blue Man's Bower
Moat
Whiston Brook
The Bank
Nicklin House
Abdy Farm
Revel Wood
Garnes
Guilthwaite House
Guilthwaite
Nursery
Fourways
Green Stacks
Upper Whiston
Guilthwaite Grange
The Poplars
Guilthwaite Hall Farm
Sewage Works
River Rother
Ulley Brook
Bole Hill Plantation
Old Flatts Farm
Howarth Lane
Track
Drain
Spr
Ditch
Dolcis Lane
Rookhouse Lane
Upper Whiston Lane
West Bawtry Road
Queensway
Sitwell Grove
Sitwell Drive
Kings Way
Green Lane
Norfolk Way
Shorefield Road
Shorefield Drive
Shorefield Crescent
Shorefield Avenue
Shorefield Close
Shorefield Grange
Shorefield Rise
Shorefield Way
Whiston Grange Drive
Whiston Grange Crescent
Whiston Grange Close
Whiston Vale
Whiston Hall Close
Whiston Hall Drive
Whiston Hall Crescent
Whiston Hall Avenue
Whiston Hall Road
Whiston Hall Gardens
Whiston Hall Rise
Whiston Hall Way
Whiston Hall Grange
Whiston Hall Grange Drive
Whiston Hall Grange Crescent
Whiston Hall Grange Close
Whiston Hall Grange Avenue
Whiston Hall Grange Road
Whiston Hall Grange Gardens
Whiston Hall Grange Rise
Whiston Hall Grange Way
Whiston Hall Grange Park
Whiston Hall Grange Park Drive
Whiston Hall Grange Park Crescent
Whiston Hall Grange Park Close
Whiston Hall Grange Park Avenue
Whiston Hall Grange Park Road
Whiston Hall Grange Park Gardens
Whiston Hall Grange Park Rise
Whiston Hall Grange Park Way
Whiston Hall Grange Park Grange
Whiston Hall Grange Park Grange Drive
Whiston Hall Grange Park Grange Crescent
Whiston Hall Grange Park Grange Close
Whiston Hall Grange Park Grange Avenue
Whiston Hall Grange Park Grange Road
Whiston Hall Grange Park Grange Gardens
Whiston Hall Grange Park Grange Rise
Whiston Hall Grange Park Grange Way
Whiston Hall Grange Park Grange Park
Whiston Hall Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Way
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Drive
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Crescent
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Close
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Avenue
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Road
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Gardens
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Rise
Whiston Hall Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park Grange Park



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK49SW 2006 1:10,000	SK49SE 2006 1:10,000
SK48NW 2006 1:10,000	SK48NE 2006 1:10,000

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SK49SW 2024 Variable	SK49SE 2024 Variable
SK48NW 2024 Variable	SK48NE 2024 Variable

Historical Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


443500
444000
444500
445000
445500
391000
390500
390000
389500
389000
G16
G12
G8
G4
G1
G2
G3
G4
Moorgate
Whiston
Garnes
Guilthwaite
Revel Wood
Ulley Brook
Education Facility
Hospital
Medical Care
PW
Education Facility
Hospital
Hospital
Hospital
Education Facility
Education Facility
Education Facility

443500 444000 444500 445000 445500

391000 390500 390000 389500 389000

G16 G12 G8 G4

Moorgate
Whiston
Garnes
Guilthwaite
Revel Wood
Ulley Brook
River Rother

Education Facility
Hospital
Medical Care
PW
Education Facility
Education Facility
Education Facility
Education Facility

83 81 74 75 79 73 82 85 86 84 77 80 78 76

M1 A631 A630 A618 (PLEASLEY ROAD)

© Crown copyright and database rights 2025 OS AC0000813445

0 400 m

G1 G2 G3 G4

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice G




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice G



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details


Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice G



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

0 400 m

G1 G2 G3 G4

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice G




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice G




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice G




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice G




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	443930, 389090
Slice:	G
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice H



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
447030, 389270

Slice:
H

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:

Whitestone

Client Details:

[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	13
Hazardous Substances	-
Geological	14
Industrial Land Use	20
Sensitive Land Use	21
Data Currency	22
Data Suppliers	27
Useful Contacts	28

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 3		4
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 4	Yes	
Pollution Incidents to Controlled Waters	pg 4		2
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register	pg 4		1
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 5	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 8	Yes	n/a
Superficial Aquifer Designations			n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences	pg 9	Yes	Yes
Flooding from Rivers or Sea without Defences	pg 9	Yes	
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 9	3	25
Water Framework Directive - Catchment	pg 12	Yes	
Water Framework Directive - Groundwater	pg 12	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 13	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 14	Yes	n/a
BGS Estimated Soil Chemistry	pg 14	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 17	Yes	n/a
Mining Instability	pg 17	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 17	Yes	
Potential for Compressible Ground Stability Hazards	pg 17		Yes
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 17	Yes	Yes
Potential for Running Sand Ground Stability Hazards	pg 18		Yes
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 19	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries	pg 20		1
Fuel Station Entries			
Points of Interest - Commercial Services	pg 20		1
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production	pg 20		1
Points of Interest - Public Infrastructure	pg 20		1
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 21		1
Areas of Adopted Green Belt	pg 21	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 21	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8SW (E)	0	1	447800 389450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	446250 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	447000 388550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8NW (NE)	0	1	448050 389850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NE)	0	1	448550 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	0	1	445100 387950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	447026 388550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2NE (SE)	0	1	447026 389274
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H4SW (SE)	0	1	447950 388700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	447550 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	448650 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H1SW (SW)	0	1	445900 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (S)	0	1	447100 388700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	447200 388600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (S)	0	1	447026 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H16SE (NE)	0	1	448250 390900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	446850 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	447600 388350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	0	1	448700 388750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	447500 388300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	446950 388500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	447650 388400

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H4SE (E)	0	1	448450 388800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	0	1	448700 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H12SW (NE)	0	1	447950 390050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H11SE (NE)	0	1	447550 390250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8NW (NE)	0	1	448000 389900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8NE (NE)	0	1	448200 389900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8NW (NE)	1	1	448050 389800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H5SE (W)	21	1	446250 389350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H12SW (NE)	25	1	448050 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	28	1	446000 388150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H2SE (S)	71	1	447050 388700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	72	1	448000 388400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	72	1	445950 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H6SE (NW)	76	1	446850 389400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H7NW (NE)	98	1	447450 389650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	100	1	447950 388600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	117	1	445900 388050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H8NE (E)	123	1	448450 389700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H7NW (NE)	148	1	447300 389650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	156	1	449150 390100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	167	1	445850 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	167	1	445900 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H3SE (SE)	181	1	447750 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	193	1	449050 390050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H5SW (W)	223	1	445800 389300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	225	1	448950 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H11SE (NE)	226	1	447600 390150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H6SE (NW)	226	1	446900 389450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H6SE (N)	244	1	446950 389500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	H3SE (SE)	244	1	447700 388700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(E)	249	1	448700 389550
1	**Discharge Consents** Operator: Mr P.Patching & Mrs S.Patching Property Type: Undefined Or Other Location: Springvale, Morthern Lane, Thurcroft, South Yorkshire Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra7262 Permit Version: 1 Effective Date: 16th January 1997 Issued Date: 16th January 1997 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Pinch Mill Brook **Status: New Consent, by Application (Water Resources Act 1991, Section 88)** Positional Accuracy: Located by supplier to within 100m	H8NE (NE)	40	2	448180 389880
2	**Discharge Consents** Operator: Grange Farm Property Type: DOMESTIC PROPERTY (MULTIPLE) (INCL FARM HOUSES) Location: Grange Farm York Lane, Morthen, Rotherham, South Yorkshire, S66 9jh Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8233 Permit Version: 1 Effective Date: 16th February 2004 Issued Date: 16th February 2004 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Trib Of Ulley Brook **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	H7SE (E)	200	2	447570 389340

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	**Discharge Consents** Operator: Vale Farm Property Type: Undefined Or Other Location: Hodgkin Sarah Gillian And John Bonh, Am Proposed Barn Conversion Vale, Farm Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wa6138 Permit Version: 1 Effective Date: 27th September 1990 Issued Date: 27th September 1990 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Groundwater **Status: Transferred from Water Act 1989** Positional Accuracy: Located by supplier to within 100m	H7SE (E)	214	2	447700 389400
4	**Discharge Consents** Operator: Mr Peter Bishop Property Type: DOMESTIC PROPERTY (SINGLE) (INCL FARM HOUSE) Location: St James York Lane, Morthen, Rotherham, South Yorkshire, S66 9jh Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Npswqd000699 Permit Version: 1 Effective Date: 2nd April 2008 Issued Date: 2nd April 2008 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge Environment: Freshwater Stream/River Receiving Water: A Trib Of Morthen Brook **Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995)** Positional Accuracy: Located by supplier to within 10m	H7SE (E)	229	2	447639 389347
	Nearest Surface Water Feature	H8NW (NE)	0	-	448088 389891
5	**Pollution Incidents to Controlled Waters** Property Type: Small Holding Location: Upper Whiston Farm Authority: Environment Agency, North East Region Pollutant: Oils - Diesel (Including Agricultural) Note: Fish Killed: No Information Incident Date: 6th March 1995 Incident Reference: SH950229 Catchment Area: Rother Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H1NW (W)	66	2	446000 389000
6	**Pollution Incidents to Controlled Waters** Property Type: Highway/Car Park Location: Rd Brdg A630/Catcliffe Road Rother 03 Authority: Environment Agency, North East Region Pollutant: Chemicals - Acid Note: Not Supplied Incident Date: 2nd August 1992 Incident Reference: 135276 Catchment Area: Not Given Receiving Water: Freshwater Stream/River Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	H6SW (W)	87	2	446500 389300
7	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 18th May 2020 Incident Reference: 1807332 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Pollutant Not Identified: Not Identified	H3SW (S)	173	2	447191 388777

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H16NW (NE)	0	2	448000 391000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(NE)	0	2	449000 391000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H12SW (NE)	0	2	448000 390000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(E)	0	2	449000 390000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H1NW (W)	0	2	446000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H2NE (S)	0	2	447000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H2NE (S)	0	2	447026 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H4NW (E)	0	2	448000 389000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	446000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	447000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	447026 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	448000 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SE)	0	2	449000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H2NE (W)	0	2	447000 389274
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H2NE (SE)	0	2	447026 389274
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	H4NW (E)	0	2	448000 389274
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	H2NE (SE)	0	3	447026 389274
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	H10SE (N)	0	3	447026 390000
	Superficial Aquifer Designations No Data Available				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	H3SW (S)	0	2	447181 388625
	Extreme Flooding from Rivers or Sea without Defences Type: Extent of Extreme Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Events Boundary Accuracy: As Supplied	H8NE (NE)	42	2	448213 389876
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	H3SW (S)	0	2	447190 388625
	Flooding from Rivers or Sea without Defences Type: Extent of Flooding from Rivers or Sea without Defences Flood Plain Type: Fluvial Models Boundary Accuracy: As Supplied	H10SW (NW)	0	2	446457 390247
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 528.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NE (NE)	0	4	448246 389873
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 129.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NW (NE)	0	4	448037 389875
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 312.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Ulley Brook Catchment Name: Don and Rother Primacy: 1	H3SW (S)	0	4	447236 388620
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 187.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H3SW (S)	4	4	447191 388783
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 165.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	23	4	447435 389667
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 1.7 Watercourse Level: Underground Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NW (NE)	24	4	448035 389875

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 48.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NW (NE)	25	4	447989 389871
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 86.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NE (NE)	26	4	448160 389885
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 4.3 Watercourse Level: Underground Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H8NW (NE)	44	4	447985 389871
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 727.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	H11SW (NE)	47	4	447455 390222
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 363.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H4SW (SE)	108	4	447913 388718
19	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 13.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	146	4	447421 389669
20	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 55.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	154	4	447372 389695
21	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 3.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	154	4	447421 389669
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 54.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	155	4	447423 389671

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
23	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 13.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H3SW (S)	179	4	447199 388794
24	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H3SW (S)	188	4	447150 388867
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 110.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Morthen Brook Catchment Name: Don and Rother Primacy: 1	H3SE (SE)	190	4	447691 388610
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 67.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7SW (NE)	197	4	447228 389607
27	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 34.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7SE (E)	200	4	447524 389313
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 73.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	201	4	447300 389688
29	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H1NW (W)	225	4	445803 389176
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H1NW (W)	229	4	445793 389210
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H1NW (W)	229	4	445794 389204

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 91.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H7NW (NE)	231	4	447211 389672
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 94.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Morthen Brook Catchment Name: Don and Rother Primacy: 1	H3SE (SE)	234	4	447715 388629
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H1NW (W)	235	4	445787 389205
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 139.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	H1NW (W)	241	4	445782 389203
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	H2NE (S)	0	2	447030 389260
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Rother, Doe Lea to Don WaterBody ID: GB104027057772 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	H2NE (SE)	0	2	447026 389274
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	H2NE (SE)	0	2	447026 389274

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	5	447026 389274

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Middle Coal Measures Formation And South Wales Middle Coal Measures Formation (Undifferentiated)	H6SE (NW)	0	1	446821 389504
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	H2NE (SE)	0	1	447026 389274
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	(SW)	0	1	445932 388559
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	H8NW (NE)	0	1	447986 389906
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	(E)	0	1	448494 389613
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H2NW (SW)	0	1	446660 388993
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H2SE (S)	0	1	447069 388677

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H3SW (SE)	0	1	447368 388912
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	H2SE (S)	0	1	447000 388826
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	H2NE (SE)	0	1	447026 389274
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H2NE (E)	0	1	447096 389266
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H4SW (E)	0	1	448000 388877
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	H8SW (E)	0	1	447818 389462

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H3SW (S)	0	1	447145 388858
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H4NW (E)	0	1	447899 388997
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H2SE (S)	0	1	447000 388650
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	H6SE (NW)	23	1	446899 389474
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	H5SW (W)	95	1	446000 389401
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H6SE (NW)	113	1	446827 389474

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	H4SW (SE)	119	1	448000 388739
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	H5SW (W)	225	1	445818 389331
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	H2NE (SE)	0	6	447026 389274
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	H2NE (SE)	0	-	447026 389274
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	H6SE (NW)	105	1	446817 389524
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1NE (W)	0	1	446329 389229
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	H1NE (W)	0	1	446168 389238
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	(SE)	0	1	447412 388508
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1SE (SW)	0	1	446337 388710
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H2SE (S)	7	1	446889 388815
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H3SW (SE)	12	1	447312 388784
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H6SW (W)	41	1	446613 389318
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1SW (W)	43	1	445908 388886
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H5SE (W)	46	1	446130 389287
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1NW (W)	91	1	445946 389283
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H6SE (NW)	143	1	446819 389483
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H6SW (NW)	158	1	446757 389558
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H3SW (S)	163	1	447123 388861
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H1NW (W)	172	1	445863 389088
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H6SE (NW)	173	1	446939 389420
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	H3SE (SE)	205	1	447691 388667
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H3SE (SE)	236	1	447723 388665
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	H6NE (N)	248	1	447035 389705
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H6SE (NW)	105	1	446817 389524

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H3NE (SE)	0	1	447702 388973
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H3SW (S)	0	1	447168 388724
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H2NE (E)	0	1	447073 389276
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H8NW (NE)	0	1	447959 389762
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	H11SE (NE)	0	1	447783 390018
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H11SE (NE)	0	1	447587 390000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(SW)	0	1	445940 388542
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H8SW (E)	0	1	447798 389471
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H12SW (NE)	16	1	448012 390000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H6SE (NW)	22	1	446893 389474
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	(E)	110	1	448480 389612
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	H5SW (W)	231	1	445808 389348
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	H10SE (N)	0	1	447026 390000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	H2NE (SE)	0	1	447026 389274

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
36	**Contemporary Trade Directory Entries** Name: A Shield Damp Proofing Specialists Location: Farm Cottage, Whiston, Rotherham, South Yorkshire, S60 4NG Classification: Damp & Dry Rot Control **Status: Active** Positional Accuracy: Automatically positioned to the address	H1NW (W)	75	-	445879 388954
37	**Points of Interest - Commercial Services** Name: Ljt Motors Ltd Location: The Poplars, Whiston, Rotherham, S60 4NG Category: Repair and Servicing Class Code: Vehicle Repair, Testing and Servicing Positional Accuracy: Positioned to address or location	H1NW (W)	148	7	445804 388968
38	**Points of Interest - Manufacturing and Production** Name: R & A Wyles Location: Upper Whiston, Whiston, Rotherham, S60 4NG Category: Farming Class Code: Livestock Farming Positional Accuracy: Positioned to address or location	H1NW (W)	116	7	445893 389018
39	**Points of Interest - Public Infrastructure** Name: Slurry Bed Location: S60 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	H1NW (W)	127	7	445944 389047

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
40	**Ancient Woodland** Name: Moat Wood Reference: 1505532 Area(m²): 7015.64 Type: Ancient and Semi-Natural Woodland	(NE)	6	8	448991 390196
41	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	H2NE (SE)	0	9	447026 389274
42	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	H2NE (SE)	0	2	447026 389274
43	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	(E)	0	2	448698 388651

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences		
Environment Agency - Head Office	February 2023	

Agency & Hydrological	Version	Update Cycle
Flood Water Storage Areas		
Environment Agency - Head Office	June 2025	Quarterly
Flood Defences		
Environment Agency - Head Office	August 2022	
OS Water Network Lines		
Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent		
Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability		
Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility		
British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment		
Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater		
Environment Agency - Head Office	July 2024	Annually
Waste	**Version**	**Update Cycle**
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents Rotherham Metropolitan Borough Council	February 2016	Variable
Geological	**Version**	**Update Cycle**
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2025	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
6	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
9	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MXR	Mexborough Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	WYR	Wickersley Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
		Faults		
		Rock Segments		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**1**
Map Sheet No:	**100**
Map Name:	**Sheffield**
Map Date:	**2011**
Bedrock Geology:	**Available**
Superficial Geology:	**Available**
Artificial Geology:	**Available**
Faults:	**Not Supplied**
Landslip:	**Available**
Rock Segments:	**Not Supplied**

Geology 1:50,000 Maps - Slice H



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice H



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice H



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice H




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice H



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1892 - 1893	4
Yorkshire	1:10,560	1903 - 1904	5
Yorkshire	1:10,560	1924 - 1931	6
Yorkshire	1:10,560	1930 - 1931	7
Yorkshire	1:10,560	1935	8
Yorkshire	1:10,560	1938 - 1948	9
Yorkshire	1:10,560	1948	10
Ordnance Survey Plan	1:10,000	1956	11
Ordnance Survey Plan	1:10,000	1967	12
Ordnance Survey Plan	1:10,000	1974	13
Sheffield	1:25,000	1977	14
Ordnance Survey Plan	1:10,000	1982 - 1983	15
Ordnance Survey Plan	1:10,000	1989	16
Ordnance Survey Plan	1:10,000	1996	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2024	20

Historical Map - Slice H



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 447030, 389270
Slice: H
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 — Values for prominent elevations

186.0 — Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 — Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1892 - 1893	4
Yorkshire	1:10,560	1903 - 1904	5
Yorkshire	1:10,560	1924 - 1931	6
Yorkshire	1:10,560	1930 - 1931	7
Yorkshire	1:10,560	1935	8
Yorkshire	1:10,560	1938 - 1948	9
Yorkshire	1:10,560	1948	10
Ordnance Survey Plan	1:10,000	1956	11
Ordnance Survey Plan	1:10,000	1967	12
Ordnance Survey Plan	1:10,000	1974	13
Sheffield	1:25,000	1977	14
Ordnance Survey Plan	1:10,000	1982 - 1983	15
Ordnance Survey Plan	1:10,000	1989	16
Ordnance Survey Plan	1:10,000	1996	17
10K Raster Mapping	1:10,000	2000	18
10K Raster Mapping	1:10,000	2006	19
VectorMap Local	1:10,000	2024	20

Russian Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1854 - 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1892 - 1893


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1903 - 1904


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1924 - 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1930 - 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290SW
1931
1:10,560

296NW
1930
1:10,560

Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1935


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1938 - 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1948


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE
1956
1:10,560

SK48NE
1956
1:10,560

Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1967

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE
1967
1:10,560

SK48NE
1967
1:10,560

Historical Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.
0 400 m

Envirocheck®
LANDMARK INFORMATION GROUP®

Sheffield

Published 1977

Source map scale - 1:25,000


These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)

SK49
1977
1:25,000

SK48
1977
1:25,000

Russian Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1982 - 1983

Source map scale - 1:10,000


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE
1982
1:10,000

SK48NE
1983
1:10,000

Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK49SE
2000
1:10,000

SK48NE
2000
1:10,000

Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006

Source map scale - 1:10,000


The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK49SE
2006
1:10,000

SK48NE
2006
1:10,000

Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice H



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice H




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice H



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad


Contours (height in meters)

Standard Contour | Master Contour | Spot Height *167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice H



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice H



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice H



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice H



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice H




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice H




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	447030, 389270
Slice:	H
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Groundwater Vulnerability

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer
Soluble Rock

Site Sensitivity Context Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone



Envirocheck®

LANDMARK INFORMATION GROUP®

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice I



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
449090, 390670

Slice:
I

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	13
Hazardous Substances	-
Geological	14
Industrial Land Use	17
Sensitive Land Use	18
Data Currency	19
Data Suppliers	24
Useful Contacts	25

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents	pg 2		5
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature	pg 3	Yes	
Pollution Incidents to Controlled Waters			
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register	pg 3		2
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 4	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 6	Yes	n/a
Superficial Aquifer Designations			n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences			
Flooding from Rivers or Sea without Defences			
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines	pg 7	6	35
Water Framework Directive - Catchment	pg 11	Yes	
Water Framework Directive - Groundwater	pg 12	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 13	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)	pg 13		1
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 14	Yes	n/a
BGS Estimated Soil Chemistry	pg 14	Yes	Yes
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 15	Yes	n/a
Mining Instability	pg 15	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 15	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 16	Yes	
Potential for Running Sand Ground Stability Hazards			
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 16	Yes	
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure	pg 17		6
Points of Interest - Recreational and Environmental			
Underground Electrical Cables	pg 17		3

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland	pg 18		1
Areas of Adopted Green Belt	pg 18	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 18	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	447950 389950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I2NE (S)	0	1	449650 388950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	448200 389900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I10NW (S)	0	1	449150 390500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	448100 388800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	448700 388000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I13SE (N)	0	1	449089 390700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I10SW (S)	0	1	449250 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I1NW (S)	0	1	448700 389150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	448750 388100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14NW (NE)	0	1	449400 391000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I13SE (SE)	0	1	449089 390668
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14SW (NE)	0	1	449200 390800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	448250 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	448250 389950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	1	1	448350 389750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14SE (NE)	2	1	449500 390850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14NE (NE)	14	1	449550 391100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14SW (E)	24	1	449450 390750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	25	1	448250 390300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	29	1	450000 388400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14SE (E)	31	1	449500 390800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	72	1	448050 388400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	100	1	448000 388600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I10NW (SE)	117	1	449450 390450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I9SW (SW)	123	1	448650 390000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I10SW (S)	156	1	449150 390150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	181	1	447800 388650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I9SE (S)	193	1	449089 390100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I14SE (E)	220	1	449700 390700
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I9SE (S)	225	1	449050 390050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	226	1	447850 390150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	I9SE (S)	249	1	448900 390000
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Wickersley - Second Lane Sps Second Lane, Wickersley, Rotherham, South Yorkshire, S66 1dz Authority: Environment Agency, Midlands Region Catchment Area: Oldcoates Dyke Catchment Reference: T/76/09342/O Permit Version: 2 Effective Date: 27th August 2024 Issued Date: 27th August 2024 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Kingsforth Brook **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	I13SE (W)	10	2	448811 390679
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Wickersley - Second Lane Sps Second Lane, Wickersley, Rotherham, South Yorkshire, S66 1dz Authority: Environment Agency, Midlands Region Catchment Area: Oldcoates Dyke Catchment Reference: T/76/09342/O Permit Version: 2 Effective Date: 27th August 2024 Issued Date: 27th August 2024 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Kingsforth Brook **Status: Varied under EPR 2010** Positional Accuracy: Located by supplier to within 10m	I13SE (W)	10	2	448811 390679

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Wickersley - Second Lane Sps Second Lane, Wickersley, Rotherham, South Yorkshire, S66 1dz Authority: Environment Agency, Midlands Region Catchment Area: Oldcoates Dyke Catchment Reference: T/76/09342/O Permit Version: 1 Effective Date: 25th September 1984 Issued Date: 25th September 1984 Revocation Date: 26th August 2024 Discharge Type: Public Sewage: Storm Sewage Overflow Discharge Environment: Freshwater Stream/River Receiving Water: Kingsforth Brook **Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989** Positional Accuracy: Located by supplier to within 100m	I13SE (W)	11	2	448810 390680
1	**Discharge Consents** Operator: Severn Trent Water Limited Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Wickersley - Second Lane Sps Second Lane, Wickersley, Rotherham, South Yorkshire, S66 1dz Authority: Environment Agency, Midlands Region Catchment Area: Oldcoates Dyke Catchment Reference: T/76/09342/O Permit Version: 1 Effective Date: 25th September 1984 Issued Date: 25th September 1984 Revocation Date: 26th August 2024 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge Environment: Freshwater Stream/River Receiving Water: Kingsforth Brook **Status: Pre National Rivers Authority Legislation where issue date < 01/09/1989** Positional Accuracy: Located by supplier to within 10m	I13SE (W)	11	2	448810 390680
2	**Discharge Consents** Operator: National Grid Plc Property Type: Undefined Or Other Location: Thurcroft Substation Green Lane, Morthen Road, Thurcroft, Rotherham Authority: Environment Agency, North East Region Catchment Area: Don Tributaries Reference: Wra8348 Permit Version: 1 Effective Date: 27th September 2004 Issued Date: 27th September 2004 Revocation Date: 3rd August 2010 Discharge Type: Trade Discharges - Site Drainage Discharge Environment: Freshwater Stream/River Receiving Water: Tributary Of Morthen Brook **Status: Surrendered under EPR 2010** Positional Accuracy: Located by supplier to within 10m	I9SW (SW)	238	2	448710 389960
	Nearest Surface Water Feature	I13SE (NW)	0	-	449043 390709
3	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 2nd September 2005 Incident Reference: 343033 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Sewage Materials: Grey Water	I13SE (W)	21	2	448876 390699
4	**Substantiated Pollution Incident Register** Authority: Environment Agency - North East Region, Yorkshire Area Incident Date: 23rd February 2014 Incident Reference: 1213968 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m Pollutant: Crude Sewage	I14SW (NE)	42	2	449262 390775

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I13NE (N)	0	2	449000 391000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I13NE (N)	0	2	449089 391000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I13SE (W)	0	2	449000 390668
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I13SE (SE)	0	2	449089 390668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	448000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I1NE (S)	0	2	449000 389000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	448000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	449000 388000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	449089 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	450000 388000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	448000 390000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	I9SE (S)	0	2	449000 390000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	I9SE (S)	0	3	449089 390000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	I11SW (SE)	0	3	450000 390000
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	I13SE (SE)	0	3	449089 390668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
5	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	0	4	449305 390711
6	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 52.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	0	4	449349 390711
7	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 528.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Pinch Mill Brook Catchment Name: Don and Rother Primacy: 1	I9SW (SW)	0	4	448482 390263
8	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 239.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SE (NW)	0	4	449043 390709
9	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I13SE (NW)	0	4	449055 390741
10	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 59.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SE (NW)	0	4	449067 390713
11	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 57.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I9NE (SW)	4	4	448810 390490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I14SW (E)	5	4	449343 390711
13	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 87.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	5	4	449393 390682
14	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	6	4	449344 390713
15	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 3.7 Watercourse Level: Underground Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	7	4	449301 390711
16	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 25.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	7	4	449321 390722
17	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I13SW (W)	7	4	448808 390677
18	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 17.5 Watercourse Level: Underground Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	8	4	448808 390677
19	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 91.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I13SE (N)	9	4	449099 390841
20	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 20.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I14SW (E)	10	4	449306 390733

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
21	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 88.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	10	4	448791 390675
22	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 161.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SE (NE)	10	4	449143 390741
23	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 192.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I14SW (NE)	20	4	449188 390766
24	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 71.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I13SE (N)	32	4	449088 390742
25	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 12.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I14SW (NE)	34	4	449154 390822
26	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I13SE (N)	34	4	449110 390839
27	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 34.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SE (N)	35	4	449094 390734
28	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 2	I14SW (NE)	39	4	449157 390818
29	**OS Water Network Lines** Watercourse Form: Marsh Watercourse Length: 14.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SE (NE)	52	4	449128 390743

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
30	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 87.6 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I9NW (SW)	58	4	448761 390461
31	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 136.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I14SW (E)	83	4	449475 390652
32	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 2.6 Watercourse Level: Underground Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	94	4	448712 390707
33	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 46.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	97	4	448709 390708
34	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 118.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	I9NW (SW)	139	4	448512 390328
35	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: Underground Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	142	4	448666 390723
36	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 38.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I9NW (SW)	145	4	448674 390455
37	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 573.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I13SW (W)	151	4	448658 390728
38	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 271.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I10NE (E)	157	4	449520 390533

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
39	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 8.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	I9NW (SW)	178	4	448517 390335
40	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 5.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I9NW (SW)	180	4	448637 390462
41	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 70.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	I9NW (SW)	181	4	448558 390389
42	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 5.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Trent Primacy: 1	I9NW (SW)	185	4	448632 390462
43	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 98.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Not Supplied Primacy: 1	I9NW (SW)	190	4	448627 390463
44	**OS Water Network Lines** Watercourse Form: Lake Watercourse Length: 9.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Don and Rother Primacy: 1	I9NW (SW)	208	4	448559 390398
45	**OS Water Network Lines** Watercourse Form: Inland river Watercourse Length: 210.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Kingsforth Brook Catchment Name: Trent Primacy: 1	I10NE (E)	216	4	449604 390620
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Ulley Brook from Source to River Rother WaterBody ID: GB104027057740 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	I9SE (S)	0	2	448970 390220
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Oldcotes Dyke Catchment (trib of Ryton) WaterBody ID: GB104028058230 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	I13SE (SE)	0	2	449089 390668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Rother, Doe Lea to Don WaterBody ID: GB104027057772 Operational Catchment: Rother and Doe Lea Management Catchment: Don and Rother Catchment Name: Don & Rother	I9NW (SW)	0	2	448650 390370
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	I13SE (SE)	0	2	449089 390668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	5	449089 390668
46	**Potentially Infilled Land (Water)** Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1956	I14SW (E)	41	8	449367 390741

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	I13SE (SE)	0	1	449089 390668
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	(W)	0	1	448309 390347
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I9NE (S)	0	1	449115 390479
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I6SW (S)	0	1	449335 389316
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I10NE (SE)	0	1	449528 390318
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	I9NE (S)	0	1	449111 390580
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I13SE (SE)	0	1	449089 390668

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	I13NE (N)	0	1	449089 391000
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I10SW (S)	182	1	449220 390148
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: <15 mg/kg	I14SE (E)	247	1	449712 390728
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	I13SE (SE)	0	6	449089 390668
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	I13SE (SE)	0	8	449089 390668
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I9NE (S)	0	1	449079 390482
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	I9NE (S)	0	1	449106 390581
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I9SW (SW)	110	1	448646 390000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	I10SW (S)	173	1	449197 390153
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	I13SE (SE)	0	1	449089 390668
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	I9SE (S)	0	1	449089 390000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
47	**Points of Interest - Public Infrastructure** Name: Sluice Location: S66 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	I14SW (E)	24	7	449298 390732
47	**Points of Interest - Public Infrastructure** Name: Sluice Location: S66 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	I14SW (E)	30	7	449290 390732
48	**Points of Interest - Public Infrastructure** Name: Sewage Pumping Station Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	I13SW (W)	37	7	448781 390701
49	**Points of Interest - Public Infrastructure** Name: Filter Beds Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	I13SW (W)	171	7	448663 390774
49	**Points of Interest - Public Infrastructure** Name: Settling Tanks Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	I13SW (W)	180	7	448639 390753
49	**Points of Interest - Public Infrastructure** Name: Sewage Farm Location: S66 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	I13SW (W)	224	7	448625 390811
50	**Underground Electrical Cables** Unique Feature Identifier: 10058604 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	I9SE (S)	126	8	448879 390069
51	**Underground Electrical Cables** Unique Feature Identifier: 10058603 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	I9SE (S)	222	8	448849 390021
52	**Underground Electrical Cables** Unique Feature Identifier: 10058602 Cable Status: Commissioned Cable Type: Alternating Current Record Last Updated: 9th January 2023	I9SE (S)	233	8	448861 390019

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	**Ancient Woodland** Name: Moat Wood Reference: 1505532 Area(m²): 7015.64 Type: Ancient and Semi-Natural Woodland	I9SE (S)	6	9	449059 390285
54	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	I13SE (SE)	0	10	449089 390668
55	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	I10SW (SE)	0	2	449338 390161
56	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	I13SE (SE)	0	2	449089 390668

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified
Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified

Agency & Hydrological	Version	Update Cycle
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - Midlands Region - East Area	May 2025	Quarterly
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas Natural England	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Natural England	March 2025	Bi-Annually
Marine Nature Reserves Natural England	February 2025	Bi-Annually
National Nature Reserves Natural England	January 2025	Bi-Annually
National Parks Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA) Environment Agency - Head Office	April 2016 November 2024	Annually
Ramsar Sites Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2025	Bi-Annually
Special Areas of Conservation Natural England	January 2025	Bi-Annually
Special Protection Areas Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Ordnance Survey** Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
6	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	**PointX** 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6619 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk
9	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
10	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CDF	Cadeby Formation	Dolostone	Not Supplied - GUADALUPIAN
	CDF	Cadeby Formation	Mudstone, Calcareous	Not Supplied - GUADALUPIAN
	YWS	Yellow Sands Formation	Sandstone	Not Supplied - Cisuralian
	DLT	Dalton Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	AR	Ackworth Rock	Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	WYR	Wickersley Rock	Sandstone	Not Supplied - Westphalian
	RVR	Ravenfield Rock	Sandstone	Not Supplied - Westphalian
	PMCM	Pennine Middle Coal Measures Formation	Sandstone	Not Supplied - Westphalian
		Faults		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	1
Map Sheet No:	100
Map Name:	Sheffield
Map Date:	2011
Bedrock Geology:	Available
Superficial Geology:	Available
Artificial Geology:	Available
Faults:	Not Supplied
Landslip:	Available
Rock Segments:	Not Supplied

Geology 1:50,000 Maps - Slice I



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice I



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice I



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice I




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice I



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy.
County Borough Boundary (England)
Co. Burgh Bdy.
County Burgh Boundary (Scotland)
R.D. Bdy.
Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Electricity Transmission Line
Pole
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Standard Gauge Single Track
Road Under
Road Over
Level Crossing
Foot Bridge
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping


Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1892 - 1893	4
Yorkshire	1:10,560	1903	5
Yorkshire	1:10,560	1930 - 1931	6
Yorkshire	1:10,560	1930 - 1931	7
Yorkshire	1:10,560	1948	8
Ordnance Survey Plan	1:10,000	1956	9
Ordnance Survey Plan	1:10,000	1966 - 1967	10
Ordnance Survey Plan	1:10,000	1974	11
Sheffield	1:25,000	1977	12
Ordnance Survey Plan	1:10,000	1981 - 1983	13
Ordnance Survey Plan	1:10,000	1989	14
Ordnance Survey Plan	1:10,000	1996	15
10K Raster Mapping	1:10,000	2000	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2024	18

Historical Map - Slice I



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 449090, 390670
Slice: I
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub

Key to Numbers on Mapping


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854 - 1855	3
Yorkshire	1:10,560	1892 - 1893	4
Yorkshire	1:10,560	1903	5
Yorkshire	1:10,560	1930 - 1931	6
Yorkshire	1:10,560	1930 - 1931	7
Yorkshire	1:10,560	1948	8
Ordnance Survey Plan	1:10,000	1956	9
Ordnance Survey Plan	1:10,000	1966 - 1967	10
Ordnance Survey Plan	1:10,000	1974	11
Sheffield	1:25,000	1977	12
Ordnance Survey Plan	1:10,000	1981 - 1983	13
Ordnance Survey Plan	1:10,000	1989	14
Ordnance Survey Plan	1:10,000	1996	15
10K Raster Mapping	1:10,000	2000	16
10K Raster Mapping	1:10,000	2006	17
VectorMap Local	1:10,000	2024	18

Russian Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1854 - 1855


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1892 - 1893

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290SW
1893
1:10,560

296NW
1892
1:10,560

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1903

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290SW
1903
1:10,560

296NW
1903
1:10,560

Historical Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1930 - 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290SW
1931
1:10,560

296NW
1930
1:10,560

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1930 - 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290SW
1931
1:10,560

296NW
1930
1:10,560

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


448600
448800
449000
449200
449400
449600
449800
450000
450200
450400
450600
450800
451000
391200
391000
390800
390600
390400
390200
390000
389800
389600
389400
389200
389000
388800
Newhall Grange
Sewage Works (Rotherham R.D. Council)
Kinge Pond Plantation
Slacks Farm
Moat Farm
Kingeforth Field
Moat Wood
Kingforth Lane
Spring
Water Coolers
Brick Works
Reservoir
Pump House
New Orchard
Thurcroft Main Colliery
Filter Tanks
Pavilion
Cricket Ground
Picture Theatre
Allot. Gdns.
Allotment Gardens
Steadfolds
Quarry
Welfare Hall
Recreation Ground
Schools
Thurcroft
Fawleys
Reservoir
The Terrace
Dodidiles
Icehouse
Thurcroft Hall
Fish Ponds
Brookhouse Dike
Thurcroft Lodge
Rose Cottage
Steadfolds Lane
Braithwell Lane
West Lane
Ram Pit
Kinge Lane
Moat Lane
Field Lane
Wood House Lane
Braithwell Road
Meadow Lane
New Orchard Lane
OUSE (York) TRENT Catchment Area Bdy.
L.M.S. & L.N.E.R.
BRAITHWELL & L
G.P.O.
P.O.
Inst.
Ch.
Sch.
F.P.
B.M.
S.P.
M.P.
G.P.
S.T.
B.R.
Tk.
Trk.
Pp.
W.
G.P & L.H.
Cart
Track
Kinge
Ho.
Cott.
Farm
Terr.
Rd.
Ln.
Lane
Road
Street
Yard
Hall
Green
Bdy.
Dike
Pond
Ponds
Lodge
Cottage
Hall
Quarry
Spring
Reservoir
Schools
Ground
Gardens
Allotment Gardens
Steadfolds
Fawleys
Thurcroft
Thurcroft Hall
Thurcroft Lodge
Rose Cottage
Dodidiles
Icehouse
Fish Ponds
Brookhouse Dike



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1956


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE 1956 1:10,560	SK59SW 1956 1:10,560
SK48NE 1956 1:10,560	SK58NW 1956 1:10,560

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1966 - 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE 1967 1:10,560	SK59SW 1966 1:10,560
SK48NE 1967 1:10,560	SK58NW 1967 1:10,560

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice I




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®

Ordnance Survey Plan

Published 1981 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

SK49SE 1982 1:10,000	SK59SW 1983 1:10,000
SK48NE 1983 1:10,000	SK58NW 1981 1:10,000

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1996


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK49SE 2000 1:10,000	SK59SW 2000 1:10,000
SK48NE 2000 1:10,000	SK58NW 2000 1:10,000

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)

SK49SE 2006 1:10,000	SK59SW 2006 1:10,000
SK48NE 2006 1:10,000	SK58NW 2006 1:10,000

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)

SK49SE 2024 Variable	SK59SW 2024 Variable
SK48NE 2024 Variable	SK58NW 2024 Variable

Historical Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice I



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

0 400 m

Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice I



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)

- Standard Contour
- Master Contour
- Spot Height 167.3
- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

Standard Contour


Master Contour

Spot Height 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice I



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice I



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice I



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP®

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice I



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice I



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice I



Order Details


Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449090, 390670
Slice:	I
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice J




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice J




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

Source Protection Zones


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



©Crown copyright and database rights 2025 OS AC0000813445

Envirocheck

LANDMARK INFORMATION GROUP

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice J




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck

LANDMARK INFORMATION GROUP

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Envirocheck® Report:

Datasheet

Order Details:

Order Number:
380948625_1_1

Customer Reference:
0720724

National Grid Reference:
449470, 391320

Slice:
J

Site Area (Ha):
759.16

Search Buffer (m):
250

Site Details:
Whitestone

Client Details:
[redacted]
Environmental Resources Management Ltd
2nd Floor, Exchequer Court
33 St Mary Axe
London
EC3A 8AA

Envirocheck®
LANDMARK INFORMATION GROUP®

Contents

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	3
Hazardous Substances	-
Geological	4
Industrial Land Use	-
Sensitive Land Use	5
Data Currency	6
Data Suppliers	11
Useful Contacts	12

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination.
For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client.
In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer.
A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report.
© Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Agency & Hydrological			
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes
Contaminated Land Register Entries and Notices			
Discharge Consents			
Prosecutions			
Enforcement and Prohibition Notices			
Integrated Pollution Controls			
Integrated Pollution Prevention And Control			
Local Authority Integrated Pollution Prevention And Control			
Local Authority Pollution Prevention and Controls			
Local Authority Pollution Prevention and Control Enforcements			
Nearest Surface Water Feature			
Pollution Incidents to Controlled Waters			
Historical Prosecutions			
Registered Radioactive Substances			
Substantiated Pollution Incident Register			
Water Abstractions			
Water Industry Act Referrals			
Groundwater Vulnerability Map	pg 1	Yes	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a
Groundwater Vulnerability - Local Information			n/a
Bedrock Aquifer Designations	pg 2	Yes	n/a
Superficial Aquifer Designations			n/a
Source Protection Zones			
Extreme Flooding from Rivers or Sea without Defences			
Flooding from Rivers or Sea without Defences			
Areas Benefiting from Flood Defences			
Flood Water Storage Areas			
Flood Defences			
OS Water Network Lines			
Water Framework Directive - Catchment	pg 2	Yes	
Water Framework Directive - Groundwater	pg 2	Yes	
Water Framework Directive - Surface Waters			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Waste			
BGS Recorded Landfill Sites			
Historical Landfill Sites			
Integrated Pollution Control Registered Waste Sites			
Licensed Waste Management Facilities (Landfill Boundaries)			
Licensed Waste Management Facilities (Locations)			
Local Authority Landfill Coverage	pg 3	1	n/a
Local Authority Recorded Landfill Sites			
Potentially Infilled Land (Non-Water)			
Potentially Infilled Land (Water)			
Registered Landfill Sites			
Registered Waste Transfer Sites			
Registered Waste Treatment or Disposal Sites			
Hazardous Substances			
Control of Major Accident Hazards Sites (COMAH)			
Explosive Sites			
Notification of Installations Handling Hazardous Substances (NIHHS)			
Planning Hazardous Substance Consents			
Planning Hazardous Substance Enforcements			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Geological			
BGS 1:625,000 Solid Geology	pg 4	Yes	n/a
BGS Estimated Soil Chemistry	pg 4	Yes	
BGS Recorded Mineral Sites			
BGS Urban Soil Chemistry			
BGS Urban Soil Chemistry Averages			
CBSCB Compensation District			n/a
Coal Mining Affected Areas	pg 4	Yes	n/a
Mining Instability	pg 4	Yes	n/a
Man-Made Mining Cavities			
Natural Cavities			
Non Coal Mining Areas of Great Britain			
Potential for Collapsible Ground Stability Hazards	pg 4	Yes	
Potential for Compressible Ground Stability Hazards			
Potential for Ground Dissolution Stability Hazards			
Potential for Landslide Ground Stability Hazards	pg 4	Yes	
Potential for Running Sand Ground Stability Hazards			
Potential for Shrinking or Swelling Clay Ground Stability Hazards			
Radon Potential - Radon Affected Areas			n/a
Radon Potential - Radon Protection Measures			n/a
Industrial Land Use			
Contemporary Trade Directory Entries			
Fuel Station Entries			
Points of Interest - Commercial Services			
Points of Interest - Education and Health			
Points of Interest - Manufacturing and Production			
Points of Interest - Public Infrastructure			
Points of Interest - Recreational and Environmental			
Underground Electrical Cables			

Envirocheck®
LANDMARK INFORMATION GROUP®

Summary

Data Type	Page Number	On Site	0 to 250m (*up to 500m)
Sensitive Land Use			
Ancient Woodland			
Areas of Adopted Green Belt	pg 5	1	
Areas of Unadopted Green Belt			
Areas of Outstanding Natural Beauty			
Environmentally Sensitive Areas			
Forest Parks			
Local Nature Reserves			
Marine Nature Reserves			
National Nature Reserves			
National Parks			
Nitrate Sensitive Areas			
Nitrate Vulnerable Zones	pg 5	2	
Ramsar Sites			
Sites of Special Scientific Interest			
Special Areas of Conservation			
Special Protection Areas			
World Heritage Sites			

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449500 391050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	0	1	449450 391050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	0	1	449200 390750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	J2SW (SE)	0	1	449467 391323
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	2	1	449500 390950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	14	1	449550 391250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	24	1	449467 390850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(S)	31	1	449500 390850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SE)	220	1	449800 390950
	Nearest Surface Water Feature None				
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	J1SE (W)	0	2	449000 391323
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: High Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	J2SW (SE)	0	2	449467 391323

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(SW)	0	2	449000 391000
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - Medium Vulnerability Combined Vulnerability: Medium Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Low Bedrock Flow: Well Connected Fractures Dilution: 300-550 mm/year Baseflow Index: <40% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	(S)	0	2	449467 391000
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	J2SW (SE)	0	3	449467 391323
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
	OS Water Network Lines None				
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Oldcotes Dyke Catchment (trib of Ryton) WaterBody ID: GB104028058230 Operational Catchment: Idle River Management Catchment: Idle and Torne Catchment Name: Idle	J2SW (SE)	0	2	449467 391323
	Water Framework Directive - Groundwater Waterbody Name: Don & Rother Millstone grit & Coal Measures Waterbody ID: GB40402G992300 URL Address: https://environment.data.gov.uk/catchment-planning/WaterBody/GB40402G992300 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Good Year: 2019	J2SW (SE)	0	2	449467 391323

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Rotherham Borough Council - Has supplied landfill data		0	4	449467 391323

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Pennine Upper Coal Measures Formation	J2SW (SE)	0	1	449467 391323
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	(SE)	0	1	449763 391062
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Rural Soil Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	J2SW (SE)	0	1	449467 391323
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	J2SW (SE)	0	5	449467 391323
	Mining Instability Mining Evidence: Inconclusive Coal Mining Source: Ove Arup & Partners Boundary Quality: As Supplied	J2SW (SE)	0	-	449467 391323
	Non Coal Mining Areas of Great Britain No Hazard				
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	J2SW (SE)	0	1	449467 391323

Sensitive Land Use

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
1	**Areas of Adopted Green Belt** Authority: Rotherham Metropolitan Borough Council Plan Name: Proposal Map **Status: Adopted** Plan Date: 27th June 2018	J2SW (SE)	0	7	449467 391323
2	**Nitrate Vulnerable Zones** Name: River Rother (Source To Don) Nvz Description: Surface Water Source: Environment Agency, Head Office	J1NW (NW)	0	2	448600 391800
3	**Nitrate Vulnerable Zones** Name: River Idle From River Ryton To River Trent Nvz Description: Surface Water Source: Environment Agency, Head Office	J2SW (SE)	0	2	449467 391323

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices		
Environment Agency - Head Office	November 2023	Annually
Doncaster Metropolitan Borough Council - Environmental Services	October 2017	Annual Rolling Update
Rotherham Metropolitan Borough Council - Environmental Health Department	September 2017	Annual Rolling Update
Discharge Consents		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Enforcement and Prohibition Notices		
Environment Agency - North East Region	March 2013	
Integrated Pollution Controls		
Environment Agency - North East Region	January 2009	
Integrated Pollution Prevention And Control		
Environment Agency - North East Region	April 2025	Quarterly
Local Authority Integrated Pollution Prevention And Control		
Doncaster Metropolitan Borough Council - Environmental Services	December 2020	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Local Authority Pollution Prevention and Controls		
Doncaster Metropolitan Borough Council - Environmental Services	December 2020	Annual Rolling Update
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Annual Rolling Update
Local Authority Pollution Prevention and Control Enforcements		
Doncaster Metropolitan Borough Council - Environmental Services	December 2020	Variable
Rotherham Metropolitan Borough Council - Planning Department	October 2014	Variable
Nearest Surface Water Feature		
Ordnance Survey	April 2025	
Pollution Incidents to Controlled Waters		
Environment Agency - North East Region	December 1998	
Environment Agency - Midlands Region	December 1999	
Historical Prosecutions		
Environment Agency, North East Region	March 2013	Not Applicable
Registered Radioactive Substances		
Environment Agency - Head Office	May 2023	
Environment Agency - North East Region	May 2023	
Substantiated Pollution Incident Register		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Water Abstractions		
Environment Agency - Midlands Region	April 2025	Quarterly
Environment Agency - North East Region	April 2025	Quarterly
Water Industry Act Referrals		
Environment Agency - North East Region	October 2017	
Groundwater Vulnerability Map		
Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk		
Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Superficial Aquifer Designations		
Environment Agency - Head Office	January 2018	As notified
Source Protection Zones		
Environment Agency - Head Office	September 2022	Bi-Annually
Extreme Flooding from Rivers or Sea without Defences		
Environment Agency - Head Office	December 2023	As notified

Data Currency

Agency & Hydrological	Version	Update Cycle
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	December 2023	As notified
Areas Benefiting from Flood Defences Environment Agency - Head Office	February 2023	
Flood Water Storage Areas Environment Agency - Head Office	June 2025	Quarterly
Flood Defences Environment Agency - Head Office	August 2022	
OS Water Network Lines Ordnance Survey	April 2025	Quarterly
Surface Water 1 in 30 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 100 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water 1 in 1000 year Flood Extent Environment Agency - Head Office	May 2018	Annually
Surface Water Suitability Environment Agency - Head Office	February 2016	Annually
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Environment Agency - Head Office	July 2025	Annually
Water Framework Directive - Groundwater Environment Agency - Head Office	July 2024	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites		
British Geological Survey - National Geoscience Information Service	November 2002	As notified
Historical Landfill Sites		
Environment Agency - Head Office	April 2025	Quarterly
Integrated Pollution Control Registered Waste Sites		
Environment Agency - North East Region	January 2009	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries)		
Environment Agency - North East Region - Ridings Area	May 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	May 2025	Quarterly
Licensed Waste Management Facilities (Locations)		
Environment Agency - North East Region - Ridings Area	April 2025	Quarterly
Environment Agency - North East Region - Yorkshire Area	April 2025	Quarterly
Local Authority Landfill Coverage		
Doncaster Metropolitan Borough Council - Environmental Services	February 2003	Not Applicable
Rotherham Metropolitan Borough Council - Environmental Health Department	February 2003	Not Applicable
Local Authority Recorded Landfill Sites		
Doncaster Metropolitan Borough Council - Environmental Services	October 2018	
Rotherham Metropolitan Borough Council - Environmental Health Department	October 2018	
Potentially Infilled Land (Non-Water)		
Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water)		
Landmark Information Group Limited	December 1999	
Registered Landfill Sites		
Environment Agency - North East Region - Ridings Area	March 2006	Not Applicable
Environment Agency - North East Region - Yorkshire Area	March 2006	Not Applicable
Registered Waste Transfer Sites		
Environment Agency - North East Region - Ridings Area	April 2018	
Environment Agency - North East Region - Yorkshire Area	April 2018	
Registered Waste Treatment or Disposal Sites		
Environment Agency - North East Region - Ridings Area	June 2015	
Environment Agency - North East Region - Yorkshire Area	June 2015	
Hazardous Substances	**Version**	**Update Cycle**
Control of Major Accident Hazards Sites (COMAH)		
Health and Safety Executive	June 2025	Bi-Annually
Explosive Sites		
Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS)		
Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements		
Doncaster Metropolitan Borough Council	June 2023	Variable
Rotherham Metropolitan Borough Council	March 2023	Variable
Planning Hazardous Substance Consents		
Rotherham Metropolitan Borough Council	February 2016	Variable
Doncaster Metropolitan Borough Council	October 2015	Variable

Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually
Industrial Land Use	**Version**	**Update Cycle**
Contemporary Trade Directory Entries Thomson Directories	June 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	May 2025	Quarterly
Points of Interest - Commercial Services PointX	June 2025	Quarterly
Points of Interest - Education and Health PointX	June 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	June 2025	Quarterly
Points of Interest - Public Infrastructure PointX	June 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	June 2025	Quarterly
Underground Electrical Cables National Grid	January 2024	

Sensitive Land Use	Version	Update Cycle
Ancient Woodland		
Natural England	March 2025	Bi-Annually
Areas of Adopted Green Belt		
Doncaster Metropolitan Borough Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Unadopted Green Belt		
Doncaster Metropolitan Borough Council	July 2025	Quarterly
Rotherham Metropolitan Borough Council	July 2025	Quarterly
Areas of Outstanding Natural Beauty		
Natural England	May 2025	Bi-Annually
Environmentally Sensitive Areas		
Natural England	August 2023	
Forest Parks		
Forestry Commission	May 2023	Not Applicable
Local Nature Reserves		
Natural England	March 2025	Bi-Annually
Marine Nature Reserves		
Natural England	February 2025	Bi-Annually
National Nature Reserves		
Natural England	January 2025	Bi-Annually
National Parks		
Natural England	September 2024	Bi-Annually
Nitrate Sensitive Areas		
Natural England	April 2023	Not Applicable
Nitrate Vulnerable Zones		
Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	April 2016	
Environment Agency - Head Office	November 2024	Annually
Ramsar Sites		
Natural England	February 2025	Bi-Annually
Sites of Special Scientific Interest		
Natural England	May 2025	Bi-Annually
Special Areas of Conservation		
Natural England	January 2025	Bi-Annually
Special Protection Areas		
Natural England	May 2025	Bi-Annually

Data Suppliers

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	Map data
Environment Agency	Environment Agency
Scottish Environment Protection Agency	SEPA Scottish Environment Protection Agency
The Coal Authority	The Coal Authority
British Geological Survey	British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	CEH Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	Cyfoeth Naturiol Cymru Natural Resources Wales
Scottish Natural Heritage	SCOTTISH NATURAL HERITAGE
Natural England	NATURAL ENGLAND
Public Health England	Public Health England
Ove Arup	ARUP
Stantec UK Ltd	Stantec

Useful Contacts

Contact	Name and Address	Contact Details
1	**British Geological Survey - Enquiry Service** British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	**Environment Agency - National Customer Contact Centre (NCCC)** PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	**Environment Agency - Head Office** Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
4	**Rotherham Metropolitan Borough Council - Environmental Health Department** Howard Building, College Lane, Rotherham, South Yorkshire, S65 1AX	Website: www.rotherham.gov.uk
5	**The Coal Authority - Property Searches** 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
6	**Natural England** County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
7	**Rotherham Metropolitan Borough Council** Bailey House, Rawmarsh Road, Rotherham, South Yorkshire, S60 1QT	Telephone: 01709 382121 Fax: 01709 823810 Website: www.rotherham.gov.uk
8	**Doncaster Metropolitan Borough Council** Danum House, St Sepulchre Gate, Doncaster, South Yorkshire, DN1 1UB	Telephone: 01302 734854 Fax: 01302 734949 Website: www.doncaster.gov.uk
-	**Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards** Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	**Landmark Information Group Limited** Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene
	WMGR	Infilled Ground	Artificial Deposit	Not Supplied - Holocene
	WGR	Worked Ground (Undivided)	Void	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay and Silt	Not Supplied - Holocene

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CDF	Cadeby Formation	Dolostone	Not Supplied - GUADALUPIAN
	PUCM	Pennine Upper Coal Measures Formation	Mudstone, Siltstone and Sandstone	Not Supplied - Westphalian
	PUCM	Pennine Upper Coal Measures Formation	Sandstone	Not Supplied - Westphalian
	WYR	Wickersley Rock	Sandstone	Not Supplied - Westphalian
	RVR	Ravenfield Rock	Sandstone	Not Supplied - Westphalian
		Faults		

Envirocheck®

LANDMARK INFORMATION GROUP®


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID: 1
Map Sheet No: 100
Map Name: Sheffield
Map Date: 2011
Bedrock Geology: Available
Superficial Geology: Available
Artificial Geology: Available
Faults: Not Supplied
Landslip: Available
Rock Segments: Not Supplied

Geology 1:50,000 Maps - Slice J




Order Details:

Order Number: 380948625_1_1
Customer Reference: 0720724
National Grid Reference: 449470, 391320
Slice: J
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details:

Whitestone

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice J




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice J



Order Details:


Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice J




Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice J



Order Details:

Order Number:	380948625_1_1
Customer Reference:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details:

Whitestone

Historical Mapping Legends

Ordnance Survey County Series 1:10,560

Gravel Pit
Sand Pit
Other Pits
Quarry
Shingle
Orchard
Osiers
Reeds
Marsh
Mixed Wood
Deciduous
Brushwood
Fir
Furze
Rough Pasture
Arrow denotes flow of water
Trigonometrical Station
Site of Antiquities
Bench Mark
Pump, Guide Post, Signal Post
Well, Spring, Boundary Post
285 Surface Level
Sketched Contour
Instrumental Contour
Main Roads
Fenced
Un-Fenced
Minor Roads
Fenced
Un-Fenced
Sunken Road
Raised Road
Road over Railway
Railway over River
Railway over Road
Level Crossing
Road over River or Canal
Road over Stream
Road over Stream
County Boundary (Geographical)
County & Civil Parish Boundary
Administrative County & Civil Parish Boundary
Co. Boro. Bdy. County Borough Boundary (England)
Co. Burgh Bdy. County Burgh Boundary (Scotland)
R.D. Bdy. Rural District Boundary
Civil Parish Boundary

Ordnance Survey Plan 1:10,000

Chalk Pit, Clay Pit or Quarry
Gravel Pit
Sand Pit
Disused Pit or Quarry
Refuse or Slag Heap
Lake, Loch or Pond
Dunes
Boulders
Coniferous Trees
Non-Coniferous Trees
Orchard
Scrub
Coppice
Bracken
Heath
Rough Grassland
Marsh
Reeds
Saltings
Building
Direction of Flow of Water
Shingle
Sand
Glasshouse
Pylon
Pylon
Electricity Transmission Line
Sloping Masonry
Cutting
Embankment
Standard Gauge Multiple Track
Road Under
Road Over
Level Crossing
Foot Bridge
Standard Gauge Single Track
Siding, Tramway or Mineral Line
Narrow Gauge
Geographical County
Administrative County, County Borough or County of City
Municipal Borough, Urban or Rural District, Burgh or District Council
Borough, Burgh or County Constituency
Shown only when not coincident with other boundaries
Civil Parish
Shown alternately when coincidence of boundaries occurs

BP, BS	Boundary Post or Stone	Pol Sta	Police Station
Ch	Church	PO	Post Office
CH	Club House	PC	Public Convenience
F E Sta	Fire Engine Station	PH	Public House
FB	Foot Bridge	SB	Signal Box
Fn	Fountain	Spr	Spring
GP	Guide Post	TCB	Telephone Call Box
MP	Mile Post	TCP	Telephone Call Post
MS	Mile Stone	W	Well

1:10,000 Raster Mapping

Gravel Pit
Refuse tip or slag heap
Rock
Rock (scattered)
Boulders
Boulders (scattered)
Shingle
Mud
Mud
Sand
Sand
Sand Pit
Slopes
Top of cliff
General detail
Underground detail
Overhead detail
Narrow gauge railway
Multi-track railway
Single track railway
County boundary (England only)
Civil, parish or community boundary
District, Unitary, Metropolitan, London Borough boundary
Constituency boundary
Area of wooded vegetation
Non-coniferous trees
Non-coniferous trees (scattered)
Coniferous trees
Coniferous trees (scattered)
Positioned tree
Orchard
Coppice or Osiers
Rough Grassland
Heath
Scrub
Marsh, Salt Marsh or Reeds
Water feature
Flow arrows
MHW(S) Mean high water (springs)
MLW(S) Mean low water (springs)
Telephone line (where shown)
Electricity transmission line (with poles)
BM 123.45 m Bench mark (where shown)
Triangulation station
Point feature (e.g. Guide Post or Mile Stone)
Pylon, flare stack or lighting tower
Site of (antiquity)
Glasshouse
General Building
Important Building


Envirocheck®

LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854	3
Yorkshire	1:10,560	1893	4
Yorkshire	1:10,560	1903 - 1904	5
Yorkshire	1:10,560	1930 - 1931	6
Yorkshire	1:10,560	1931	7
Yorkshire	1:10,560	1948	8
Ordnance Survey Plan	1:10,000	1956	9
Ordnance Survey Plan	1:10,000	1966 - 1967	10
Ordnance Survey Plan	1:10,000	1974	11
Sheffield	1:25,000	1977	12
Ordnance Survey Plan	1:10,000	1982 - 1983	13
Ordnance Survey Plan	1:10,000	1989	14
10K Raster Mapping	1:10,000	2000	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2024	17

Historical Map - Slice J



Order Details

Order Number: 380948625_1_1
Customer Ref: 0720724
National Grid Reference: 449470, 391320
Slice: J
Site Area (Ha): 759.16
Search Buffer (m): 250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Russian Military Mapping Legends

1:5,000 and 1:10,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Fireproof Building
- Prominent Fireproof Building
- Non-fireproof Building
- Non-fireproof Building (non-dwelling)
- Factory, mill, and flour mill, with chimneys
- Factory, mill, and flour mill, without chimneys
- Power Station, drawn to scale
- Hydroelectric Power Station
- Radio Station, drawn to scale
- Telephone Station, drawn to scale
- Abandoned Open-pit Mine or Quarry
- Open-pit Salt Mine
- Pit
- Oil Deposit or Well
- Oil Seepage
- Tailings Pile
- Fuel Storage Tanks
- Natural Gas Tank
- Bench Mark
- Drill Hole
- Burial Mound
- Triangulation Point on Burial Mound
- Single-track Railroad
- Double-track Railroad and Station Building
- Coniferous Forest
- Deciduous Forest
- Mixed Forest
- Lawns
- Citrus Orchard
- Wet Ground
- Scattered Vegetation

243,8 Values for prominent elevations

186.0 Numbers for spot elevations, depth soundings, contour lines, etc.

0,2 Velocity of the current, width of river bed, depth of river

Fractional terms: length and capacity of bridges; depth of fords and condition of the river bottom; height of forest and the diameter of trees

Russian Alphabet (For reference and phonetic interpretation of map text)

А а (A)	З з (Z)	П п (P)	Ч ч (CH)
Б б (B)	И и (I)	Р р (R)	Ш ш (SH)
В в (V)	Й й (Y)	С с (S)	Щ щ (SHCH)
Г г (G)	К к (K)	Т т (T)	ъ (–)
Д д (D)	Л л (L)	У у (U)	ы (Y)
Е е (E)	М м (M)	Ф ф (F)	ь (')
Ё ё (YO)	Н н (N)	Х х (KH)	Э э (E)
Ж ж (ZH)	О о (O)	Ц ц (TS)	Ю ю (YU or IU)
			Я я (YA or IA)

1:25,000 mapping

a. Not drawn to scale b. Drawn to scale

- Government and Administrative Buildings
- Military and Industrial Buildings
- Military and Communication Areas
- Subway Entrance
- Partly Demolished Buildings
- Demolished Buildings
- Built-Up Area with Fireproof Buildings Predominant
- Built-Up Area with Non-Fireproof Buildings Predominant
- Individual Fireproof Building
- Prominent Industrial Building
- Individual Dwelling, Fireproof
- Ruins of an Individual Dwelling
- Factory or Mill Chimney
- Factory or Mill with Chimney
- Factory or Mill without Chimney
- Mine or Open Pit Mine
- Operating Shaft or Mine
- Non-Operating Shaft or Mine
- Salt Mine
- Tailings Pile
- Pit
- Stone Quarry
- Gas Pump or Service Station
- Fuel Storage or Natural Gas Tank
- Oil or Natural Gas Derrick
- Small Hydroelectric Power Station
- Power Station
- Transformer Station
- Cemetery
- Burial Mound (height in metres)
- Triangulation Point on Burial Mound
- Triangulation Point
- Bench Mark
- Bench Mark (monumented)
- Telegraph Office
- Telephone Station
- Radio Station
- Radio Tower
- Airfield or Seaplane Base
- Landing Strip
- Main Highway
- Highway under Construction
- Improved Dirt Road (former truck road)
- Double-track Railroad with First Class Station
- Dismantled Railroad
- Railroad Under Construction
- Shore Embankment
- River or Ditch with Embankment
- Well
- Water Reservoir or Rain Water Pit
- Spring
- Isobath with value
- Heavy (Index) Contour Line
- Contour Line and Value
- Half Contour Line
- Spot Elevation Value
- Coniferous
- Deciduous
- Mixed
- Scrub


Key to Numbers on Mapping

Envirocheck®
LANDMARK INFORMATION GROUP®

Historical Mapping & Photography included:

Mapping Type	Scale	Date	Pg
Yorkshire	1:10,560	1854	3
Yorkshire	1:10,560	1893	4
Yorkshire	1:10,560	1903 - 1904	5
Yorkshire	1:10,560	1930 - 1931	6
Yorkshire	1:10,560	1931	7
Yorkshire	1:10,560	1948	8
Ordnance Survey Plan	1:10,000	1956	9
Ordnance Survey Plan	1:10,000	1966 - 1967	10
Ordnance Survey Plan	1:10,000	1974	11
Sheffield	1:25,000	1977	12
Ordnance Survey Plan	1:10,000	1982 - 1983	13
Ordnance Survey Plan	1:10,000	1989	14
10K Raster Mapping	1:10,000	2000	15
10K Raster Mapping	1:10,000	2006	16
VectorMap Local	1:10,000	2024	17

Russian Map - Slice J




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1854


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1893

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290NW
1893
1:10,560

290SW
1893
1:10,560

Historical Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1903 - 1904

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290NW
1904
1:10,560

290SW
1903
1:10,560

Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®

Yorkshire

Published 1930 - 1931

Source map scale - 1:10,560


The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)

290NW
1930
1:10,560

290SW
1931
1:10,560

Historical Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Yorkshire

Published 1931


Source map scale - 1:10,560

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250


Site Details


Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


448600
448800
449000
449200
449400
449600
449800
450000
450200
450400
450600
450800
451000
394000
393800
393600
393400
393200
393000
392800
392600
392400
392200
392000
391800
391600
391400
OUSE (Yorks) TRENT Catchment Area Boy
Silver Wood Quarries
Ravenfield Common Farm
Sewage Works
The Moorlands
Fish Ponds
Fish Pond (Site of)
Allotment Gardens
Bramley Grange
Sewage Works (Rotherham R.D. Council)
Engine House
Brook Lane
Bramley
Church
Travellers' Inn
Rock Villa
Ball Inn
Bramley Park
Lodge
Water Works Rotherham R.D.C.
Reservoir Tank
Wellcliff House
Allotment Gardens
Flash Lane
Sandy Lane
Sandy Cottage
B R A M L E Y
B r a m l e y
L i n g s
Common
Rotherham 4½ M.S. Tickhill 6½
Old M.S
Hellaby Hall
Hellaby
Hellaby Goods Station
Hellaby Bridge
Cumwell Fields
Thorns
Cum Well
Stone
Engine
Rises
Priests Bridge
Braithwell Northern Junction
Braithwell Junction
Brick Works
Spring
Parly. Div. & R.D. Bys.
Parly. Div. & U.D.
L.M.S. & L.N.E. Jt. R. BRAITHWELL & LAUGHTON
Back Lane
Brookhill Lane
Hellaby Lane
Cambrian Ho.
Methodist Chapel
Vicarage
Rectory
Allotment Gardens
Pond
Pond (Site of)
Pond
Pond
Pond


BRAMLEY
Bramley
Church
Bramley Park
Lodge
Water Works
Reservoir Tank
Allotment Gardens
Bramley Grange
Fish Pond
Ravenfield Common Farm
Sewage Works
The Moorlands
Silver Wood Quarries
Hellaby Brook
Common
Priests Bridge
Braithwell Northern Junction
Braithwell Junction
350 Co Coast & R D Bdy
Bramley Lane
Spring
Brick Works
Hellaby Hall
Hellaby Goods Station
Hellaby
Hellaby Bridge
Wellcliff House
Old M.S
Rotherham 4 (1 M.S
Tickhill...6 (1
Rookery Villa
Bait Inn
Travellers' Inn
Cumwell Fields
Cumwell Lane
Thorns
Stone
Rises
Sandy Cottage
Flash Lane
Back Lane
Brook Lane
Sandy Lane
Allotment Gardens
Sewage Works
Campion Ho.
Warren Ho.
Main Chan.
Chapel
Vicarage
Church Lane
Grove Lane
Brook Lane
Cumwell Farm
Lane
Fish Pond
Stone
Spr.
Brick Works
Spring
Hellaby Brook
Hellaby
Hellaby Bridge
Hellaby Goods Station
Hellaby Hall
Cumwell Fields
Thorns
Rises
Sandy Cottage
Old M.S
Rotherham 4 (1 M.S
Tickhill...6 (1
Rookery Villa
Bait Inn
Travellers' Inn
Wellcliff House
Allotment Gardens
Sewage Works
Water Works
Reservoir Tank
Lodge
Bramley Park
Church
Bramley
Common
Lings
Fields



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1966 - 1967


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J




Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1974


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Copyright Landmark Information Group Ltd. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Sheffield

Published 1977


Source map scale - 1:25,000

These maps were produced by the Russian military during the Cold War between 1950 and 1997, and cover 103 towns and cities throughout the U.K. The maps are produced at 1:25,000, 1:10,000 and 1:5,000 scale, and show detailed land use, with colour-coded areas for development, green areas, and non-developed areas. Buildings are coloured black and important building uses (such as hospitals, post offices, factories etc.) are numbered, with a numbered key describing their use.
They were produced by the Russians for the benefit of navigation, as well as strategic military sites and transport hubs, for use if they were to have invaded the U.K. The detailed information provided indicates that the areas were surveyed using land-based personnel, on the ground, in the cities that are mapped.

Map Name(s) and Date(s)



Russian Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1982 - 1983


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and Landmark Information Group Limited 2025. All Rights Reserved.

Envirocheck®

LANDMARK INFORMATION GROUP®


Ordnance Survey Plan

Published 1989


Source map scale - 1:10,000

The historical maps shown were reproduced from maps predominantly held at the scale adopted for England, Wales and Scotland in the 1840`s. In 1854 the 1:2,500 scale was adopted for mapping urban areas; these maps were used to update the 1:10,560 maps. The published date given therefore is often some years later than the surveyed date. Before 1938, all OS maps were based on the Cassini Projection, with independent surveys of a single county or group of counties, giving rise to significant inaccuracies in outlying areas. In the late 1940`s, a Provisional Edition was produced, which updated the 1:10,560 mapping from a number of sources. The maps appear unfinished - with all military camps and other strategic sites removed. These maps were initially overprinted with the National Grid. In 1970, the first 1:10,000 maps were produced using the Transverse Mercator Projection. The revision process continued until recently, with new editions appearing every 10 years or so for urban areas.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


10k Raster Mapping

Published 2006


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey`s 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®


VectorMap Local

Published 2024


Source map scale - 1:10,000

VectorMap Local (Raster) is Ordnance Survey's highest detailed 'backdrop' mapping product. These maps are produced from OS's VectorMap Local, a simple vector dataset at a nominal scale of 1:10,000, covering the whole of Great Britain, that has been designed for creating graphical mapping. OS VectorMap Local is derived from large-scale information surveyed at 1:1250 scale (covering major towns and cities),1:2500 scale (smaller towns, villages and developed rural areas), and 1:10 000 scale (mountain, moorland and river estuary areas).

Map Name(s) and Date(s)



Historical Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Historical Prosecutions
- Prosecutions
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site


Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark® INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk


448500
449000
449500
450000
450500
451000
394000
393500
393000
392500
392000
391500
J16
J12
J8
J4
J1
J2
J3
J4
Homestead House
Gorsefield Farm
Hellaby Park Farm
Hellaby Brook
Spenwood Farm
Bramley
Lings Common
Bramley Lings
Hellaby
Cumwell Fields
Newhall Dike
Education Facility
Education Facility
Sports/Leisure Centre
BRAMLEY LANE
HELLABY LANE
LIDGET LANE
BRAITHWELL ROAD
BAWTRY ROAD
A631
M18
B6093
MAIN STREET
CROSS STREET
CHURCH LANE
MOOR LANE SOUTH
BRIDGEWATER WAY
BARBERRY WAY
SILVERMOOR DRIVE
HELLABY VIEW
BRAMLEY GRANGE CRESCENT
SANDBECK WAY
DENBY WAY
BARBADOS WAY
LOWTON WAY
BATEMAN ROAD
PARKSTONE CRESCENT
BARRIE GROVE
SHERBOURNE AVENUE
SANDY LANE
CUMWELL LANE
WOOD LANE
TEMPLE CRESCENT
WADSWORTH ROAD
HAZEL GROVE
LAUREL AVENUE
BENTLEY ROAD
AUSTEN DRIVE
CROSBY AVENUE
PROGRESS DRIVE
ROTHER WAY
MACKLEBRING WAY
BRAITHWELL WAY
BRAMLEY WAY
PW
PW
PW



Envirocheck®

LANDMARK INFORMATION GROUP®


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice J



Order Details


Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

OS Water Network Data

- Canal
- Reservoir
- Foreshore
- Marsh
- Tidal River
- Inland River
- Drain
- Other
- Lake
- Transfer
- Lock Or Flight Of Locks
- Sea

Contours (height in meters)


Standard Contour 105 100 95

Master Contour

Spot Height 167.3

- MLW Mean Low Water
- MHW Mean High Water

OS Water Network Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

Envirocheck®
LANDMARK INFORMATION GROUP®

General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad


Contours (height in meters)

Standard Contour 105 | Master Contour 100 | 95 | Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice J



Order Details

Order Number:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice J



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice J



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice J



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000813445

0 400 m

Envirocheck®
LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg

- <100 mg/kg
- 100 - 200
- 200 - 300
- 300 - 600
- 600 - 1200
- >1200

Estimated Soil Chemistry Lead - Slice J




Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Envirocheck®

LANDMARK INFORMATION GROUP®

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg

- < 15
- 15 - 30
- 30 - 45
- 45 - 60
- 60 - 80
- 80 - 100
- > 100

Estimated Soil Chemistry Nickel - Slice J



Order Details

Order Details:	380948625_1_1
Customer Ref:	0720724
National Grid Reference:	449470, 391320
Slice:	J
Site Area (Ha):	759.16
Search Buffer (m):	250

Site Details

Whitestone

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk