



The Great Grid Upgrade

Sea Link

Sea Link

Volume 9: Examination Submissions

Document 9.48: River Fromus Visualisations Part 3 of 3

Planning Inspectorate Reference: EN20026


Version: A
November 2025

nationalgrid

Page intentionally blank

Contents

1.	Introduction	1
2.	Additional Visualisations	2
3.	Additional Visualisation Conclusions	4
4.	River Fromus Bridge Model Assumptions	5
Appendix A Additional Visualisations - Part 3		A.1
Appendix B River Fromus Bridge Model Comparative Images		B.1
Table 2.1 Additional Visualisations		2
Table 4.2 River Fromus bridge model comparative images		5
Table 4.3 River Fromus bridge model update 2025		6



Legend

Order Limits

Additional Viewpoints (Post DCO Submission)


Representative Viewpoint (DCO)

Type 1 and Type 3

0	27/08/2025	ADDITIONAL RIVER FROMUS VIEWPOINTS	EB	DF	CW
Rev	Date	Description	GIS	Chk	App
nationalgrid					
Scheme: SEA LINK					
Document Title: LOCATION PLAN FOR ADDITIONAL RIVER FROMUS VIEWPOINTS A, B AND C					
Creator: EB	Date: 27/08/2025	Checker: DF	Date: 27/08/2025	Approver: CW	Date: 27/08/2025
Document Ref: -	Scale: 1:15,000	Format: A3	Sheets: 1	Rev: 0	





BASELINE (WINTER)






Note: Images to be viewed at a comfortable arm's length.






OPERATION WITH FROMUS BRIDGE 5M CLEARANCE OPTION (WINTER YEAR 1)




AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	24.8m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:46	Location:	E638307 N262378			




OPERATION WITH FROMUS BRIDGE 5M CLEARANCE OPTION (WINTER YEAR 15)









OPERATION WITH FROMUS BRIDGE 6M CLEARANCE OPTION (WINTER YEAR 15)





BASELINE (WINTER)



Note: Images to be viewed at a comfortable arm's length.





FUTURE BASELINE (PLANTATION REMOVAL) (WINTER)

Note: Images to be viewed at a comfortable arm's length.





AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Sea Link Suffolk Onshore Scheme Additional River Fromus Viewpoint C sheet 2 of 8
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			




OPERATION WITH FROMUS BRIDGE 4M CLEARANCE OPTION (WINTER YEAR 1)

Note: Images to be viewed at a comfortable arm's length.



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			





AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			



OPERATION WITH FROMUS BRIDGE 5M CLEARANCE OPTION (WINTER YEAR 15)

Note: Images to be viewed at a comfortable arm's length.





AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			



OPERATION WITH FROMUS BRIDGE 6M CLEARANCE OPTION (WINTER YEAR 1)

Note: Images to be viewed at a comfortable arm's length.





AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			

Sea Link Suffolk Onshore Scheme
Additional River Fromus Viewpoint C



OPERATION WITH FROMUS BRIDGE 6M CLEARANCE OPTION (WINTER YEAR 15)

Note: Images to be viewed at a comfortable arm's length.



AECOM Delivering a better world	Visualisation Type:	3	Camera:	Canon EOS 5D MkIV	Eye level:	20.6m	Note: The block photomontage shows the maximum parameters for the Proposed Development.
	Projection:	Cylindrical	Lens:	Sigma 50mm f/1.4 DG HSM	Height of Camera:	1.6m	
	Enlargement Factor:	96%	Horizontal Field of View:	90°			
	Paper Size:	A1	Direction of View:	East			
	Date / Time:	03/02/2025, 12:59	Location:	E638464 N262086			

Appendix B River Fromus Bridge Model Comparative Images

Plate 4.1: Viewpoint 2 Block Model with 2025 Photography

Winter 2025 photography showing proposed River Fromus bridge model as presented within the ES versus updated bridge model for 4 m bridge and 6 m bridge design options.





Plate 4.2: Viewpoint 2 Block Model with 2023 and 2025 Photography

Winter 2023 and 2025 photography showing proposed River Fromus bridge model as presented in the ES versus updated bridge model for 4 m bridge and 6 m bridge design options.





Plate 4.3: Viewpoint 2 Block Model with 2023 Photography

Winter 2023 photography showing proposed River Fromus bridge model as presented in the ES versus updated bridge model for 4 m bridge and 6 m bridge design options.





Plate 4.4: Viewpoint 2 Block and Rendered Model with 2025 Photography

Winter 2025 photography showing proposed River Fromus bridge model as presented in the ES (block) versus rendered updated bridge model for 4 m bridge and 6 m bridge design options.





Plate 4.5: Viewpoint 2 Block and Rendered Model with 2023 and 2025 Photography

Winter 2023 and 2025 photography showing proposed River Fromus bridge model as presented in the ES (block) versus rendered updated bridge model for 4 m bridge and 6 m bridge design options.






Plate 4.6: Viewpoint 2 Block and Rendered Model with 2023 Photography

Winter 2023 photography showing proposed River Fromus bridge model as presented in the ES (block) versus rendered updated bridge model for 4 m bridge and 6 m bridge design options.



National Grid plc
National Grid House,
Warwick Technology Park,
Gallows Hill, Warwick.
CV34 6DA United Kingdom

Registered in England and Wales
No. 4031152
nationalgrid.com