

AENC-NG-CNS-REP-0215

Norwich to Tilbury

Volume 9: Change Application

Document: 9.6 Proposed Change Application 2: Overview Report -
Change Request 2 (Little Bromley) (CA2)

Final Issue CA2

March 2026

Planning Inspectorate Reference: EN020027

nationalgrid

Contents

1.	Introduction	1
1.1	Overview	1
1.2	The Project	1
1.3	Proposed Change Application 2	2
1.4	Legislative Context and Guidance	3
1.5	Purpose of this document	3
2.	Description of Change Request 2 (Little Bromley)	7
3.	Potential for Change Request 2 (Little Bromley) to affect the Environmental Statement	9
3.1	Overview	9
3.2	Pre-application consultation on Change Request 2 (Little Bromley)	9
3.3	Addendum to the Environmental Statement	10
4.	Position Regarding Other Consents or Licences	12
5.	Consultation on Change Request 2 (Little Bromley)	13
5.1	Consultation approach	13
5.2	Consultation on Change Request 2 (Little Bromley)	16
5.3	Consultation feedback	17
6.	Compliance with the Infrastructure Planning (Compulsory Acquisition Powers) Regulations 2010	18
7.	Conclusion	24

Table 1.1	Relevant information provided in the Applicant's Proposed Change Application 2 in line with PINS Guidance 2024	3
Table 5.1	Comments received from the ExA in relation to the Applicant's approach to consultation on Change Request 2 (Little Bromley)	13
Table 6.1	Programme of procedures in CA Regulations in the context of the Examination (maximum time period)	19
Table 6.2	Programme of procedures in CA Regulations in the context of the Examination (accelerated programme)	21

Appendix A Change Request 2 (Little Bromley)

1. Introduction

1.1 Overview

- 1.1.1 On 29 August 2025, National Grid Electricity Transmission plc (the Applicant) submitted an application to the Secretary of State for Energy Security and Net Zero for a Development Consent Order (DCO) to authorise the construction and operation (and maintenance) of the proposed upgrade to the electricity transmission system in East Anglia between Norwich and Tilbury (the Project).
- 1.1.2 The Application for the Project was accepted for Examination by the Planning Inspectorate on 26 September 2025 and has been allocated the reference number EN020027. The Examination of the Project commenced on 10 February 2026 and is expected to close on 10 August 2026.

1.2 The Project

- 1.2.1 The Project comprises reinforcement of the transmission network between the existing Norwich Main Substation in Norfolk and Tilbury Substation in Essex, via Bramford Substation, the new East Anglia Connection Node (EACN) Substation and the new Tilbury North Substation.
- 1.2.2 The reinforcement is needed because the existing transmission network, even with current upgrading, will not have sufficient capacity for the new renewable energy (a substantial proportion of which would be generated by offshore wind) that is expected to connect to the network over the next 10 years and beyond. Completion of the Project, together with other new reinforcements across the county, will meet this future energy transmission demand both in East Anglia and across the UK.
- 1.2.3 The Project comprises:
- A new 400 kilovolt (kV) electricity transmission connection of approximately 180 km overall length from Norwich Main Substation to Tilbury Substation via Bramford Substation, a new EACN Substation and a new Tilbury North Substation, including:
 - Approximately 159 km of new overhead line supported on approximately 509 pylons, either standard steel lattice pylons (approximately 50 m in height) or low height steel lattice pylons (approximately 40 m in height) and some of which would be gantries (typically up to 15 m in height) within proposed Cable Sealing End (CSE) compounds or existing or proposed substations
 - Approximately 21 km of 400 kV underground cabling, some of which would be located through the Dedham Vale National Landscape (an Area of Outstanding Natural Beauty (AONB¹))

¹ National Landscape is the rebranded name of an Area of Outstanding Natural Beauty (AONB) from 22 November 2023

- Up to seven new CSE compounds (with permanent access) to connect the overhead lines to the underground cables
- Modification works to connect into the existing Norwich Main Substation and a substation extension at the existing Bramford Substation
- A new 400 kV substation on the Tendring Peninsula, referred to as the EACN Substation (with a new permanent access). This is proposed to be an Air Insulated Switchgear (AIS) substation
- A new 400 kV substation to the south of Orsett Golf Course in Essex, referred to as the Tilbury North Substation (with a new permanent access). This is proposed to be a Gas Insulated Switchgear (GIS) substation
- Modifications to the existing National Grid Electricity Transmission overhead lines to facilitate the connection of the existing network into the new Tilbury North Substation to provide connection to the Tilbury Substation
- Ancillary and/or temporary works associated with the construction of the Project.

1.2.4 In addition, third party utilities diversions and/or modifications would be required to facilitate the construction of the Project. There would also be land required for environmental mitigation and Biodiversity Net Gain (BNG).

1.2.5 As well as the permanent infrastructure, land would also be required temporarily for construction activities including, for example, working areas for construction equipment and machinery, site offices, welfare, storage and temporary construction access.

1.2.6 A detailed description of the Project is included in **Environmental Statement (ES) Chapter 4: Description of the Proposed Project [APP-130]**.

1.3 Proposed Change Application 2

1.3.1 Following submission of its DCO application, the Applicant has continued engagement with stakeholders. As a result of this engagement, the Applicant is proposing to incorporate a design change into the Project (Change Request 2 (Little Bromley)). The change applies to a very discrete geographical area of the Project, and as a consequence, the vast majority of the Project will remain entirely unchanged.

1.3.2 The Applicant issued **9.2 Notification of proposed change to DCO application – Change Request 2 (Little Bromley) [AS-050]** to the Examining Authority (ExA) on 12 December 2025 which set out the Applicant’s intention to make a proposed design change (Changes Request 2 (Little Bromley)) to the DCO application. Details of Change Request 2 (Little Bromley) are provided below. The ExA responded to the notification **[AS-050]** on 19 December 2025 **[PD-008]**. The Applicant replied to the ExA’s response on 24 December 2025 **[AS-051]**.

1.3.3 This document has been submitted to support Proposed Change Application 2 for Change Request 2 (Little Bromley). Change Request 2 (Little Bromley) relates to an amendment to the Order Limits in order to support a small modification to the route of the Applicant’s construction access (for use when a third-party access is not available) and a further small modification to the route for the private permanent Abnormal Indivisible Load (AIL) access route. The amendments respond to further engagement with landowners and are intended to reduce temporary and permanent

impacts on land uses. Further details about Change Request 2 (Little Bromley) are provided in **Chapter 2** of this document.

- 1.3.4 In parallel to the submission of Proposed Change Application 2, the Applicant has also submitted a separate application (Proposed Change Application 1) for a separate design change (Change Request 1 (Bulphan)). Details relating to Proposed Change Application 1 are included in separate application documents submitted by the Applicant to the ExA on 27 March 2026.

1.4 Legislative Context and Guidance

- 1.4.1 The Applicant has had regard to the Planning Inspectorate’s (2024) advice: Nationally Significant Infrastructure Projects: Changes to an application after it has been accepted for examination (PINS Guidance 2024) and the Infrastructure Planning (Compulsory Acquisition) Regulations 2010 (CA Regulations) when preparing its submissions for Proposed Change Application 2.

1.5 Purpose of this document

- 1.5.1 Step 4 of PINS Guidance 2024 sets out the information that must be included within a change application. **Table 1.1** below confirms where in its Proposed Change Application 2 the Applicant has provided the relevant information in line with Step 4 of PINS Guidance 2024.
- 1.5.2 This document specifically provides the following information referred to and required by Step 4 of PINS Guidance 2024:
- *a confirmed description of the proposed change,*
 - *a confirmed statement setting out the reasons and need for making the change,*
 - *a statement identifying any impact the proposed change would have on securing any consents or licences for the project*

Table 1.1 Relevant information provided in the Applicant’s Proposed Change Application 2 in line with PINS Guidance 2024

Information to include in the change application as required by Step 4 of PINS Guidance 2024	Where information can be found in the Applicant’s Proposed Change Application 2
A confirmed description of the proposed change. Where this has changed from that provided with the change notification this should be clearly explained.	See Chapter 2 of this document.
A confirmed statement setting out the reasons and need for making the change. The Applicant should provide any further information that was not included in the change notification.	See Chapter 2 of this document.
A full schedule of all application documents and plans listing the revisions to each	See Proposed Change Application 2: Schedule of Changes to DCO Application

Information to include in the change application as required by Step 4 of PINS Guidance 2024	Where information can be found in the Applicant's Proposed Change Application 2
document and plan which would occur because of the change or, as necessary, marked as 'no change'.	Documents - Change Request 2 (Little Bromley) [document reference 9.8] submitted as part of the Proposed Change Application 2.
A statement identifying any impact the proposed change would have on securing any consents or licences for the project. The applicant should confirm if there would be any delay in securing these before the close of the examination.	See Chapter 4 of this document.
Clean and track changed versions of the draft DCO showing the proposed changes. Also, clean and track changed versions of the draft explanatory memorandum. If updated versions of these have been submitted into the examination during the pre-examination or examination stage the applicant should check with the Examining Authority which versions should be used for this purpose.	Clean and track change versions of the draft Development Consent Order (DCO) [Revision CA2] [document reference 3.1] and the Explanatory Memorandum [Revision CA2] [document reference 3.2] are submitted with the Proposed Change Application 2. These documents are based on the draft DCO and Explanatory Memorandum as submitted at Deadline 2 [REP2-004] and [REP2-006] .
<p>If the proposed change includes a request to include additional compulsory acquisition powers, confirmation that the applicant has consent from all persons with an interest in the additional land that the additional powers can be included in the application. Evidence of the consent must be provided. If the applicant has not obtained consent, they must provide the information prescribed by Regulation 5 of the CA Regulations:</p> <ul style="list-style-type: none"> • a supplement to the Book of Reference • a land plan identifying the additional land, or the land affected by the proposed provision of additional compulsory acquisition (clean and track changed version from the latest version of the land plans submitted to the examination) • a statement of reasons as to why the additional land is required • a statement indicating how it is proposed to fund acquisition of the additional land (a funding statement) <p>The Applicant should provide a supplemental land rights tracker giving details of the status of negotiations about the additional land.</p>	<p>See Chapter 6 of this document (which includes a description of how the Applicant considers the procedures in Regulation 6 to 19 of the CA Regulations can be accommodated within the examination timetable [PD-011]) and the following documents submitted to support the Proposed Change Application 2:</p> <ul style="list-style-type: none"> • Proposed Change Application 2: Supplementary Book of Reference – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.3.1] • Proposed Change Application 2: Book of Plans – Change Request 2 (Little Bromley) [document reference 9.14]. This document contains land plans identifying the additional land or the land affected by the proposed provision of additional compulsory acquisition. For Proposed Change Application 2, only the land plans sheets relevant to the proposed change have been submitted. • Proposed Change Application 2: Addendum to the Statement of

Information to include in the change application as required by Step 4 of PINS Guidance 2024

Where information can be found in the Applicant's Proposed Change Application 2

The applicant should also include a detailed description of how they consider the procedures in Regulations 6 to 19 of the CA Regulations can be accommodated within the examination timetable.

Reasons – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.1.1]. This document is based on the **4.1 Statement of Reasons** as submitted at Deadline 2 [REP2-009].

- **Proposed Change Application 2: Addendum to the Funding Statement – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.2.1].** This document is based on the **4.2 Funding Statement** as submitted at Deadline 1 [REP1-004].
- **Proposed Change Application 2: Supplementary Land Rights Tracker – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.4.1].** This document is based on the **4.4 Land Rights Tracker** as submitted at Deadline 2 [REP2-011]. The Applicant has also submitted an editable excel version of this document (see **document reference 4.5.1**).

If the proposed change results in any new or different likely significant environmental effects, provision of other environmental information as necessary and confirmation that:

- the effects of the proposed change have been adequately assessed and that the environmental information has been subject to publicity. Whilst this is not a statutory requirement, the publicity should reflect the requirements of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (the EIA Regulations 2017)
- any consultation bodies who might have an interest in the proposed change have been consulted (reflecting the requirements of the EIA Regulations 2017). The Applicant should identify those consultation bodies who were consulted on the proposed changes but were not consulted on the original application

See **Chapter 3** and **Chapter 5** of this report in addition to **Proposed Change Application 2: Addendum to Environmental Statement - Change Request 2 (Little Bromley) [document reference 9.12]** and **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]** submitted as part of the Proposed Change Application 2.

Where consultation has been carried out (either voluntarily, at the direction of the

See **Chapter 5** of this report and **Proposed Change Application 2: Consultation**

Information to include in the change application as required by Step 4 of PINS Guidance 2024

Where information can be found in the Applicant's Proposed Change Application 2

Examining Authority, or in accordance with the requirements of the CA Regulations or EIA Regulations 2017) a consultation report must be provided. The consultation report should:

- confirm who has been consulted in relation to the proposed change and explain how and why they have been consulted
- include details of how the applicant has considered the content of the consultation responses received
- include copies of all consultation responses received, including any responses to publicity about the proposed change. These should be included as an annex to the consultation report

Report - Change Request 2 (Little Bromley) [document reference 9.10] submitted as part of the Proposed Change Application 2.

2. Description of Change Request 2 (Little Bromley)

- 2.1.1 Step 4 of PINS Guidance 2024 requires the following information to be included within the proposed change application:
- a confirmed description of the proposed change
 - a confirmed statement setting out the reasons and need for making the change
- 2.1.2 This chapter provides this information required by Step 4 of PINS Guidance 2024.
- 2.1.3 Since submitting its application for development consent, the Applicant has continued engagement with stakeholders, including affected landowners. As a result of this engagement, the Applicant is proposing a change to the alignment of the construction access and permanent access routes for the East Anglia Connection Node (EACN) substation that seeks to address comments from landowners. This design change is referred to as 'Change Request 2 (Little Bromley)'. The change proposed applies to a very discrete geographical area of the Project and, as a consequence, the vast majority of the Project will remain entirely unchanged.
- 2.1.4 The Project's proposed access arrangement to the proposed East Anglia Connection Node (EACN) substation ("Proposed Route") will use a route passing to the south of Little Bromley, Essex.
- 2.1.5 The strategy for access to the EACN is detailed in **Section 5.7.10** of the **7.3 Outline Construction Traffic Management Plan (CTMP) [APP-309]**.
- 2.1.6 The Proposed Route would potentially serve as access during both the construction and operational phase of the Project.
- 2.1.7 Change Request 2 (Little Bromley) would involve two modifications to the Proposed Route:
- First, a section of the Proposed Route nearest to Bentley Road is realigned to the south, for the permanent access relating to AILs during the operational phase of the Project. The need for a permanent AIL route is to ensure supply standards for the connection are met in the future (by allowing replacement of any component at short notice).
 - Second, to the north-west of the first modification, the Proposed Route for both construction and operational vehicles is changed to generally follow the alignment of the Proposed Route presented at statutory consultation between 10 April and 26 July 2024.
- 2.1.8 In both cases, the modifications respond to feedback from, and ongoing detailed discussions with, affected landowners in order to secure an operational access arrangement that meets the Project need whilst also facilitating ongoing land management.
- 2.1.9 The first modification (concerning the AIL arrangement) is intended to minimise the effects of the Project on future arable cropping. The second modification ensures that the Proposed Route more closely follows field boundaries.

- 2.1.10 Additionally, precautionary amendments to existing wood pole supported infrastructure that cross the proposed access route modification is accommodated as part of this change (i.e uplifting UKPN assets).
- 2.1.11 The proposed change is shown on the figures in **Appendix A** of this report and plans within **Proposed Change Application 2: Book of Plans – Change Request 2 (Little Bromley)** [document reference 9.14].
- 2.1.12 The proposed change is not considered to affect compliance of the Project with planning policies detailed in the **Planning Statement [APP-085]** and **Policy Compliance Document [APP-086]**.
- 2.1.13 The arrangement has been subject to extensive discussion and consideration of alternatives with relevant landowners.
- 2.1.14 There has been no amendment to the proposed change following the targeted consultation. Therefore, Change Request 2 (Little Bromley) is as presented in **9.2 Notification of proposed change to DCO application – Change Request 2 (Little Bromley)** [AS-050].

3. Potential for Change Request 2 (Little Bromley) to affect the Environmental Statement

3.1 Overview

3.1.1 PINS Guidance (2024) requires the Applicant's Proposed Change Application 2 to confirm *"if the proposed change results in any new or different likely significant environmental effects, provision of other environmental information as necessary and confirmation that:*

- *the effects of the proposed change have been adequately assessed and that the environmental information has been subject to publicity. Whilst this is not a statutory requirement, the publicity should reflect the requirements of The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 (the EIA Regulations)*
- *any consultation bodies who might have an interest in the proposed change have been consulted (reflecting the requirements of the EIA Regulations). The Applicant should identify those consultation bodies who were consulted on the proposed changes but were not consulted on the original application".*

3.2 Pre-application consultation on Change Request 2 (Little Bromley)

3.2.1 As described in **Chapter 5** of this report, the Applicant carried out a pre-application targeted consultation on Change Request 2 (Little Bromley) between 19 January 2026 and 23 February 2026.

3.2.2 The Applicant consulted all bodies prescribed under Section 42(1)(a) of the Planning Act 2008 and listed in Schedule 1 of the APFP Regulations and local authorities within Section 43 of the Planning Act 2008 as part of the targeted consultation undertaken on Change Request 2 (Little Bromley) between 19 January 2026 and 23 February 2026. The consultation bodies consulted on Change Request 2 (Little Bromley) were also consulted with during the pre-application consultation of the original DCO application. A full list of consultees consulted on Change Request 2 (Little Bromley) is provided at **Appendix A of the Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

3.2.3 As part of the consultation on Change Request 2 (Little Bromley), the Applicant prepared an Environmental Implications of Change (EIC) Report which set out the potential for any new or different likely significant environmental effects to those reported in the ES as a consequence of Change Request 2 (Little Bromley). The EIC Report was available on the project webpage for prescribed consultees to view and provide comments on. The Applicant has had regard to comments and responses to the consultation as set out in **Chapter 5** of this document and in the **Proposed**

Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10].

- 3.2.4 The Applicant also published a notice about the proposed change and targeted consultation between 15 January 2026 and 22 January 2026 in the London Gazette, once in a national newspaper (The Guardian) and for two successive weeks in local newspapers (Thurrock Gazette, Essex Chronicle, East Anglian Daily Times and Eastern Daily Press).
- 3.2.5 The Applicant, therefore, considers that as part of the targeted consultation undertaken on Change Request 2 (Little Bromley) it has adequately consulted relevant prescribed consultees and publicised in a manner in line with the requirements of the EIA Regulations to the extent that they were considered to have been engaged. However, if the ExA deems it appropriate, or necessary to carry out any further publicity in accordance with the requirements of the EIA Regulations, the Applicant considers that this can be accommodated within the Examination timetable [PD-011].

3.3 Addendum to the Environmental Statement

- 3.3.1 The Applicant has undertaken a review of whether Change Request 2 (Little Bromley) (either individually or in combination with Change Request 1 (Bulphan)) is likely to result in new or different likely significant environmental effects, compared to those reported within the **Environmental Statement (ES) [APP-123 to APP-287, AS-026 and AS-068]**. The review has also considered whether the conclusions set out in other environmental assessments and reports submitted with the DCO application, as listed below, would change as result of Change Request 2 (Little Bromley):
- **5.3 Habitats Regulations Assessment [APP-082]**
 - **5.4 Statement of Statutory Nuisance [APP-083]**
 - **7.1 Biodiversity Net Gain Report [APP-299]**
 - **7.2 Outline Code of Construction Practice [APP-301 to APP-308, REP2-014 and REP2-016]**
 - **7.3 Outline Construction Traffic Management Plan [APP-309 to APP-320]**
 - **7.4 Outline Landscape and Ecological Management Plan [REP2-018]**
 - **7.5 Outline Archaeological Mitigation Strategy and Outline Written Scheme of Investigation [APP-328]**
 - **7.6 Outline Public Rights of Way Management Plan [APP-229]**
 - **7.9 Flood Risk Assessment [APP-331]**
 - **7.10 Water Framework Directive Assessment [APP-332]**
 - **7.11 Transport Assessment [APP-333 to APP-342]**
- 3.3.2 The results of this review are reported in the **Proposed Change Application 2: Addendum to Environmental Statement - Change Request 2 (Little Bromley) [document reference 9.12]**.

- 3.3.3 Taking account of the nature of the additional works proposed and the implementation of mitigation measures already set out in the **ES [APP-123 to APP-287, AS-026 and AS-068]** and the management plans listed above, the **Proposed Change Application 2: Addendum to Environmental Statement - Change Request 2 (Little Bromley) [document reference 9.12]** concludes that there would be no new or different significant effects to those reported in the ES as a consequence of Change Request 2 (Little Bromley) (either individually or in combination with Change Request 1 (Bulphan). The conclusions of the **ES [APP-123 to APP-287, AS-026 and AS-068]** submitted in support of the DCO application for the Project remain valid.
- 3.3.4 As the **Proposed Change Application 2: Addendum to Environmental Statement - Change Request 2 (Little Bromley) [document reference 9.12]** concludes that there would be no new or different likely significant effects as a result of Change Request 2 (Little Bromley), the Applicant does not consider it necessary or appropriate to carry out any further publicity that reflects the requirements of the EIA Regulations. However, if the ExA deems it appropriate, or necessary to carry out any further publicity in accordance with the requirements of the EIA Regulations, the Applicant considers that this can be accommodated within the Examination timetable **[PD-011]**.
- 3.3.5 In addition, the Applicant considers that there is sufficient time remaining in the Examination (a period of over four months) for the ExA to examine and invite comments from prescribed consultees on the Change Request 2 (Little Bromley) to the extent that the ExA considers appropriate and necessary.

4. Position Regarding Other Consents or Licences

- 4.1.1 PINS Guidance (2024) requires the Applicant's Proposed Change Application 2 to provide *"a statement identifying any impact the proposed change would have on securing any consents or licences for the Project. The Applicant should confirm if there would be any delay in securing these before the close of the examination"*.
- 4.1.2 Having given consideration to this, the Applicant can confirm that no further consents or licences outside of the DCO are required as a result of Change Request 2 (Little Bromley).
- 4.1.3 All other consents and licences under other legislation needed to construct and/or operate the Project and the likely timescales for obtaining those remain as set out in **5.5 Consents and Licences Required Under Other Legislation [APP-084]**.

5. Consultation on Change Request 2 (Little Bromley)

5.1 Consultation approach

- 5.1.1 The Applicant carried out a targeted consultation on Change Request 2 (Little Bromley) between 19 January 2026 and 23 February 2026.
- 5.1.2 The Applicant’s proposed approach to the targeted consultation on Change Request 2 (Little Bromley) was presented to the ExA in **9.2 Notification of proposed change to DCO application – Change Request 2 (Little Bromley) [AS-050]**. The ExA provided a response to the Applicant’s notification, including its proposed approach to the targeted consultation, on 19 December 2025 (see **[PD-008]**). **Table 5.1** below provides a summary of the ExA’s comments on the Applicant’s proposed consultation approach and the Applicant’s response.

Table 5.1 Comments received from the ExA in relation to the Applicant’s approach to consultation on Change Request 2 (Little Bromley)

Comments made by the ExA on the Applicant’s approach to consultation on the proposed change(s)	Regard had by the Applicant
<p>The Applicant recognises that both Change Requests would be likely to engage Regulations 5 to 19 of the Infrastructure Planning (Compulsory Acquisition) Regulations 2010 (as amended) (CA Regulations), as they are seeking to include additional land within the submission and consent has not been obtained from persons with an interest in that additional land to its inclusion. As such the ExA agrees there is a need for further consultation in regard to both Change Request 1 and Change Request 2, and that the Applicant should take a targeted and proportional consultation approach.</p>	<p>Noted.</p> <p>Details relating to the Applicant’s consultation, including landowner engagement/consultation, on Change Request 2 (Little Bromley) are contained within Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10].</p> <p>Details about the Applicant’s consultation on Change Request 1 (Bulphan), including landowner engagement/consultation, are set out in Proposed Change Application 1: Consultation Report - Change Request 1 (Bulphan) [document reference 9.9].</p>
<p>The ExA notes the details of the scale of the approach differs in the Applicant’s Change Request notification documents (Change Request 1 [AS-049] and Change Request 2 [AS-050]). However, as the submissions are to coincide, the ExA advises that the targeted consultations should follow similar approaches. The Applicant should carry out a targeted consultation with prescribed</p>	<p>The Applicant’s approach to consultation for both Change Request 1 (Bulphan) and Change Request 2 (Little Bromley) set out in their respective notification documents (see AS-049 and AS-050) followed the same approach.</p> <p>Nonetheless, the Applicant can confirm that the targeted consultations held between 19 January 2026 and 23 February 2026 on both design changes followed the same approach.</p>

Comments made by the ExA on the Applicant's approach to consultation on the proposed change(s)

Regard had by the Applicant

consultees, relevant local authorities and parish councils, persons with an interest in land affected by the proposed change and nearby properties which are likely to be affected.

The targeted consultations on Change Request 1 (Bulphan) and Change Request 2 (Little Bromley) were carried out with prescribed consultees, relevant local authorities and parish councils, persons with an interest in land affected by the proposed change and nearby properties which are likely to be affected.

Further details are provided in **Proposed Change Application 1: Consultation Report - Change Request 1 (Bulphan) [document reference 9.9]** and **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

The Applicant should also publish advertisements in the press, in accordance with the 'Duty to publicise...' (Regulation 8 of the CA Regulations). Please note Regulation 8 goes beyond just local press advertisement.

Consultation notices detailing the proposed change and targeted consultation were published in the London Gazette, once in a national newspaper (The Guardian) and for two successive weeks in local newspapers in the vicinity of Change Request 2 (Little Bromley) (Thurrock Gazette, Essex Chronicle, East Anglian Daily Times and Eastern Daily Press). In this approach, the Applicant had regard to the ExA's advice

[PD-008] and published notices for the targeted consultation beyond local publications. However, Regulation 8 of the CA Regulations is not engaged for the purposes of pre-application consultation regarding a change request. The Applicant will comply with Regulation 8 of the CA Regulations in the event that Proposed Change Application 2 is accepted. **Table 6.1** below demonstrates how the CA Regulations could be complied with in the context of the remainder of the examination.

The Applicant also placed an advert in local publications (Thurrock Gazette, East Anglian Daily Times and Eastern Daily Press) to advertise the targeted consultation.

Further details are provided below and in **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

Comments made by the ExA on the Applicant's approach to consultation on the proposed change(s)

Regard had by the Applicant

The ExA expects the Applicant to notify relevant stakeholders outlining the proposed change, consultation scope, dates of consultation and details of how to participate in the consultation relevant to them. The correspondence should refer recipients to the Applicant's website to access the relevant consultation materials pertinent to the Change Request applicable to them, including (but not limited to):

- consultation leaflets as relevant to each Change Request, which provides further information on the proposed changes and include plans and figures showing the location of the proposed changes
- environmental implications of the change documents for the relevant Change Request, which provides further information on the likely environmental effects associated with the proposed change compared against the submitted environmental statement
- a feedback form
- contact details so people can contact the applicant to ask questions on the proposed changes and request hard copies.

The Applicant notified prescribed and non-prescribed consultees, relevant local authorities and parish councils, elected representatives, persons with an interest in land affected by Change Request 2 (Little Bromley) and nearby properties which are likely to be affected about the launch of the targeted consultation and referred them to the Applicant's website to access the consultation materials.

The Applicant posted consultation packs to persons with an interest in land affected by Change Request 2 (Little Bromley) and all properties within the consultation zone. The consultation pack included:

- A letter notifying of Change Request 2 (Little Bromley) and details about how to get involved with the targeted consultation;
- The consultation leaflet specific to Change Request 2 (Little Bromley);
- A copy of the Environmental Implications of Change (EIC) document for Change Request 2 (Little Bromley);
- Feedback form; and
- A freepost envelope

Prescribed and non-prescribed consultees, relevant local authorities and parish councils and elected representatives were contacted by email.

Further details are provided in **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley)** [document reference 9.10].

The ExA notes the Applicant's intent to hold a public webinar for residents living near to each of the proposed changes and not to hold any in-person consultation events. However, the ExA advises that persons without internet access or who have protected characteristics must be considered. Therefore the ExA expects at least one in-person event within the area of each of the Change Requests to be held in addition to the proposed webinar.

The Applicant held one in-person public information event and an online webinar for each Change Request as part of the targeted consultations.

Measures were implemented to ensure that those without internet access or who had protected characteristics were included in the consultation, including provision of printed materials, freepost response options, a public information event, and direct engagement with prescribed consultees, affected landowners, local authorities, parish councils, and

Comments made by the ExA on the Applicant's approach to consultation on the proposed change(s)	Regard had by the Applicant
	<p>hard-to-reach groups, in addition to online access to materials and online webinars. The Applicant received no feedback regarding the inclusivity of the consultation or an inability to take part.</p> <p>Details are provided in Proposed Change Application 1: Consultation Report - Change Request 1 (Bulphan) [document reference 9.9] and Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10].</p>

- 5.1.3 As set out in **Table 5.1** above, the Applicant has considered the ExA's comments in finalising its approach to the targeted consultation on Change Request 2 (Little Bromley). The Applicant also considered the advice in PINS Guidance 2024.
- 5.1.4 In addition, the Applicant prepared and shared a consultation strategy with Tendring District Council and Essex County Council on 18 December 2025. Both councils provided comments on the consultation strategy. **Table 2.1 of Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]** summarises the feedback received and how the Applicant responded.
- 5.1.5 In accordance with Step 4 of PINS Guidance 2024, the Applicant has provided a Consultation Report for Proposed Change Application 2. The Consultation Report provides a list of the consultees consulted on Change Request 2 (Little Bromley) and how the Applicant has considered the content of the responses received. See **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

5.2 Consultation on Change Request 2 (Little Bromley)

- 5.2.1 As Change Request 2 (Little Bromley) relates to a discrete geographical area of the Project and does not fundamentally alter the Project as a whole, the Applicant carried out a targeted consultation with prescribed consultees, relevant local authorities and parish councils, persons with an interest in land affected by the proposed change and nearby properties which are likely to be affected.
- 5.2.2 The targeted consultation for Change Request 2 (Little Bromley) was open from 12:00 noon on 19 January 2026 until 11:29 pm on 23 February 2026 (allowing more than a 28-day consultation period).

- 5.2.3 As part of the targeted consultation for Change Request 2 (Little Bromley), the Applicant held an in-person public information event at Great Bromley Village Hall on Thursday 29 January 2026, between 12 noon and 5:00 pm and Applicant hosted an online webinar on the proposed change at Little Bromley on 4 February 2026 between 6:00 pm to 7:00 pm. The online webinar was hosted via Microsoft Teams.
- 5.2.4 During the targeted consultation, the consultation documents were made available to view on the Project webpage: www.nationalgrid.com/norwich-to-tilbury.
- 5.2.5 The following consultation documents were available to be viewed:
- Consultation leaflet (Little Bromley: change to the EACN access), which provided details on Change Request 2 (Little Bromley) and included figures showing the location of the proposed change
 - Environmental Implications of Change (EIC) document (Little Bromley: change to the EACN access), which provided information on the likely environmental effects associated with Change Request 2 (Little Bromley) compared against the submitted Environmental Statement (ES)
 - Feedback Form
- 5.2.6 Paper copies of the consultation documents were also supplied upon request to ensure those who did not have access or had limited access to the internet were able to view the material.
- 5.2.7 Further details about the targeted consultation, including the Applicant's responses to feedback received from consultees, are set out in **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

5.3 Consultation feedback

- 5.3.1 During the consultation period, the Applicant received 21 pieces of feedback containing general comments on the Project as a whole and which were not specifically related to either Proposed Change Application 1 or Proposed Change Application 2. As was made clear in the consultation materials, only feedback specifically relating to Proposed Change Application 2 has been responded to by the Applicant within **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**. The Applicant received 27 pieces of feedback specific to Change Request 2 (Little Bromley).
- 5.3.2 Following the consultation deadline, the Applicant reviewed and considered responses received in finalising its proposals for Change Request 2 (Little Bromley). A summary of the responses received, together with details of how the Applicant has considered those responses is provided in **Section 3 of Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.
- 5.3.3 Copies of all consultation responses received, including any responses to publicity about Change Request 2 (Little Bromley) are provided at **Appendix D of Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**.

6. Compliance with the Infrastructure Planning (Compulsory Acquisition Powers) Regulations 2010

- 6.1.1 The Applicant confirms that additional compulsory acquisition and/or temporary use powers are sought for Change Request 2 (Little Bromley).
- 6.1.2 For the avoidance of doubt, compulsory acquisition and temporary use powers are no longer sought in relation to certain other parcels of land as they have been removed from the proposed Order Limits. These amendments have been incorporated into the updated version of affected sheets of the **Land Plans** (see **Proposed Change Application 2: Book of Plans – Change Request 2 (Little Bromley)** [document reference 9.14]), **Proposed Change Application 2: Supplementary Book of Reference – Change Request 2 (Little Bromley)** [Revision CA2] [document reference 4.3.1], and **Appendix A and B of the Proposed Change Application 2: Addendum to the Statement of Reasons – Change Request 2 (Little Bromley)** [Revision CA2] [document reference 4.1.1].
- 6.1.3 The Applicant will in the first instance attempt to negotiate and secure voluntary agreements with affected landowners wherever possible. Heads of Terms for voluntary acquisition have been issued to affected landowners to facilitate this process. This includes rights necessary for installation and maintenance of the proposed mitigation.
- 6.1.4 The Applicant is, however, seeking additional powers of compulsory acquisition and temporary possession in case those negotiations are unsuccessful. As is explained in **Proposed Change Application 2: Addendum to the Statement of Reasons – Change Request 2 (Little Bromley)** [Revision CA2] [document reference 4.1.1] these powers are considered necessary and proportionate in order to construct, operate and maintain the Project.
- 6.1.5 The Applicant has engaged with landowners of affected land parcels to explain the requirement for additional land and has sought the consent of those landowners to the inclusion within the draft DCO of compulsory acquisition powers for new land rights in respect of the land affected by the proposed change.
- 6.1.6 No such consent has been received to date. As a consequence, Regulations 5 to 19 of the Infrastructure Planning (Compulsory Acquisition Powers) Regulations 2010 (CA Regulations) are engaged.
- 6.1.7 The Applicant has therefore submitted with this change application (Proposed Change Application 2) the required documents as prescribed by Regulation 5 of the CA Regulations:
- **Proposed Change Application 2: Supplementary Book of Reference – Change Request 2 (Little Bromley)** [Revision CA2] [document reference 4.3.1]

- **Proposed Change Application 2: Book of Plans – Change Request 2 (Little Bromley) [document reference 9.14]** which includes a land plan identifying the land required as additional land or affected by the proposed provisions
- **Proposed Change Application 2: Addendum to the Statement of Reasons – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.1.1]**
- **Proposed Change Application 2: Addendum to the Funding Statement – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.2.1]**
- **Proposed Change Application 2: Supplementary Land Rights Tracker – Change Request 2 (Little Bromley) [Revision CA2] [document reference 4.4.1].** The Applicant has submitted an editable excel version of this document (see **document reference 4.5.1**).

6.1.8 In addition to the consultation which has already taken place with all parties with an interest in the additional land to be included in the Order Limits and those affected where class of rights changes have taken place over land which was previously included in the Order Limits in advance of the submission of Proposed Change Application 2, the Applicant notes that the notification and publicity requirements stipulated by the CA Regulations (particularly Regulations 7 and 8) will provide further opportunity for those affected to make submissions in respect of Proposed Change Application 2.

6.1.9 In line with PINS Guidance (2024), the Applicant has provided in **Table 6.1** a description of how it considers the procedures in Regulations 5 to 19 of the CA Regulations can be accommodated within the examination timetable as set by the ExA in their Rule 8 Letter **[PD-011]**. The programme presented in **Table 6.1** allows for the full amount of time for each procedure in the CA Regulations.

Table 6.1 Programme of procedures in CA Regulations in the context of the Examination (maximum time period)

Procedure	Date	Relevant CA Regulation	Document
Notification of proposed change	12 December 2025	N/A	AS-050
Targeted consultation	19 January 2026 to 23 February 2026	N/A	See submission documents accompanying Proposed Change Application 2 (notably Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10])
Proposed Change Application 2 submitted by the Applicant to the ExA	27 March 2026	5	See submission documents accompanying Proposed Change Application 2.

Procedure	Date	Relevant CA Regulation	Document
Procedural decision by ExA to accept Proposed Change Application 2	By 24 April 2026	6	N/A
Notification and publication of the proposed provision under CA Regulations carried out by the Applicant	w/c 27 April 2026 and w/c 4 May 2026	7 & 8	N/A
Relevant representation period (28 days from day after last notice)	w/c 27 April 2026 to w/c 1 June 2026	7 & 8	N/A
Deadline for relevant representations on Change Request 2 (Little Bromley) to be submitted	w/c 1 June 2026	10	N/A
Certificates of compliance submitted by the Applicant (within 10 working days after the close of the relevant representations period)	w/c 8 June 2026	9	N/A
Notice of any hearings issued by the ExA	w/c 22 June 2026	14, 15 & 16	N/A
ExA make initial assessment of issues arising in connection with Change Request 2 (Little Bromley) (within 21 days of end of the representation period)	w/c 22 June 2026	11	N/A
ExA sets timetable for examining Change Request 2 (Little Bromley)	w/c 22 June 2026	12	N/A
Deadline for written representations on Change Request 2 (Little Bromley) to be submitted	w/c 13 July 2026 (new procedural deadline)	12 & 13	N/A
Publication of ExA's written questions on Change Request 2 (Little Bromley)	w/c 13 July 2026	12 & 13	N/A

Procedure	Date	Relevant CA Regulation	Document
Hearings (if required)	w/c 20 July 2026 (new week reserved for hearings)	14, 15 & 16	N/A
Responses to written representations and written questions	w/c 27 July 2026 (new procedural deadline)	12 & 13	N/A
Comments on responses to written representations/ written questions and any final comments	4 August 2026 (currently Deadline 8)	12 & 13	The Applicant suggests aligning comments on responses to written representations/ written questions and any final comments with Deadline 8 in the ExA's Rule 8 Letter [PD-011]
Close of Examination	10 August 2026	N/A	N/A

6.1.10 This application (Proposed Change Application 2) has been made on 27 March 2026. While the ExA has a maximum of 28 days to consider whether to accept this request, the Applicant anticipates that it may be possible for a decision to be made sooner than that (perhaps by 2 April 2026), noting both the importance and the limited scope of the change.

6.1.11 Whilst it is clearly a matter for the ExA's discretion, the Applicant is aware of recent and relevant precedent in this respect. For example, on Sea Link, the Applicant submitted a Change Request for 5 changes on 26 November 2025, with all changes accepted on 5 December 2025; and on Yorkshire Green the Applicant submitted a Change Request for three changes on 11 July 2023, with the changes being accepted on 13 July 2023.

6.1.12 In light of this, the Applicant suggests the following "expedited" timetable which would align consideration of Change Request 2 more closely with the existing Examination Timetable (and particularly as regard the scheduling of hearings):

Table 6.2 Programme of procedures in CA Regulations in the context of the Examination (accelerated programme)

Procedure	Date	Relevant CA Regulation	Document
Notification of proposed change	12 December 2025	N/A	AS-050
Targeted consultation	19 January 2026 to 23 February 2026	N/A	See submission documents accompanying Proposed Change Application 2 (notably Proposed Change

Procedure	Date	Relevant CA Regulation	Document
			Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]
Proposed Change Application 2 submitted by the Applicant to the ExA	27 March 2026	5	See submission documents accompanying Proposed Change Application 2 .
Procedural decision by ExA to accept Proposed Change Application 2	2 April 2026	6	N/A
Notification and publication of the proposed provision under CA Regulations carried out by the Applicant	w/c 6 April 2026 and w/c 13 April 2026	7 & 8	N/A
Relevant representation period (28 days from day after last notice)	w/c 13 April 2026 to w/c 11 May 2026	7 & 8	N/A
Deadline for relevant representations on Change Request 2 (Little Bromley) to be submitted	15 May 2026	10	N/A
Certificates of compliance submitted by the Applicant (within 10 working days after the close of the relevant representations period)	20 May 2026	9	N/A
Notice of any hearings issued by the ExA	w/c 1 June 2026	14, 15 & 16	N/A
ExA make initial assessment of issues arising in connection with Change Request 2 (Little Bromley) (within 21 days of end of the representation period)	w/c 1 June 2026	11	N/A
ExA sets timetable for examining Change Request 2 (Little Bromley)	w/c 1 June 2026	12	N/A
Hearings (if required)	w/c 22 June 2026	14, 15 & 16	The Applicant suggests aligning with the week set

Procedure	Date	Relevant CA Regulation	Document
			aside for potential additional hearings in the ExA's Rule 8 Letter [PD-011]
Deadline for written representations on Change Request 2 (Little Bromley) to be submitted	7 July 2026 (currently Deadline 6 in [PD-011])	12 & 13	The Applicant suggests aligning deadline for written representation on Change Request 2 (Little Bromley) with Deadline 6 in the ExA's Rule 8 Letter [PD-011]
Publication of ExA's written questions on Change Request 2 (Little Bromley)	7 July 2026 (currently reserved for publication by the ExA of other matters (if required) in [PD-011])	12 & 13	The Applicant proposes aligning the publication of the ExA's written questions on Change Request 2 (Little Bromley) (if required) with the date currently reserved for publication by the ExA of the report on the implications for European Sites (RIES) (if required) and commentary on, or schedule of changes to, the draft DCO (if required) ExA's Rule 8 Letter [PD-011] .
Responses to written representations and written questions	21 July 2026 (currently Deadline 7 in [PD-011])	12 & 13	The Applicant suggests aligning responses to written representations and written questions with Deadline 7 in the ExA's Rule 8 Letter [PD-011]
Comments on responses to written representations/ written questions and any final comments	4 August 2026 (currently Deadline 8 in [PD-011])	12 & 13	The Applicant suggests aligning ccomments on responses to written representations/ written questions with Deadline 8 in the ExA's Rule 8 Letter [PD-011]
Close of Examination	10 August 2026	N/A	N/A

6.1.13 As demonstrated in **Table 6.1** and **Table 6.2**, the Applicant is confident that Change Request 2 (Little Bromley) can be considered within the Examination Timetable.

7. Conclusion

- 7.1.1 This document explains the Applicant's proposed change at Little Bromley (Change Request 2) to the DCO application including the rationale and need for making the proposed change. The Applicant requests that the ExA considers and accepts the proposed change for inclusion into the Examination of the Application.
- 7.1.2 Further, this document (and as shown in **Proposed Change Application 2: Addendum to Environmental Statement - Change Request 2 (Little Bromley) [document reference 9.12]**) confirms that there would be no new or different significant effects to those reported in the ES as a consequence of Change Request 2 (Little Bromley) (either individually or in combination with Change Request 1 (Bulphan). The conclusions of the **ES [APP-123 to APP-287, AS-026 and AS-068]** submitted in support of the DCO application for the Project remain valid.
- 7.1.3 The Applicant has summarised in this document the targeted consultation undertaken on Change Request 2 (Little Bromley). Further details are provided in **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**. This consultation was undertaken in line with PINS Guidance 2024 and advice from the ExA on the consultation required.
- 7.1.4 Where feedback was received, the Consultation Report, see **Proposed Change Application 2: Consultation Report - Change Request 2 (Little Bromley) [document reference 9.10]**, provides details of how the Applicant has taken responses into account in finalising this change application (Proposed Change Application 2).
- 7.1.5 This report details how the Applicant has submitted, in support of Change Request 2 (Little Bromley), the information prescribed in Regulation 5 of the CA Regulations. The Applicant has also provided a detailed description of how it considers the procedures in Regulations 6-19 of the CA Regulations can be accommodated within the examination timetable as set by the ExA in their Rule 8 letter **[PD-011]**.
- 7.1.6 The Applicant, therefore, requests that the ExA accepts Change Request 2 (Little Bromley), on the basis of the supporting information set out in Proposed Change Application 2. It is the Applicant's view that these changes will improve the application and respond positively to feedback from, and ongoing detailed discussions with, affected landowners in order to secure an operational access arrangement that meets the Project need whilst also facilitating ongoing land management.


Appendix A. Change Request 2 (Little Bromley)

Appendix A


Change Request 2 (Little Bromley)



THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS - CHANGE REQUEST 2
 CURRENT PROPOSED PROJECT DESIGN ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET A, TENDRING DISTRICT COUNCIL)




Legend
 Proposed Project Design
 Current Order Limits



Notes
 1. These plans show the Order Limits and potential location for the works. Due to the need for future flexibility, National Grid will be applying for Order Limits and Limits of Deviation within its Development Consent Order, within which any final alignments would lie.
 2. This drawing is scaled at paper size A0, therefore any prints taken at smaller sizes will affect accuracy of the measurement units and should not be scaled against.
 3. These plans have been produced for purposes of the Change Application in respect of Change Request 2.

Coordinate System: British National Grid
 Sheet X Centroid Coordinate: 609242.385 Sheet Y Centroid Coordinate: 228215.778



BACKGROUND MAPPING INFORMATION HAS BEEN REPRODUCED FROM THE ORDNANCE SURVEY BY PERMISSION OF ORDNANCE SURVEY OF THE CONTROLLER OF HIS MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT AND DATABASE RIGHTS (2025) LICENCE OS100024241 AND AC0000807948.

Issue	Date	Remarks	Drawn	Checked	Approved
A	MAR-2026	For change application	TMH	JPC	EE

Title
 THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS -
 CHANGE REQUEST 2
 CURRENT PROPOSED PROJECT DESIGN
 ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET A, TENDRING
 DISTRICT COUNCIL)

nationalgrid


PINS Application Number EN020027

National Grid Drawing Reference
 AENC-LSTC-ENG-PLN-0012

Scale	Sheet Size	Sheet	Issue
1:2,000	A0	SHEET A	A



THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS - CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET B, TENDRING DISTRICT COUNCIL)



Legend

- Proposed Project Design**
 - Current Order Limits (Red line)
 - Proposed change Order Limits (Blue line)
 - Current Order Limits to be removed (Pink shaded area)

Notes

- These plans show the Order Limits and potential location for the works. Due to the need for future flexibility, National Grid will be applying for Order Limits and Limits of Deviation within its Development Consent Order, within which any final alignments would lie.
- This drawing is scaled at paper size A0, therefore any prints taken at smaller sizes will affect accuracy of the measurement units and should not be scaled against.
- These plans have been produced for purposes of the Change Application in respect of Change Request 2.

Coordinate System: British National Grid
 Sheet X Centroid Coordinate: 609242.385 Sheet Y Centroid Coordinate: 228215.778



BACKGROUND MAPPING INFORMATION HAS BEEN REPRODUCED FROM THE ORDNANCE SURVEY BY PERMISSION OF ORDNANCE SURVEY OF THE CONTROLLER OF HIS MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT AND DATABASE RIGHTS (2025) LICENCE OS100024241 AND AC0000807948.

Issue	Date	Remarks	Drawn	Checked	Approved
A	MAR-2026	For change application	TMH	JPC	EE

Title


THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS -
 CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT
 ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET B, TENDRING
 DISTRICT COUNCIL)

nationalgrid

PINS Application Number EN020027


National Grid Drawing Reference
 AENC-LSTC-ENG-PLN-0012

Scale	Sheet Size	Sheet	Issue
1:2,000	A0	SHEET B	A






THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS - CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET C, TENDRING DISTRICT COUNCIL)



Legend
 Proposed Change Project Design
 Proposed change Order Limits



Notes
 1. These plans show the Order Limits and potential location for the works. Due to the need for future flexibility, National Grid will be applying for Order Limits and Limits of Deviation within its Development Consent Order, within which any final alignments would lie.
 2. This drawing is scaled at paper size A0, therefore any prints taken at smaller sizes will affect accuracy of the measurement units and should not be scaled against.
 3. These plans have been produced for purposes of the Change Application in respect of Change Request 2.

Coordinate System: British National Grid
 Sheet X Centroid Coordinate: 609242.385 Sheet Y Centroid Coordinate: 228215.778

0 50 100 150 200 Metres
 BACKGROUND MAPPING INFORMATION HAS BEEN REPRODUCED FROM THE ORDNANCE SURVEY BY PERMISSION OF ORDNANCE SURVEY OF THE CONTROLLER OF HIS MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT AND DATABASE RIGHTS (2025) LICENCE OS100024241 AND AC0000807948.


Issue	Date	Remarks	Drawn	Checked	Approved
A	MAR-2026	For change application	TMH	JPC	EE

Title
 THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS -
 CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT
 ORDER LIMITS
 REGULATION 5(2)(o)
 SECTION C (SHEET C, TENDRING
 DISTRICT COUNCIL)

nationalgrid
 PINS Application Number EN020027
 National Grid Drawing Reference
 AENC-LSTC-ENG-PLN-0012
 Scale 1:2,000 Sheet Size A0 Sheet SHEET C Issue A



THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS - CHANGE REQUEST 2
 CURRENT PROPOSED PROJECT DESIGN
 REGULATION 5(2)(o)
 SECTION C (SHEET D, TENDRING DISTRICT COUNCIL)



- Legend**
- Proposed Project Design
 - Current Order Limits
 - Proposed permanent access road
 - Existing carriageway
 - Proposed permanent infiltration drainage feature
 - Proposed highways mitigation compound

- Notes**
- These plans show the Order Limits and potential location for the works. Due to the need for future flexibility, National Grid will be applying for Order Limits and Limits of Deviation within its Development Consent Order, within which any final alignments would lie.
 - This drawing is scaled at paper size A0, therefore any prints taken at smaller sizes will affect accuracy of the measurement units and should not be scaled against.
 - These plans have been produced for purposes of the Change Application in respect of Change Request 2.

Coordinate System: British National Grid
 Sheet X Centroid Coordinate: 609242.385 Sheet Y Centroid Coordinate: 228215.778



BACKGROUND MAPPING INFORMATION HAS BEEN REPRODUCED FROM THE ORDNANCE SURVEY BY PERMISSION OF ORDNANCE SURVEY OF THE CONTROLLER OF HIS MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT AND DATABASE RIGHTS (2025) LICENCE OS100024241 AND AC0000807948.

Issue	Date	Remarks	Drawn	Checked	Approved
A	MAR-2026	For change application	TMH	JPC	EE

Title


THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS -
 CHANGE REQUEST 2
 CURRENT PROPOSED PROJECT DESIGN
 REGULATION 5(2)(o)
 SECTION C (SHEET D, TENDRING
 DISTRICT COUNCIL)



PINS Application Number EN020027


National Grid Drawing Reference
 AENC-LSTC-ENG-PLN-0012

Scale	Sheet Size	Sheet	Issue
1:2,000	A0	SHEET D	A





THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS - CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT DESIGN
 REGULATION 5(2)(o)
 SECTION C (SHEET E, TENDRING DISTRICT COUNCIL)



Legend

Proposed Project Design

- Existing carriageway
- Proposed highways mitigation compound

Proposed Change Project Design

- Proposed change Order Limits
- Proposed permanent access road
- Proposed temporary haul road
- Proposed permanent infiltration drainage feature
- Proposed UKPN pole uplifting
- Proposed UKPN overhead line mitigation work area (wood pole line)

Notes

- These plans show the Order Limits and potential location for the works. Due to the need for future flexibility, National Grid will be applying for Order Limits and Limits of Deviation within its Development Consent Order, within which any final alignments would lie.
- This drawing is scaled at paper size A0, therefore any prints taken at smaller sizes will affect accuracy of the measurement units and should not be scaled against.
- These plans have been produced for purposes of the Change Application in respect of Change Request 2.

Coordinate System: British National Grid
 Sheet X Centroid Coordinate: 609242.385 Sheet Y Centroid Coordinate: 228215.778



BACKGROUND MAPPING INFORMATION HAS BEEN REPRODUCED FROM THE ORDNANCE SURVEY BY PERMISSION OF ORDNANCE SURVEY OF THE CONTROLLER OF HIS MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT AND DATABASE RIGHTS (2025) LICENCE OS100024241 AND AC0000807948.

Issue	Date	Remarks	Drawn	Checked	Approved
A	MAR-2026	For change application	TMH	JPC	EE

Title


THE NATIONAL GRID (NORWICH TO TILBURY) ORDER
 PROPOSED CHANGE ORDER LIMIT PLANS -
 CHANGE REQUEST 2
 PROPOSED CHANGE TO THE PROJECT DESIGN
 REGULATION 5(2)(o)
 SECTION C (SHEET E, TENDRING DISTRICT COUNCIL)

nationalgrid

PINS Application Number: EN020027

National Grid Drawing Reference: AENC-LSTC-ENG-PLN-0012

Scale	Sheet Size	Sheet	Issue
1:2,000	A0	SHEET E	A



National Grid plc
National Grid House,
Warwick Technology Park,
Gallows Hill, Warwick.
CV34 6DA United Kingdom

Registered in England and Wales
No. 4031152
nationalgrid.com