

National Infrastructure
Planning
Temple Quay House
2 The Square
Bristol, BS1 6PN

hynetco2pipeline@planninginspectorate.gov.uk

Development Management

Planning Service
Cheshire West and Chester Council
The Portal Wellington Road Ellesmere Port
CH65 0BA

[REDACTED]
[REDACTED]
[REDACTED]

our reference:	your reference:	please ask for:	date:
21/04793/REQ	EN070007	Ben Greenwood	6 October 2022

[REDACTED]

Dear Karl-Jonas Johansson,

Application by Liverpool Bay CCS Limited for an Order Granting Development Consent for the HyNet Carbon Dioxide Pipeline

Planning Act 2008 (as amended) – Adequacy of Consultation Request

I write in response to your letter dated 3 October 2022 inviting Cheshire West and Chester Borough Council to comment on the adequacy of consultation undertaken by the Applicant in compliance with the relevant sections of the Planning Act 2008 ('the Act'). The Council has reviewed the HyNet Carbon Dioxide Pipeline DCO Consultation Report Ref D.5.1, dated September 2022, which has been submitted in accordance with the requirements of paragraph 37 of the Act. Further to this the Council is satisfied that consultation has been carried out in accordance with the requirements of paragraphs 42, 47 and 48 of the Act.

Yours faithfully

Ben Greenwood

Senior Planning Officer

