

A38 Derby Junctions TR010022 Volume 6 6.3 Environmental Statement Appendices Appendix 2.2: Environmental Mitigation Schedule

Regulation 5(2)(a)

Planning Act 2008

Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

April 2019



Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

A38 Derby Junctions Development Consent Order 202[]

6.3 Environmental Statement Appendices Appendix 2.2: Environmental Mitigation Schedule

Regulation Number	Regulation 5(2)(a)
Planning Inspectorate Scheme	TR010022
Reference	
Application Document Reference	6.3
Author	A38 Derby Junctions Project Team, Highways
	England

Version	Date	Status of Version
1	April 2019	DCO Application



Table of contents

1	Introduction	.1
2	Environmental mitigation schedule	. 2



Appendix 2.2: Environmental Mitigation Schedule

1 Introduction

1.1.1 As detailed in the Environmental Statement [TR010022/APP/6.1], a wide range of environmental mitigation features have been included within the Scheme design as illustrated in the Environmental Masterplans (Figures 2.12a to 2.12h [TR010022/APP/6.2]). Table 1 herein provides a summary of these environmental mitigation features (and replicates Table 3.2c in the Outline Environmental Management Plan (OEMP) (refer to Appendix 2.1 [TR010022/APP/6.3] and [TR010022/APP/6.12]).



Environmental mitigation schedule (mitigation measures included in the Scheme design as illustrated in the Environmental Masterplans - Figures 2.12a to 2.12h) [TR010022/APP/6.2]

Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
CULTUR	AL HERITAGE						•
D-CH1	ES Chapter 6, Section 6.14 (Environmental Masterplan ES Figure 2.12c)	Existing access to Markeaton Park to be closed and the existing exit on the A51 Ashbourne Road made into a combined access and exit (signalised).	To provide landscape integration and to create a new park entrance that is sympathetic to the significance of the park.	Re-designed park entrance.	Effective design and construction of a new park entrance.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor.
D-CH2	ES Chapter 6, Section 6.14 (Environmental Masterplan ES Figure 2.12c)	Removal of the closed toilet facilities block within Markeaton Park.	To remove an adverse impact upon the park entrance setting.	Re-designed park entrance.	Effective design and construction of a new park entrance.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-CH3	ES Chapter 6, Section 6.14 (Environmental Masterplan ES Figure 2.12c)	Dismantling a section of the Markeaton Park boundary wall and rebuilding it on a new alignment.	To provide landscape integration and to ensure that the rebuilt wall is sympathetic to the significance of Markeaton Park.	Re-designed park entrance.	Effective design and construction of a new park entrance.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor.
D-CH4	ES Chapter 6, Section 6.14 (Environmental Masterplan ES Figure 2.12e)	Naturalistic profile for the floodplain compensation area at Little Eaton junction to ensure that it blends in with the surrounding valley profile as well as enabling the land to be returned to agricultural use. No residual spoil heaps would be left at the site.	To reduce the visual intrusion of the floodplain compensation area within the World Heritage Site (WHS) and to blend it into the existing landscape.	Integration of floodplain compensation area into surrounding landscape.	Effective design and construction of the floodplain compensation area.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor.


Planning Inspectorate Scheme Ref: TR010022 Application Document Ref: TR010022/APP/6.3



Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
LANDSC	APE AND VISUAL						
D-L1	ES Chapter 7, Landscape design ES Figures 7.8a, b (Environmental Masterplan ES Figures 2.12a – c)	New A38 in underpasses at Kingsway junction and Markeaton junction to reduce visual intrusion.	For landscape integration.	Impacts on local landscape character and visual amenity.	Effective design	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor/ Maintenance authority
D-L2	ES Chapter 7 (Environmental Masterplan Figure 2.12f/g)	Combined noise and visual screening barriers approximately 2.5m high along the northbound mainline A38 in the vicinity of the Ford Farm Mobile Home Park, and along the southbound mainline A38 and associated diverge slip-road as the Scheme passes Breadsall village.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor/ Maintenance authority
D-L3	ES Chapter 7, Landscape design ES Figures 7.8a – c (Environmental Masterplan Figures 2.12a – 2.12h)	Provision of a landscape design that include areas of amenity grassland, grassland with bulbs, species rich grassland, and native planting/Planting would include: individual trees, woodland, woodland edge, shrubs with intermittent trees, shrubs, hedgerows, hedgerows with trees, ornamental shrubs and wetland plants. Refer to landscape design Figures 7.8a – 7.8c [TR010022/APP/6.2]. Key elements of the landscape design are detailed below.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/ Maintenance authority
		Wetland habitat creation at the flood storage at		· , ,			
	 Species rich grassland to be located adjacent to the southbound merge slip road and the earthworks adjacent to the northbound diverge serious semi-mature tree planting between A38 southbound carriageway and southbound merge slip road at Kingsway junction to provide instant landscape integration. Native woodland and shrub planting between A38 southbound carriageway and southbound merge slip road at Kingsway junction to provide landscape integration. Habitat creation to be included as part of the highway runoff attenuation pond between the north and southbound carriageways to the southbound. 						eening and eening and y junction.
		 Native woodland planting between A38 southb integration. Native woodland planting and shrubs with interintegration. 					




Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)			
		Native woodland planting and native ships	rub planting between the northbo	und carriageway and northb	ound diverge slip road a	Kingsway junction.				
		Two dumbbell roundabouts at Kingsway	junction to incorporate species	rich grassland and native shi	rub planting to enhance b	piodiversity and landscape	e integration.			
		Woodland edge planting in front of exist landscape integration.	Woodland edge planting in front of existing woodland adjacent to the northbound merge slip road at Kingsway junction to provide visual screening and promote landscape integration.							
			Semi-mature tree planting, native woodland planting and native shrub planting between A38 northbound carriageway and northbound merge slip road at Kingsway junction to provide visual screening and landscape integration.							
		Native woodland planting between A38 integration.	northbound and southbound car	iageways to the north of Kin	gsway junction to provide	e visual screening and lar	ndscape			
		Native shrub planting adjacent to the ne	w link road to Kingsway Park Cl	se and Kingsway junction to	promote visual amenity	and landscape integration	n.			
		 Native woodland planting adjacent to th screening and landscape integration. 	e northbound and southbound ca	arriageways to the north of B	rackensdale Avenue and	Kingsway junction to pro	vide visual			
		1.5m high noise barriers on both the no- climbing plants to promote biodiversity a		ainline between Brackensda	lle Avenue underbridge a	nd Markeaton junction to	be planted with			
		Semi-mature tree planting adjacent to the integration.	ne southbound carriageway, to th	e south of Markeaton junction	on to provide instant impa	act, visual screening and I	andscape			
		Native shrub planting adjacent to the no integration and visual amenity.	orthbound diverge slip road at En	ield Road and land at the ES	SSO petrol station site, N	larkeaton junction to pron	note landscape			
		Native woodland planting adjacent to th	e southbound merge slip road at	Markeaton junction for visua	al screening and landsca	oe integration.				
		Reinstatement of planting at Markeaton incorporating disease resistant Elm tree				planting and semi-mature	e avenue planting			
		Native scattered trees and shrubs to be	planted within Markeaton junction	n for landscape integration a	and visual amenity.					
		Native woodland planting adjacent to not	orthbound carriageway and north	bound merge slip road at Ma	arkeaton junction for visu	al screening and landscap	pe integration.			
		4m high noise barrier along the boundar landscape integration.	ry of the Royal School for the De	af at Markeaton junction to b	e planted with climbing p	lants to promote biodiver	sity and			
		Creation of public open space and coml incorporate areas of wildflower grasslan integration.								
		Creation of new species rich grassland	within Markeaton Park.							
		Native woodland planting to the south o	f the A38 at Little Eaton junction	to provide visual screening a	and landscape integration).				
		Native woodland planting on the emban	kment adjacent to the southbour	d diverge slip road at Little E	aton junction for visual s	creening and landscape i	integration.			
		Native woodland planting on the emban landscape integration.	kment between the southbound	merge slip road and southbo	und carriageway Little E	aton junction for visual sc	reening and			
		Linear belts of shrubs and trees on the and landscape integration.	embankment between the northb	ound diverge slip road and r	orthbound carriageway	at Little Eaton junction for	visual screening			





Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
		 Native woodland planting on the cuttings adjac and landscape integration. Scattered trees, native woodland and species is landscape integration. 	_	•		,	
D-L4	ES Chapter 7, Landscape design ES Figure 7.8a (Environmental Masterplan ES Figure 2.12b)	Access closure at Brackensdale Avenue to be reinstated and landscaped to integrate with existing area of open space.	For landscape integration along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
D-L5	ES Chapter 7, Landscape design ES Figure 7.8b (Environmental Masterplan ES Figure 2.12c/d)	New semi-mature tree planting to replace trees to be removed along the boundary of Markeaton Park. Trees to include disease resistant Elms to promote biodiversity in the area.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
D-L6	ES Chapter 7, Landscape design ES Figure 7.8b (Environmental Masterplan ES Figure 2.12c)	Reconfiguration of Markeaton Park entrance and associated landscaping.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
D-L7	ES Chapter 7, Landscape design ES Figure 7.8b (Environmental Masterplan ES Figure 2.12c)	New area of public open space at Queensway to incorporate a combined cyclepath and footpath, plus planting to promote local habitats.	For landscape integration along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
D-L8	ES Chapter 7, Landscape design ES Figure 7.8b (Environmental Masterplan ES Figure 2.12c/d)	Landscaping around the replaced Markeaton footbridge.	For landscape integration along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority






Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-L9	ES Chapter 7, Landscape design Figure 7.7c (Environmental Masterplan Figure 2.12e)	Naturalistic profile for the floodplain compensation area at Little Eaton junction to ensure that it blends in with the surrounding valley profile as well as enabling the land to be returned to agricultural use. No residual spoil heaps would be left at the site.	To reduce the visual intrusion of the floodplain compensation area within the World Heritage Site (WHS) and to blend it into the existing landscape.	Integration of floodplain compensation area into surrounding landscape.	Effective design and construction of the floodplain compensation area.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor.
D-L10	ES Chapter 7, Landscape design ES Figure 7.8c (Environmental Masterplan ES Figure 2.12e)	Closure of Ford Lane access and reinstated as landscape area.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
D-L11	ES Chapter 7, Landscape design ES Figures 7.8b/c (Environmental Masterplan ES Figures 2.12c and 2.12g)	Landscaping of closed sections of A38 – includes existing northbound A38 from Markeaton junction and a section of existing A38 mainline carriageway located to the north of Little Eaton junction.	For landscape integration and habitat connectivity along the Scheme.	Impacts on local landscape character and visual amenity.	Effective design and landscape integration.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 5.	Main works contractor/Maint enance authority
BIODIVE	RSITY						
D-B1	ES Chapter 8, Section 8.9, Landscape design ES Figures 7.8a-c (Environmental Masterplan ES Figures 2.12a – 2.12h)	Provision of native species-rich grassland habitat, wet woodland creation, woodland and scrub replacement within the Scheme boundary (order limits), including along the highway verges, cuttings, embankments etc. for landscape integration and ecological connectivity.	To provide habitat connectivity and provide landscape integration.	Maintaining habitat connectivity.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor/Maint enance authority
D-B2	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12a – 2.12d)	Incorporation of disease resistant elms near Mackworth Park and Markeaton Park to aim to assist the continued survival of white-letter hairstreak (<i>Satyrium w-album</i>) (although not recorded during surveys, this species is known in the area).	Planting of disease resistant elms to assist the continued survival of white-letter hairstreak.	Although not recorded during surveys white- letter hairstreak is known in the area.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	The Authority/Mainte nance Authority




A38 Derby Junctions Environmental Statement

Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-B3	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12d)	Translocation of species-rich grassland soils from the A38 Roundabout LWS into Markeaton Park. If during detailed design stage translocation is not deemed suitable (for example, following detailed analysis of soil testing of the receptor site), then planting of a bespoke native seed mix would be undertaken instead to achieve the same ecological outcome.	To mitigate for the loss of the A38 Roundabout LWS species-rich grassland.	Complete loss of the A38 Roundabout LWS.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B4	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12f)	Area of Alfreton Road Rough Grassland LWS at Little Eaton junction lost during construction would be reinstated with species-rich grassland planting and non-native invasive plant species controlled in the vicinity.	Grassland LWS to protect	Create grasslands for the mitigation of loss of Alfreton Road Rough Grassland LWS.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B5	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12e)	Section of woodland lost within the non- designated site of interest A38 Scrub Other Site of Interest DE05.03 at Little Eaton junction (to provide an access route to the proposed floodplain compensation area) to be reinstated.	Reinstate habitat lost within A38 Scrub Other Site of Interest DE05.03 to protect integrity.	Woodland lost to be reinstated and handed back to the landowner.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B6	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12g)	Area of species-rich grassland, marshy grassland and scrub of terrestrial invertebrate, bird and badger interest, located within the Little Eaton junction main construction compound to be reinstated post-construction.	Reinstate habitat within the main construction compound to pre-existing conditions.	Habitat reinstated and handed back to the landowner.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B7	ES Chapter 8, Section 8.9 (Environmental Masterplan Figures 2.12a – 2.12h)	Planted native broadleaved woodland, with high- quality flora understory and timber from felled trees. Timber would be used to provide dead wood habitats for saproxylic (dead wood loving) species, placed in the understorey of woodland.	To mitigate for the loss of woodland and trees.	Habitat loss resulting in the loss of woodland and trees.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor





Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-B8	ES Chapter 8, Section 8.9 (Environmental Masterplan Figure 2.12d)	Timber from felled trees to provide suitable amphibian hibernacula and log piles near new ponds to be created, and within areas of public open space and soft estate near Markeaton Lake and Mill Pond at Markeaton junction.	To provide shelter and refugia for amphibians.	Impacts on toads due to terrestrial habitat loss.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B9	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12c)	The veteran tree to be lost by Markeaton footbridge (with its existing potential bat roost features retained) to be made into a totem pole feature and installed at the edge of Markeaton Park as part of the bat mitigation strategy.	Loss of veteran tree to be utilised as part of bat mitigation.	Loss of veteran tree by Markeaton footbridge.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B10	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12a – 2.12h)	Retained trees to be protected as per British Standard BS: 5837 Trees in relation to design, demolition and construction – Recommendations (BSI, 2012). This includes: • Veteran trees near floodplain compensation area and temporary soil storage area at Little Eaton junction. • Woodland blocks at Markeaton Park LWS and near Mill Pond at Markeaton junction; Mackworth Park and A38 southbound (adjacent to Kingsway hospital) at Kingsway junction; and west of the A38 northbound (near the Derby Garden Centre), north and south of the A38 at the River Derwent bridge, and to the north of the Flood Arch Bridge and Railway Bridge at Little Eaton junction.	To protect trees (including veteran trees and woodland) to be retained.	Potential to damage retained habitat during construction activities.	Fencing to be approved by competent arborist or ecologist.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B11	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12a)	Design and build Bramble Brook realignment to include the following: A series of inset alternate berms to improve flow variation, help to reduce fine sediment deposition and provide suitable available habitat for in-channel macrophytes. The base of the four flood storage areas	To mitigate the loss of Bramble Brook; which supports aquatic invertebrates and riparian mammal habitat.	Impacts on Bramble Brook and associated aquatic invertebrate and riparian mammal habitat.	Habitat and species monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor






Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
		located adjacent to Bramble Brook to be kept wet (to a depth of 100mm) to provide wetland habitat within the riparian corridor.			intervention.		
D-B12	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12f)	Design and build Dam Brook realignment, associated wildlife ponds and wetland habitat to include the following: Sinuous channel form within a vegetated corridor. In-channel features, regularly wetted berm, inset berms and point bars, to improve bed and bank structure. Where the bed of the watercourse is raised, encourage a more natural bed formation. Backwaters (wildlife ponds) to improve the habitat for both coarse and salmonid fish and brook lamprey. Flood alleviation channel planted to form a wet woodland connecting to the realigned Dam Brook. Two attenuation ponds for collection and treatment of highway drainage, and new section of open swale.	To mitigate and enhance the loss of Dam Brook which supports fish, aquatic invertebrates, and riparian mammal habitat; and creates new wetland habitat of potential benefit to birds.	Impacts on Dam Brook and associated fish, aquatic invertebrate riparian mammal, and potentially wetland bird habitat.	Habitat and species monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B13	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12e – 2.12g)	Rank grassland incorporated into the landscape design adjacent to retained arable habitat linking the Scheme to the wider landscape at Little Eaton junction; however away from the road (to avoid potential attraction of barn owl).	To provide grassland field margins for lost arable habitat.	No notable field margins to be lost. Arable land however to be lost.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B14	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12f/g)	Planting of species-rich hedgerow to mitigate and enhance for species-poor hedgerow lost.	To mitigate and enhance for loss of species-poor hedgerow.	Loss of species-poor hedgerow.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor




A38 Derby Junctions Environmental Statement

Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-B15	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12a – 2.12h)	Scheme design incorporates highway drainage system that includes one attenuation pond at Kingsway junction, a wet sedimentation pond at Markeaton junction, plus two highway runoff attenuation ponds at Little Eaton junction. In addition, the Scheme would provide two new ecology ponds at Little Eaton junction as part of the works to realign of Dam Brook.	Biodiversity enhancement/drainage strategy/landscape integration.	No ponds to be lost. Ponds to be created.	Habitat monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor.	Main works contractor
D-B16	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12d)	The culverts connecting Markeaton Lake and Mill Pond/Middle Brook to be retained thus ensuring habitat connectivity is maintained for amphibians (toads).	Maintain habitat connectivity for amphibians (toads) at Markeaton junction.	Culvert connecting Markeaton Lake and Mill Ponds/Middle Brook to be retained.	n/a	Contractual requirement between The Authority and the main works contractor.	Main works contractor
D-B17	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12d)	Scheme kerb design at Markeaton junction would allow amphibians to bypass gully gratings minimising the risks of them getting trapped if they follow the kerb of the road.	To minimise killing and injury to amphibians during operation.	No amphibian crossing points to be severed.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B18	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12c – 2.12d)	Mixed urban planting, including shrubs, scrub, trees and grassland incorporated into the landscape design at Markeaton junction for benefit of hedgehogs.	To provide shelter and food resource for hedgehogs.	Habitat loss at Markeaton junction.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B19	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12e – 2.12g)	Dense woodland shelterbelt to be created to the east, south and south-west of the A38 at Little Eaton junction to: Encourage barn owls in the wider area to fly up and over the road. Screen the new road from the notable farmland bird assemblage, nesting lapwing, potential nesting little ringed plover and oyster catcher and wintering birds in the pastoral and flooded fields.	To minimise visual disturbance to notable birds from operational traffic.	Existing shelterbelt to be lost.	Habitat and species monitoring surveys to be undertaken yearly up to a maximum of 5 years post construction to inform management intervention.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor






Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-B20	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12a)	Installation of 20 No. bird boxes within Mackworth Park.	To replace common nesting bird habitat lost (primarily crevice dwelling species).	Impacts on birds due to habitat loss (trees and buildings).	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B21	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12c)	Translocation of known roosting features from tree M2, noctule maternity roost (and potential hibernation roost), with sections of the tree M2 being strapped and attached to a nearby tree (G361*) under direction of a bat licence holder. An eco-rocket box also to be implemented within the same woodland parcel (G361*) as the noctule roost.	To mitigate for loss of maternity and hibernating noctule roost at Tree M2.	Tree M2 to be lost.	Monitoring as per Natural England EPSML.	Contractual requirement between The Authority and the main works contractor. Implemented through Natural England EPSML.	Main works contractor
D-B22	ES Chapter 8, (Environmental Masterplan ES Figure 2.12c)	Integration of bat roost features onto the 4m high noise barrier along the Scheme boundary with the Royal School for the Deaf. Sections of the noise barrier (facing away from the road) provided with a 2cm wooden cavity sectioned regularly to provide different lengths of cavities available to suit more than one bat species. Replacement roosting features would comprise approximately 6 no. along the length of noise barrier.	To mitigate for loss of roost at building B8-QW30.	B8-QW30 to be lost.	Monitoring as per Natural England EPSML.	DCO Requirement 12. Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B23	ES Chapter 8, (Environmental Masterplan ES Figure 2.12c)	A bat box suitable for hibernation positioned within the woodland parcel (G361*) in the unlikely scenario that bats are encountered during licenced soft strip and demolition of building QW30. This would be a temporary feature if it was not utilised by bats during the construction period.	To mitigate for loss of roost at building B8-QW30.	B8-QW30 to be lost.	Monitoring as per Natural England EPSML.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B24	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12e)	Three bat boxes would be installed as part of the bridge extension works at B2 Flood Arch Bridge within the bridge abutment to create replacement roosting locations.	To mitigate for loss of roost at B2 Flood Arch Bridge.	B2 Flood Arch Bridge to be extended.	Monitoring as per Natural England EPSML.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor





Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
D-B25	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12d)	Creating suitable roost features in approximately 10 retained trees within the Scheme boundary at Markeaton Park (proactive management to improve their habitat value by creating features including natural fracture pruning).	To mitigate for loss of potential roost features across the Scheme.	Impacts on potential roost features.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B26	ES Chapter 8, Section 8.9 (Environmental Masterplan Figure 2.12c)	Creation of three totem poles within Markeaton Park using trees with existing roost features retained that would be felled due to the Scheme.	To mitigate for loss of potential roost features across the Scheme.	Impacts on potential roost features.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B27	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12a)	Installation of 10 bat mitigation features within Mackworth Park, namely: bat boxes such as 4 x Schwegler 2F, 2 x Schwegler 1FF and 2 x Schwegler 1FS, and hibernation boxes 2 x Schwegler 1FW.	To mitigate for loss of potential roost features across the Scheme.	Impacts on potential roost features.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B28	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12d)	Markeaton footbridge to be replaced to recreate navigational cue for bats at known flyway.	To replace existing footbridge.	ES assumes navigational cue for bats would be temporarily lost and then reinstated.	Bat crossing point survey to be undertaken yearly up to a maximum of 5 years post construction.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B29	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figure 2.12e – 2.12g)	Scheme provided with an appropriate lighting design – includes no lighting columns along A38 mainline at Little Eaton junction, plus taking account of guidance provided by IAN 116/08 (Highways England, 2008) and guidance provided by the Institute of Lighting (2018) regarding minimising lighting risks to bats.	To minimise light impacts upon bats.	ES assumes lighting designed to minimise impacts upon bats.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-B30	ES Chapter 8, Section 8.9 (Environmental Masterplan ES Figures 2.12a/b, 2.12e – 2.12g)	Install and maintain permanent badger fencing at Kingsway junction and Little Eaton junction to avoid badgers crossing the road and entering the highway.	Fencing to avoid badgers crossing over the road.	Impacts on badger territory/commuting.	Provision of suitable mammal fencing, to be approved by competent ecologist. Annual checks to monitor state of	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor





Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
					fencing and check for breaches in the fence.		
NOISE							
D-N1	ES Chapter 9, Section 9.9 (Environmental Masterplan ES Figures 2.12a – 2.12g)	Thin road surfacing installed on the mainline of the new A38 and its associated slip roads (low noise surface).	To reduce noise impacts from the Scheme, including on residential receptors.	Reduction of noise impacts upon nearby receptors.	Details of the thin noise surfacing at detailed design.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor
D-N2	ES Chapter 9, Section 9.9 (Environmental Masterplan ES Figures 2.12b – 12.12c)	Approximate 1.5m absorptive barriers on both the northbound and southbound mainline between Brackensdale Avenue underbridge and Markeaton junction.	To reduce noise impacts within Mackworth and New Zealand.	Reduction of noise impacts upon nearby receptors.	Details of the absorbent noise barriers at detailed design. Minimum specification category A3 and B3 as defined in accordance with BS EN 1793 part 1 and 2.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor
D-N3	ES Chapter 9, Section 9.9 (Environmental Masterplan ES Figures 2.12b)	Approximate 1.5m reflective noise barrier on the east side of Kingsway Park Close, which becomes an access link onto Kingsway junction.	To reduce noise impacts at properties on Cheviot Street, which back on to Kingsway Park Close.	Reduction of noise impacts upon nearby receptors.	Details of the noise barriers at detailed design. Minimum specification category B3 as defined in accordance with BS EN 1793 part 1 and 2.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor
D-N4	ES Chapter 9, Section 9.9 (Environmental Masterplan ES Figure 2.12c)	Approximate 4.0m reflective noise barrier on the western boundary of the Royal School for the Deaf north of Markeaton junction.	To reduce noise impacts within the Royal School for the Deaf.	Reduction of noise impacts upon nearby receptors.	Details of the noise barriers at detailed design. Minimum specification category B3 as defined in accordance with BS EN 1793 part 1 and 2.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor
D-N5	ES Chapter 9, Section 9.9 (Environmental Masterplan ES Figure 2.12e – 2.12g)	Approximate 2.5m reflective noise barrier on the southbound diverge slip road at Little Eaton junction; approximate 2.5m reflective/absorptive noise barrier on the southbound mainline at Little Eaton junction; and approximate 2.5m reflective	To reduce noise impacts within Breadsall village and Ford Farm Mobile Home Park.	Reduction of noise impacts upon nearby receptors.	Details of the noise barriers at detailed design. Minimum specification category A3 (for absorbent	Contractual requirement between The Authority and the main works contractor. DCO Requirement 15.	Main works contractor



Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
		noise barrier on the northbound mainline at Little Eaton junction.			section) and B3 as defined in accordance with BS EN 1793 part 1 and 2.		
PEOPLE	AND COMMUNITIES			<u>'</u>			
D-PC1	ES Chapter 12: (Environmental Masterplan ES Figure 2.12a – 2.12g)	Provision of rights of way in accordance with the Streets, Rights of Way and Access Plans [TR010022/APP/2.7] and as detailed in Chapter 12: People and Communities (Section 12.9) [TR010022/APP/6.1].	To maintain and enhance footpath and cycleway connectivity.	Provision of suitable facilities for pedestrians and cyclists.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-PC2	ES Chapter 12: (Environmental Masterplan ES Figure 2.12c)	Provision of replacement public open space at Queensway, Markeaton Park and at the closed A38 Brackensdale Avenue access (refer to ES Figures 2.8 and 2.9 [TR010022/APP/6.2]).	To replace public open space lost to the Scheme.	Area of public open space equal to or greater than the area of public open space lost provided as part of Scheme.	n/a	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-PC3	ES Chapter 12: (Environmental Masterplan ES Figure 2.12c)	Relocation of sensory garden within the Royal School for the Deaf.	To replace the sensory lost to the Scheme.	Sensory garden to be relocated within the grounds of school as agreed with the school management team.	Agreement of actions with the Royal School for the Deaf.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
ROAD D	RAINAGE AND FLOOD RI	SK					
D-RD1	ES Chapter 13, Section 13.9 – refer to ES Appendix 13.4 [TR010022/APP/6.3]; (Environmental Masterplan ES Figures 2.12a – 2.12g)	Drainage treatment areas provided in accordance with ES Appendix 13.4 Road Drainage Strategy [TR010022/APP/6.3].	Provision of flood and pollution control.	Refer to Road Drainage Strategy ES Appendix 13.4 [TR010022/APP/6.3].	In accordance with Road Drainage Strategy ES Appendix 13.4 [TR010022/APP/6.3].	Contractual requirement between The Authority and the main works contractor. DCO Requirement 13.	Main works contractor
D-RD2	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12a)	Realignment of Bramble Brook, Culvert base set below the channel bed to allow substrate conveyance, improved flow capacity and improved species passage. Berms within the realigned channel to improve flow variation,	Provision of flood control and habitat creation.	Flood risk modelling as per ES Appendix 13.2A [TR010022/APP/6.3].	Flood management and habitat creation – refer to ES Appendix 13.3A.	Contractual requirement between The Authority and the main works contractor.	Main works contractor

Planning Inspectorate Scheme Ref: TR010022 Application Document Ref: TR010022/APP/6.3



A38 Derby Junctions Environmental Statement

Ref.	Source [TR010022/APP/6.1] [TR010022/APP/6.2]	Mitigation/commitment	Objective	Assumption on which the action is based	Achievement criteria and reporting requirements (if applicable)	How the action is to be implemented	Responsible person(s)
		reduce fine sediment deposition and provide suitable habitat for in-channel macrophytes.			[TR010022/APP/6.3].	DCO Requirement 12.	
D-RD3	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12a)	Provision of four flood storage areas located adjacent to the realigned Bramble Brook at Kingsway junction. Base of flood storage areas to remain wet providing wetland habitat (water piped from Bramble Brook).	Provision of flood control.	Flood risk modelling as per ES Appendix 13.2A [TR010022/APP/6.3].	Flood management in accordance with ES Appendix 13.2A [TR010022/APP/6.3].	Contractual requirement between The Authority and the main works contractor. DCO Requirement 14.	Main works contractor
D-RD4	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12c)	Secant retaining walls along each side of the cutting, combined with a reinforced concrete base slab to exclude groundwater from the cuttings and avoid post-construction groundwater pumping.	Prevention of impacts upon groundwater flows.	Prevention of impacts upon groundwater flows.	Groundwater flows as detailed in ES Chapter 13: Road Drainage and the Water Environment.	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-RD5	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12e)	Provision of floodplain compensation area to the west of the River Derwent (and south of the A38).	Provision of flood control.	Flood risk modelling as per ES Appendix 13.2C [TR010022/APP/6.3].	Flood risk modelling as per ES Appendix 13.2C [TR010022/APP/6.3].	Contractual requirement between The Authority and the main works contractor. DCO Requirement 14.	Main works contractor
D-RD6	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12a)	Realignment of Dam Brook to create a more sinuous channel form with a vegetated corridor.	Provision of flood control and habitat creation.	Flood risk modelling as per Appendix 13.2C [TR010022/APP/6.3].	Flood management and habitat creation – refer to Appendix 13.3B [TR010022/APP/6.3].	Contractual requirement between The Authority and the main works contractor. DCO Requirement 12.	Main works contractor
D-RD7	ES Chapter 13, Section 13.9 (Environmental Masterplan ES Figure 2.12f)	Creation of a multi-stage flood alleviation channel within a wet woodland to connect unnamed stream emanating from Breadsall Manor to the realigned Dam Brook.	Provision of flood control and habitat creation.	Flood risk modelling as per ES Appendix 13.2C [TR010022/APP/6.3].	Flood management and habitat creation – refer to ES Appendix 13.3B [TR010022/APP/6.3].	Contractual requirement between The Authority and the main works contractor. DCO Requirement 14.	Main works contractor