

A38 Derby Junctions
TR010022
Volume 6

6.3 Environmental Statement
Appendices

Appendix 5.3: Air Quality Results

Regulation 5(2)(a)

Planning Act 2008

Infrastructure Planning (Applications: Prescribed
Forms and Procedure) Regulations 2009

April 2019

Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009

A38 Derby Junctions Development Consent Order 202[]

6.3 Environmental Statement Appendices Appendix 5.3: Air Quality Results

Regulation Number	Regulation 5(2)(a)
Planning Inspectorate Scheme Reference	TR010022
Application Document Reference	6.3
Author	A38 Derby Junctions Project Team, Highways England

Version	Date	Status of Version
1	April 2019	DCO Application

Table of contents

Pages

1	Results for the air quality predictions	1
----------	--	----------

List of Tables

Table 1.1: Predicted annual mean NO ₂ concentrations with construction Scenario 0.....	1
Table 1.2: Predicted annual mean PM ₁₀ concentrations with construction Scenario 0	8
Table 1.3: Predicted number of days exceeding 50 µg/m ³ PM ₁₀ with construction Scenario 0.....	15
Table 1.4: Predicted annual mean PM _{2.5} concentrations with construction Scenario 0	22
Table 1.5: Predicted annual mean NO ₂ concentrations with construction Scenario 2.....	29
Table 1.6: Predicted annual mean PM ₁₀ concentrations with construction Scenario 2.....	36
Table 1.7: Predicted number of days exceeding 50 µg/m ³ PM ₁₀ concentrations with construction Scenario 2	43
Table 1.8: Predicted annual mean PM _{2.5} concentrations with construction Scenario 2	51
Table 1.9: Predicted annual mean NO ₂ concentrations with construction Scenario 4.....	58
Table 1.10: Predicted annual mean PM ₁₀ concentrations with construction Scenario 4.....	65
Table 1.11: Predicted number of days exceeding 50 µg/m ³ PM ₁₀ concentrations with construction Scenario 4	72
Table 1.12: Predicted annual mean PM _{2.5} concentrations with construction Scenario 4....	79
Table 1.13: Predicted annual mean NO ₂ concentrations with the Scheme in operation	86
Table 1.14: Predicted annual mean PM ₁₀ concentrations with the Scheme in operation...	92
Table 1.15: Predicted number of days exceeding 50µg/m ³ PM ₁₀ with the Scheme in operation.....	99
Table 1.16: Predicted annual mean PM _{2.5} concentrations with the Scheme in operation	105
Table 1.17: Local air quality plan level TAG appraisal - PM ₁₀ in the Scheme opening year (2024)	112
Table 1.18: Local air quality plan level TAG appraisal – NO ₂ in the Scheme opening year (2024)	113
Table 1.19: Local air quality plan level TAG appraisal - PM ₁₀ in the Scheme design year (2039)	114
Table 1.20: Local air quality plan level TAG appraisal - NO ₂ in the Scheme design year (2039)	115
Table 1.21: Compliance risk assessment for construction Scenario 0	116

Table 1.22: Compliance risk assessment for construction Scenario 2124

Table 1.23: Compliance risk assessment for construction Scenario 4.....134

Table 1.24: Compliance risk assessment for the Scheme opening year (2024)144

Appendix 5.3: Air Quality Results

1 Results for the air quality predictions

Table 1.1: Predicted annual mean NO₂ concentrations with construction Scenario 0

Receptor	Base Year 2015 (µg/m ³)	Do-Minimum 2021 (µg/m ³)	Do-Something 2021 (µg/m ³)	Change with Scheme (µg/m ³)	Descriptor
R1	15.5	12.1	12.1	0.0	Imperceptible
R2	15.5	12.2	12.2	0.0	Imperceptible
R3	14.9	11.7	11.7	0.0	Imperceptible
R4	15.1	11.8	11.8	0.0	Imperceptible
R5	16.8	13.2	13.2	0.0	Imperceptible
R6	16.4	13.0	12.9	-0.1	Imperceptible
R7	17.8	14.1	13.9	-0.2	Imperceptible
R8	20.5	16.3	15.0	-1.3	Small improvement
R9	20.9	16.8	16.8	0.0	Imperceptible
R10	26.9	22.0	21.9	-0.1	Imperceptible
R11	20.0	16.1	16.1	0.0	Imperceptible
R12	29.8	24.0	24.4	0.4	Imperceptible
R13	30.1	24.3	24.6	0.3	Imperceptible
R14	25.5	20.4	20.6	0.2	Imperceptible
R15	16.6	13.2	13.2	0.0	Imperceptible
R16	18.0	14.4	14.4	0.0	Imperceptible
R17	19.7	15.9	16.0	0.1	Imperceptible
R18	17.9	14.2	14.2	0.0	Imperceptible
R19	20.3	16.3	16.3	0.0	Imperceptible
R20	25.6	20.9	20.9	0.0	Imperceptible
R21	23.7	19.2	19.1	-0.1	Imperceptible
R22	24.3	19.7	19.6	-0.1	Imperceptible
R23	23.8	19.3	19.3	0.0	Imperceptible
R24	23.9	19.4	19.4	0.0	Imperceptible
R25	23.1	18.7	18.8	0.1	Imperceptible
R26	20.5	16.5	16.5	0.0	Imperceptible
R27	19.6	15.7	15.7	0.0	Imperceptible
R28	21.3	17.1	17.1	0.0	Imperceptible
R29	20.0	16.0	16.1	0.1	Imperceptible
R30	20.8	16.7	16.7	0.0	Imperceptible
R31	22.5	18.1	18.2	0.1	Imperceptible
R32	24.2	19.7	19.7	0.0	Imperceptible
R33	25.4	20.7	20.7	0.0	Imperceptible
R34	25.9	21.1	21.2	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R35	24.5	19.9	20.0	0.1	Imperceptible
R36	22.5	18.2	18.2	0.0	Imperceptible
R37	20.7	16.5	16.7	0.2	Imperceptible
R38	28.1	22.9	22.9	0.0	Imperceptible
R39	25.9	21.1	21.1	0.0	Imperceptible
R40	23.0	18.7	18.7	0.0	Imperceptible
R41	20.7	16.5	16.7	0.2	Imperceptible
R42	24.2	19.6	19.6	0.0	Imperceptible
R43	23.0	18.6	18.6	0.0	Imperceptible
R44	21.4	17.2	17.2	0.0	Imperceptible
R45	25.5	20.8	20.8	0.0	Imperceptible
R46	23.7	19.1	19.1	0.0	Imperceptible
R47	21.5	17.3	17.3	0.0	Imperceptible
R48	32.3	26.5	26.5	0.0	Imperceptible
R49	25.6	20.7	20.8	0.1	Imperceptible
R50	25.3	20.4	20.5	0.1	Imperceptible
R51	22.7	18.3	18.3	0.0	Imperceptible
R52	30.5	24.7	24.8	0.1	Imperceptible
R53	33.2	27.3	27.3	0.0	Imperceptible
R54	25.5	20.9	20.9	0.0	Imperceptible
R55	24.3	19.8	19.8	0.0	Imperceptible
R56	21.7	17.6	17.6	0.0	Imperceptible
R57	22.0	17.9	17.9	0.0	Imperceptible
R58	26.5	21.8	21.8	0.0	Imperceptible
R59	23.9	19.5	19.5	0.0	Imperceptible
R60	33.8	27.1	27.1	0.0	Imperceptible
R61	33.6	25.9	26.0	0.1	Imperceptible
R62	36.6	28.1	28.1	0.0	Imperceptible
R63	39.6	30.4	30.4	0.0	Imperceptible
R64	41.6	32.0	32.0	0.0	Imperceptible
R82	35.6	28.7	28.8	0.1	Imperceptible
R83	34.0	27.3	27.4	0.1	Imperceptible
R84	31.9	25.6	25.7	0.1	Imperceptible
R85	29.8	23.9	23.9	0.0	Imperceptible
R86	29.0	23.2	23.3	0.1	Imperceptible
R87	28.2	22.5	22.6	0.1	Imperceptible
R88	31.8	25.1	25.1	0.0	Imperceptible
R89	26.8	21.1	21.1	0.0	Imperceptible
R90	24.9	19.7	19.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R91	26.7	21.0	21.0	0.0	Imperceptible
R92	38.2	29.9	29.8	-0.1	Imperceptible
R93	35.4	27.9	27.7	-0.2	Imperceptible
R94	34.0	26.7	26.5	-0.2	Imperceptible
R95	24.7	19.7	19.6	-0.1	Imperceptible
R96	30.3	24.0	24.0	0.0	Imperceptible
R98	23.6	19.1	19.1	0.0	Imperceptible
R99	29.3	24.9	24.9	0.0	Imperceptible
R100	29.5	24.6	24.6	0.0	Imperceptible
R101	26.5	22.2	22.2	0.0	Imperceptible
R102	30.8	24.5	24.5	0.0	Imperceptible
R103	27.2	21.6	21.6	0.0	Imperceptible
R104	35.8	28.6	28.6	0.0	Imperceptible
R105	29.2	24.0	24.0	0.0	Imperceptible
R106	25.9	21.3	21.3	0.0	Imperceptible
R107	29.2	24.1	24.2	0.1	Imperceptible
R108	26.4	21.5	21.6	0.1	Imperceptible
R109	20.6	16.5	16.5	0.0	Imperceptible
R110	32.2	26.8	26.8	0.0	Imperceptible
R111	35.3	29.0	28.4	-0.6	Small improvement
R112	36.6	30.2	30.2	0.0	Imperceptible
R113	30.7	25.1	25.2	0.1	Imperceptible
R114	30.8	25.4	25.4	0.0	Imperceptible
R115	35.9	29.8	29.9	0.1	Imperceptible
R116	35.7	29.6	29.6	0.0	Imperceptible
R117	33.2	27.2	27.3	0.1	Imperceptible
R118	29.8	24.4	24.5	0.1	Imperceptible
R119	27.4	22.3	22.3	0.0	Imperceptible
R120	24.7	20.0	19.9	-0.1	Imperceptible
R121	23.7	19.2	19.2	0.0	Imperceptible
R122	22.4	18.2	18.2	0.0	Imperceptible
R123	25.3	20.6	20.7	0.1	Imperceptible
R124	23.8	19.3	19.3	0.0	Imperceptible
R125	18.3	14.6	14.6	0.0	Imperceptible
R126	18.9	15.1	15.1	0.0	Imperceptible
R127	24.8	19.8	19.9	0.1	Imperceptible
R128	26.1	21.0	21.0	0.0	Imperceptible
R129	23.4	18.7	18.8	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R130	27.1	21.7	21.8	0.1	Imperceptible
R131	30.8	24.7	24.9	0.2	Imperceptible
R132	26.7	21.5	21.6	0.1	Imperceptible
R133	29.3	23.6	23.9	0.3	Imperceptible
R134	29.5	23.8	24.0	0.2	Imperceptible
R135	29.5	23.9	24.3	0.4	Imperceptible
R136	31.9	26.0	26.9	0.9	Small deterioration
R137	20.4	16.3	16.3	0.0	Imperceptible
R138	24.9	20.1	20.1	0.0	Imperceptible
R139	34.7	28.1	27.2	-0.9	Small improvement
R140	28.9	23.4	23.3	-0.1	Imperceptible
R141	25.8	20.9	20.4	-0.5	Small improvement
R142	24.7	20.2	20.2	0.0	Imperceptible
R143	27.7	22.8	22.7	-0.1	Imperceptible
R144	26.3	21.5	21.4	-0.1	Imperceptible
R145	31.9	25.9	25.5	-0.4	Imperceptible
R146	30.2	24.7	24.4	-0.3	Imperceptible
R147	33.9	27.5	27.0	-0.5	Small improvement
R148	28.5	23.3	23.2	-0.1	Imperceptible
R149	28.1	23.2	23.2	0.0	Imperceptible
R150	27.1	22.2	22.1	-0.1	Imperceptible
R151	23.1	19.2	19.2	0.0	Imperceptible
R152	22.0	18.2	18.2	0.0	Imperceptible
R153	23.1	19.1	19.1	0.0	Imperceptible
R154	27.7	22.9	22.9	0.0	Imperceptible
R155	29.4	24.3	24.3	0.0	Imperceptible
R156	29.5	24.5	24.3	-0.2	Imperceptible
R157	28.2	23.0	23.0	0.0	Imperceptible
R158	24.4	19.6	19.6	0.0	Imperceptible
R159	23.6	19.2	19.2	0.0	Imperceptible
R160	18.8	14.9	14.9	0.0	Imperceptible
R161	22.1	18.1	18.1	0.0	Imperceptible
R162	19.1	15.6	15.6	0.0	Imperceptible
R163	21.2	17.5	17.5	0.0	Imperceptible
R164	29.3	24.8	24.7	-0.1	Imperceptible
R165	24.0	19.9	19.9	0.0	Imperceptible
R166	15.5	13.0	13.0	0.0	Imperceptible
R170	43.7	35.8	35.8	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R171	33.5	27.1	27.1	0.0	Imperceptible
R172	36.9	28.5	28.4	-0.1	Imperceptible
R173	25.2	21.4	21.4	0.0	Imperceptible
R174	39.1	29.2	29.2	0.0	Imperceptible
R175	31.4	25.2	25.3	0.1	Imperceptible
R176	30.8	24.7	24.8	0.1	Imperceptible
R177	23.3	18.9	19.0	0.1	Imperceptible
R178	26.9	21.4	21.4	0.0	Imperceptible
R179	25.0	19.9	19.9	0.0	Imperceptible
R180	39.1	30.1	30.2	0.1	Imperceptible
R181	38.8	30.1	30.1	0.0	Imperceptible
R182	41.6	32.0	32.0	0.0	Imperceptible
R183	31.4	24.9	24.9	0.0	Imperceptible
R184	31.7	25.4	25.4	0.0	Imperceptible
R185	29.3	23.1	23.1	0.0	Imperceptible
R186	27.9	22.2	22.2	0.0	Imperceptible
R187	26.4	21.6	21.6	0.0	Imperceptible
R188	26.5	22.2	22.2	0.0	Imperceptible
R189	34.2	26.7	26.7	0.0	Imperceptible
R190	30.9	23.9	23.9	0.0	Imperceptible
R191	42.2	32.9	32.9	0.0	Imperceptible
R192	34.6	26.3	26.3	0.0	Imperceptible
R193	40.6	31.9	31.9	0.0	Imperceptible
R194	34.6	28.3	28.3	0.0	Imperceptible
R195	35.5	29.0	29.0	0.0	Imperceptible
R196	25.3	19.8	19.8	0.0	Imperceptible
R197	53.4	40.6	40.7	0.1	Imperceptible
R198	36.0	29.0	29.0	0.0	Imperceptible
R199	30.9	24.4	24.4	0.0	Imperceptible
R200	38.6	31.5	31.5	0.0	Imperceptible
R201	17.6	14.4	14.4	0.0	Imperceptible
R202	19.4	15.7	15.7	0.0	Imperceptible
R203	19.1	15.4	15.5	0.1	Imperceptible
R204	17.5	14.0	14.0	0.0	Imperceptible
R205	17.2	14.2	14.3	0.1	Imperceptible
R206	17.5	13.8	14.0	0.2	Imperceptible
R207	14.5	11.9	11.9	0.0	Imperceptible
R208	14.5	12.1	12.1	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R209	20.2	16.4	16.4	0.0	Imperceptible
R210	19.1	15.2	15.2	0.0	Imperceptible
R211	19.9	15.9	15.9	0.0	Imperceptible
R212	18.6	14.9	14.9	0.0	Imperceptible
R213	18.3	14.4	14.4	0.0	Imperceptible
R214	19.1	15.2	15.2	0.0	Imperceptible
R215	17.5	13.9	13.9	0.0	Imperceptible
R216	21.2	17.0	17.0	0.0	Imperceptible
R217	20.3	16.1	16.1	0.0	Imperceptible
R218	19.3	15.2	15.2	0.0	Imperceptible
R219	32.2	25.9	26.0	0.1	Imperceptible
R220	19.5	15.4	15.4	0.0	Imperceptible
R221	22.3	18.0	18.0	0.0	Imperceptible
R222	21.4	17.2	17.2	0.0	Imperceptible
R223	23.8	19.1	19.1	0.0	Imperceptible
R224	21.7	17.4	17.4	0.0	Imperceptible
R225	25.2	20.3	20.3	0.0	Imperceptible
R226	30.5	25.0	25.0	0.0	Imperceptible
R227	26.5	21.5	21.5	0.0	Imperceptible
R228	26.6	21.6	21.6	0.0	Imperceptible
R229	33.5	27.1	27.2	0.1	Imperceptible
R230	40.5	32.6	32.6	0.0	Imperceptible
R231	44.3	35.7	35.7	0.0	Imperceptible
R232	25.4	20.0	20.0	0.0	Imperceptible
R233	26.4	20.8	20.8	0.0	Imperceptible
R234	22.0	17.5	17.5	0.0	Imperceptible
R235	22.2	17.7	17.7	0.0	Imperceptible
R236	21.7	17.1	17.1	0.0	Imperceptible
R237	24.9	20.0	20.0	0.0	Imperceptible
R238	22.3	17.9	17.9	0.0	Imperceptible
R239	25.0	20.1	20.1	0.0	Imperceptible
R240	15.9	12.6	12.7	0.1	Imperceptible
R241	18.4	14.9	14.9	0.0	Imperceptible
R242	16.6	13.5	13.4	-0.1	Imperceptible
R243	23.2	19.4	19.4	0.0	Imperceptible
R244	22.1	18.5	18.5	0.0	Imperceptible
R245	18.8	16.0	16.0	0.0	Imperceptible
R246	22.1	18.3	18.3	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R247	34.8	28.6	28.7	0.1	Imperceptible
R248	32.6	26.7	26.7	0.0	Imperceptible
R249	33.6	27.8	27.8	0.0	Imperceptible
R250	38.1	30.7	30.7	0.0	Imperceptible
R251	21.7	17.3	17.3	0.0	Imperceptible
S1	18.9	15.2	15.1	-0.1	Imperceptible
S2	25.1	19.9	19.9	0.0	Imperceptible
S3	24.1	19.6	19.6	0.0	Imperceptible
S4	20.1	16.1	16.1	0.0	Imperceptible
S5	18.2	14.5	14.5	0.0	Imperceptible
S6	23.9	19.2	19.2	0.0	Imperceptible
S7	22.8	18.3	18.3	0.0	Imperceptible
S8	20.2	15.9	15.9	0.0	Imperceptible
S9	23.9	18.9	18.9	0.0	Imperceptible
S10	27.5	21.7	21.7	0.0	Imperceptible
S11	24.2	20.6	20.6	0.0	Imperceptible
S12	23.2	18.8	19.0	0.2	Imperceptible
S13	29.9	23.9	24.0	0.1	Imperceptible
S14	19.8	15.8	15.8	0.0	Imperceptible
S15	23.5	19.1	19.0	-0.1	Imperceptible
S16	26.3	21.6	21.6	0.0	Imperceptible
S17	23.1	18.7	18.7	0.0	Imperceptible
S18	21.2	17.5	17.5	0.0	Imperceptible
S19	23.6	19.6	19.6	0.0	Imperceptible
S20	19.2	15.7	15.7	0.0	Imperceptible
H1	20.2	16.3	16.3	0.0	Imperceptible
H2	19.3	15.6	15.6	0.0	Imperceptible
H3	23.9	19.4	19.4	0.0	Imperceptible
H4	22.8	18.4	18.4	0.0	Imperceptible
H5	21.8	17.4	17.5	0.1	Imperceptible
H6	21.2	16.9	16.9	0.0	Imperceptible
C1	15.0	11.8	11.8	0.0	Imperceptible
C2	37.2	29.9	30.3	0.4	Imperceptible
C3	30.3	24.1	24.1	0.0	Imperceptible
C4	27.7	22.0	22.0	0.0	Imperceptible
C5	32.1	25.5	25.5	0.0	Imperceptible
C6	21.4	17.1	17.1	0.0	Imperceptible
C7	21.7	17.2	17.2	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
C8	22.7	18.0	18.0	0.0	Imperceptible
C9	24.4	19.3	19.3	0.0	Imperceptible
C10	22.7	18.3	18.3	0.0	Imperceptible
C11	27.5	22.3	22.3	0.0	Imperceptible
C12	25.5	21.0	21.1	0.1	Imperceptible
C13	20.6	16.5	16.6	0.1	Imperceptible
C14	34.9	28.4	28.6	0.2	Imperceptible
C15	17.7	14.4	14.4	0.0	Imperceptible
C16	15.4	12.3	12.3	0.0	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ are shown in **bold**.

Table 1.2: Predicted annual mean PM₁₀ concentrations with construction Scenario 0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	14.0	13.3	13.3	0.0	Imperceptible
R2	13.9	13.3	13.3	0.0	Imperceptible
R3	13.8	13.1	13.1	0.0	Imperceptible
R4	13.8	13.1	13.1	0.0	Imperceptible
R5	15.4	14.7	14.7	0.0	Imperceptible
R6	15.4	14.6	14.6	0.0	Imperceptible
R7	15.6	14.8	14.8	0.0	Imperceptible
R8	16.1	15.3	15.1	-0.2	Imperceptible
R9	16.1	15.4	15.4	0.0	Imperceptible
R10	17.2	16.3	16.3	0.0	Imperceptible
R11	16.0	15.2	15.2	0.0	Imperceptible
R12	16.9	16.0	16.0	0.0	Imperceptible
R13	16.9	16.0	16.0	0.0	Imperceptible
R14	16.6	15.7	15.8	0.0	Imperceptible
R15	13.9	13.2	13.2	0.0	Imperceptible
R16	14.1	13.4	13.4	0.0	Imperceptible
R17	14.4	13.7	13.7	0.0	Imperceptible
R18	14.0	13.3	13.3	0.0	Imperceptible
R19	15.9	15.1	15.1	0.0	Imperceptible
R20	16.8	16.0	16.0	0.0	Imperceptible
R21	16.4	15.7	15.7	0.0	Imperceptible
R22	16.5	15.8	15.8	0.0	Imperceptible
R23	16.4	15.7	15.7	0.0	Imperceptible
R24	16.5	15.7	15.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R25	16.2	15.5	15.5	0.0	Imperceptible
R26	15.9	15.2	15.2	0.0	Imperceptible
R27	15.7	15.0	15.1	0.0	Imperceptible
R28	16.0	15.3	15.3	0.0	Imperceptible
R29	15.8	15.1	15.1	0.0	Imperceptible
R30	14.6	13.9	13.9	0.0	Imperceptible
R31	16.1	15.3	15.3	0.0	Imperceptible
R32	14.9	14.3	14.3	0.0	Imperceptible
R33	15.3	14.6	14.6	0.0	Imperceptible
R34	15.5	14.7	14.7	0.0	Imperceptible
R35	15.2	14.5	14.5	0.0	Imperceptible
R36	14.9	14.2	14.2	0.0	Imperceptible
R37	14.6	13.9	13.9	0.0	Imperceptible
R38	15.9	15.1	15.1	0.0	Imperceptible
R39	15.5	14.7	14.7	0.0	Imperceptible
R40	15.0	14.3	14.3	0.0	Imperceptible
R41	14.6	13.9	13.9	0.0	Imperceptible
R42	15.2	14.5	14.5	0.0	Imperceptible
R43	15.0	14.3	14.3	0.0	Imperceptible
R44	14.7	14.0	14.0	0.0	Imperceptible
R45	15.4	14.7	14.7	0.0	Imperceptible
R46	15.1	14.4	14.4	0.0	Imperceptible
R47	14.8	14.0	14.0	0.0	Imperceptible
R48	17.7	16.9	16.9	0.0	Imperceptible
R49	16.6	15.8	15.8	0.0	Imperceptible
R50	16.5	15.8	15.8	0.0	Imperceptible
R51	16.1	15.4	15.4	0.0	Imperceptible
R52	16.4	15.6	15.6	0.0	Imperceptible
R53	17.4	16.7	16.7	0.0	Imperceptible
R54	15.9	15.5	15.5	0.0	Imperceptible
R55	15.7	15.2	15.3	0.1	Imperceptible
R56	15.6	15.0	15.0	0.0	Imperceptible
R57	15.3	14.9	14.9	0.0	Imperceptible
R58	15.1	14.9	14.9	0.0	Imperceptible
R59	14.9	14.6	14.6	0.0	Imperceptible
R60	18.4	17.6	17.6	0.0	Imperceptible
R61	17.9	16.9	16.9	0.0	Imperceptible
R62	18.6	17.5	17.5	0.0	Imperceptible
R63	18.5	17.4	17.4	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R64	18.8	17.5	17.5	0.0	Imperceptible
R82	16.7	15.9	15.9	0.0	Imperceptible
R83	16.5	15.8	15.8	0.0	Imperceptible
R84	16.3	15.6	15.6	0.0	Imperceptible
R85	16.1	15.5	15.5	0.0	Imperceptible
R86	16.1	15.4	15.4	0.0	Imperceptible
R87	16.0	15.3	15.3	0.0	Imperceptible
R88	16.2	16.1	16.1	0.0	Imperceptible
R89	15.8	15.5	15.5	0.0	Imperceptible
R90	15.6	15.2	15.2	0.0	Imperceptible
R91	15.8	15.4	15.4	0.0	Imperceptible
R92	17.3	17.2	17.2	0.0	Imperceptible
R93	17.2	17.0	17.0	0.0	Imperceptible
R94	17.1	16.8	16.8	0.0	Imperceptible
R95	16.6	16.1	16.1	0.0	Imperceptible
R96	17.1	16.7	16.7	0.0	Imperceptible
R98	16.6	16.0	16.0	0.0	Imperceptible
R99	17.6	17.0	17.0	0.0	Imperceptible
R100	17.5	17.0	17.0	0.0	Imperceptible
R101	15.7	15.2	15.2	0.0	Imperceptible
R102	16.1	15.4	15.4	0.0	Imperceptible
R103	15.6	15.0	15.0	0.0	Imperceptible
R104	16.8	16.1	16.1	0.0	Imperceptible
R105	16.1	15.5	15.5	0.0	Imperceptible
R106	15.7	15.0	15.1	0.0	Imperceptible
R107	16.0	15.3	15.3	0.0	Imperceptible
R108	15.6	14.9	14.9	0.0	Imperceptible
R109	14.8	14.2	14.2	0.0	Imperceptible
R110	16.6	15.8	15.8	0.0	Imperceptible
R111	16.5	15.7	15.7	0.0	Imperceptible
R112	16.7	15.9	15.9	0.0	Imperceptible
R113	15.9	15.2	15.2	0.0	Imperceptible
R114	16.1	15.4	15.4	0.0	Imperceptible
R115	16.6	15.8	15.8	0.0	Imperceptible
R116	16.6	15.8	15.9	0.0	Imperceptible
R117	16.3	15.6	15.6	0.0	Imperceptible
R118	16.0	15.3	15.3	0.0	Imperceptible
R119	15.7	15.0	15.0	0.0	Imperceptible
R120	15.3	14.6	14.6	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R121	15.4	14.7	14.7	0.0	Imperceptible
R122	15.1	14.5	14.5	0.0	Imperceptible
R123	15.7	15.1	15.1	0.0	Imperceptible
R124	15.3	14.6	14.7	0.0	Imperceptible
R125	14.8	14.2	14.2	0.0	Imperceptible
R126	15.1	14.5	14.5	0.0	Imperceptible
R127	15.9	15.2	15.2	0.0	Imperceptible
R128	16.0	15.3	15.3	0.0	Imperceptible
R129	15.7	15.0	15.0	0.0	Imperceptible
R130	16.1	15.4	15.4	0.0	Imperceptible
R131	16.6	15.8	15.8	0.0	Imperceptible
R132	16.1	15.4	15.4	0.0	Imperceptible
R133	16.6	15.8	15.8	0.0	Imperceptible
R134	16.7	15.9	15.9	0.0	Imperceptible
R135	16.7	15.9	16.0	0.0	Imperceptible
R136	17.1	16.3	16.4	0.0	Imperceptible
R137	15.1	14.4	14.5	0.0	Imperceptible
R138	15.7	15.0	15.0	0.0	Imperceptible
R139	17.1	16.3	16.3	0.0	Imperceptible
R140	16.3	15.5	15.5	0.0	Imperceptible
R141	15.7	15.0	15.0	0.0	Imperceptible
R142	15.4	15.0	15.0	0.0	Imperceptible
R143	15.9	15.4	15.4	0.0	Imperceptible
R144	15.9	15.2	15.2	0.0	Imperceptible
R145	16.6	16.0	16.0	0.0	Imperceptible
R146	16.2	15.8	15.8	0.0	Imperceptible
R147	17.1	16.4	16.4	0.0	Imperceptible
R148	16.0	15.6	15.6	0.0	Imperceptible
R149	15.9	15.5	15.5	0.0	Imperceptible
R150	16.0	15.4	15.4	0.0	Imperceptible
R151	15.6	15.0	15.0	0.0	Imperceptible
R152	15.5	14.9	14.9	0.0	Imperceptible
R153	15.6	15.0	15.0	0.0	Imperceptible
R154	16.0	15.5	15.5	0.0	Imperceptible
R155	16.1	15.7	15.7	0.0	Imperceptible
R156	16.0	15.6	15.6	0.0	Imperceptible
R157	16.1	15.5	15.5	0.0	Imperceptible
R158	15.8	15.1	15.1	0.0	Imperceptible
R159	15.4	14.7	14.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R160	14.9	14.3	14.3	0.0	Imperceptible
R161	16.1	15.5	15.5	0.0	Imperceptible
R162	15.9	15.3	15.3	0.0	Imperceptible
R163	14.6	13.9	13.9	0.0	Imperceptible
R164	17.0	16.3	16.3	0.0	Imperceptible
R165	16.0	15.3	15.3	0.0	Imperceptible
R166	14.4	13.8	13.8	0.0	Imperceptible
R170	19.0	18.2	18.2	0.0	Imperceptible
R171	17.8	17.1	17.1	0.0	Imperceptible
R172	18.3	17.2	17.2	0.0	Imperceptible
R173	15.5	15.0	15.0	0.0	Imperceptible
R174	18.4	17.1	17.1	0.0	Imperceptible
R175	16.2	15.6	15.6	0.0	Imperceptible
R176	16.2	15.6	15.6	0.0	Imperceptible
R177	15.6	14.9	14.9	0.0	Imperceptible
R178	15.8	15.4	15.4	0.0	Imperceptible
R179	15.7	15.1	15.1	0.0	Imperceptible
R180	18.4	17.3	17.3	0.0	Imperceptible
R181	18.4	17.3	17.3	0.0	Imperceptible
R182	18.8	17.5	17.5	0.0	Imperceptible
R183	17.7	16.8	16.8	0.0	Imperceptible
R184	17.8	17.0	17.0	0.0	Imperceptible
R185	15.9	15.1	15.1	0.0	Imperceptible
R186	15.7	15.1	15.1	0.0	Imperceptible
R187	15.6	15.0	15.0	0.0	Imperceptible
R188	15.7	15.2	15.2	0.0	Imperceptible
R189	17.8	16.9	16.9	0.0	Imperceptible
R190	17.4	16.5	16.5	0.0	Imperceptible
R191	18.8	17.7	17.7	0.0	Imperceptible
R192	17.8	16.8	16.8	0.0	Imperceptible
R193	18.6	17.5	17.5	0.0	Imperceptible
R194	17.9	17.1	17.1	0.0	Imperceptible
R195	18.0	17.3	17.3	0.0	Imperceptible
R196	16.8	16.1	16.1	0.0	Imperceptible
R197	20.5	18.9	18.9	0.0	Imperceptible
R198	17.7	16.9	16.9	0.0	Imperceptible
R199	17.1	16.4	16.4	0.0	Imperceptible
R200	18.0	17.6	17.6	0.0	Imperceptible
R201	14.7	14.3	14.2	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R202	14.9	14.3	14.3	0.0	Imperceptible
R203	14.9	14.3	14.3	0.0	Imperceptible
R204	14.8	14.2	14.2	0.0	Imperceptible
R205	14.6	13.9	13.9	0.0	Imperceptible
R206	14.7	14.0	14.0	0.0	Imperceptible
R207	14.2	13.7	13.7	0.0	Imperceptible
R208	14.2	13.7	13.7	0.0	Imperceptible
R209	15.0	14.5	14.5	0.0	Imperceptible
R210	14.9	14.3	14.3	0.0	Imperceptible
R211	15.0	14.4	14.4	0.0	Imperceptible
R212	14.9	14.3	14.3	0.0	Imperceptible
R213	14.8	14.2	14.2	0.0	Imperceptible
R214	14.8	14.3	14.3	0.0	Imperceptible
R215	14.7	14.1	14.1	0.0	Imperceptible
R216	15.6	14.8	14.8	0.0	Imperceptible
R217	16.4	15.6	15.6	0.0	Imperceptible
R218	14.1	13.4	13.4	0.0	Imperceptible
R219	16.0	15.1	15.1	0.0	Imperceptible
R220	14.1	13.4	13.4	0.0	Imperceptible
R221	14.9	14.2	14.2	0.0	Imperceptible
R222	14.7	14.0	14.0	0.0	Imperceptible
R223	16.1	15.4	15.4	0.0	Imperceptible
R224	15.9	15.2	15.2	0.0	Imperceptible
R225	15.3	14.6	14.6	0.0	Imperceptible
R226	16.5	15.8	15.8	0.0	Imperceptible
R227	15.5	14.8	14.8	0.0	Imperceptible
R228	15.5	14.8	14.8	0.0	Imperceptible
R229	18.3	17.5	17.5	0.0	Imperceptible
R230	19.1	18.2	18.2	0.0	Imperceptible
R231	20.1	19.1	19.1	0.0	Imperceptible
R232	16.8	16.1	16.1	0.0	Imperceptible
R233	16.9	16.2	16.2	0.0	Imperceptible
R234	15.4	14.7	14.7	0.0	Imperceptible
R235	15.5	14.8	14.8	0.0	Imperceptible
R236	15.4	14.7	14.7	0.0	Imperceptible
R237	16.1	15.4	15.4	0.0	Imperceptible
R238	15.6	14.9	14.9	0.0	Imperceptible
R239	16.1	15.4	15.4	0.0	Imperceptible
R240	13.9	13.1	13.1	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R241	15.0	14.4	14.4	0.0	Imperceptible
R242	14.0	13.4	13.4	0.0	Imperceptible
R243	15.4	14.7	14.7	0.0	Imperceptible
R244	15.2	14.6	14.6	0.0	Imperceptible
R245	14.4	13.8	13.8	0.0	Imperceptible
R246	15.2	14.5	14.5	0.0	Imperceptible
R247	16.5	15.7	15.7	0.0	Imperceptible
R248	16.4	15.7	15.7	0.0	Imperceptible
R249	17.5	16.7	16.7	0.0	Imperceptible
R250	18.3	17.4	17.4	0.0	Imperceptible
R251	15.0	14.2	14.2	0.0	Imperceptible
S1	15.8	15.1	15.1	0.0	Imperceptible
S2	15.4	14.6	14.6	0.0	Imperceptible
S3	16.3	15.6	15.6	0.0	Imperceptible
S4	15.7	15.0	15.0	0.0	Imperceptible
S5	15.4	14.7	14.7	0.0	Imperceptible
S6	15.3	14.6	14.6	0.0	Imperceptible
S7	14.9	14.5	14.5	0.0	Imperceptible
S8	14.7	14.0	14.0	0.0	Imperceptible
S9	16.6	16.0	16.0	0.0	Imperceptible
S10	16.7	16.3	16.3	0.0	Imperceptible
S11	16.7	16.3	16.3	0.0	Imperceptible
S12	15.5	14.9	14.9	0.0	Imperceptible
S13	16.1	15.5	15.5	0.0	Imperceptible
S14	15.0	14.4	14.4	0.0	Imperceptible
S15	15.3	14.8	14.8	0.0	Imperceptible
S16	15.7	15.0	15.0	0.0	Imperceptible
S17	15.3	14.6	14.6	0.0	Imperceptible
S18	16.3	15.7	15.7	0.0	Imperceptible
S19	16.7	16.0	16.0	0.0	Imperceptible
S20	15.2	14.5	14.5	0.0	Imperceptible
H1	15.9	15.2	15.2	0.0	Imperceptible
H2	15.8	15.2	15.2	0.0	Imperceptible
H3	15.2	14.5	14.5	0.0	Imperceptible
H4	15.1	14.4	14.4	0.0	Imperceptible
H5	14.1	13.3	13.3	0.0	Imperceptible
H6	14.0	13.3	13.3	0.0	Imperceptible
C1	13.8	13.1	13.1	0.0	Imperceptible
C2	16.8	15.9	15.9	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
C3	17.0	16.2	16.2	0.0	Imperceptible
C4	16.5	15.8	15.8	0.0	Imperceptible
C5	17.9	17.1	17.1	0.0	Imperceptible
C6	14.9	14.2	14.2	0.0	Imperceptible
C7	14.9	14.3	14.3	0.0	Imperceptible
C8	16.5	15.9	15.9	0.0	Imperceptible
C9	16.7	16.1	16.1	0.0	Imperceptible
C10	16.5	15.9	15.9	0.0	Imperceptible
C11	16.1	15.5	15.5	0.0	Imperceptible
C12	16.1	15.4	15.4	0.0	Imperceptible
C13	15.2	14.5	14.5	0.0	Imperceptible
C14	16.4	15.5	15.5	0.0	Imperceptible
C15	15.7	15.1	15.1	0.0	Imperceptible
C16	13.6	12.9	12.9	0.0	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ are shown in **bold** (no exceedance shown in table).

Table 1.3: Predicted number of days exceeding $50\mu\text{g}/\text{m}^3$ PM₁₀ with construction Scenario 0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R1	0	0	0	0
R2	0	0	0	0
R3	0	0	0	0
R4	0	0	0	0
R5	0	0	0	0
R6	0	0	0	0
R7	0	0	0	0
R8	0	0	0	0
R9	0	0	0	0
R10	1	0	0	0
R11	0	0	0	0
R12	1	0	0	0
R13	1	0	0	0
R14	1	0	0	0
R15	0	0	0	0
R16	0	0	0	0
R17	0	0	0	0
R18	0	0	0	0
R19	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R20	1	0	0	0
R21	0	0	0	0
R22	1	0	0	0
R23	0	0	0	0
R24	0	0	0	0
R25	0	0	0	0
R26	0	0	0	0
R27	0	0	0	0
R28	0	0	0	0
R29	0	0	0	0
R30	0	0	0	0
R31	0	0	0	0
R32	0	0	0	0
R33	0	0	0	0
R34	0	0	0	0
R35	0	0	0	0
R36	0	0	0	0
R37	0	0	0	0
R38	0	0	0	0
R39	0	0	0	0
R40	0	0	0	0
R41	0	0	0	0
R42	0	0	0	0
R43	0	0	0	0
R44	0	0	0	0
R45	0	0	0	0
R46	0	0	0	0
R47	0	0	0	0
R48	1	1	1	0
R49	1	0	0	0
R50	1	0	0	0
R51	0	0	0	0
R52	0	0	0	0
R53	1	1	1	0
R54	0	0	0	0
R55	0	0	0	0
R56	0	0	0	0
R57	0	0	0	0
R58	0	0	0	0
R59	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R60	2	1	1	0
R61	1	1	1	0
R62	2	1	1	0
R63	2	1	1	0
R64	2	1	1	0
R82	1	0	0	0
R83	1	0	0	0
R84	0	0	0	0
R85	0	0	0	0
R86	0	0	0	0
R87	0	0	0	0
R88	0	0	0	0
R89	0	0	0	0
R90	0	0	0	0
R91	0	0	0	0
R92	1	1	1	0
R93	1	1	1	0
R94	1	1	1	0
R95	1	0	0	0
R96	1	1	1	0
R98	1	0	0	0
R99	1	1	1	0
R100	1	1	1	0
R101	0	0	0	0
R102	0	0	0	0
R103	0	0	0	0
R104	1	0	0	0
R105	0	0	0	0
R106	0	0	0	0
R107	0	0	0	0
R108	0	0	0	0
R109	0	0	0	0
R110	1	0	0	0
R111	1	0	0	0
R112	1	0	0	0
R113	0	0	0	0
R114	0	0	0	0
R115	1	0	0	0
R116	1	0	0	0
R117	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R118	0	0	0	0
R119	0	0	0	0
R120	0	0	0	0
R121	0	0	0	0
R122	0	0	0	0
R123	0	0	0	0
R124	0	0	0	0
R125	0	0	0	0
R126	0	0	0	0
R127	0	0	0	0
R128	0	0	0	0
R129	0	0	0	0
R130	0	0	0	0
R131	1	0	0	0
R132	0	0	0	0
R133	1	0	0	0
R134	1	0	0	0
R135	1	0	0	0
R136	1	0	0	0
R137	0	0	0	0
R138	0	0	0	0
R139	1	0	0	0
R140	0	0	0	0
R141	0	0	0	0
R142	0	0	0	0
R143	0	0	0	0
R144	0	0	0	0
R145	1	0	0	0
R146	0	0	0	0
R147	1	0	0	0
R148	0	0	0	0
R149	0	0	0	0
R150	0	0	0	0
R151	0	0	0	0
R152	0	0	0	0
R153	0	0	0	0
R154	0	0	0	0
R155	0	0	0	0
R156	0	0	0	0
R157	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R158	0	0	0	0
R159	0	0	0	0
R160	0	0	0	0
R161	0	0	0	0
R162	0	0	0	0
R163	0	0	0	0
R164	1	0	0	0
R165	0	0	0	0
R166	0	0	0	0
R170	2	2	2	0
R171	1	1	1	0
R172	2	1	1	0
R173	0	0	0	0
R174	2	1	1	0
R175	0	0	0	0
R176	0	0	0	0
R177	0	0	0	0
R178	0	0	0	0
R179	0	0	0	0
R180	2	1	1	0
R181	2	1	1	0
R182	2	1	1	0
R183	1	1	1	0
R184	1	1	1	0
R185	0	0	0	0
R186	0	0	0	0
R187	0	0	0	0
R188	0	0	0	0
R189	1	1	1	0
R190	1	1	1	0
R191	2	1	1	0
R192	1	1	1	0
R193	2	1	1	0
R194	1	1	1	0
R195	1	1	1	0
R196	1	0	0	0
R197	4	2	2	0
R198	1	1	1	0
R199	1	1	1	0
R200	1	1	1	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R201	0	0	0	0
R202	0	0	0	0
R203	0	0	0	0
R204	0	0	0	0
R205	0	0	0	0
R206	0	0	0	0
R207	0	0	0	0
R208	0	0	0	0
R209	0	0	0	0
R210	0	0	0	0
R211	0	0	0	0
R212	0	0	0	0
R213	0	0	0	0
R214	0	0	0	0
R215	0	0	0	0
R216	0	0	0	0
R217	0	0	0	0
R218	0	0	0	0
R219	0	0	0	0
R220	0	0	0	0
R221	0	0	0	0
R222	0	0	0	0
R223	0	0	0	0
R224	0	0	0	0
R225	0	0	0	0
R226	0	0	0	0
R227	0	0	0	0
R228	0	0	0	0
R229	2	1	1	0
R230	2	2	2	0
R231	4	2	2	0
R232	1	0	0	0
R233	1	0	0	0
R234	0	0	0	0
R235	0	0	0	0
R236	0	0	0	0
R237	0	0	0	0
R238	0	0	0	0
R239	0	0	0	0
R240	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R241	0	0	0	0
R242	0	0	0	0
R243	0	0	0	0
R244	0	0	0	0
R245	0	0	0	0
R246	0	0	0	0
R247	0	0	0	0
R248	0	0	0	0
R249	1	1	1	0
R250	2	1	1	0
R251	0	0	0	0
S1	0	0	0	0
S2	0	0	0	0
S3	0	0	0	0
S4	0	0	0	0
S5	0	0	0	0
S6	0	0	0	0
S7	0	0	0	0
S8	0	0	0	0
S9	1	0	0	0
S10	1	0	0	0
S11	1	0	0	0
S12	0	0	0	0
S13	0	0	0	0
S14	0	0	0	0
S15	0	0	0	0
S16	0	0	0	0
S17	0	0	0	0
S18	0	0	0	0
S19	1	0	0	0
S20	0	0	0	0
H1	0	0	0	0
H2	0	0	0	0
H3	0	0	0	0
H4	0	0	0	0
H5	0	0	0	0
H6	0	0	0	0
C1	0	0	0	0
C2	1	0	0	0
C3	1	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
C4	1	0	0	0
C5	1	1	1	0
C6	0	0	0	0
C7	0	0	0	0
C8	1	0	0	0
C9	1	0	0	0
C10	1	0	0	0
C11	0	0	0	0
C12	0	0	0	0
C13	0	0	0	0
C14	0	0	0	0
C15	0	0	0	0
C16	0	1	1	0

Exceedances of the objective/ limit value which permits 35 exceedances are marked in **bold** (no exceedance shown in table).

Table 1.4: Predicted annual mean PM_{2.5} concentrations with construction Scenario 0

Receptor	Base Year 2015 (µg/m ³)	Do- Minimum 2021 (µg/m ³)	Do- Something 2021 (µg/m ³)	Change with Scheme (µg/m ³)	Descriptor
R1	9.9	9.2	9.2	0.0	Imperceptible
R2	9.8	9.2	9.2	0.0	Imperceptible
R3	9.7	9.0	9.0	0.0	Imperceptible
R4	9.7	9.1	9.1	0.0	Imperceptible
R5	10.8	10.1	10.1	0.0	Imperceptible
R6	10.7	10.0	10.0	0.0	Imperceptible
R7	10.9	10.2	10.2	0.0	Imperceptible
R8	11.1	10.3	10.1	-0.2	Imperceptible
R9	11.5	10.7	10.7	0.0	Imperceptible
R10	12.5	11.7	11.7	0.0	Imperceptible
R11	11.3	10.6	10.6	0.0	Imperceptible
R12	11.9	11.0	11.0	0.0	Imperceptible
R13	11.9	11.0	11.1	0.0	Imperceptible
R14	11.6	10.8	10.8	0.0	Imperceptible
R15	9.7	9.0	9.0	0.0	Imperceptible
R16	10.0	9.3	9.3	0.0	Imperceptible
R17	10.2	9.6	9.6	0.0	Imperceptible
R18	9.9	9.2	9.2	0.0	Imperceptible
R19	10.9	10.3	10.3	0.0	Imperceptible
R20	11.9	11.1	11.1	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R21	11.5	10.8	10.8	0.0	Imperceptible
R22	11.6	10.9	10.9	0.0	Imperceptible
R23	11.5	10.8	10.8	0.0	Imperceptible
R24	11.5	10.8	10.8	0.0	Imperceptible
R25	11.3	10.6	10.6	0.0	Imperceptible
R26	11.0	10.3	10.3	0.0	Imperceptible
R27	10.8	10.1	10.2	0.0	Imperceptible
R28	11.1	10.4	10.4	0.0	Imperceptible
R29	10.9	10.2	10.2	0.0	Imperceptible
R30	10.2	9.6	9.6	0.0	Imperceptible
R31	11.1	10.4	10.5	0.0	Imperceptible
R32	10.6	10.0	10.0	0.0	Imperceptible
R33	11.0	10.2	10.3	0.0	Imperceptible
R34	11.1	10.4	10.4	0.0	Imperceptible
R35	10.9	10.2	10.2	0.0	Imperceptible
R36	10.6	9.9	9.9	0.0	Imperceptible
R37	10.3	9.6	9.6	0.0	Imperceptible
R38	11.5	10.7	10.7	0.0	Imperceptible
R39	11.1	10.4	10.4	0.0	Imperceptible
R40	10.6	9.9	9.9	0.0	Imperceptible
R41	10.3	9.6	9.6	0.0	Imperceptible
R42	10.9	10.1	10.1	0.0	Imperceptible
R43	10.7	10.0	10.0	0.0	Imperceptible
R44	10.4	9.7	9.7	0.0	Imperceptible
R45	11.1	10.3	10.3	0.0	Imperceptible
R46	10.8	10.1	10.1	0.0	Imperceptible
R47	10.4.1	9.7	9.7	0.0	Imperceptible
R48	12.8	11.9	12.0	0.0	Imperceptible
R49	11.6	10.9	10.9	0.0	Imperceptible
R50	11.6	10.8	10.9	0.0	Imperceptible
R51	11.1	10.4	10.4	0.0	Imperceptible
R52	11.8	11.0	11.0	0.0	Imperceptible
R53	12.6	12.0	12.0	0.0	Imperceptible
R54	11.1	10.7	10.7	0.0	Imperceptible
R55	11.0	10.5	10.5	0.0	Imperceptible
R56	10.8	10.3	10.3	0.0	Imperceptible
R57	10.6	10.1	10.1	0.0	Imperceptible
R58	10.5	10.4	10.4	0.0	Imperceptible
R59	10.3	10.0	10.0	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R60	13.5	12.6	12.6	0.0	Imperceptible
R61	12.9	11.9	11.9	0.0	Imperceptible
R62	13.7	12.5	12.5	0.0	Imperceptible
R63	13.6	12.4	12.4	0.0	Imperceptible
R64	13.8	12.6	12.6	0.0	Imperceptible
R82	11.8	11.0	11.0	0.0	Imperceptible
R83	11.6	10.9	10.9	0.0	Imperceptible
R84	11.4	10.7	10.7	0.0	Imperceptible
R85	11.2	10.6	10.6	0.0	Imperceptible
R86	11.2	10.5	10.5	0.0	Imperceptible
R87	11.1	10.4	10.4	0.0	Imperceptible
R88	11.3	11.2	11.2	0.0	Imperceptible
R89	10.9	10.6	10.6	0.0	Imperceptible
R90	10.7	10.3	10.3	0.0	Imperceptible
R91	10.9	10.57	10.5	0.0	Imperceptible
R92	12.3	12.3	12.3	0.0	Imperceptible
R93	12.2	12.0	12.0	0.0	Imperceptible
R94	12.1	11.9	11.9	0.0	Imperceptible
R95	11.7	11.2	11.1	0.0	Imperceptible
R96	12.2	11.8	11.8	0.0	Imperceptible
R98	11.6	11.0	11.0	0.0	Imperceptible
R99	12.6	12.0	12.0	0.0	Imperceptible
R100	12.6	12.0	12.0	0.0	Imperceptible
R101	11.1	10.6	10.6	0.0	Imperceptible
R102	11.5	10.7	10.7	0.0	Imperceptible
R103	11.0	10.3	10.3	0.0	Imperceptible
R104	12.2	11.5	11.5	0.0	Imperceptible
R105	11.5	10.9	10.9	0.0	Imperceptible
R106	11.1	10.4	10.4	0.0	Imperceptible
R107	11.4	10.7	10.7	0.0	Imperceptible
R108	11.0	10.3	10.3	0.0	Imperceptible
R109	10.2	9.6	9.6	0.0	Imperceptible
R110	12.0	11.2	11.2	0.0	Imperceptible
R111	11.9	11.1	11.1	0.0	Imperceptible
R112	12.1	11.3	11.3	0.0	Imperceptible
R113	11.3	10.6	10.6	0.0	Imperceptible
R114	11.5	10.8	10.8	0.0	Imperceptible
R115	11.9	11.2	11.2	0.0	Imperceptible
R116	12.0	11.2	11.2	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R117	11.7	10.9	10.9	0.0	Imperceptible
R118	11.4	10.7	10.7	0.0	Imperceptible
R119	11.1	10.4	10.4	0.0	Imperceptible
R120	10.7	10.0	10.0	0.0	Imperceptible
R121	10.8	10.1	10.1	0.0	Imperceptible
R122	10.5	9.9	9.9	0.0	Imperceptible
R123	11.1	10.4	10.5	0.0	Imperceptible
R124	10.7	10.0	10.0	0.0	Imperceptible
R125	10.1	9.5	9.5	0.0	Imperceptible
R126	10.4	9.8	9.8	0.0	Imperceptible
R127	11.0	10.3	10.3	0.0	Imperceptible
R128	11.1	10.4	10.4	0.0	Imperceptible
R129	10.8	10.1	10.1	0.0	Imperceptible
R130	11.2	10.5	10.5	0.0	Imperceptible
R131	11.7	10.9	10.9	0.0	Imperceptible
R132	11.2	10.5	10.5	0.0	Imperceptible
R133	11.7	10.9	10.9	0.0	Imperceptible
R134	11.8	11.0	11.0	0.0	Imperceptible
R135	11.8	11.1	11.1	0.0	Imperceptible
R136	12.2	11.4	11.5	0.0	Imperceptible
R137	10.4	9.7	9.7	0.0	Imperceptible
R138	11.0	10.3	10.3	0.0	Imperceptible
R139	12.2	11.4	11.4	0.0	Imperceptible
R140	11.5	10.8	10.8	0.0	Imperceptible
R141	11.0	10.3	10.3	0.0	Imperceptible
R142	10.7	10.3	10.3	0.0	Imperceptible
R143	11.2	10.7	10.7	0.0	Imperceptible
R144	11.2	10.5	10.5	0.0	Imperceptible
R145	11.7	11.1	11.1	0.0	Imperceptible
R146	11.4	10.9	10.9	0.0	Imperceptible
R147	12.3	11.5	11.5	0.0	Imperceptible
R148	11.1	10.7	10.7	0.0	Imperceptible
R149	11.1	10.6	10.6	0.0	Imperceptible
R150	11.1	10.5	10.5	0.0	Imperceptible
R151	10.7	10.1	10.1	0.0	Imperceptible
R152	10.6	10.0	10.0	0.0	Imperceptible
R153	10.8	10.1	10.1	0.0	Imperceptible
R154	11.1	10.6	10.6	0.0	Imperceptible
R155	11.2	10.8	10.8	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R156	11.3	10.8	10.9	0.0	Imperceptible
R157	11.3	10.7	10.7	0.0	Imperceptible
R158	10.9	10.2	10.2	0.0	Imperceptible
R159	10.6	9.9	9.9	0.0	Imperceptible
R160	10.2	9.5	9.5	0.0	Imperceptible
R161	11.0	10.4	10.4	0.0	Imperceptible
R162	10.8	10.3	10.3	0.0	Imperceptible
R163	10.4	9.7	9.7	0.0	Imperceptible
R164	12.3	11.7	11.7	0.0	Imperceptible
R165	11.3	10.7	10.7	0.0	Imperceptible
R166	9.9	9.4	9.4	0.0	Imperceptible
R170	13.3	12.5	12.5	0.0	Imperceptible
R171	12.1	11.4	11.4	0.0	Imperceptible
R172	13.3	12.2	12.2	0.0	Imperceptible
R173	10.9	10.4	10.4	0.0	Imperceptible
R174	13.4	12.2	12.2	0.0	Imperceptible
R175	11.4	10.7	10.7	0.0	Imperceptible
R176	11.3	10.7	10.7	0.0	Imperceptible
R177	10.8	10.2	10.2	0.0	Imperceptible
R178	10.9	10.5	10.5	0.0	Imperceptible
R179	10.8	10.2	10.2	0.0	Imperceptible
R180	13.5	12.3	12.3	0.0	Imperceptible
R181	13.4	12.3	12.3	0.0	Imperceptible
R182	13.8	12.6	12.6	0.0	Imperceptible
R183	12.7	11.8	11.8	0.0	Imperceptible
R184	12.9	12.1	12.1	0.0	Imperceptible
R185	11.3	10.5	10.5	0.0	Imperceptible
R186	11.1	10.4	10.4	0.0	Imperceptible
R187	11.0	10.4	10.4	0.0	Imperceptible
R188	11.1	10.6	10.6	0.0	Imperceptible
R189	12.9	11.9	12.0	0.0	Imperceptible
R190	12.5	11.6	11.6	0.0	Imperceptible
R191	13.8	12.7	12.7	0.0	Imperceptible
R192	12.9	11.8	11.8	0.0	Imperceptible
R193	13.6	12.6	12.6	0.0	Imperceptible
R194	12.9	12.2	12.2	0.0	Imperceptible
R195	13.1	12.3	12.3	0.0	Imperceptible
R196	11.9	11.1	11.1	0.0	Imperceptible
R197	15.5	13.9	13.9	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R198	12.7	11.9	11.9	0.0	Imperceptible
R199	12.1	11.4	11.4	0.0	Imperceptible
R200	12.3	11.9	11.9	0.0	Imperceptible
R201	10.0	9.6	9.6	0.0	Imperceptible
R202	10.2	9.6	9.6	0.0	Imperceptible
R203	10.2	9.6	9.6	0.0	Imperceptible
R204	10.1	9.5	9.5	0.0	Imperceptible
R205	10.1	9.5	9.5	0.0	Imperceptible
R206	10.3	9.6	9.6	0.0	Imperceptible
R207	9.7	9.2	9.2	0.0	Imperceptible
R208	9.8	9.3	9.3	0.0	Imperceptible
R209	10.3	9.8	9.8	0.0	Imperceptible
R210	10.2	9.6	9.6	0.0	Imperceptible
R211	10.3	9.7	9.7	0.0	Imperceptible
R212	10.2	9.5	9.6	0.0	Imperceptible
R213	10.1	9.5	9.5	0.0	Imperceptible
R214	10.1	9.6	9.6	0.0	Imperceptible
R215	10.0	9.4	9.4	0.0	Imperceptible
R216	10.8	10.1	10.1	0.0	Imperceptible
R217	11.0	10.3	10.3	0.0	Imperceptible
R218	9.8	9.1	9.1	0.0	Imperceptible
R219	11.4	10.5	10.5	0.0	Imperceptible
R220	9.9	9.2	9.2	0.0	Imperceptible
R221	10.5	9.8	9.8	0.0	Imperceptible
R222	10.4	9.7	9.7	0.0	Imperceptible
R223	11.2	10.5	10.5	0.0	Imperceptible
R224	10.9	10.2	10.2	0.0	Imperceptible
R225	10.7	10.0	10.0	0.0	Imperceptible
R226	11.9	11.2	11.2	0.0	Imperceptible
R227	11.0	10.3	10.3	0.0	Imperceptible
R228	11.0	10.3	10.3	0.0	Imperceptible
R229	13.3	12.5	12.5	0.0	Imperceptible
R230	14.0	13.0	13.0	0.0	Imperceptible
R231	14.9	13.9	13.9	0.0	Imperceptible
R232	11.9	11.1	11.1	0.0	Imperceptible
R233	12.0	11.2	11.2	0.0	Imperceptible
R234	10.5	9.8	9.8	0.0	Imperceptible
R235	10.5	9.8	9.8	0.0	Imperceptible
R236	10.5	9.7	9.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R237	11.2	10.5	10.5	0.0	Imperceptible
R238	10.7	10.0	10.0	0.0	Imperceptible
R239	11.2	10.5	10.5	0.0	Imperceptible
R240	9.8	9.2	9.2	0.0	Imperceptible
R241	10.4	9.8	9.8	0.0	Imperceptible
R242	9.8	9.2	9.2	0.0	Imperceptible
R243	11.0	10.4	10.4	0.0	Imperceptible
R244	10.8	10.2	10.3	0.0	Imperceptible
R245	10.2	9.7	9.7	0.0	Imperceptible
R246	10.8	10.2	10.2	0.0	Imperceptible
R247	11.9	11.1	11.1	0.0	Imperceptible
R248	11.8	11.0	11.0	0.0	Imperceptible
R249	12.4	11.7	11.7	0.0	Imperceptible
R250	13.2	12.2	12.2	0.0	Imperceptible
R251	10.4	9.7	9.7	0.0	Imperceptible
S1	11.2	10.5	10.4	0.0	Imperceptible
S2	10.8	10.0	10.0	0.0	Imperceptible
S3	11.4	10.7	10.7	0.0	Imperceptible
S4	10.7	10.0	10.0	0.0	Imperceptible
S5	10.4	9.8	9.8	0.0	Imperceptible
S6	10.7	10.0	10.0	0.0	Imperceptible
S7	10.4	9.9	9.9	0.0	Imperceptible
S8	10.1	9.4	9.4	0.0	Imperceptible
S9	11.7	11.1	11.1	0.0	Imperceptible
S10	11.8	11.3	11.3	0.0	Imperceptible
S11	11.8	11.3	11.3	0.0	Imperceptible
S12	10.8	10.2	10.2	0.0	Imperceptible
S13	11.2	10.6	10.6	0.0	Imperceptible
S14	10.3	9.7	9.7	0.0	Imperceptible
S15	10.6	10.1	10.1	0.0	Imperceptible
S16	11.1	10.4	10.4	0.0	Imperceptible
S17	10.6	10.0	10.0	0.0	Imperceptible
S18	11.2	10.6	10.6	0.0	Imperceptible
S19	11.6	11.0	11.0	0.0	Imperceptible
S20	10.5	9.9	9.9	0.0	Imperceptible
H1	10.8	10.1	10.1	0.0	Imperceptible
H2	10.7	10.1	10.1	0.0	Imperceptible
H3	10.6	9.9	9.9	0.0	Imperceptible
H4	10.5	9.8	9.8	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
H5	9.9	9.2	9.2	0.0	Imperceptible
H6	9.9	9.2	9.2	0.0	Imperceptible
C1	9.7	9.0	9.0	0.0	Imperceptible
C2	12.2	11.2	11.3	0.0	Imperceptible
C3	11.9	11.1	11.1	0.0	Imperceptible
C4	11.4	10.6	10.6	0.0	Imperceptible
C5	13.0	12.1	12.1	0.0	Imperceptible
C6	10.3	9.6	9.6	0.0	Imperceptible
C7	10.3	9.7	9.7	0.0	Imperceptible
C8	11.6	10.9	10.9	0.0	Imperceptible
C9	11.7	11.1	11.1	0.0	Imperceptible
C10	11.6	10.9	10.9	0.0	Imperceptible
C11	11.3	10.8	10.8	0.0	Imperceptible
C12	11.3	10.6	10.7	0.0	Imperceptible
C13	10.4	9.8	9.8	0.0	Imperceptible
C14	11.6	10.8	10.8	0.0	Imperceptible
C15	10.6	10.0	10.0	0.0	Imperceptible
C16	9.4	8.8	8.8	0.0	Imperceptible

Exceedances of the objective/ limit value at $25\mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.5: Predicted annual mean NO_2 concentrations with construction Scenario 2

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	15.5	12.1	11.9	-0.1	Imperceptible
R2	15.5	12.2	12.0	-0.1	Imperceptible
R3	14.9	11.7	11.6	-0.1	Imperceptible
R4	15.1	11.8	11.8	-0.1	Imperceptible
R5	16.8	13.2	12.8	-0.3	Imperceptible
R6	16.4	13.0	12.7	-0.3	Imperceptible
R7	17.8	14.1	13.5	-0.6	Small improvement
R8	20.5	16.3	15.8	-0.5	Small improvement
R9	20.9	16.8	17.0	0.2	Imperceptible
R10	26.9	22.0	22.3	0.3	Imperceptible
R11	20.0	16.1	16.2	0.1	Imperceptible
R12	29.8	24.0	22.5	-1.5	Small improvement
R13	30.1	24.3	22.8	-1.5	Small improvement
R14	25.5	20.4	19.6	-0.9	Small improvement
R15	16.6	13.2	12.8	-0.4	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R16	18.0	14.4	14.8	0.4	Imperceptible
R17	19.7	15.9	16.5	0.7	Small deterioration
R18	17.9	14.2	14.7	0.4	Imperceptible
R19	20.3	16.3	16.3	0.0	Imperceptible
R20	25.6	20.9	21.0	0.1	Imperceptible
R21	23.7	19.2	19.2	0.0	Imperceptible
R22	24.3	19.7	19.7	0.0	Imperceptible
R23	23.8	19.3	19.3	0.0	Imperceptible
R24	23.9	19.4	19.4	0.0	Imperceptible
R25	23.1	18.7	18.8	0.2	Imperceptible
R26	20.5	16.5	16.8	0.3	Imperceptible
R27	19.6	15.7	15.8	0.2	Imperceptible
R28	21.3	17.1	17.3	0.2	Imperceptible
R29	20.0	16.0	16.2	0.3	Imperceptible
R30	20.8	16.7	16.9	0.2	Imperceptible
R31	22.5	18.1	18.4	0.3	Imperceptible
R32	24.2	19.7	19.8	0.1	Imperceptible
R33	25.4	20.7	20.8	0.1	Imperceptible
R34	25.9	21.1	21.2	0.1	Imperceptible
R35	24.5	19.9	20.0	0.1	Imperceptible
R36	22.5	18.2	18.22	0.0	Imperceptible
R37	20.7	16.5	16.7	0.2	Imperceptible
R38	28.1	22.9	23.0	0.1	Imperceptible
R39	25.9	21.1	21.1	0.0	Imperceptible
R40	23.0	18.7	18.7	0.0	Imperceptible
R41	20.7	16.5	16.7	0.2	Imperceptible
R42	24.2	19.6	19.6	-0.1	Imperceptible
R43	23.0	18.6	18.6	0.0	Imperceptible
R44	21.4	17.2	17.2	0.0	Imperceptible
R45	25.5	20.8	20.7	-0.1	Imperceptible
R46	23.7	19.1	19.1	0.0	Imperceptible
R47	21.5	17.3	17.3	0.0	Imperceptible
R48	32.3	26.5	26.6	0.1	Imperceptible
R49	25.6	20.7	20.8	0.0	Imperceptible
R50	25.3	20.4	20.4	0.0	Imperceptible
R51	22.7	18.3	18.3	0.0	Imperceptible
R52	30.5	24.7	24.8	0.1	Imperceptible
R53	33.2	27.3	27.3	0.0	Imperceptible
R54	25.5	20.9	21.0	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R55	24.3	19.8	19.8	0.0	Imperceptible
R56	21.7	17.6	17.7	0.1	Imperceptible
R57	22.0	17.9	18.1	0.2	Imperceptible
R58	26.5	21.8	22.3	0.4	Imperceptible
R59	23.9	19.5	19.7	0.3	Imperceptible
R60	33.8	27.1	27.2	0.0	Imperceptible
R61	33.6	25.9	25.9	0.0	Imperceptible
R62	36.6	28.1	28.0	0.0	Imperceptible
R63	39.6	30.4	30.3	-0.1	Imperceptible
R64	41.6	32.0	31.9	-0.1	Imperceptible
R82	35.6	28.7	29.0	0.3	Imperceptible
R83	34.0	27.3	27.3	0.0	Imperceptible
R84	31.9	25.6	25.4	-0.1	Imperceptible
R85	29.8	23.9	24.0	0.1	Imperceptible
R86	29.0	23.2	23.2	0.0	Imperceptible
R87	28.2	22.5	22.5	0.0	Imperceptible
R88	31.8	25.1	22.8	-2.4	Medium improvement
R89	26.8	21.1	19.9	-1.3	Small improvement
R90	24.9	19.7	19.7	0.0	Imperceptible
R91	26.7	21.1	21.0	-0.1	Imperceptible
R92	38.2	30.0	28.0	-2.0	Small improvement
R93	35.4	27.9	26.2	-1.6	Small improvement
R94	34.0	26.7	24.8	-1.8	Small improvement
R95	24.7	19.7	19.4	-0.3	Imperceptible
R96	30.3	24.0	22.9	-1.0	Small improvement
R98	23.6	19.1	18.9	-0.2	Imperceptible
R99	29.3	24.9	25.4	0.5	Small deterioration
R100	29.5	24.6	24.7	0.2	Imperceptible
R101	26.5	22.2	22.5	0.3	Imperceptible
R102	30.8	24.5	24.6	0.2	Imperceptible
R103	27.2	21.6	21.6	0.0	Imperceptible
R104	35.8	28.6	28.9	0.3	Imperceptible
R105	29.2	24.0	24.1	0.2	Imperceptible
R106	25.9	21.3	21.5	0.2	Imperceptible
R107	29.2	24.1	24.5	0.4	Imperceptible
R108	26.4	21.5	21.8	0.3	Imperceptible
R109	20.6	16.5	16.5	0.1	Imperceptible
R110	32.2	26.8	26.9	0.0	Imperceptible
R111	35.3	29.0	29.4	0.4	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R112	36.6	30.2	30.5	0.3	Imperceptible
R113	30.7	25.1	25.4	0.3	Imperceptible
R114	30.8	25.4	25.8	0.4	Imperceptible
R115	35.9	29.8	30.1	0.3	Imperceptible
R116	35.7	29.6	29.5	-0.1	Imperceptible
R117	33.2	27.2	27.5	0.3	Imperceptible
R118	29.8	24.4	24.3	-0.1	Imperceptible
R119	27.4	22.3	22.3	0.0	Imperceptible
R120	24.7	20.0	19.9	-0.1	Imperceptible
R121	23.7	19.2	19.2	0.0	Imperceptible
R122	22.4	18.2	18.2	0.0	Imperceptible
R123	25.3	20.6	20.6	0.1	Imperceptible
R124	23.8	19.3	19.3	0.0	Imperceptible
R125	18.3	14.6	14.4	-0.1	Imperceptible
R126	18.9	15.1	14.4	-0.7	Small improvement
R127	24.8	19.8	18.9	-0.9	Small improvement
R128	26.1	21.0	19.9	-1.1	Small improvement
R129	23.4	18.7	18.2	-0.4	Imperceptible
R130	27.1	21.7	20.8	-0.8	Small improvement
R131	30.8	24.7	23.2	-1.5	Small improvement
R132	26.7	21.5	20.8	-0.7	Small improvement
R133	29.3	23.6	23.2	-0.4	Imperceptible
R134	29.5	23.8	23.6	-0.2	Imperceptible
R135	29.5	23.9	24.3	0.4	Imperceptible
R136	31.9	26.0	26.9	0.9	Small deterioration
R137	20.4	16.3	16.4	0.1	Imperceptible
R138	24.9	20.1	20.3	0.2	Imperceptible
R139	34.7	28.1	28.1	0.0	Imperceptible
R140	28.9	23.4	23.8	0.3	Imperceptible
R141	25.8	20.9	21.1	0.2	Imperceptible
R142	24.7	20.2	21.7	1.4	Small deterioration
R143	27.7	22.8	24.9	2.0	Small deterioration
R144	26.3	21.5	22.6	1.1	Small deterioration
R145	31.9	25.9	27.1	1.2	Small deterioration
R146	30.2	24.7	27.0	2.3	Medium deterioration
R147	33.9	27.5	27.7	0.2	Imperceptible
R148	28.5	23.3	25.9	2.6	Medium deterioration
R149	28.1	23.2	25.9	2.6	Medium deterioration
R150	27.1	22.2	23.8	1.6	Small deterioration

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R151	23.1	19.2	19.9	0.8	Small deterioration
R152	22.0	18.2	18.7	0.5	Small deterioration
R153	23.1	19.1	19.9	0.9	Small deterioration
R154	27.7	22.9	25.3	2.4	Medium deterioration
R155	29.4	24.3	26.9	2.6	Medium deterioration
R156	29.5	24.5	27.0	2.6	Medium deterioration
R157	28.2	23.0	24.6	1.6	Small deterioration
R158	24.4	19.6	19.8	0.2	Imperceptible
R159	23.6	19.2	19.3	0.1	Imperceptible
R160	18.8	14.9	15.1	0.1	Imperceptible
R161	22.1	18.1	18.2	0.2	Imperceptible
R162	19.1	15.6	15.8	0.2	Imperceptible
R163	21.2	17.5	17.6	0.1	Imperceptible
R164	29.3	24.8	25.2	0.3	Imperceptible
R165	24.0	19.9	20.0	0.1	Imperceptible
R166	15.5	13.0	12.9	0.0	Imperceptible
R170	43.7	35.8	35.7	-0.1	Imperceptible
R171	33.5	27.1	27.1	-0.1	Imperceptible
R172	36.9	28.5	28.3	-0.2	Imperceptible
R173	25.2	21.4	21.7	0.3	Imperceptible
R174	39.1	29.2	29.1	-0.1	Imperceptible
R175	31.4	25.2	28.6	3.5	Medium deterioration
R176	30.8	24.7	29.1	4.4	Large deterioration
R177	23.3	18.9	23.2	4.3	Large deterioration
R178	26.9	21.4	20.6	-0.8	Small improvement
R179	25.0	19.9	19.9	0.0	Imperceptible
R180	39.1	30.1	30.0	-0.2	Imperceptible
R181	38.8	30.1	29.9	-0.2	Imperceptible
R182	41.6	32.0	31.9	-0.1	Imperceptible
R183	31.4	24.9	25.0	0.0	Imperceptible
R184	31.7	25.4	25.4	0.0	Imperceptible
R185	29.3	23.1	23.3	0.2	Imperceptible
R186	27.9	22.2	22.2	0.0	Imperceptible
R187	26.4	21.6	21.8	0.2	Imperceptible
R188	26.5	22.2	22.5	0.3	Imperceptible
R189	34.2	26.7	26.5	-0.2	Imperceptible
R190	30.9	23.9	23.9	0.0	Imperceptible
R191	42.2	32.9	32.3	-0.6	Small improvement
R192	34.6	26.3	26.2	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R193	40.6	31.9	31.7	-0.2	Imperceptible
R194	34.6	28.3	28.3	0.0	Imperceptible
R195	35.5	29.0	29.0	0.0	Imperceptible
R196	25.3	19.8	19.9	0.0	Imperceptible
R197	53.4	40.6	40.5	0.1	Imperceptible
R198	36.0	29.0	29.0	0.0	Imperceptible
R199	30.9	24.4	24.4	0.0	Imperceptible
R200	38.6	31.5	31.5	0.0	Imperceptible
R201	17.6	14.4	14.5	0.1	Imperceptible
R202	19.4	15.7	15.1	-0.6	Small improvement
R203	19.1	15.4	14.7	-0.7	Small improvement
R204	17.5	14.0	13.7	-0.4	Imperceptible
R205	17.2	14.2	13.7	-0.5	Small improvement
R206	17.5	13.8	13.5	-0.3	Imperceptible
R207	14.5	11.9	11.7	-0.2	Imperceptible
R208	14.5	12.1	11.8	-0.3	Imperceptible
R209	20.2	16.4	17.7	1.3	Small deterioration
R210	19.1	15.2	16.0	0.8	Small deterioration
R211	19.9	15.9	17.1	1.2	Small deterioration
R212	18.6	14.9	15.4	0.5	Small deterioration
R213	18.3	14.4	15.0	0.6	Small deterioration
R214	19.1	15.2	15.2	0.1	Imperceptible
R215	17.5	13.9	13.9	0.0	Imperceptible
R216	21.2	17.0	17.2	0.2	Imperceptible
R217	20.3	16.2	16.1	-0.1	Imperceptible
R218	19.3	15.2	15.2	0.0	Imperceptible
R219	32.2	25.9	26.3	0.5	Small deterioration
R220	19.5	15.4	15.4	0.1	Imperceptible
R221	22.3	18.0	18.5	0.5	Small deterioration
R222	21.4	17.2	17.5	0.3	Imperceptible
R223	23.8	19.1	19.6	0.5	Small deterioration
R224	21.7	17.4	17.7	0.3	Imperceptible
R225	25.2	20.3	20.6	0.3	Imperceptible
R226	30.5	25.0	25.8	0.8	Small deterioration
R227	26.5	21.5	21.9	0.4	Imperceptible
R228	26.6	21.6	22.0	0.4	Imperceptible
R229	33.5	27.1	28.0	0.9	Small deterioration
R230	40.5	32.6	33.0	0.5	Small deterioration
R231	44.3	35.7	35.7	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R232	25.4	20.0	20.0	0.0	Imperceptible
R233	26.4	20.8	20.8	0.0	Imperceptible
R234	22.0	17.5	17.5	0.0	Imperceptible
R235	22.2	17.7	17.7	0.0	Imperceptible
R236	21.7	17.1	17.1	0.0	Imperceptible
R237	24.9	20.0	20.6	0.6	Small deterioration
R238	22.3	17.9	18.2	0.3	Imperceptible
R239	25.0	20.1	20.4	0.3	Imperceptible
R240	15.9	12.6	12.3	-0.2	Imperceptible
R241	18.4	14.9	14.9	0.0	Imperceptible
R242	16.6	13.5	13.5	0.0	Imperceptible
R243	23.2	19.4	19.4	0.0	Imperceptible
R244	22.1	18.5	18.5	0.0	Imperceptible
R245	18.8	16.0	15.8	-0.1	Imperceptible
R246	22.1	18.3	18.4	0.1	Imperceptible
R247	34.8	28.6	29.0	0.4	Imperceptible
R248	32.6	26.7	27.1	0.3	Imperceptible
R249	33.6	27.8	28.1	0.3	Imperceptible
R250	38.1	30.7	31.3	0.6	Small deterioration
R251	21.7	17.3	17.2	-0.1	Imperceptible
S1	18.9	15.2	14.8	-0.4	Imperceptible
S2	25.1	19.9	19.7	-0.2	Imperceptible
S3	24.1	19.6	19.5	0.0	Imperceptible
S4	20.1	16.1	16.1	0.0	Imperceptible
S5	18.2	14.5	14.4	0.0	Imperceptible
S6	23.9	19.2	19.2	0.0	Imperceptible
S7	22.8	18.3	18.5	0.2	Imperceptible
S8	20.2	15.9	15.9	0.0	Imperceptible
S9	23.9	18.9	18.8	-0.1	Imperceptible
S10	27.5	21.7	21.0	-0.7	Small improvement
S11	24.2	20.6	20.3	-0.3	Imperceptible
S12	23.2	18.8	23.0	4.1	Large deterioration
S13	29.9	23.9	25.2	1.3	Small deterioration
S14	19.8	15.8	16.2	0.4	Imperceptible
S15	23.5	19.1	19.8	0.8	Small deterioration
S16	26.3	21.6	21.8	0.2	Imperceptible
S17	23.1	18.7	18.9	0.1	Imperceptible
S18	21.2	17.5	17.6	0.1	Imperceptible
S19	23.6	19.6	19.7	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S20	19.2	15.7	15.8	0.2	Imperceptible
H1	20.2	16.3	16.3	0.1	Imperceptible
H2	19.3	15.6	15.6	0.1	Imperceptible
H3	23.9	19.4	19.5	0.1	Imperceptible
H4	22.8	18.4	18.4	0.1	Imperceptible
H5	21.8	17.4	17.5	0.1	Imperceptible
H6	21.2	16.9	17.0	0.0	Imperceptible
C1	15.0	11.8	11.8	0.0	Imperceptible
C2	37.2	30.0	30.1	0.0	Imperceptible
C3	30.3	24.1	24.1	0.0	Imperceptible
C4	27.7	22.0	22.0	0.0	Imperceptible
C5	32.2	25.5	25.3	-0.2	Imperceptible
C6	21.4	17.1	17.0	-0.1	Imperceptible
C7	21.7	17.2	17.2	-0.1	Imperceptible
C8	22.7	18.0	17.9	-0.1	Imperceptible
C9	24.4	19.3	19.2	-0.2	Imperceptible
C10	22.7	18.3	18.3	0.0	Imperceptible
C11	27.5	22.3	22.7	0.4	Imperceptible
C12	25.5	21.0	18.9	-2.1	Medium improvement
C13	20.6	16.5	15.6	-0.8	Small improvement
C14	34.9	28.4	29.1	0.7	Small deterioration
C15	17.7	14.4	14.5	0.1	Imperceptible
C16	15.4	12.3	12.3	0.1	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ are marked in **bold**.

Table 1.6: Predicted annual mean PM₁₀ concentrations with construction Scenario 2

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	14.0	13.3	13.3	0.0	Imperceptible
R2	13.9	13.3	13.3	0.0	Imperceptible
R3	13.8	13.1	13.1	0.0	Imperceptible
R4	13.8	13.1	13.1	0.0	Imperceptible
R5	15.4	14.7	14.6	-0.1	Imperceptible
R6	15.4	14.6	14.6	0.0	Imperceptible
R7	15.6	14.8	14.7	-0.1	Imperceptible
R8	16.1	15.3	15.2	-0.1	Imperceptible
R9	16.1	15.4	15.4	0.0	Imperceptible
R10	17.2	16.3	16.4	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R11	16.0	15.2	15.2	0.0	Imperceptible
R12	16.9	16.0	15.8	-0.2	Imperceptible
R13	16.9	16.0	15.8	-0.2	Imperceptible
R14	16.6	15.7	15.6	-0.2	Imperceptible
R15	13.9	13.2	13.2	-0.1	Imperceptible
R16	14.1	13.4	13.4	0.0	Imperceptible
R17	14.4	13.7	13.7	0.0	Imperceptible
R18	14.0	13.3	13.4	0.1	Imperceptible
R19	15.9	15.1	15.2	0.0	Imperceptible
R20	16.8	16.0	16.0	0.0	Imperceptible
R21	16.4	15.7	15.7	0.0	Imperceptible
R22	16.5	15.8	15.8	0.0	Imperceptible
R23	16.4	15.7	15.7	0.0	Imperceptible
R24	16.5	15.7	15.7	0.0	Imperceptible
R25	16.2	15.5	15.5	0.0	Imperceptible
R26	15.9	15.2	15.3	0.1	Imperceptible
R27	15.9	15.0	15.1	0.0	Imperceptible
R28	16.0	15.3	15.4	0.1	Imperceptible
R29	15.8	15.1	15.1	0.0	Imperceptible
R30	14.6	13.9	13.9	0.0	Imperceptible
R31	16.1	15.3	15.4	0.0	Imperceptible
R32	14.9	14.3	14.3	0.0	Imperceptible
R33	15.3	14.6	14.6	0.0	Imperceptible
R34	15.5	14.7	14.7	0.0	Imperceptible
R35	15.2	14.5	14.5	0.0	Imperceptible
R36	14.9	14.2	14.2	0.0	Imperceptible
R37	14.6	13.9	13.9	0.0	Imperceptible
R38	15.9	15.1	15.1	0.0	Imperceptible
R39	15.5	14.7	14.7	0.0	Imperceptible
R40	15.0	14.3	14.3	0.0	Imperceptible
R41	14.6	13.9	13.9	0.0	Imperceptible
R42	15.2	14.5	14.5	0.0	Imperceptible
R43	15.0	14.3	14.3	0.0	Imperceptible
R44	21.4	14.5	14.5	0.0	Imperceptible
R45	15.4	14.7	14.7	0.0	Imperceptible
R46	15.1	14.4	14.4	0.0	Imperceptible
R47	14.8	14.0	14.0	0.0	Imperceptible
R48	17.7	16.9	16.9	0.0	Imperceptible
R49	16.6	15.8	15.8	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R50	16.5	15.8	15.8	0.0	Imperceptible
R51	16.1	15.4	15.4	0.0	Imperceptible
R52	16.4	15.6	15.6	0.0	Imperceptible
R53	17.4	16.7	16.7	0.0	Imperceptible
R54	15.9	15.5	15.5	0.0	Imperceptible
R55	15.7	15.2	15.2	0.0	Imperceptible
R56	15.6	15.0	15.0	0.0	Imperceptible
R57	15.3	14.9	14.9	0.0	Imperceptible
R58	15.1	14.9	15.0	0.1	Imperceptible
R59	14.9	14.6	14.6	0.0	Imperceptible
R60	18.4	17.6	17.6	0.0	Imperceptible
R61	17.9	16.9	16.9	0.0	Imperceptible
R62	18.6	17.5	17.5	0.0	Imperceptible
R63	18.5	17.4	17.4	0.0	Imperceptible
R64	18.8	17.5	17.5	0.0	Imperceptible
R82	16.7	15.9	16.5	0.6	Small deterioration
R83	16.5	15.8	16.2	0.4	Imperceptible
R84	16.3	15.6	15.9	0.2	Imperceptible
R85	16.1	15.5	15.6	0.1	Imperceptible
R86	16.1	15.4	15.6	0.2	Imperceptible
R87	16.0	15.3	15.5	0.2	Imperceptible
R88	16.2	16.1	15.8	-0.4	Imperceptible
R89	15.8	15.5	15.2	-0.2	Imperceptible
R90	15.6	15.2	15.2	0.0	Imperceptible
R91	15.8	15.4	15.4	0.0	Imperceptible
R92	17.3	17.2	17.0	-0.3	Imperceptible
R93	17.2	17.0	16.8	-0.2	Imperceptible
R94	17.1	16.8	16.6	-0.2	Imperceptible
R95	16.6	16.1	16.1	0.0	Imperceptible
R96	17.1	16.7	16.6	-0.2	Imperceptible
R98	16.6	16.0	16.0	0.0	Imperceptible
R99	17.6	17.0	17.1	0.1	Imperceptible
R100	17.5	17.0	17.0	0.0	Imperceptible
R101	15.7	15.2	15.3	0.1	Imperceptible
R102	16.1	15.4	15.4	0.0	Imperceptible
R103	15.6	15.0	15.0	0.0	Imperceptible
R104	16.8	16.1	16.2	0.1	Imperceptible
R105	16.1	15.5	15.5	0.0	Imperceptible
R106	15.7	15.0	15.1	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R107	16.0	15.3	15.4	0.1	Imperceptible
R108	15.6	14.9	15.0	0.0	Imperceptible
R109	14.8	14.2	14.2	0.0	Imperceptible
R110	16.6	15.8	15.9	0.0	Imperceptible
R111	16.5	15.7	15.8	0.1	Imperceptible
R112	16.7	15.9	16.0	0.1	Imperceptible
R113	15.9	15.2	15.2	0.0	Imperceptible
R114	16.1	15.4	15.5	0.1	Imperceptible
R115	16.6	15.8	15.9	0.1	Imperceptible
R116	16.6	15.8	15.9	0.0	Imperceptible
R117	16.3	15.6	15.6	0.0	Imperceptible
R118	16.0	15.3	15.3	0.0	Imperceptible
R119	15.7	15.0	15.0	0.0	Imperceptible
R120	15.3	14.63	14.6	0.0	Imperceptible
R121	15.4	14.7	14.7	0.0	Imperceptible
R122	15.1	14.5	14.5	0.0	Imperceptible
R123	15.7	15.1	15.1	0.0	Imperceptible
R124	15.3	14.6	14.7	0.0	Imperceptible
R125	14.8	14.2	14.2	0.0	Imperceptible
R126	15.1	14.5	14.4	-0.1	Imperceptible
R127	15.9	15.2	15.1	-0.1	Imperceptible
R128	16.0	15.3	15.2	-0.1	Imperceptible
R129	15.7	15.0	15.0	0.0	Imperceptible
R130	16.1	15.4	15.3	-0.1	Imperceptible
R131	16.6	15.8	15.6	-0.1	Imperceptible
R132	16.1	15.4	15.3	0.0	Imperceptible
R133	16.6	15.8	15.8	0.0	Imperceptible
R134	16.7	15.9	15.9	0.0	Imperceptible
R135	16.7	15.9	16.0	0.1	Imperceptible
R136	17.1	16.3	16.5	0.1	Imperceptible
R137	15.1	14.4	14.5	0.1	Imperceptible
R138	15.7	15.0	15.1	0.1	Imperceptible
R139	17.1	16.3	16.6	0.2	Imperceptible
R140	16.3	15.5	15.8	0.3	Imperceptible
R141	15.7	15.0	15.4	0.3	Imperceptible
R142	15.4	15.0	15.5	0.4	Imperceptible
R143	15.9	15.4	16.1	0.7	Small deterioration
R144	15.9	15.2	15.7	0.5	Small deterioration
R145	16.6	16.0	16.4	0.4	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R146	16.2	15.8	16.3	0.5	Small deterioration
R147	17.1	16.4	16.7	0.4	Imperceptible
R148	16.0	15.6	16.2	0.6	Small deterioration
R149	15.9	15.5	16.1	0.6	Small deterioration
R150	16.0	15.4	16.0	0.6	Small deterioration
R151	15.6	15.0	15.2	0.2	Imperceptible
R152	15.5	14.9	15.0	0.1	Imperceptible
R153	15.6	15.0	15.2	0.2	Imperceptible
R154	16.0	15.5	16.1	0.6	Small deterioration
R155	16.1	15.7	16.4	0.7	Small deterioration
R156	16.0	15.6	17.0	1.4	Small deterioration
R157	16.1	15.5	16.9	1.4	Small deterioration
R158	15.8	15.1	15.3	0.2	Imperceptible
R159	15.4	14.7	14.7	0.0	Imperceptible
R160	14.9	14.3	14.3	0.0	Imperceptible
R161	16.1	15.5	15.5	0.0	Imperceptible
R162	15.9	15.3	15.3	0.0	Imperceptible
R163	14.6	13.9	13.9	0.0	Imperceptible
R164	17.0	16.3	16.4	0.1	Imperceptible
R165	16.0	15.3	15.4	0.0	Imperceptible
R166	14.4	13.8	13.8	0.0	Imperceptible
R170	19.0	18.2	18.2	0.0	Imperceptible
R171	17.8	17.1	17.1	0.0	Imperceptible
R172	18.3	17.2	17.2	0.0	Imperceptible
R173	15.5	15.0	15.1	0.1	Imperceptible
R174	18.4	17.1	17.1	0.0	Imperceptible
R175	16.2	15.6	16.2	0.5	Small deterioration
R176	16.2	15.6	16.2	0.6	Small deterioration
R177	15.6	14.9	15.7	0.8	Small deterioration
R178	15.8	15.4	15.3	-0.1	Imperceptible
R179	15.7	15.1	15.2	0.0	Imperceptible
R180	18.4	17.3	17.3	0.0	Imperceptible
R181	18.4	17.3	17.3	0.0	Imperceptible
R182	18.8	17.5	17.5	0.0	Imperceptible
R183	17.7	16.8	16.8	0.0	Imperceptible
R184	17.8	17.0	17.0	0.0	Imperceptible
R185	15.9	15.1	15.2	0.0	Imperceptible
R186	15.7	15.1	15.1	0.0	Imperceptible
R187	15.6	15.0	15.1	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R188	15.7	15.2	15.3	0.1	Imperceptible
R189	17.8	16.9	16.9	0.0	Imperceptible
R190	17.4	16.5	16.5	0.0	Imperceptible
R191	18.8	17.7	17.6	-0.1	Imperceptible
R192	17.8	16.8	16.8	0.0	Imperceptible
R193	18.6	17.5	17.5	0.0	Imperceptible
R194	17.9	17.1	17.1	0.0	Imperceptible
R195	18.0	17.3	17.2	0.0	Imperceptible
R196	16.8	16.1	16.1	0.0	Imperceptible
R197	20.5	18.9	18.9	0.0	Imperceptible
R198	17.7	16.9	16.9	0.0	Imperceptible
R199	17.1	16.4	16.4	0.0	Imperceptible
R200	18.0	17.6	17.6	0.0	Imperceptible
R201	14.7	14.3	14.3	0.0	Imperceptible
R202	14.9	14.3	14.2	-0.1	Imperceptible
R203	14.9	14.3	14.2	-0.1	Imperceptible
R204	14.8	14.2	14.1	0.0	Imperceptible
R205	14.6	13.9	13.9	-0.1	Imperceptible
R206	14.7	14.0	13.9	-0.1	Imperceptible
R207	14.2	13.7	13.6	0.0	Imperceptible
R208	14.2	13.7	13.6	-0.1	Imperceptible
R209	15.0	14.5	14.8	0.2	Imperceptible
R210	14.9	14.3	14.5	0.2	Imperceptible
R211	15.0	14.4	14.6	0.2	Imperceptible
R212	14.9	14.3	14.4	0.1	Imperceptible
R213	14.8	14.2	14.3	0.1	Imperceptible
R214	14.8	14.3	14.3	0.0	Imperceptible
R215	14.7	14.1	14.1	0.0	Imperceptible
R216	15.6	14.8	14.9	0.0	Imperceptible
R217	16.4	15.6	15.6	0.0	Imperceptible
R218	14.1	13.4	13.4	0.0	Imperceptible
R219	16.0	15.1	15.2	0.1	Imperceptible
R220	14.1	13.4	13.4	0.0	Imperceptible
R221	14.9	14.2	14.2	0.1	Imperceptible
R222	14.7	14.0	14.1	0.0	Imperceptible
R223	16.1	15.4	15.5	0.1	Imperceptible
R224	15.9	15.2	15.2	0.1	Imperceptible
R225	15.3	14.6	14.6	0.1	Imperceptible
R226	16.5	15.8	16.0	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R227	15.5	14.8	14.9	0.1	Imperceptible
R228	15.5	14.8	14.9	0.1	Imperceptible
R229	18.3	17.5	17.7	0.2	Imperceptible
R230	19.1	18.2	18.3	0.1	Imperceptible
R231	20.1	19.1	19.1	0.0	Imperceptible
R232	16.8	16.1	16.1	0.0	Imperceptible
R233	16.9	16.2	16.2	0.0	Imperceptible
R234	15.4	14.7	14.7	0.0	Imperceptible
R235	15.5	14.8	14.8	0.0	Imperceptible
R236	15.4	14.7	14.7	0.0	Imperceptible
R237	16.1	15.4	15.5	0.1	Imperceptible
R238	15.6	14.9	15.0	0.1	Imperceptible
R239	16.1	15.4	15.5	0.1	Imperceptible
R240	13.9	13.1	13.1	-0.1	Imperceptible
R241	15.0	14.4	14.4	0.0	Imperceptible
R242	14.0	13.4	13.4	0.0	Imperceptible
R243	15.4	14.7	14.7	0.0	Imperceptible
R244	15.2	14.6	14.6	0.0	Imperceptible
R245	14.4	13.8	13.8	0.0	Imperceptible
R246	15.2	14.5	14.5	0.0	Imperceptible
R247	16.5	15.7	15.8	0.1	Imperceptible
R248	16.4	15.7	15.7	0.1	Imperceptible
R249	17.5	16.7	16.8	0.0	Imperceptible
R250	18.3	17.4	17.5	0.1	Imperceptible
R251	15.0	14.2	14.2	0.0	Imperceptible
S1	15.8	15.1	15.0	-0.1	Imperceptible
S2	15.4	14.6	14.6	0.0	Imperceptible
S3	16.3	15.6	15.6	0.0	Imperceptible
S4	15.7	15.0	15.0	0.0	Imperceptible
S5	15.4	14.7	14.7	0.0	Imperceptible
S6	15.3	14.6	14.6	0.0	Imperceptible
S7	14.9	14.5	14.5	0.0	Imperceptible
S8	14.7	14.0	14.0	0.0	Imperceptible
S9	16.6	16.0	16.0	0.0	Imperceptible
S10	16.7	16.3	16.2	-0.1	Imperceptible
S11	16.7	16.3	16.2	-0.1	Imperceptible
S12	15.5	14.9	15.7	0.8	Small deterioration
S13	16.1	15.5	15.8	0.2	Imperceptible
S14	15.0	14.4	14.5	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S15	15.3	14.8	15.1	0.3	Imperceptible
S16	15.7	15.0	15.1	0.1	Imperceptible
S17	15.3	14.6	14.6	0.0	Imperceptible
S18	16.3	15.7	15.7	0.0	Imperceptible
S19	16.7	16.0	16.1	0.0	Imperceptible
S20	15.2	14.5	14.6	0.0	Imperceptible
H1	15.9	15.2	15.2	0.0	Imperceptible
H2	15.8	15.2	15.2	0.0	Imperceptible
H3	15.2	14.5	14.5	0.0	Imperceptible
H4	15.1	14.4	14.4	0.0	Imperceptible
H5	14.1	13.3	13.3	0.0	Imperceptible
H6	14.0	13.3	13.3	0.0	Imperceptible
C1	13.8	13.1	13.1	0.0	Imperceptible
C2	16.8	15.9	15.9	0.0	Imperceptible
C3	17.0	16.2	16.2	0.0	Imperceptible
C4	16.5	15.8	15.8	0.0	Imperceptible
C5	17.9	17.1	17.1	0.0	Imperceptible
C6	14.9	14.2	14.2	0.0	Imperceptible
C7	14.9	14.3	14.2	0.0	Imperceptible
C8	16.5	15.9	15.9	0.0	Imperceptible
C9	16.7	16.1	16.1	0.0	Imperceptible
C10	16.5	15.9	15.9	0.0	Imperceptible
C11	16.1	15.5	15.6	0.1	Imperceptible
C12	16.1	15.4	15.0	-0.4	Imperceptible
C13	15.2	14.5	14.5	0.0	Imperceptible
C14	16.4	15.5	15.6	0.0	Imperceptible
C15	15.7	15.1	15.1	0.0	Imperceptible
C16	13.6	12.9	13.0	0.0	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.7: Predicted number of days exceeding $50\mu\text{g}/\text{m}^3$ PM₁₀ concentrations with construction Scenario 2

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R1	0	0	0	0
R2	0	0	0	0
R3	0	0	0	0
R4	0	0	0	0
R5	0	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R6	0	0	0	0
R7	0	0	0	0
R8	0	0	0	0
R9	0	0	0	0
R10	1	0	0	0
R11	0	0	0	0
R12	1	0	0	0
R13	1	0	0	0
R14	1	0	0	0
R15	0	0	0	0
R16	0	0	0	0
R17	0	0	0	0
R18	0	0	0	0
R19	0	0	0	0
R20	1	0	0	0
R21	0	0	0	0
R22	1	0	0	0
R23	0	0	0	0
R24	0	0	0	0
R25	0	0	0	0
R26	0	0	0	0
R27	0	0	0	0
R28	0	0	0	0
R29	0	0	0	0
R30	0	0	0	0
R31	0	0	0	0
R32	0	0	0	0
R33	0	0	0	0
R34	0	0	0	0
R35	0	0	0	0
R36	0	0	0	0
R37	0	0	0	0
R38	0	0	0	0
R39	0	0	0	0
R40	0	0	0	0
R41	0	0	0	0
R42	0	0	0	0
R43	0	0	0	0
R44	0	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R45	0	0	0	0
R46	0	0	0	0
R47	0	0	0	0
R48	1	1	1	0
R49	1	0	0	0
R50	1	0	0	0
R51	0	0	0	0
R52	0	0	0	0
R53	1	1	1	0
R54	0	0	0	0
R55	0	0	0	0
R56	0	0	0	0
R57	0	0	0	0
R58	0	0	0	0
R59	0	0	0	0
R60	2	1	1	0
R61	1	1	1	0
R62	2	1	1	0
R63	2	1	1	0
R64	2	1	1	0
R82	1	0	1	0
R83	1	0	0	0
R84	0	0	0	0
R85	0	0	0	0
R86	0	0	0	0
R87	0	0	0	0
R88	0	0	0	0
R89	0	0	0	0
R90	0	0	0	0
R91	0	0	0	0
R92	1	1	1	0
R93	1	1	1	0
R94	1	1	1	0
R95	1	0	0	0
R96	1	1	1	0
R98	1	0	0	0
R99	1	1	1	0
R100	1	1	1	0
R101	0	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R102	0	0	0	0
R103	0	0	0	0
R104	1	0	0	0
R105	0	0	0	0
R106	0	0	0	0
R107	0	0	0	0
R108	0	0	0	0
R109	0	0	0	0
R110	1	0	0	0
R111	1	0	0	0
R112	1	0	0	0
R113	0	0	0	0
R114	0	0	0	0
R115	1	0	0	0
R116	1	0	0	0
R117	0	0	0	0
R118	0	0	0	0
R119	0	0	0	0
R120	0	0	0	0
R121	0	0	0	0
R122	0	0	0	0
R123	0	0	0	0
R124	0	0	0	0
R125	0	0	0	0
R126	0	0	0	0
R127	0	0	0	0
R128	0	0	0	0
R129	0	0	0	0
R130	0	0	0	0
R131	1	0	0	0
R132	0	0	0	0
R133	1	0	0	0
R134	1	0	0	0
R135	1	0	0	0
R136	1	0	0	0
R137	0	0	0	0
R138	0	0	0	0
R139	1	0	1	0
R140	0	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R141	0	0	0	0
R142	0	0	0	0
R143	0	0	0	0
R144	0	0	0	0
R145	1	0	0	0
R146	0	0	0	0
R147	1	0	1	0
R148	0	0	0	0
R149	0	0	0	0
R150	0	0	0	0
R151	0	0	0	0
R152	0	0	0	0
R153	0	0	0	0
R154	0	0	0	0
R155	0	0	0	0
R156	0	0	0	0
R157	0	0	0	0
R158	0	0	0	0
R159	0	0	0	0
R160	0	0	0	0
R161	0	0	0	0
R162	0	0	0	0
R163	0	0	0	0
R164	1	0	0	0
R165	0	0	0	0
R166	0	0	0	0
R170	2	2	2	0
R171	1	1	1	0
R172	2	1	1	0
R173	0	0	0	0
R174	2	1	1	0
R175	0	0	0	0
R176	0	0	0	0
R177	0	0	0	0
R178	0	0	0	0
R179	0	0	0	0
R180	2	1	1	0
R181	2	1	1	0
R182	2	1	1	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R183	1	1	1	0
R184	1	1	1	0
R185	0	0	0	0
R186	0	0	0	0
R187	0	0	0	0
R188	0	0	0	0
R189	1	1	1	0
R190	1	1	1	0
R191	2	1	1	0
R192	1	1	1	0
R193	2	1	1	0
R194	1	1	1	0
R195	1	1	1	0
R196	1	0	0	0
R197	4	2	2	0
R198	1	1	1	0
R199	1	1	1	0
R200	1	1	1	0
R201	0	0	0	0
R202	0	0	0	0
R203	0	0	0	0
R204	0	0	0	0
R205	0	0	0	0
R206	0	0	0	0
R207	0	0	0	0
R208	0	0	0	0
R209	0	0	0	0
R210	0	0	0	0
R211	0	0	0	0
R212	0	0	0	0
R213	0	0	0	0
R214	0	0	0	0
R215	0	0	0	0
R216	0	0	0	0
R217	0	0	0	0
R218	0	0	0	0
R219	0	0	0	0
R220	0	0	0	0
R221	0	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
R222	0	0	0	0
R223	0	0	0	0
R224	0	0	0	0
R225	0	0	0	0
R226	0	0	0	0
R227	0	0	0	0
R228	0	0	0	0
R229	2	1	1	0
R230	2	2	2	0
R231	4	2	2	0
R232	1	0	0	0
R233	1	0	0	0
R234	0	0	0	0
R235	0	0	0	0
R236	0	0	0	0
R237	0	0	0	0
R238	0	0	0	0
R239	0	0	0	0
R240	0	0	0	0
R241	0	0	0	0
R242	0	0	0	0
R243	0	0	0	0
R244	0	0	0	0
R245	0	0	0	0
R246	0	0	0	0
R247	0	0	0	0
R248	0	0	0	0
R249	1	1	1	0
R250	2	1	1	0
R251	0	0	0	0
S1	0	0	0	0
S2	0	0	0	0
S3	0	0	0	0
S4	0	0	0	0
S5	0	0	0	0
S6	0	0	0	0
S7	0	0	0	0
S8	0	0	0	0
S9	1	0	0	0

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme (days)
S10	1	0	0	0
S11	1	0	0	0
S12	0	0	0	0
S13	0	0	0	0
S14	0	0	0	0
S15	0	0	0	0
S16	0	0	0	0
S17	0	0	0	0
S18	0	0	0	0
S19	1	0	0	0
S20	0	0	0	0
H1	0	0	0	0
H2	0	0	0	0
H3	0	0	0	0
H4	0	0	0	0
H5	0	0	0	0
H6	0	0	0	0
C1	0	0	0	0
C2	1	0	0	0
C3	1	0	0	0
C4	1	0	0	0
C5	1	1	1	0
C6	0	0	0	0
C7	0	0	0	0
C8	1	0	0	0
C9	1	0	0	0
C10	1	0	0	0
C11	0	0	0	0
C12	0	0	0	0
C13	0	0	0	0
C14	0	0	0	0
C15	0	0	0	0
C16	0	1	1	0

Exceedances of the objective/ limit value which permits 35 exceedances are marked in **bold** (no exceedance shown in table).

Table 1.8: Predicted annual mean PM_{2.5} concentrations with construction Scenario 2

Receptor	Base Year 2015 (µg/m ³)	Do-Minimum 2021 (µg/m ³)	Do-Something 2021 (µg/m ³)	Change with Scheme (µg/m ³)	Descriptor
R1	9.9	9.2	9.2	0.0	Imperceptible
R2	9.8	9.2	9.2	0.0	Imperceptible
R3	9.7	9.0	9.0	0.0	Imperceptible
R4	9.7	9.1	9.0	0.0	Imperceptible
R5	10.8	10.1	10.0	-0.1	Imperceptible
R6	10.7	10.0	10.0	0.0	Imperceptible
R7	10.9	10.2	10.1	-0.1	Imperceptible
R8	11.1	10.3	10.2	-0.1	Imperceptible
R9	11.5	10.7	10.8	0.0	Imperceptible
R10	12.5	11.7	11.8	0.1	Imperceptible
R11	11.3	10.6	10.6	0.0	Imperceptible
R12	11.9	11.0	10.8	-0.2	Imperceptible
R13	11.9	11.0	10.8	-0.2	Imperceptible
R14	11.6	10.8	10.6	-0.2	Imperceptible
R15	9.7	9.0	9.0	-0.1	Imperceptible
R16	10.0	9.3	9.3	0.0	Imperceptible
R17	10.2	9.6	9.6	0.0	Imperceptible
R18	9.9	9.2	9.3	0.0	Imperceptible
R19	10.9	10.3	10.3	0.0	Imperceptible
R20	11.9	11.1	11.1	0.0	Imperceptible
R21	11.5	10.8	10.8	0.0	Imperceptible
R22	11.6	10.9	10.9	0.0	Imperceptible
R23	11.5	10.8	10.8	0.0	Imperceptible
R24	11.5	10.8	10.8	0.0	Imperceptible
R25	11.3	10.6	10.6	0.0	Imperceptible
R26	11.0	10.3	10.4	0.1	Imperceptible
R27	10.8	10.1	10.2	0.0	Imperceptible
R28	11.1	10.4	10.5	0.1	Imperceptible
R29	10.9	10.2	10.2	0.0	Imperceptible
R30	10.2	9.6	9.6	0.0	Imperceptible
R31	11.1	10.4	10.5	0.0	Imperceptible
R32	10.6	10.0	10.0	0.0	Imperceptible
R33	11.0	10.2	10.3	0.0	Imperceptible
R34	11.1	10.4	10.4	0.0	Imperceptible
R35	10.9	10.2	10.2	0.0	Imperceptible
R36	10.6	9.9	9.9	0.0	Imperceptible
R37	10.3	9.6	9.6	0.0	Imperceptible
R38	11.5	10.7	10.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R39	11.1	10.4	10.4	0.0	Imperceptible
R40	10.6	9.9	9.9	0.0	Imperceptible
R41	10.3	9.6	9.6	0.0	Imperceptible
R42	10.9	10.1	10.1	0.0	Imperceptible
R43	10.7	10.0	10.0	0.0	Imperceptible
R44	10.4	9.71	9.7	0.0	Imperceptible
R45	11.1	10.3	10.3	0.0	Imperceptible
R46	10.8	10.1	10.1	0.0	Imperceptible
R47	10.4	9.7	9.7	0.0	Imperceptible
R48	12.8	11.9	12.0	0.0	Imperceptible
R49	11.6	10.9	10.9	0.0	Imperceptible
R50	11.6	10.8	10.8	0.0	Imperceptible
R51	11.1	10.4	10.4	0.0	Imperceptible
R52	11.8	11.0	11.0	0.0	Imperceptible
R53	12.6	12.0	12.0	0.0	Imperceptible
R54	11.1	10.7	10.8	0.0	Imperceptible
R55	11.0	10.5	10.5	0.0	Imperceptible
R56	10.81	10.3	10.3	0.0	Imperceptible
R57	10.6	10.1	10.2	0.0	Imperceptible
R58	10.5	10.4	10.5	0.1	Imperceptible
R59	10.3	10.0	10.0	0.1	Imperceptible
R60	13.5	12.6	12.6	0.0	Imperceptible
R61	12.9	11.9	11.9	0.0	Imperceptible
R62	13.7	12.5	12.5	0.0	Imperceptible
R63	13.6	12.4	12.4	0.0	Imperceptible
R64	13.8	12.6	12.6	0.0	Imperceptible
R82	11.8	11.0	11.6	0.6	Small deterioration
R83	11.6	10.9	11.3	0.4	Small deterioration
R84	11.4	10.7	11.0	0.2	Imperceptible
R85	11.2	10.6	10.7	0.1	Imperceptible
R86	11.2	10.5	10.7	0.2	Imperceptible
R87	11.1	10.4	10.6	0.2	Imperceptible
R88	11.3	11.2	10.9	-0.4	Small improvement
R89	10.9	10.6	10.4	-0.2	Imperceptible
R90	10.7	10.3	10.3	0.0	Imperceptible
R91	10.9	10.5	10.5	0.0	Imperceptible
R92	12.3	12.3	12.0	-0.3	Small improvement
R93	12.2	12.0	11.8	-0.2	Imperceptible
R94	12.1	11.9	11.7	-0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R95	11.7	11.2	11.1	0.0	Imperceptible
R96	12.2	11.8	11.6	-0.2	Imperceptible
R98	11.6	11.0	11.0	0.0	Imperceptible
R99	12.6	12.0	12.1	0.1	Imperceptible
R100	12.6	12.0	12.0	0.0	Imperceptible
R101	11.1	10.6	10.7	0.1	Imperceptible
R102	11.5	10.7	10.8	0.0	Imperceptible
R103	11.0	10.3	10.3	0.0	Imperceptible
R104	12.2	11.5	11.5	0.1	Imperceptible
R105	11.5	10.9	10.9	0.0	Imperceptible
R106	11.1	10.4	10.5	0.1	Imperceptible
R107	11.4	10.7	10.8	0.1	Imperceptible
R108	11.0	10.3	10.3	0.0	Imperceptible
R109	10.2	9.6	9.6	0.0	Imperceptible
R110	12.0	11.2	11.3	0.0	Imperceptible
R111	11.9	11.1	11.2	0.1	Imperceptible
R112	12.1	11.3	11.4	0.1	Imperceptible
R113	11.3	10.6	10.6	0.0	Imperceptible
R114	11.5	10.8	10.9	0.1	Imperceptible
R115	11.9	11.2	11.3	0.1	Imperceptible
R116	12.0	11.2	11.3	0.0	Imperceptible
R117	11.7	10.9	11.0	0.0	Imperceptible
R118	11.4	10.7	10.7	0.0	Imperceptible
R119	11.1	10.4	10.4	0.0	Imperceptible
R120	10.7	10.0	10.0	0.0	Imperceptible
R121	10.8	10.1	10.1	0.0	Imperceptible
R122	10.5	9.9	9.9	0.0	Imperceptible
R123	11.1	10.4	10.5	0.0	Imperceptible
R124	10.7	10.0	10.0	0.0	Imperceptible
R125	10.1	9.5	9.5	0.0	Imperceptible
R126	10.4	9.8	9.6	-0.1	Imperceptible
R127	11.0	10.3	10.2	-0.1	Imperceptible
R128	11.1	10.4	10.3	-0.1	Imperceptible
R129	10.8	10.1	10.1	0.0	Imperceptible
R130	11.2	10.5	10.4	-0.1	Imperceptible
R131	11.7	10.9	10.7	-0.1	Imperceptible
R132	11.2	10.5	10.5	0.0	Imperceptible
R133	11.7	10.9	10.9	0.0	Imperceptible
R134	11.8	11.0	11.0	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R135	11.8	11.1	11.1	0.1	Imperceptible
R136	12.2	11.4	11.6	0.1	Imperceptible
R137	10.4	9.7	9.8	0.1	Imperceptible
R138	11.0	10.3	10.4	0.1	Imperceptible
R139	12.2	11.4	11.7	0.2	Imperceptible
R140	11.5	10.8	11.0	0.3	Small deterioration
R141	11.0	10.3	10.7	0.3	Small deterioration
R142	10.7	10.3	10.7	0.4	Small deterioration
R143	11.2	10.7	11.4	0.7	Small deterioration
R144	11.2	10.5	11.0	0.4	Small deterioration
R145	11.7	11.1	11.5	0.4	Small deterioration
R146	11.4	10.9	11.4	0.5	Small deterioration
R147	12.3	11.5	11.8	0.4	Small deterioration
R148	11.1	10.7	11.3	0.6	Small deterioration
R149	11.1	10.6	11.3	0.6	Small deterioration
R150	11.1	10.5	11.1	0.6	Small deterioration
R151	10.7	10.1	10.3	0.2	Imperceptible
R152	10.6	10.0	10.1	0.1	Imperceptible
R153	10.8	10.1	10.3	0.2	Imperceptible
R154	11.1	10.6	11.2	0.6	Small deterioration
R155	11.2	10.8	11.6	0.7	Small deterioration
R156	11.3	10.8	12.3	1.4	Medium deterioration
R157	11.3	10.7	12.2	1.4	Medium deterioration
R158	10.9	10.2	10.4	0.2	Imperceptible
R159	10.6	9.9	10.0	0.0	Imperceptible
R160	10.2	9.5	9.6	0.0	Imperceptible
R161	11.0	10.4	10.4	0.0	Imperceptible
R162	10.8	10.3	10.3	0.0	Imperceptible
R163	10.4	9.7	9.8	0.0	Imperceptible
R164	12.3	11.7	11.8	0.1	Imperceptible
R165	11.3	10.7	10.7	0.0	Imperceptible
R166	9.9	9.4	9.4	0.0	Imperceptible
R170	13.3	12.5	12.5	0.0	Imperceptible
R171	12.1	11.4	11.4	0.0	Imperceptible
R172	13.3	12.2	12.2	0.0	Imperceptible
R173	10.9	10.4	10.4	0.1	Imperceptible
R174	13.4	12.2	12.2	0.0	Imperceptible
R175	11.4	10.7	11.3	0.5	Small deterioration
R176	11.3	10.7	11.3	0.6	Small deterioration

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R177	10.8	10.2	11.0	0.8	Small deterioration
R178	10.9	10.5	10.4	-0.1	Imperceptible
R179	10.8	10.2	10.3	0.0	Imperceptible
R180	13.5	12.3	12.3	0.0	Imperceptible
R181	13.4	12.3	12.3	0.0	Imperceptible
R182	13.8	12.6	12.6	0.0	Imperceptible
R183	12.7	11.8	11.8	0.0	Imperceptible
R184	12.9	12.1	12.1	0.0	Imperceptible
R185	11.3	10.5	10.6	0.0	Imperceptible
R186	11.1	10.4	10.4	0.0	Imperceptible
R187	11.0	10.4	10.5	0.0	Imperceptible
R188	11.1	10.6	10.7	0.1	Imperceptible
R189	12.9	11.9	12.0	0.0	Imperceptible
R190	12.5	11.6	11.6	0.0	Imperceptible
R191	13.8	12.7	12.6	-0.1	Imperceptible
R192	12.9	11.8	11.8	0.0	Imperceptible
R193	13.6	12.6	12.5	0.0	Imperceptible
R194	12.9	12.2	12.2	0.0	Imperceptible
R195	13.1	12.3	12.3	0.0	Imperceptible
R196	11.9	11.1	11.1	0.0	Imperceptible
R197	15.5	13.9	13.9	0.0	Imperceptible
R198	12.7	11.90	11.90	0.0	Imperceptible
R199	12.1	11.4	11.4	0.0	Imperceptible
R200	12.3	11.9	11.9	0.0	Imperceptible
R201	10.0	9.6	9.6	0.0	Imperceptible
R202	10.2	9.6	9.5	-0.1	Imperceptible
R203	10.2	9.6	9.5	-0.1	Imperceptible
R204	10.1	9.5	9.5	0.0	Imperceptible
R205	10.1	9.5	9.5	-0.1	Imperceptible
R206	10.3	9.6	9.5	-0.1	Imperceptible
R207	9.7	9.2	9.2	0.0	Imperceptible
R208	9.8	9.3	9.2	-0.1	Imperceptible
R209	10.3	9.8	10.0	0.2	Imperceptible
R210	10.2	9.6	9.8	0.2	Imperceptible
R211	10.3	9.7	9.9	0.2	Imperceptible
R212	10.2	9.5	9.6	0.1	Imperceptible
R213	10.1	9.5	9.6	0.1	Imperceptible
R214	10.1	9.6	9.6	0.0	Imperceptible
R215	10.0	9.4	9.4	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R216	10.8	10.1	10.1	0.0	Imperceptible
R217	11.0	10.3	10.3	0.0	Imperceptible
R218	9.8	9.1	9.1	0.0	Imperceptible
R219	11.4	10.5	10.6	0.1	Imperceptible
R220	9.9	9.2	9.2	0.0	Imperceptible
R221	10.5	9.8	9.9	0.1	Imperceptible
R222	10.4	9.7	9.7	0.0	Imperceptible
R223	11.2	10.5	10.6	0.1	Imperceptible
R224	10.9	10.2	10.3	0.1	Imperceptible
R225	10.7	10.0	10.0	0.1	Imperceptible
R226	11.9	11.2	11.4	0.2	Imperceptible
R227	11.0	10.3	10.4	0.1	Imperceptible
R228	11.0	10.3	10.4	0.1	Imperceptible
R229	13.3	12.5	12.7	0.2	Imperceptible
R230	14.0	13.0	13.1	0.1	Imperceptible
R231	14.9	13.9	13.9	0.0	Imperceptible
R232	11.9	11.1	11.1	0.0	Imperceptible
R233	12.0	11.2	11.2	0.0	Imperceptible
R234	10.5	9.8	9.8	0.0	Imperceptible
R235	10.5	9.8	9.8	0.0	Imperceptible
R236	10.5	9.7	9.7	0.0	Imperceptible
R237	11.2	10.5	10.6	0.1	Imperceptible
R238	10.7	10.0	10.1	0.1	Imperceptible
R239	11.2	10.5	10.6	0.1	Imperceptible
R240	9.8	9.2	9.1	-0.1	Imperceptible
R241	10.4	9.8	9.8	0.0	Imperceptible
R242	9.8	9.2	9.2	0.0	Imperceptible
R243	11.0	10.4	10.4	0.0	Imperceptible
R244	10.8	10.2	10.3	0.0	Imperceptible
R245	10.2	9.7	9.7	0.0	Imperceptible
R246	10.8	10.2	10.2	0.0	Imperceptible
R247	11.9	11.1	11.1	0.1	Imperceptible
R248	11.8	11.0	11.1	0.1	Imperceptible
R249	12.4	11.7	11.7	0.0	Imperceptible
R250	13.2	12.2	12.3	0.1	Imperceptible
R251	10.4	9.7	9.7	0.0	Imperceptible
S1	11.2	10.5	10.4	-0.1	Imperceptible
S2	10.8	10.0	10.0	0.0	Imperceptible
S3	11.4	10.7	10.7	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S4	10.7	10.0	10.1	0.0	Imperceptible
S5	10.4	9.8	9.8	0.0	Imperceptible
S6	10.7	10.0	10.0	0.0	Imperceptible
S7	10.4	9.9	9.9	0.0	Imperceptible
S8	10.1	9.4	9.4	0.0	Imperceptible
S9	11.7	11.1	11.0	0.0	Imperceptible
S10	11.8	11.3	11.2	-0.1	Imperceptible
S11	11.8	11.3	11.2	-0.1	Imperceptible
S12	10.8	10.2	10.9	0.8	Small deterioration
S13	11.2	10.6	10.9	0.2	Imperceptible
S14	10.3	9.7	9.8	0.1	Imperceptible
S15	10.6	10.1	10.4	0.3	Small deterioration
S16	11.1	10.4	10.5	0.1	Imperceptible
S17	10.6	10.0	10.0	0.0	Imperceptible
S18	11.2	10.6	10.6	0.0	Imperceptible
S19	11.6	11.0	11.0	0.0	Imperceptible
S20	10.5	9.9	9.9	0.0	Imperceptible
H1	10.8	10.1	10.2	0.0	Imperceptible
H2	10.7	10.1	10.1	0.0	Imperceptible
H3	10.6	9.9	9.9	0.0	Imperceptible
H4	10.5	9.8	9.8	0.0	Imperceptible
H5	9.9	9.2	9.2	0.0	Imperceptible
H6	9.9	9.2	9.2	0.0	Imperceptible
C1	9.7	9.0	9.0	0.0	Imperceptible
C2	12.2	11.2	11.2	0.0	Imperceptible
C3	11.9	11.1	11.1	0.0	Imperceptible
C4	11.4	10.6	10.6	0.0	Imperceptible
C5	13.0	12.1	12.1	0.0	Imperceptible
C6	10.3	9.6	9.6	0.0	Imperceptible
C7	10.3	9.7	9.7	0.0	Imperceptible
C8	11.6	10.9	10.9	0.0	Imperceptible
C9	11.7	11.1	11.1	0.0	Imperceptible
C10	11.6	10.9	10.9	0.0	Imperceptible
C11	11.3	10.8	10.9	0.1	Imperceptible
C12	11.3	10.6	10.3	-0.4	Small improvement
C13	10.4	9.8	9.7	0.0	Imperceptible
C14	11.6	10.8	10.8	0.0	Imperceptible
C15	10.6	10.0	10.1	0.0	Imperceptible
C16	9.4	8.8	8.8	0.0	Imperceptible

Exceedances of the objective/ limit value at $25\mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.9: Predicted annual mean NO₂ concentrations with construction Scenario 4

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	15.5	12.1	12.2	0.1	Imperceptible
R2	15.5	12.2	12.2	0.0	Imperceptible
R3	14.9	11.7	11.7	0.0	Imperceptible
R4	15.1	11.8	11.8	0.0	Imperceptible
R5	16.8	13.2	13.2	0.0	Imperceptible
R6	16.4	13.0	12.9	-0.1	Imperceptible
R7	17.8	14.1	14.0	-0.1	Imperceptible
R8	20.5	16.3	16.3	0.0	Imperceptible
R9	20.9	16.8	16.5	-0.3	Imperceptible
R10	26.9	22.0	21.3	-0.7	Small improvement
R11	20.0	16.1	15.8	-0.3	Imperceptible
R12	29.8	24.0	22.1	-1.9	Small improvement
R13	30.1	24.3	22.3	-2.0	Small improvement
R14	25.5	20.4	19.3	-1.1	Small improvement
R15	16.6	13.2	12.7	-0.5	Small improvement
R16	18.0	14.4	14.9	0.5	Small deterioration
R17	19.7	15.9	16.8	0.9	Small deterioration
R18	17.9	14.2	14.8	0.6	Small deterioration
R19	20.3	16.3	16.1	-0.2	Imperceptible
R20	25.6	20.9	20.5	-0.4	Imperceptible
R21	23.7	19.2	18.9	-0.3	Imperceptible
R22	24.3	19.7	19.4	-0.3	Imperceptible
R23	23.8	19.3	19.0	-0.3	Imperceptible
R24	23.9	19.4	19.2	-0.2	Imperceptible
R25	23.1	18.7	18.7	0.0	Imperceptible
R26	20.5	16.5	16.9	0.4	Imperceptible
R27	19.6	15.7	15.8	0.1	Imperceptible
R28	21.3	17.1	17.2	0.1	Imperceptible
R29	20.0	16.0	16.2	0.2	Imperceptible
R30	20.8	16.7	16.8	0.1	Imperceptible
R31	22.5	18.1	18.3	0.2	Imperceptible
R32	24.2	19.7	19.6	-0.1	Imperceptible
R33	25.4	20.7	20.5	-0.2	Imperceptible
R34	25.9	21.1	20.9	-0.2	Imperceptible
R35	24.5	19.9	19.7	-0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R36	22.5	18.2	18.0	-0.2	Imperceptible
R37	20.7	16.5	16.4	-0.1	Imperceptible
R38	28.1	22.9	22.6	-0.3	Imperceptible
R39	25.9	2.1	20.8	-0.3	Imperceptible
R40	23.0	18.7	18.5	-0.2	Imperceptible
R41	20.7	16.5	16.4	-0.1	Imperceptible
R42	24.2	19.6	19.3	-0.3	Imperceptible
R43	23.0	18.6	18.4	-0.2	Imperceptible
R44	21.4	17.2	17.0	-0.2	Imperceptible
R45	25.5	20.8	20.3	-0.5	Small improvement
R46	23.7	19.1	18.9	-0.2	Imperceptible
R47	21.5	17.3	17.1	-0.2	Imperceptible
R48	32.3	26.5	26.0	-0.5	Small improvement
R49	25.6	20.7	20.5	-0.2	Imperceptible
R50	25.3	20.4	20.1	-0.3	Imperceptible
R51	22.7	18.3	18.1	-0.2	Imperceptible
R52	30.5	24.7	24.4	-0.3	Imperceptible
R53	33.2	27.3	26.7	-0.6	Small improvement
R54	25.5	20.9	20.7	-0.2	Imperceptible
R55	24.3	19.8	19.6	-0.2	Imperceptible
R56	21.7	17.6	17.4	-0.2	Imperceptible
R57	22.0	17.9	17.8	-0.1	Imperceptible
R58	26.5	21.8	21.8	0.0	Imperceptible
R59	23.9	19.5	19.5	0.0	Imperceptible
R60	33.8	27.1	27.2	0.1	Imperceptible
R61	33.6	25.9	25.7	-0.2	Imperceptible
R62	36.6	28.1	27.7	-0.4	Imperceptible
R63	39.6	30.4	30.1	-0.3	Imperceptible
R64	41.6	32.0	31.7	-0.3	Imperceptible
R82	35.6	28.7	31.8	3.1	Medium deterioration
R83	34.0	27.3	29.4	2.1	Medium deterioration
R84	31.9	25.6	26.7	1.1	Small deterioration
R85	29.8	23.9	24.3	0.4	Imperceptible
R86	29.0	23.2	23.8	0.6	Small deterioration
R87	28.2	22.5	23.1	0.6	Small deterioration
R88	31.8	25.1	24.3	-0.8	Small improvement
R89	26.8	21.1	20.5	-0.6	Small improvement
R90	24.9	19.7	19.3	-0.4	Imperceptible
R91	26.7	21.1	20.6	-0.5	Small improvement

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R92	38.2	29.9	29.0	-0.9	Small improvement
R93	35.4	27.9	27.0	-0.9	Small improvement
R94	34.0	26.7	25.7	-1.0	Small improvement
R95	24.7	19.7	19.6	-0.1	Imperceptible
R96	30.3	24.0	23.3	-0.7	Small improvement
R98	23.6	19.1	18.9	-0.2	Imperceptible
R99	29.3	24.9	25.5	0.6	Small deterioration
R100	29.5	24.6	24.9	0.3	Imperceptible
R101	26.5	22.2	22.1	-0.1	Imperceptible
R102	30.8	24.5	24.4	-0.1	Imperceptible
R103	27.2	21.6	21.6	0.0	Imperceptible
R104	35.8	28.6	28.7	0.1	Imperceptible
R105	29.2	24.0	24.0	0.0	Imperceptible
R106	25.9	21.3	21.3	0.0	Imperceptible
R107	29.2	24.1	24.2	0.1	Imperceptible
R108	26.4	21.5	21.6	0.1	Imperceptible
R109	20.6	16.5	16.5	0.0	Imperceptible
R110	32.2	26.8	27.0	0.2	Imperceptible
R111	35.3	29.0	29.2	0.2	Imperceptible
R112	36.6	30.2	30.3	0.1	Imperceptible
R113	30.7	25.1	25.1	0.0	Imperceptible
R114	30.8	25.4	25.5	0.1	Imperceptible
R115	35.9	29.8	29.8	0.0	Imperceptible
R116	35.7	29.6	29.5	-0.1	Imperceptible
R117	33.2	27.2	27.6	0.4	Imperceptible
R118	29.8	24.4	24.4	0.0	Imperceptible
R119	27.4	22.3	22.4	0.1	Imperceptible
R120	24.7	20.0	20.0	0.0	Imperceptible
R121	23.7	19.2	19.2	0.0	Imperceptible
R122	22.4	18.2	18.2	0.0	Imperceptible
R123	25.3	20.6	20.7	0.1	Imperceptible
R124	23.8	19.3	19.3	0.0	Imperceptible
R125	18.3	14.6	14.6	0.0	Imperceptible
R126	18.9	15.1	14.9	-0.2	Imperceptible
R127	24.8	19.8	19.3	-0.5	Small improvement
R128	26.1	21.0	20.2	-0.8	Small improvement
R129	23.4	18.7	18.1	-0.6	Small improvement
R130	27.1	21.7	20.7	-1.0	Small improvement
R131	30.8	24.7	22.9	-1.8	Small improvement

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R132	26.7	21.5	20.6	-0.9	Small improvement
R133	29.3	23.6	22.7	-0.9	Small improvement
R134	29.5	23.8	23.1	-0.7	Small improvement
R135	29.5	23.9	23.9	0.0	Imperceptible
R136	31.9	26.0	25.2	-0.8	Small improvement
R137	20.4	16.3	16.0	-0.3	Imperceptible
R138	24.9	20.1	19.3	-0.8	Small improvement
R139	34.7	28.1	24.7	-3.4	Medium improvement
R140	28.9	23.4	21.9	-1.5	Small improvement
R141	25.8	20.9	19.3	-1.6	Small improvement
R142	24.7	20.2	19.3	-0.9	Small improvement
R143	27.7	22.8	22.7	-0.1	Imperceptible
R144	26.3	21.5	20.5	-1.0	Small improvement
R145	31.9	25.9	22.3	-3.6	Medium improvement
R146	30.2	24.7	20.6	-4.1	Large improvement
R147	33.9	27.5	24.5	-3.0	Medium improvement
R148	28.5	23.3	19.6	-3.7	Medium improvement
R149	28.1	23.2	21.3	-1.9	Small improvement
R150	27.1	22.2	20.7	-1.5	Small improvement
R151	23.1	19.2	19.2	0.0	Imperceptible
R152	22.0	18.2	18.2	0.0	Imperceptible
R153	23.1	19.1	19.1	0.0	Imperceptible
R154	27.7	22.9	21.6	-1.3	Small improvement
R155	29.4	24.3	23.3	-1.0	Small improvement
R156	29.5	24.5	23.8	-0.7	Small improvement
R157	28.2	23.0	23.3	0.3	Imperceptible
R158	24.4	19.6	19.7	0.1	Imperceptible
R159	23.6	19.2	16.9	-2.3	Medium improvement
R160	18.8	14.9	14.5	-0.4	Imperceptible
R161	22.1	18.1	18.0	-0.1	Imperceptible
R162	19.1	15.6	15.5	-0.1	Imperceptible
R163	21.2	17.5	17.4	-0.1	Imperceptible
R164	29.3	24.8	24.5	-0.3	Imperceptible
R165	24.0	19.9	19.7	-0.2	Imperceptible
R166	15.5	13.0	12.9	-0.1	Imperceptible
R170	43.7	35.8	35.8	0.0	Imperceptible
R171	33.5	27.1	27.0	-0.1	Imperceptible
R172	36.9	28.5	28.2	-0.3	Imperceptible
R173	25.2	21.4	21.3	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R174	39.1	29.2	29.3	0.1	Imperceptible
R175	31.4	25.2	29.2	4.0	Medium deterioration
R176	30.8	24.7	29.7	5.0	Large deterioration
R177	23.3	18.9	23.2	4.3	Large deterioration
R178	26.9	21.4	21.3	-0.1	Imperceptible
R179	25.0	19.9	20.2	0.3	Imperceptible
R180	39.1	30.1	30.0	-0.1	Imperceptible
R181	38.8	30.1	29.9	-0.2	Imperceptible
R182	41.6	32.0	31.7	-0.3	Imperceptible
R183	31.4	24.9	24.9	0.0	Imperceptible
R184	31.7	25.4	25.4	0.0	Imperceptible
R185	29.3	23.1	23.1	0.0	Imperceptible
R186	27.9	22.2	22.2	0.0	Imperceptible
R187	26.4	21.6	21.5	-0.1	Imperceptible
R188	26.5	22.2	22.1	-0.1	Imperceptible
R189	34.2	26.7	26.9	0.2	Imperceptible
R190	30.9	23.9	24.0	0.1	Imperceptible
R191	42.2	32.9	32.8	-0.1	Imperceptible
R192	34.6	26.3	26.3	0.0	Imperceptible
R193	40.6	31.9	31.9	0.0	Imperceptible
R194	34.6	28.3	28.4	0.1	Imperceptible
R195	35.5	29.0	29.1	0.1	Imperceptible
R196	25.3	19.8	19.8	0.0	Imperceptible
R197	53.4	40.6	40.1	-0.5	Small improvement
R198	36.0	29.0	29.1	0.1	Imperceptible
R199	30.9	24.4	24.4	0.0	Imperceptible
R200	38.6	31.5	31.6	0.1	Imperceptible
R201	17.6	14.4	14.8	0.4	Imperceptible
R202	19.4	15.7	15.6	-0.1	Imperceptible
R203	19.1	15.4	15.4	0.0	Imperceptible
R204	17.5	14.0	13.9	-0.1	Imperceptible
R205	17.2	14.2	14.1	-0.1	Imperceptible
R206	17.5	13.8	13.8	0.0	Imperceptible
R207	14.5	11.9	11.8	-0.1	Imperceptible
R208	14.5	12.1	11.9	-0.2	Imperceptible
R209	20.2	16.4	17.1	0.7	Small deterioration
R210	19.1	15.2	15.9	0.7	Small deterioration
R211	19.9	15.9	16.8	0.9	Small deterioration
R212	18.6	14.9	15.2	0.3	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R213	18.3	14.4	15.2	0.8	Small deterioration
R214	19.1	15.2	15.7	0.5	Small deterioration
R215	17.5	13.9	13.9	0.0	Imperceptible
R216	21.2	17.0	17.4	0.4	Imperceptible
R217	20.3	16.2	16.0	0.2	Imperceptible
R218	19.3	15.2	15.2	0.0	Imperceptible
R219	32.2	25.9	26.2	0.3	Imperceptible
R220	19.5	15.4	15.4	0.0	Imperceptible
R221	22.3	18.0	18.1	0.1	Imperceptible
R222	21.4	17.2	17.2	0.0	Imperceptible
R223	23.8	19.1	19.3	0.2	Imperceptible
R224	21.7	17.4	17.5	0.1	Imperceptible
R225	25.2	20.3	20.4	0.1	Imperceptible
R226	30.5	25.0	25.3	0.3	Imperceptible
R227	26.5	21.5	21.6	0.1	Imperceptible
R228	26.6	21.6	21.8	0.2	Imperceptible
R229	33.5	27.1	27.6	0.5	Small deterioration
R230	40.5	32.6	33.0	0.4	Imperceptible
R231	44.3	35.7	35.8	0.1	Imperceptible
R232	25.4	20.0	20.0	0.0	Imperceptible
R233	26.4	20.8	20.8	0.0	Imperceptible
R234	22.0	17.5	17.5	0.0	Imperceptible
R235	22.2	17.7	17.7	0.0	Imperceptible
R236	21.7	17.1	17.1	0.0	Imperceptible
R237	24.9	20.0	20.2	0.2	Imperceptible
R238	22.3	17.9	17.9	0.0	Imperceptible
R239	25.0	20.1	20.3	0.2	Imperceptible
R240	15.9	12.6	12.5	-0.1	Imperceptible
R241	18.4	14.9	14.8	-0.1	Imperceptible
R242	16.6	13.5	13.3	-0.2	Imperceptible
R243	23.2	19.4	19.3	-0.1	Imperceptible
R244	22.1	18.5	18.4	-0.1	Imperceptible
R245	18.8	16.0	15.7	-0.3	Imperceptible
R246	22.1	18.3	18.2	-0.1	Imperceptible
R247	34.8	28.6	28.6	0.0	Imperceptible
R248	32.6	26.7	27.0	0.3	Imperceptible
R249	33.6	27.8	27.5	-0.3	Imperceptible
R250	38.1	30.7	31.2	0.5	Small deterioration
R251	21.7	17.3	17.2	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S1	18.9	15.2	15.1	-0.1	Imperceptible
S2	25.1	19.9	19.8	-0.1	Imperceptible
S3	24.1	19.6	19.2	-0.4	Imperceptible
S4	20.1	16.1	16.0	-0.1	Imperceptible
S5	18.2	14.5	14.4	-0.1	Imperceptible
S6	23.9	19.2	19.1	-0.1	Imperceptible
S7	22.8	18.3	18.3	0.0	Imperceptible
S8	20.2	15.9	15.9	0.0	Imperceptible
S9	23.9	18.9	18.9	0.0	Imperceptible
S10	27.5	21.7	21.3	-0.4	Imperceptible
S11	24.2	20.6	20.3	-0.3	Imperceptible
S12	23.2	18.8	22.9	4.1	Large deterioration
S13	29.9	23.9	25.2	1.3	Small deterioration
S14	19.8	15.8	15.6	-0.2	Imperceptible
S15	23.5	19.1	17.2	-1.9	Small improvement
S16	26.3	21.6	21.6	0.0	Imperceptible
S17	23.1	18.7	18.7	0.0	Imperceptible
S18	21.2	17.5	17.3	-0.2	Imperceptible
S19	23.6	19.6	19.4	-0.2	Imperceptible
S20	19.2	15.7	15.6	-0.1	Imperceptible
H1	20.2	16.3	15.2	-1.1	Small improvement
H2	19.3	15.6	15.0	-0.6	Small improvement
H3	23.9	19.4	19.4	0.0	Imperceptible
H4	22.8	18.4	18.4	0.0	Imperceptible
H5	21.8	17.4	17.4	0.0	Imperceptible
H6	21.2	16.9	16.9	0.0	Imperceptible
C1	15.0	11.8	11.8	0.0	Imperceptible
C2	37.2	30.0	29.8	-0.2	Imperceptible
C3	30.3	24.1	24.0	-0.1	Imperceptible
C4	27.7	22.0	22.0	0.0	Imperceptible
C5	32.1	25.5	25.5	0.0	Imperceptible
C6	21.4	17.1	17.1	0.0	Imperceptible
C7	21.7	17.2	17.2	0.0	Imperceptible
C8	22.7	18.0	17.9	-0.1	Imperceptible
C9	24.4	19.3	19.3	0.0	Imperceptible
C10	22.7	18.3	18.2	-0.1	Imperceptible
C11	27.5	22.3	21.9	-0.4	Imperceptible
C12	25.5	21.0	18.9	-2.1	Medium improvement
C13	20.6	16.5	15.9	-0.6	Small improvement

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
C14	34.9	28.4	24.0	-4.4	Large improvement
C15	17.7	14.4	14.4	0.0	Imperceptible
C16	15.4	12.3	12.3	0.0	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ are marked in **bold**.

**Table 1.10: Predicted annual mean PM₁₀ concentrations with construction
Scenario 4**

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	14.0	13.3	13.3	0.0	Imperceptible
R2	13.9	13.3	13.3	0.0	Imperceptible
R3	13.8	13.1	13.1	0.0	Imperceptible
R4	13.8	13.1	13.1	0.0	Imperceptible
R5	15.4	14.7	14.7	0.0	Imperceptible
R6	15.4	14.6	14.6	0.0	Imperceptible
R7	15.6	14.8	14.8	0.0	Imperceptible
R8	16.1	15.3	15.3	0.0	Imperceptible
R9	16.1	15.4	15.3	0.0	Imperceptible
R10	17.2	16.3	16.2	-0.1	Imperceptible
R11	16.0	15.2	15.2	0.0	Imperceptible
R12	16.9	16.0	15.8	-0.2	Imperceptible
R13	16.9	16.0	15.8	-0.2	Imperceptible
R14	16.6	15.7	15.5	-0.2	Imperceptible
R15	13.9	13.2	13.1	-0.1	Imperceptible
R16	14.1	13.4	13.4	0.0	Imperceptible
R17	14.4	13.7	13.7	0.0	Imperceptible
R18	14.0	13.3	13.4	0.0	Imperceptible
R19	15.9	15.1	15.1	0.0	Imperceptible
R20	16.8	16.0	15.9	0.0	Imperceptible
R21	16.4	15.7	15.6	-0.1	Imperceptible
R22	16.5	15.8	15.7	-0.1	Imperceptible
R23	16.4	15.7	15.6	0.0	Imperceptible
R24	16.5	15.7	15.7	0.0	Imperceptible
R25	16.2	15.5	15.5	0.0	Imperceptible
R26	15.9	15.2	15.3	0.1	Imperceptible
R27	15.7	15.0	15.1	0.0	Imperceptible
R28	16.0	15.3	15.3	0.0	Imperceptible
R29	15.8	15.1	15.1	0.0	Imperceptible
R30	14.6	13.9	13.9	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R31	16.1	15.3	15.3	0.0	Imperceptible
R32	14.9	14.3	14.3	0.0	Imperceptible
R33	15.3	14.6	14.5	0.0	Imperceptible
R34	15.5	14.7	14.7	-0.1	Imperceptible
R35	15.2	14.5	14.4	-0.1	Imperceptible
R36	14.9	14.2	14.2	0.0	Imperceptible
R37	14.6	13.9	13.9	0.0	Imperceptible
R38	15.9	15.1	15.0	-0.1	Imperceptible
R39	15.5	14.7	14.6	-0.1	Imperceptible
R40	15.0	14.3	14.2	0.0	Imperceptible
R41	14.6	13.9	13.9	0.0	Imperceptible
R42	15.2	14.5	14.4	-0.1	Imperceptible
R43	15.0	14.3	14.2	-0.1	Imperceptible
R44	14.7	14.0	14.0	0.0	Imperceptible
R45	15.4	14.7	14.6	-0.1	Imperceptible
R46	15.1	14.4	14.3	-0.1	Imperceptible
R47	14.8	14.0	14.0	0.0	Imperceptible
R48	17.7	16.9	16.8	-0.1	Imperceptible
R49	16.6	15.8	15.8	-0.1	Imperceptible
R50	16.5	15.8	15.7	-0.1	Imperceptible
R51	16.1	15.4	15.3	0.0	Imperceptible
R52	16.4	15.6	15.5	-0.1	Imperceptible
R53	17.4	16.7	16.6	-0.1	Imperceptible
R54	15.9	15.5	15.4	0.0	Imperceptible
R55	15.7	15.2	15.2	0.0	Imperceptible
R56	15.6	15.0	15.04	0.0	Imperceptible
R57	15.3	14.9	14.9	0.0	Imperceptible
R58	15.1	14.9	14.9	0.0	Imperceptible
R59	14.9	14.6	14.6	0.0	Imperceptible
R60	18.4	17.6	17.6	0.0	Imperceptible
R61	17.9	16.9	16.9	0.0	Imperceptible
R62	18.6	17.5	17.5	0.0	Imperceptible
R63	18.5	17.4	17.3	0.0	Imperceptible
R64	18.8	17.5	17.5	0.0	Imperceptible
R82	16.7	15.9	16.6	0.7	Small deterioration
R83	16.5	15.8	16.3	0.5	Small deterioration
R84	16.3	15.6	15.9	0.3	Imperceptible
R85	16.1	15.5	15.6	0.1	Imperceptible
R86	16.1	15.4	15.6	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R87	16.0	15.3	15.5	0.2	Imperceptible
R88	16.2	16.1	16.0	-0.2	Imperceptible
R89	15.8	15.5	15.4	-0.1	Imperceptible
R90	15.6	15.2	15.1	-0.1	Imperceptible
R91	15.8	15.4	15.3	-0.1	Imperceptible
R92	17.3	17.2	17.1	-0.2	Imperceptible
R93	17.2	17.0	16.9	-0.1	Imperceptible
R94	17.1	16.8	16.7	-0.1	Imperceptible
R95	16.6	16.1	16.1	0.0	Imperceptible
R96	17.1	16.7	16.6	-0.1	Imperceptible
R98	16.6	16.0	16.0	0.0	Imperceptible
R99	17.6	17.0	17.1	0.1	Imperceptible
R100	17.5	17.0	17.0	0.1	Imperceptible
R101	15.7	15.2	15.2	0.0	Imperceptible
R102	16.1	15.4	15.4	0.0	Imperceptible
R103	15.6	15.0	15.0	0.0	Imperceptible
R104	16.8	16.1	16.1	0.0	Imperceptible
R105	16.1	15.5	15.5	0.0	Imperceptible
R106	15.7	15.0	15.1	0.0	Imperceptible
R107	16.0	15.3	15.4	0.0	Imperceptible
R108	15.6	14.9	14.9	0.0	Imperceptible
R109	14.8	14.2	14.2	0.0	Imperceptible
R110	16.6	15.8	15.9	0.0	Imperceptible
R111	16.5	15.7	15.8	0.0	Imperceptible
R112	16.7	15.9	16.0	0.0	Imperceptible
R113	15.9	15.2	15.2	0.0	Imperceptible
R114	16.1	15.4	15.5	0.0	Imperceptible
R115	16.6	15.8	15.9	0.0	Imperceptible
R116	16.6	15.8	15.9	0.0	Imperceptible
R117	16.3	15.6	15.6	0.1	Imperceptible
R118	16.0	15.3	15.3	0.0	Imperceptible
R119	15.7	15.0	15.0	0.0	Imperceptible
R120	15.3	14.6	14.7	0.0	Imperceptible
R121	15.4	14.7	14.8	0.0	Imperceptible
R122	15.1	14.5	14.5	0.0	Imperceptible
R123	15.7	15.1	15.1	0.0	Imperceptible
R124	15.3	14.6	14.7	0.0	Imperceptible
R125	14.8	14.2	14.2	0.0	Imperceptible
R126	15.1	14.5	14.5	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R127	15.9	15.2	15.1	-0.1	Imperceptible
R128	16.0	15.3	15.2	-0.1	Imperceptible
R129	15.7	15.0	14.9	-0.1	Imperceptible
R130	16.1	15.4	15.3	-0.1	Imperceptible
R131	16.6	15.8	15.6	-0.2	Imperceptible
R132	16.1	15.4	15.3	-0.1	Imperceptible
R133	16.6	15.8	15.7	-0.1	Imperceptible
R134	16.7	15.9	15.8	-0.1	Imperceptible
R135	16.7	15.9	16.0	0.0	Imperceptible
R136	17.1	16.3	16.1	-0.2	Imperceptible
R137	15.1	14.4	14.4	0.0	Imperceptible
R138	15.7	15.0	15.0	0.0	Imperceptible
R139	17.1	16.3	16.0	-0.3	Imperceptible
R140	16.3	15.5	15.4	-0.1	Imperceptible
R141	15.7	15.0	14.9	-0.1	Imperceptible
R142	15.4	15.0	15.0	-0.1	Imperceptible
R143	15.9	15.4	15.4	0.0	Imperceptible
R144	15.9	15.2	15.1	-0.1	Imperceptible
R145	16.6	16.0	15.6	-0.4	Imperceptible
R146	16.2	15.8	15.3	-0.5	Small improvement
R147	17.1	16.4	16.0	-0.3	Imperceptible
R148	16.0	15.6	15.1	-0.4	Imperceptible
R149	15.9	15.5	15.3	-0.2	Imperceptible
R150	16.0	15.4	15.3	-0.1	Imperceptible
R151	15.6	15.0	15.0	0.0	Imperceptible
R152	15.5	14.9	14.9	0.0	Imperceptible
R153	15.6	15.0	15.0	0.0	Imperceptible
R154	16.0	15.5	15.3	-0.1	Imperceptible
R155	16.1	15.7	15.6	-0.1	Imperceptible
R156	16.0	15.6	15.5	0.0	Imperceptible
R157	16.1	15.5	15.6	0.1	Imperceptible
R158	15.8	15.1	15.2	0.1	Imperceptible
R159	15.4	14.7	14.5	-0.1	Imperceptible
R160	14.9	14.3	14.2	0.0	Imperceptible
R161	16.1	15.5	15.5	0.0	Imperceptible
R162	15.9	15.3	15.3	0.0	Imperceptible
R163	14.6	13.9	13.9	0.0	Imperceptible
R164	17.0	16.3	16.3	-0.1	Imperceptible
R165	16.0	15.3	15.3	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R166	14.4	13.8	13.8	0.0	Imperceptible
R170	19.0	18.2	18.2	0.0	Imperceptible
R171	17.8	17.1	17.1	0.0	Imperceptible
R172	18.3	17.2	17.1	0.0	Imperceptible
R173	15.5	15.0	15.0	0.0	Imperceptible
R174	18.4	17.1	17.1	0.0	Imperceptible
R175	16.2	15.6	16.2	0.6	Small deterioration
R176	16.2	15.6	16.2	0.6	Small deterioration
R177	15.6	14.9	15.6	0.7	Small deterioration
R178	15.8	15.4	15.4	0.0	Imperceptible
R179	15.7	15.1	15.2	0.1	Imperceptible
R180	18.4	17.3	17.3	0.0	Imperceptible
R181	18.4	17.3	17.2	0.0	Imperceptible
R182	18.8	17.5	17.5	0.0	Imperceptible
R183	17.7	16.8	16.8	0.0	Imperceptible
R184	17.8	17.0	17.0	0.0	Imperceptible
R185	15.9	15.1	15.1	0.0	Imperceptible
R186	15.7	15.1	15.1	0.0	Imperceptible
R187	15.6	15.0	15.0	0.0	Imperceptible
R188	15.7	15.2	15.2	0.0	Imperceptible
R189	17.8	16.9	17.0	0.0	Imperceptible
R190	17.4	16.5	16.6	0.0	Imperceptible
R191	18.8	17.7	17.6	0.0	Imperceptible
R192	17.8	16.8	16.8	0.0	Imperceptible
R193	18.6	17.5	17.5	0.0	Imperceptible
R194	17.9	17.1	17.2	0.0	Imperceptible
R195	18.0	17.3	17.3	0.0	Imperceptible
R196	16.8	16.1	16.1	0.0	Imperceptible
R197	20.5	18.9	18.8	-0.1	Imperceptible
R198	17.7	16.9	16.9	0.0	Imperceptible
R199	17.1	16.4	16.4	0.0	Imperceptible
R200	18.0	17.6	17.6	0.0	Imperceptible
R201	14.7	14.3	14.3	0.1	Imperceptible
R202	14.9	14.3	14.3	0.0	Imperceptible
R203	14.9	14.3	14.3	0.0	Imperceptible
R204	14.8	14.2	14.2	0.0	Imperceptible
R205	14.6	13.9	13.9	0.0	Imperceptible
R206	14.7	14.0	14.0	0.0	Imperceptible
R207	14.2	13.7	13.6	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R208	14.2	13.7	13.6	0.0	Imperceptible
R209	15.0	14.5	14.7	0.2	Imperceptible
R210	14.9	14.3	14.4	0.1	Imperceptible
R211	15.0	14.4	14.6	0.2	Imperceptible
R212	14.9	14.3	14.3	0.1	Imperceptible
R213	14.8	14.2	14.3	0.1	Imperceptible
R214	14.8	14.3	14.4	0.1	Imperceptible
R215	14.7	14.1	14.1	0.0	Imperceptible
R216	15.6	14.8	14.9	0.1	Imperceptible
R217	16.4	15.6	15.6	0.0	Imperceptible
R218	14.1	13.4	13.4	0.0	Imperceptible
R219	16.0	15.1	15.2	0.0	Imperceptible
R220	14.1	13.4	13.4	0.0	Imperceptible
R221	14.9	14.2	14.2	0.0	Imperceptible
R222	14.7	14.0	14.0	0.0	Imperceptible
R223	16.1	15.4	15.5	0.0	Imperceptible
R224	15.9	15.2	15.2	0.0	Imperceptible
R225	15.3	14.6	14.6	0.0	Imperceptible
R226	16.5	15.8	15.9	0.1	Imperceptible
R227	15.5	14.8	14.9	0.0	Imperceptible
R228	15.5	14.8	14.9	0.0	Imperceptible
R229	18.3	17.5	17.6	0.1	Imperceptible
R230	19.1	18.2	18.3	0.1	Imperceptible
R231	20.1	19.1	19.1	0.0	Imperceptible
R232	16.8	16.1	16.1	0.0	Imperceptible
R233	16.9	16.2	16.2	0.0	Imperceptible
R234	15.4	14.7	14.7	0.0	Imperceptible
R235	15.5	14.8	14.8	0.0	Imperceptible
R236	15.4	14.7	14.7	0.0	Imperceptible
R237	16.1	15.4	15.4	0.1	Imperceptible
R238	15.6	14.9	15.0	0.0	Imperceptible
R239	16.1	15.4	15.4	0.1	Imperceptible
R240	13.9	13.1	13.1	0.0	Imperceptible
R241	15.0	14.4	14.4	0.0	Imperceptible
R242	14.0	13.4	13.3	0.0	Imperceptible
R243	15.4	14.7	14.7	0.0	Imperceptible
R244	15.2	14.6	14.6	0.0	Imperceptible
R245	14.4	13.8	13.8	0.0	Imperceptible
R246	15.2	14.5	14.5	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R247	16.5	15.7	15.7	0.0	Imperceptible
R248	16.4	15.7	15.7	0.0	Imperceptible
R249	17.5	16.7	16.7	0.0	Imperceptible
R250	18.3	17.4	17.5	0.1	Imperceptible
R251	15.0	14.2	14.2	0.0	Imperceptible
S1	15.8	15.1	15.0	0.0	Imperceptible
S2	15.4	14.6	14.6	0.0	Imperceptible
S3	16.3	15.6	15.5	0.0	Imperceptible
S4	15.7	15.0	15.0	0.0	Imperceptible
S5	15.4	14.7	14.7	0.0	Imperceptible
S6	15.3	14.6	14.6	0.0	Imperceptible
S7	14.9	14.5	14.5	0.0	Imperceptible
S8	14.7	14.0	14.0	0.0	Imperceptible
S9	16.6	16.0	16.0	0.0	Imperceptible
S10	16.7	16.3	16.2	-0.1	Imperceptible
S11	16.7	16.3	16.2	-0.1	Imperceptible
S12	15.5	14.9	15.6	0.7	Small deterioration
S13	16.1	15.5	15.7	0.2	Imperceptible
S14	15.0	14.4	14.4	0.0	Imperceptible
S15	15.3	14.8	14.6	-0.2	Imperceptible
S16	15.7	15.0	15.0	0.0	Imperceptible
S17	15.3	14.6	14.6	0.0	Imperceptible
S18	16.3	15.7	15.6	0.0	Imperceptible
S19	16.7	16.0	16.0	0.0	Imperceptible
S20	15.2	14.5	14.5	0.0	Imperceptible
H1	15.9	15.2	15.1	-0.1	Imperceptible
H2	15.8	15.2	15.1	0.0	Imperceptible
H3	15.2	14.5	14.5	0.0	Imperceptible
H4	15.1	14.4	14.4	0.0	Imperceptible
H5	14.1	13.3	13.3	0.0	Imperceptible
H6	14.0	13.3	13.3	0.0	Imperceptible
C1	13.8	13.1	13.1	0.0	Imperceptible
C2	16.8	15.9	15.8	0.0	Imperceptible
C3	17.0	16.2	16.2	0.0	Imperceptible
C4	16.5	15.8	15.8	0.0	Imperceptible
C5	17.9	17.1	17.1	0.0	Imperceptible
C6	14.9	14.2	14.2	0.0	Imperceptible
C7	14.9	14.3	14.3	0.0	Imperceptible
C8	16.5	15.9	15.9	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
C9	16.7	16.1	16.1	0.0	Imperceptible
C10	16.5	15.9	15.9	0.0	Imperceptible
C11	16.1	15.5	15.5	-0.1	Imperceptible
C12	16.1	15.4	15.0	-0.4	Imperceptible
C13	15.2	14.5	14.5	0.0	Imperceptible
C14	16.4	15.5	15.5	0.0	Imperceptible
C15	15.7	15.1	15.1	0.0	Imperceptible
C16	13.6	12.9	12.9	0.0	Imperceptible

Exceedances of the objective/ limit value at $40\mu\text{g}/\text{m}^3$ marked in **bold** (no exceedance shown in table).

Table 1.11: Predicted number of days exceeding $50\mu\text{g}/\text{m}^3$ PM_{10} concentrations with construction Scenario 4

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R1	0	0	0	0
R2	0	0	0	0
R3	0	0	0	0
R4	0	0	0	0
R5	0	0	0	0
R6	0	0	0	0
R7	0	0	0	0
R8	0	0	0	0
R9	0	0	0	0
R10	1	0	0	0
R11	0	0	0	0
R12	1	0	0	0
R13	1	0	0	0
R14	1	0	0	0
R15	0	0	0	0
R16	0	0	0	0
R17	0	0	0	0
R18	0	0	0	0
R19	0	0	0	0
R20	1	0	0	0
R21	0	0	0	0
R22	1	0	0	0
R23	0	0	0	0
R24	0	0	0	0
R25	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R26	0	0	0	0
R27	0	0	0	0
R28	0	0	0	0
R29	0	0	0	0
R30	0	0	0	0
R31	0	0	0	0
R32	0	0	0	0
R33	0	0	0	0
R34	0	0	0	0
R35	0	0	0	0
R36	0	0	0	0
R37	0	0	0	0
R38	0	0	0	0
R39	0	0	0	0
R40	0	0	0	0
R41	0	0	0	0
R42	0	0	0	0
R43	0	0	0	0
R44	0	0	0	0
R45	0	0	0	0
R46	0	0	0	0
R47	0	0	0	0
R48	1	1	1	0
R49	1	0	0	0
R50	1	0	0	0
R51	0	0	0	0
R52	0	0	0	0
R53	1	1	1	0
R54	0	0	0	0
R55	0	0	0	0
R56	0	0	0	0
R57	0	0	0	0
R58	0	0	0	0
R59	0	0	0	0
R60	2	1	1	0
R61	1	1	1	0
R62	2	1	1	0
R63	2	1	1	0
R64	2	1	1	0
R82	1	1	1	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R83	1	0	0	0
R84	0	0	0	0
R85	0	0	0	0
R86	0	0	0	0
R87	0	0	0	0
R88	0	0	0	0
R89	0	0	0	0
R90	0	0	0	0
R91	0	0	0	0
R92	1	1	1	0
R93	1	1	1	0
R94	1	1	1	0
R95	1	0	0	0
R96	1	1	1	0
R98	1	0	0	0
R99	1	1	1	0
R100	1	1	1	0
R101	0	0	0	0
R102	0	0	0	0
R103	0	0	0	0
R104	1	0	0	0
R105	0	0	0	0
R106	0	0	0	0
R107	0	0	0	0
R108	0	0	0	0
R109	0	0	0	0
R110	1	0	0	0
R111	1	0	0	0
R112	1	0	0	0
R113	0	0	0	0
R114	0	0	0	0
R115	1	0	0	0
R116	1	0	0	0
R117	0	0	0	0
R118	0	0	0	0
R119	0	0	0	0
R120	0	0	0	0
R121	0	0	0	0
R122	0	0	0	0
R123	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R124	0	0	0	0
R125	0	0	0	0
R126	0	0	0	0
R127	0	0	0	0
R128	0	0	0	0
R129	0	0	0	0
R130	0	0	0	0
R131	1	0	0	0
R132	0	0	0	0
R133	1	0	0	0
R134	1	0	0	0
R135	1	0	0	0
R136	1	0	0	0
R137	0	0	0	0
R138	0	0	0	0
R139	1	0	0	0
R140	0	0	0	0
R141	0	0	0	0
R142	0	0	0	0
R143	0	0	0	0
R144	0	0	0	0
R145	1	0	0	0
R146	0	0	0	0
R147	1	0	0	0
R148	0	0	0	0
R149	0	0	0	0
R150	0	0	0	0
R151	0	0	0	0
R152	0	0	0	0
R153	0	0	0	0
R154	0	0	0	0
R155	0	0	0	0
R156	0	0	0	0
R157	0	0	0	0
R158	0	0	0	0
R159	0	0	0	0
R160	0	0	0	0
R161	0	0	0	0
R162	0	0	0	0
R163	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R164	1	0	0	0
R165	0	0	0	0
R166	0	0	0	0
R170	2	2	2	0
R171	1	1	1	0
R172	2	1	1	0
R173	0	0	0	0
R174	2	1	1	0
R175	0	0	0	0
R176	0	0	0	0
R177	0	0	0	0
R178	0	0	0	0
R179	0	0	0	0
R180	2	1	1	0
R181	2	1	1	0
R182	2	1	1	0
R183	1	1	1	0
R184	1	1	1	0
R185	0	0	0	0
R186	0	0	0	0
R187	0	0	0	0
R188	0	0	0	0
R189	1	1	1	0
R190	1	1	1	0
R191	2	1	1	0
R192	1	1	1	0
R193	2	1	1	0
R194	1	1	1	0
R195	1	1	1	0
R196	1	0	0	0
R197	4	2	2	0
R198	1	1	1	0
R199	1	1	1	0
R200	1	1	1	0
R201	0	0	0	0
R202	0	0	0	0
R203	0	0	0	0
R204	0	0	0	0
R205	0	0	0	0
R206	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R207	0	0	0	0
R208	0	0	0	0
R209	0	0	0	0
R210	0	0	0	0
R211	0	0	0	0
R212	0	0	0	0
R213	0	0	0	0
R214	0	0	0	0
R215	0	0	0	0
R216	0	0	0	0
R217	0	0	0	0
R218	0	0	0	0
R219	0	0	0	0
R220	0	0	0	0
R221	0	0	0	0
R222	0	0	0	0
R223	0	0	0	0
R224	0	0	0	0
R225	0	0	0	0
R226	0	0	0	0
R227	0	0	0	0
R228	0	0	0	0
R229	2	1	1	0
R230	2	2	2	0
R231	4	2	2	0
R232	1	0	0	0
R233	1	0	0	0
R234	0	0	0	0
R235	0	0	0	0
R236	0	0	0	0
R237	0	0	0	0
R238	0	0	0	0
R239	0	0	0	0
R240	0	0	0	0
R241	0	0	0	0
R242	0	0	0	0
R243	0	0	0	0
R244	0	0	0	0
R245	0	0	0	0
R246	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
R247	0	0	0	0
R248	0	0	0	0
R249	1	1	1	0
R250	2	1	1	0
R251	0	0	0	0
S1	0	0	0	0
S2	0	0	0	0
S3	0	0	0	0
S4	0	0	0	0
S5	0	0	0	0
S6	0	0	0	0
S7	0	0	0	0
S8	0	0	0	0
S9	1	0	0	0
S10	1	0	0	0
S11	1	0	0	0
S12	0	0	0	0
S13	0	0	0	0
S14	0	0	0	0
S15	0	0	0	0
S16	0	0	0	0
S17	0	0	0	0
S18	0	0	0	0
S19	1	0	0	0
S20	0	0	0	0
H1	0	0	0	0
H2	0	0	0	0
H3	0	0	0	0
H4	0	0	0	0
H5	0	0	0	0
H6	0	0	0	0
C1	0	0	0	0
C2	1	0	0	0
C3	1	0	0	0
C4	1	0	0	0
C5	1	1	1	0
C6	0	0	0	0
C7	0	0	0	0
C8	1	0	0	0
C9	1	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2021 (days)	Do-Something 2021 (days)	Change with Scheme (days)
C10	1	0	0	0
C11	0	0	0	0
C12	0	0	0	0
C13	0	0	0	0
C14	0	0	0	0
C15	0	0	0	0
C16	0	1	1	0

Exceedances of the objective/ limit value which permits 35 exceedances are marked in **bold** (no exceedance shown in table).

**Table 1.12: Predicted annual mean PM_{2.5} concentrations with construction
Scenario 4**

Receptor	Base Year 2015 (µg/m ³)	Do-Minimum 2021 (µg/m ³)	Do- Something 2021 (µg/m ³)	Change with Scheme (µg/m ³)	Descriptor
R1	9.9	9.2	9.2	0.0	Imperceptible
R2	9.8	9.2	9.2	0.0	Imperceptible
R3	9.7	9.0	9.0	0.0	Imperceptible
R4	9.7	9.1	9.0	0.0	Imperceptible
R5	10.8	10.1	10.1	0.0	Imperceptible
R6	10.7	10.0	10.0	0.0	Imperceptible
R7	10.9	10.2	10.2	0.0	Imperceptible
R8	11.1	10.3	10.3	0.0	Imperceptible
R9	11.5	10.7	10.7	0.0	Imperceptible
R10	12.5	11.7	11.6	-0.1	Imperceptible
R11	11.3	10.6	10.6	0.0	Imperceptible
R12	11.9	11.0	10.8	-0.2	Imperceptible
R13	11.9	11.0	10.8	-0.2	Imperceptible
R14	11.6	10.8	10.6	-0.2	Imperceptible
R15	9.7	9.0	9.0	-0.1	Imperceptible
R16	10.0	9.3	9.3	0.0	Imperceptible
R17	10.2	9.6	9.6	0.0	Imperceptible
R18	9.9	9.2	9.3	0.0	Imperceptible
R19	10.9	10.3	10.2	0.0	Imperceptible
R20	11.9	11.1	11.0	0.0	Imperceptible
R21	11.5	10.8	10.7	-0.1	Imperceptible
R22	11.6	10.9	10.8	-0.1	Imperceptible
R23	11.5	10.8	10.7	0.0	Imperceptible
R24	11.5	10.8	10.8	0.0	Imperceptible
R25	11.3	10.6	10.6	0.0	Imperceptible
R26	11.0	10.3	10.4	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R27	10.8	10.1	10.2	0.0	Imperceptible
R28	11.1	10.4	10.4	0.0	Imperceptible
R29	10.9	10.2	10.2	0.0	Imperceptible
R30	10.2	9.6	9.6	0.0	Imperceptible
R31	11.1	10.4	10.4	0.0	Imperceptible
R32	10.6	10.0	10.0	0.0	Imperceptible
R33	11.0	10.2	10.2	0.0	Imperceptible
R34	11.1	10.4	10.3	-0.1	Imperceptible
R35	10.9	10.2	10.1	-0.1	Imperceptible
R36	10.6	9.9	9.8	0.0	Imperceptible
R37	10.3	9.6	9.6	0.0	Imperceptible
R38	11.5	10.7	10.7	-0.1	Imperceptible
R39	11.1	10.4	10.3	-0.1	Imperceptible
R40	10.6	9.9	9.9	0.0	Imperceptible
R41	10.3	9.6	9.6	0.0	Imperceptible
R42	10.9	10.1	10.1	-0.1	Imperceptible
R43	10.7	9.9	9.9	0.0	Imperceptible
R44	10.4	9.7	9.7	0.0	Imperceptible
R45	11.1	10.3	10.3	-0.1	Imperceptible
R46	10.8	10.1	10.0	-0.1	Imperceptible
R47	10.4	9.7	9.7	0.0	Imperceptible
R48	12.8	11.9	11.9	-0.1	Imperceptible
R49	11.6	10.9	10.8	-0.1	Imperceptible
R50	11.6	10.8	10.8	-0.1	Imperceptible
R51	11.1	10.4	10.4	0.0	Imperceptible
R52	11.8	11.0	11.0	-0.1	Imperceptible
R53	12.6	12.0	11.8	-0.1	Imperceptible
R54	11.1	10.7	10.7	0.0	Imperceptible
R55	11.0	10.5	10.5	0.0	Imperceptible
R56	10.8	10.3	10.3	0.0	Imperceptible
R57	10.6	10.1	10.1	0.0	Imperceptible
R58	10.5	10.4	10.4	0.0	Imperceptible
R59	10.3	10.0	10.0	0.0	Imperceptible
R60	13.5	12.6	12.7	0.0	Imperceptible
R61	12.9	11.9	11.9	0.0	Imperceptible
R62	13.7	12.5	12.5	0.0	Imperceptible
R63	13.6	12.4	12.4	0.0	Imperceptible
R64	13.8	12.6	12.5	0.0	Imperceptible
R82	11.8	11.0	11.7	0.7	Small deterioration

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R83	11.6	10.9	11.4	0.5	Small deterioration
R84	11.4	10.7	11.0	0.3	Small deterioration
R85	11.2	10.6	10.7	0.1	Imperceptible
R86	11.2	10.5	10.7	0.2	Imperceptible
R87	11.1	10.4	10.6	0.2	Imperceptible
R88	11.3	11.2	11.1	-0.2	Imperceptible
R89	10.9	10.6	10.5	-0.1	Imperceptible
R90	10.7	10.3	10.2	-0.1	Imperceptible
R91	10.9	10.5	10.4	-0.1	Imperceptible
R92	12.3	12.3	12.1	-0.2	Imperceptible
R93	12.2	12.0	11.9	-0.1	Imperceptible
R94	12.1	11.9	11.8	-0.1	Imperceptible
R95	11.7	11.2	11.2	0.0	Imperceptible
R96	12.2	11.8	11.7	-0.1	Imperceptible
R98	11.6	11.0	11.0	0.0	Imperceptible
R99	12.6	12.0	12.1	0.1	Imperceptible
R100	12.6	12.0	12.1	0.1	Imperceptible
R101	11.1	10.6	10.6	0.0	Imperceptible
R102	11.5	10.7	10.7	0.0	Imperceptible
R103	11.0	10.3	10.3	0.0	Imperceptible
R104	12.2	11.5	11.5	0.0	Imperceptible
R105	11.5	10.9	10.9	0.0	Imperceptible
R106	11.1	10.4	10.4	0.0	Imperceptible
R107	11.4	10.7	10.7	0.0	Imperceptible
R108	11.0	10.3	10.3	0.0	Imperceptible
R109	10.2	9.6	9.6	0.0	Imperceptible
R110	12.0	11.2	11.3	0.0	Imperceptible
R111	11.9	11.1	11.2	0.0	Imperceptible
R112	12.1	11.3	11.3	0.0	Imperceptible
R113	11.3	10.6	10.6	0.0	Imperceptible
R114	11.5	10.8	10.8	0.0	Imperceptible
R115	11.9	11.2	11.2	0.0	Imperceptible
R116	12.0	11.2	11.2	0.0	Imperceptible
R117	11.7	10.9	11.0	0.1	Imperceptible
R118	11.4	10.7	10.7	0.0	Imperceptible
R119	11.1	10.4	10.4	0.0	Imperceptible
R120	10.7	10.0	10.0	0.0	Imperceptible
R121	10.8	10.1	10.1	0.0	Imperceptible
R122	10.5	9.9	9.9	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R123	11.1	10.4	10.5	0.0	Imperceptible
R124	10.7	10.0	10.1	0.0	Imperceptible
R125	10.1	9.5	9.5	0.0	Imperceptible
R126	10.4	9.8	9.7	0.0	Imperceptible
R127	11.0	10.3	10.2	-0.1	Imperceptible
R128	11.1	10.4	10.3	-0.1	Imperceptible
R129	10.8	10.1	10.0	-0.1	Imperceptible
R130	11.2	10.5	10.4	-0.1	Imperceptible
R131	11.7	10.9	10.7	-0.2	Imperceptible
R132	11.2	10.5	10.4	-0.1	Imperceptible
R133	11.7	10.9	10.8	-0.1	Imperceptible
R134	11.8	11.0	10.9	-0.1	Imperceptible
R135	11.8	11.1	11.1	0.0	Imperceptible
R136	12.2	11.4	11.2	-0.2	Imperceptible
R137	10.4	9.7	9.7	0.0	Imperceptible
R138	11.0	10.3	10.2	0.0	Imperceptible
R139	12.2	11.4	11.1	-0.3	Small improvement
R140	11.5	10.8	10.7	-0.1	Imperceptible
R141	11.0	10.3	10.2	-0.1	Imperceptible
R142	10.7	10.3	10.2	-0.1	Imperceptible
R143	11.2	10.7	10.7	0.0	Imperceptible
R144	11.2	10.5	10.4	-0.1	Imperceptible
R145	11.7	11.1	10.7	-0.4	Small improvement
R146	11.4	10.9	10.4	-0.5	Small improvement
R147	12.3	11.5	11.1	-0.3	Small improvement
R148	11.1	10.7	10.3	-0.4	Small improvement
R149	11.1	10.6	10.4	-0.2	Imperceptible
R150	11.1	10.5	10.4	-0.1	Imperceptible
R151	10.7	10.1	10.1	0.0	Imperceptible
R152	10.6	10.0	10.0	0.0	Imperceptible
R153	10.8	10.1	10.1	0.0	Imperceptible
R154	11.1	10.6	10.5	-0.1	Imperceptible
R155	11.2	10.8	10.7	-0.1	Imperceptible
R156	11.3	10.8	10.8	0.0	Imperceptible
R157	11.3	10.7	10.9	0.1	Imperceptible
R158	10.9	10.2	10.3	0.1	Imperceptible
R159	10.6	9.9	9.8	-0.1	Imperceptible
R160	10.2	9.5	9.5	0.0	Imperceptible
R161	11.0	10.4	10.4	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R162	10.8	10.3	10.2	0.0	Imperceptible
R163	10.4	9.7	9.7	0.0	Imperceptible
R164	12.3	11.7	11.7	-0.1	Imperceptible
R165	11.3	10.7	10.7	-0.1	Imperceptible
R166	9.9	9.4	9.3	0.0	Imperceptible
R170	13.3	12.5	12.5	0.0	Imperceptible
R171	12.1	11.4	11.4	0.0	Imperceptible
R172	13.3	12.2	12.2	0.0	Imperceptible
R173	10.9	10.4	10.4	0.0	Imperceptible
R174	13.4	12.2	12.2	0.0	Imperceptible
R175	11.4	10.7	11.3	0.6	Small deterioration
R176	11.3	10.7	11.3	0.6	Small deterioration
R177	10.8	10.2	10.9	0.7	Small deterioration
R178	10.9	10.5	10.5	0.0	Imperceptible
R179	10.8	10.2	10.3	0.1	Imperceptible
R180	13.5	12.3	12.3	0.0	Imperceptible
R181	13.4	12.3	12.3	0.0	Imperceptible
R182	13.8	12.6	12.5	0.0	Imperceptible
R183	12.7	11.8	11.8	0.0	Imperceptible
R184	12.9	12.1	12.0	0.0	Imperceptible
R185	11.3	10.5	10.5	0.0	Imperceptible
R186	11.1	10.4	10.4	0.0	Imperceptible
R187	11.0	10.4	10.4	0.0	Imperceptible
R188	11.1	10.6	10.6	0.0	Imperceptible
R189	12.9	11.9	12.0	0.0	Imperceptible
R190	12.5	11.6	11.6	0.0	Imperceptible
R191	13.8	12.7	12.7	0.0	Imperceptible
R192	12.9	11.8	11.8	0.0	Imperceptible
R193	13.6	12.6	12.5	0.0	Imperceptible
R194	12.9	12.2	12.2	0.0	Imperceptible
R195	13.1	12.3	12.3	0.0	Imperceptible
R196	11.9	11.1	11.1	0.0	Imperceptible
R197	15.5	13.9	13.8	-0.1	Imperceptible
R198	12.7	11.90	11.9	0.0	Imperceptible
R199	12.1	11.4	11.4	0.0	Imperceptible
R200	12.3	11.9	11.9	0.0	Imperceptible
R201	10.0	9.6	9.7	0.1	Imperceptible
R202	10.2	9.6	9.6	0.0	Imperceptible
R203	10.2	9.6	9.6	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do- Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R204	10.1	9.5	9.5	0.0	Imperceptible
R205	10.1	9.5	9.5	0.0	Imperceptible
R206	10.3	9.6	9.6	0.0	Imperceptible
R207	9.7	9.2	9.2	0.0	Imperceptible
R208	9.8	9.3	9.2	0.0	Imperceptible
R209	10.3	9.8	10.0	0.2	Imperceptible
R210	10.2	9.6	9.7	0.1	Imperceptible
R211	10.3	9.7	9.8	0.2	Imperceptible
R212	10.2	9.5	9.6	0.1	Imperceptible
R213	10.1	9.5	9.6	0.1	Imperceptible
R214	10.1	9.6	9.7	0.1	Imperceptible
R215	10.0	9.4	9.4	0.0	Imperceptible
R216	10.8	10.1	10.1	0.1	Imperceptible
R217	11.0	10.3	10.3	0.0	Imperceptible
R218	9.8	9.1	9.1	0.0	Imperceptible
R219	11.4	10.5	10.6	0.0	Imperceptible
R220	9.9	9.2	9.1	0.0	Imperceptible
R221	10.5	9.8	9.8	0.0	Imperceptible
R222	10.4	9.7	9.7	0.0	Imperceptible
R223	11.2	10.5	10.5	0.0	Imperceptible
R224	10.9	10.2	10.2	0.0	Imperceptible
R225	10.7	10.0	10.0	0.0	Imperceptible
R226	11.9	11.2	11.3	0.1	Imperceptible
R227	11.0	10.3	10.3	0.0	Imperceptible
R228	11.0	10.3	10.3	0.0	Imperceptible
R229	13.3	12.5	12.6	0.1	Imperceptible
R230	14.0	13.0	13.1	0.1	Imperceptible
R231	14.9	13.9	13.9	0.0	Imperceptible
R232	11.9	11.1	11.1	0.0	Imperceptible
R233	12.0	11.2	11.2	0.0	Imperceptible
R234	10.5	9.8	9.8	0.0	Imperceptible
R235	10.5	9.8	9.8	0.0	Imperceptible
R236	10.5	9.7	9.7	0.0	Imperceptible
R237	11.2	10.5	10.5	0.1	Imperceptible
R238	10.7	10.0	10.1	0.0	Imperceptible
R239	11.2	10.5	10.5	0.1	Imperceptible
R240	9.8	9.2	9.1	0.0	Imperceptible
R241	10.4	9.8	9.8	0.0	Imperceptible
R242	9.8	9.2	9.2	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R243	11.0	10.4	10.4	0.0	Imperceptible
R244	10.8	10.2	10.2	0.0	Imperceptible
R245	10.2	9.7	9.6	0.0	Imperceptible
R246	10.8	10.2	10.2	0.0	Imperceptible
R247	11.9	11.1	11.1	0.0	Imperceptible
R248	11.8	11.0	11.1	0.0	Imperceptible
R249	12.4	11.7	11.7	0.0	Imperceptible
R250	13.2	12.2	12.3	0.1	Imperceptible
R251	10.4	9.7	9.7	0.0	Imperceptible
S1	11.2	10.5	10.4	0.0	Imperceptible
S2	10.4	10.0	10.0	0.0	Imperceptible
S3	11.4	10.7	10.6	0.0	Imperceptible
S4	10.7	10.0	10.0	0.0	Imperceptible
S5	10.4	9.8	9.8	0.0	Imperceptible
S6	10.7	10.0	10.0	0.0	Imperceptible
S7	10.4	9.9	9.9	0.0	Imperceptible
S8	10.1	9.4	9.4	0.0	Imperceptible
S9	11.7	11.1	11.1	0.0	Imperceptible
S10	11.8	11.3	11.2	-0.1	Imperceptible
S11	11.8	11.3	11.2	-0.1	Imperceptible
S12	10.8	10.2	10.9	0.7	Small deterioration
S13	11.2	10.6	10.8	0.2	Imperceptible
S14	10.3	9.7	9.7	0.0	Imperceptible
S15	10.6	10.1	9.9	-0.2	Imperceptible
S16	11.1	10.4	10.4	0.0	Imperceptible
S17	10.6	10.0	10.0	0.0	Imperceptible
S18	11.2	10.6	10.6	0.0	Imperceptible
S19	11.6	11.0	10.9	0.0	Imperceptible
S20	10.5	9.9	9.9	0.0	Imperceptible
H1	10.8	10.1	10.1	-0.1	Imperceptible
H2	10.7	10.1	10.1	0.0	Imperceptible
H3	10.6	9.9	9.9	0.0	Imperceptible
H4	10.5	9.8	9.8	0.0	Imperceptible
H5	9.9	9.2	9.2	0.0	Imperceptible
H6	9.9	9.2	9.2	0.0	Imperceptible
C1	9.7	9.0	9.0	0.0	Imperceptible
C2	12.2	11.2	11.2	0.0	Imperceptible
C3	11.9	11.1	11.1	0.0	Imperceptible
C4	11.4	10.6	10.6	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2021 ($\mu\text{g}/\text{m}^3$)	Do-Something 2021 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
C5	13.0	12.1	12.1	0.0	Imperceptible
C6	10.3	9.6	9.6	0.0	Imperceptible
C7	10.3	9.7	9.7	0.0	Imperceptible
C8	11.6	10.9	10.9	0.0	Imperceptible
C9	11.7	11.1	11.1	0.0	Imperceptible
C10	11.6	10.9	10.9	0.0	Imperceptible
C11	11.3	10.8	10.7	-0.1	Imperceptible
C12	11.3	10.6	10.2	-0.4	Small improvement
C13	10.4	9.8	9.8	0.0	Imperceptible
C14	11.6	10.8	10.8	0.0	Imperceptible
C15	10.6	10.0	10.0	0.0	Imperceptible
C16	9.4	8.8	8.8	0.0	Imperceptible

Exceedances of the objective/ limit value at $25\mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.13: Predicted annual mean NO₂ concentrations with the Scheme in operation

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R1	15.5	11.4	11.8	0.4	Imperceptible
R2	15.5	11.4	11.7	0.3	Imperceptible
R3	14.9	10.9	11.1	0.2	Imperceptible
R4	15.1	11.0	11.2	0.2	Imperceptible
R5	16.8	12.4	12.8	0.4	Imperceptible
R6	16.4	12.0	12.4	0.4	Imperceptible
R7	17.8	13.2	13.7	0.5	Small deterioration
R8	20.5	15.2	15.5	0.3	Imperceptible
R9	20.9	15.7	16.2	0.5	Small deterioration
R10	26.9	20.4	21.0	0.6	Small deterioration
R11	20.0	15.0	15.3	0.2	Imperceptible
R12	29.8	22.4	19.8	-2.6	Medium improvement
R13	30.1	22.6	19.8	-2.8	Medium improvement
R14	25.5	19.0	17.7	-1.3	Small improvement
R15	16.6	12.3	12.0	-0.3	Imperceptible
R16	18.0	13.4	13.9	0.4	Imperceptible
R17	19.7	14.6	15.3	0.7	Small deterioration
R18	17.9	13.2	13.6	0.4	Imperceptible
R19	20.3	15.3	15.6	0.4	Imperceptible
R20	25.6	19.4	20.3	0.9	Small deterioration
R21	23.7	17.9	18.6	0.6	Small deterioration

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R22	24.3	18.3	19.1	0.9	Small deterioration
R23	23.8	17.9	18.8	0.9	Small deterioration
R24	23.9	18.0	18.8	0.9	Small deterioration
R25	23.1	17.4	18.1	0.7	Small deterioration
R26	20.5	15.4	15.6	0.2	Imperceptible
R27	19.6	14.5	14.8	0.2	Imperceptible
R28	21.3	15.9	16.3	0.3	Imperceptible
R29	20.0	14.8	15.1	0.2	Imperceptible
R30	20.8	15.6	15.9	0.3	Imperceptible
R31	22.5	17.0	17.5	0.5	Small deterioration
R32	24.2	18.4	19.0	0.6	Small deterioration
R33	25.4	19.3	20.0	0.7	Small deterioration
R34	25.9	19.6	20.6	1.0	Small deterioration
R35	24.5	18.5	19.4	0.9	Small deterioration
R36	22.5	16.9	17.5	0.6	Small deterioration
R37	20.7	15.5	16.0	0.5	Small deterioration
R38	28.1	21.3	22.6	1.3	Small deterioration
R39	25.9	19.6	20.6	1.0	Small deterioration
R40	23.0	17.3	18.0	0.7	Small deterioration
R41	20.7	15.6	16.0	0.5	Small deterioration
R42	24.2	18.2	19.2	1.0	Small deterioration
R43	23.0	17.3	18.1	0.9	Small deterioration
R44	21.4	16.0	16.6	0.6	Small deterioration
R45	25.5	19.2	20.4	1.1	Small deterioration
R46	23.7	17.8	18.7	0.9	Small deterioration
R47	21.5	16.1	16.7	0.6	Small deterioration
R48	32.3	24.6	26.4	1.9	Small deterioration
R49	25.6	19.2	20.2	1.0	Small deterioration
R50	25.3	19.0	20.0	1.0	Small deterioration
R51	22.7	17.0	17.6	0.6	Small deterioration
R52	30.5	23.0	24.1	1.1	Small deterioration
R53	33.2	25.5	27.3	1.7	Small deterioration
R54	25.5	19.4	20.0	0.6	Small deterioration
R55	24.3	18.3	18.9	0.6	Small deterioration
R56	21.7	17.3	17.7	0.4	Imperceptible
R57	22.0	16.7	16.9	0.2	Imperceptible
R58	26.5	20.2	20.3	0.1	Imperceptible
R59	23.9	17.9	17.9	0.0	Imperceptible
R60	33.8	25.6	25.4	-0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R61	33.6	25.5	25.1	-0.4	Imperceptible
R62	36.6	28.1	27.6	-0.5	Small improvement
R63	39.6	30.5	29.9	-0.6	Small improvement
R64	41.6	32.0	31.3	-0.7	Small improvement
R65	28.1	21.9	Demolished	-	-
R66	28.3	22.2	Demolished	-	-
R67	28.5	22.4	Demolished	-	-
R68	28.3	22.1	Demolished	-	-
R69	28.3	22.1	Demolished	-	-
R70	28.3	22.1	Demolished	-	-
R71	28.3	22.0	Demolished	-	-
R72	28.8	22.2	Demolished	-	-
R73	29.2	22.5	Demolished	-	-
R74	29.9	22.9	Demolished	-	-
R75	30.4	23.2	Demolished	-	-
R76	34.9	26.5	Demolished	-	-
R77	35.0	26.6	Demolished	-	-
R78	36.8	27.9	Demolished	-	-
R79	40.7	30.9	Demolished	-	-
R80	44.8	33.9	Demolished	-	-
R81	39.7	29.9	Demolished	-	-
R82	35.6	26.8	25.8	-1.0	Small improvement
R83	34.0	25.5	24.5	-1.0	Small improvement
R84	31.9	23.8	23.0	-0.8	Small improvement
R85	29.8	22.3	21.7	-0.6	Small improvement
R86	29.0	21.6	20.8	-0.8	Small improvement
R87	28.2	21.0	20.2	-0.8	Small improvement
R88	31.8	23.8	24.0	0.2	Imperceptible
R89	26.8	20.0	20.4	0.4	Imperceptible
R90	24.9	18.9	18.8	-0.1	Imperceptible
R91	26.7	20.3	20.2	-0.1	Imperceptible
R92	35.4	29.2	28.9	-0.3	Imperceptible
R93	35.4	26.9	26.2	-0.7	Small improvement
R94	34.0	25.7	25.2	-0.5	Small improvement
R95	24.7	18.2	17.8	-0.4	Imperceptible
R96	30.3	22.8	22.4	-0.4	Imperceptible
R98	23.6	17.5	17.3	-0.2	Imperceptible
R99	29.3	22.3	21.1	-1.2	Small improvement
R100	29.5	22.2	21.5	-0.7	Small improvement

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R101	26.5	20.4	19.5	-0.9	Small improvement
R102	30.8	23.0	22.4	-0.6	Small improvement
R103	27.2	20.3	19.9	-0.4	Imperceptible
R104	35.8	26.8	25.9	-0.9	Small improvement
R105	29.2	22.6	21.8	-0.7	Small improvement
R106	25.9	19.8	19.3	-0.5	Small improvement
R107	29.2	22.6	22.1	-0.5	Small improvement
R108	26.4	20.1	19.9	-0.2	Imperceptible
R109	20.6	15.3	15.3	0.0	Imperceptible
R110	32.2	24.9	25.0	0.1	Imperceptible
R111	35.3	27.2	26.7	-0.5	Small improvement
R112	36.6	28.3	27.8	-0.5	Small improvement
R113	30.7	23.6	23.3	-0.3	Imperceptible
R114	30.8	23.7	23.3	-0.5	Small improvement
R115	35.9	27.7	27.3	-0.5	Small improvement
R116	35.7	27.5	27.2	-0.3	Imperceptible
R117	33.2	25.6	25.5	-0.1	Imperceptible
R118	29.8	22.8	23.0	0.2	Imperceptible
R119	27.4	20.7	20.9	0.2	Imperceptible
R120	24.7	18.6	18.6	0.0	Imperceptible
R121	23.7	18.0	18.1	0.1	Imperceptible
R122	22.4	16.8	16.9	0.1	Imperceptible
R123	25.3	19.1	19.5	0.5	Small deterioration
R124	23.8	17.9	18.2	0.3	Imperceptible
R125	18.3	13.5	13.5	0.0	Imperceptible
R126	18.9	14.0	14.2	0.1	Imperceptible
R127	24.8	18.4	18.2	-0.2	Imperceptible
R128	26.1	19.6	18.9	-0.7	Small improvement
R129	23.4	17.3	17.0	-0.3	Imperceptible
R130	27.1	20.3	19.2	-1.1	Small improvement
R131	30.8	23.2	21.1	-2.1	Medium improvement
R132	26.7	20.0	19.3	-0.7	Small improvement
R133	29.3	21.9	21.8	-0.1	Imperceptible
R134	29.5	22.2	22.2	0.0	Imperceptible
R135	29.5	22.2	22.7	0.5	Small deterioration
R136	31.9	24.2	24.2	0.0	Imperceptible
R137	20.4	15.1	15.0	-0.1	Imperceptible
R138	24.9	18.7	18.2	-0.5	Small improvement
R139	34.7	26.3	24.2	-2.1	Medium improvement

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R140	28.9	21.8	21.0	-0.8	Small improvement
R141	25.8	19.4	18.4	-1.0	Small improvement
R142	24.7	18.9	17.5	-1.3	Small improvement
R143	27.7	21.1	20.8	-0.3	Imperceptible
R144	26.3	19.9	19.5	-0.4	Imperceptible
R145	31.9	24.2	21.8	-2.4	Medium improvement
R146	30.2	23.1	19.9	-3.2	Medium improvement
R147	33.9	25.6	24.2	-1.4	Small improvement
R148	28.5	21.7	18.7	-3.0	Medium improvement
R149	28.1	21.7	19.4	-2.3	Medium improvement
R150	27.1	20.5	19.2	-1.3	Small improvement
R151	23.1	17.8	17.1	-0.7	Small improvement
R152	22.0	16.9	16.4	-0.5	Small improvement
R153	23.1	17.8	17.3	-0.5	Small improvement
R154	27.7	21.2	19.7	-1.6	Small improvement
R155	29.4	22.5	21.2	-1.3	Small improvement
R156	29.5	22.5	22.0	-0.5	Small improvement
R157	28.2	21.5	22.6	1.1	Small deterioration
R158	24.4	18.3	19.2	0.9	Small deterioration
R159	23.6	17.6	16.2	-1.4	Small improvement
R160	18.8	13.8	13.6	-0.2	Imperceptible
R161	22.1	16.8	16.7	-0.1	Imperceptible
R162	19.1	14.6	14.4	-0.2	Imperceptible
R163	21.2	16.3	16.6	0.3	Imperceptible
R164	29.3	22.8	23.3	0.5	Small deterioration
R165	24.0	18.3	18.8	0.5	Imperceptible
R166	15.5	12	11.7	-0.2	Imperceptible
R167	13.8	10.6	10.5	-0.1	Imperceptible
R168	14.7	11.3	11.1	-0.2	Imperceptible
R169	16.6	13.4	13.1	-0.3	Imperceptible
R170	43.7	32.9	33.3	0.4	Imperceptible
R171	33.5	25.1	25.3	0.2	Imperceptible
R172	36.9	28.2	27.9	-0.3	Imperceptible
R173	25.2	19.3	18.9	-0.5	Small improvement
R174	39.1	28.4	28.6	0.2	Imperceptible
R175	31.4	23.6	24.3	0.7	Small deterioration
R176	30.8	23.2	24.2	1.0	Small deterioration
R177	23.3	17.7	19.1	1.5	Small deterioration
R178	26.9	20.2	20.0	-0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R179	25.0	18.6	18.6	0.0	Imperceptible
R180	39.1	29.2	28.8	-0.4	Imperceptible
R181	38.8	29.1	28.6	-0.5	Small improvement
R182	41.6	32.0	31.3	-0.7	Small improvement
R183	31.4	22.1	21.9	-0.2	Imperceptible
R184	31.7	24.2	24.0	-0.2	Imperceptible
R185	29.3	21.9	21.4	-0.5	Small improvement
R186	27.9	20.8	20.3	-0.5	Small improvement
R187	26.4	20.0	19.4	-0.6	Small improvement
R188	26.5	20.4	19.5	-0.9	Small improvement
R189	34.2	25.2	25.2	0.0	Imperceptible
R190	30.9	22.6	22.6	0.0	Imperceptible
R191	42.2	31.5	31.6	0.1	Imperceptible
R192	34.6	25.4	25.4	0.0	Imperceptible
R193	40.6	30.1	30.3	0.2	Imperceptible
R194	34.6	25.8	25.9	0.1	Imperceptible
R195	35.5	26.6	26.9	0.2	Imperceptible
R196	25.3	18.7	18.7	0.0	Imperceptible
R197	53.4	42.2	41.0	-1.2	Small improvement
R198	36.0	27.1	26.6	-0.5	Small improvement
R199	30.9	22.9	22.8	-0.1	Imperceptible
R200	38.6	29.1	29.1	0.0	Imperceptible
S1	18.9	14.0	14.3	0.3	Imperceptible
S2	25.1	18.4	18.4	0.0	Imperceptible
S3	24.1	18.0	18.8	0.8	Small deterioration
S4	20.1	14.8	15.2	0.3	Imperceptible
S5	18.2	13.3	13.5	0.2	Imperceptible
S6	23.9	17.7	18.2	0.5	Small deterioration
S7	22.8	17.0	17.1	0.1	Imperceptible
S8	20.2	14.8	14.7	-0.1	Imperceptible
S9	23.9	17.7	17.4	-0.3	Imperceptible
S10	27.5	20.6	20.5	-0.1	Imperceptible
S11	24.2	18.1	17.8	-0.3	Imperceptible
S12	23.2	17.6	18.9	1.4	Small deterioration
S13	29.9	22.4	22.4	0.0	Imperceptible
S14	19.8	14.7	14.5	-0.2	Imperceptible
S15	23.5	17.8	16.1	-1.7	Small improvement
S16	26.3	20.2	19.6	-0.6	Small improvement
S17	23.1	17.5	17.2	-0.3	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S18	21.2	16.2	16.2	0.0	Imperceptible
S19	23.6	18.2	18.5	0.3	Imperceptible
S20	19.2	14.4	14.5	0.1	Imperceptible
H1	20.2	15.1	14.6	-0.5	Small improvement
H2	19.3	14.5	14.2	-0.3	Imperceptible
H3	23.9	18.0	17.4	-0.6	Small improvement
H4	22.8	17.1	16.8	-0.3	Imperceptible
H5	21.8	16.3	16.0	-0.3	Imperceptible
H6	21.2	15.7	15.7	0.0	Imperceptible
C1	15.0	11.0	11.1	0.1	Imperceptible
C2	37.2	27.8	27.5	-0.3	Imperceptible
C3	30.3	22.2	22.1	-0.1	Imperceptible
C4	27.7	20.4	20.3	-0.1	Imperceptible
C5	32.1	24.1	23.9	-0.2	Imperceptible
C6	21.4	15.9	15.5	-0.4	Imperceptible
C7	21.7	16.2	15.8	-0.4	Imperceptible
C8	22.7	16.6	16.5	-0.1	Imperceptible
C9	24.4	18.1	17.6	-0.4	Imperceptible
C10	22.7	16.8	16.7	-0.1	Imperceptible
C11	27.5	20.7	21.5	0.7	Small deterioration
C12	25.5	19.4	17.9	-1.5	Small improvement
C13	20.6	15.4	14.6	-0.8	Small improvement
C14	34.9	26.3	23.5	-2.8	Medium improvement
C15	17.7	13.3	13.4	0.1	Imperceptible
C16	15.4	11.5	11.5	0.0	Imperceptible
C17	14.2	11.0	10.9	-0.1	Imperceptible

Exceedances of the objective/ limit value at $40 \mu\text{g}/\text{m}^3$ are marked in **bold**.

Table 1.14: Predicted annual mean PM₁₀ concentrations with the Scheme in operation

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R1	14.0	13.2	13.3	0.1	Imperceptible
R2	13.9	13.1	13.2	0.1	Imperceptible
R3	13.8	12.9	13.0	0.0	Imperceptible
R4	13.8	12.9	13.0	0.0	Imperceptible
R5	15.4	14.5	14.6	0.1	Imperceptible
R6	15.4	14.5	14.6	0.1	Imperceptible
R7	15.6	14.7	14.8	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R8	16.1	15.1	15.2	0.1	Imperceptible
R9	16.1	15.2	15.3	0.1	Imperceptible
R10	17.2	16.1	16.3	0.1	Imperceptible
R11	16.0	15.0	15.1	0.1	Imperceptible
R12	16.9	15.8	15.7	-0.2	Imperceptible
R13	16.9	15.8	15.6	-0.2	Imperceptible
R14	16.6	15.6	15.4	-0.1	Imperceptible
R15	13.9	13.0	13.0	0.0	Imperceptible
R16	14.1	13.3	13.3	0.0	Imperceptible
R17	14.4	13.5	13.5	0.0	Imperceptible
R18	14.0	13.2	13.2	0.1	Imperceptible
R19	15.9	15.0	15.1	0.1	Imperceptible
R20	16.8	15.8	16.0	0.2	Imperceptible
R21	16.4	15.5	15.7	0.2	Imperceptible
R22	16.5	15.6	15.8	0.2	Imperceptible
R23	16.4	15.5	15.7	0.2	Imperceptible
R24	16.5	15.5	15.7	0.2	Imperceptible
R25	16.2	15.3	15.5	0.2	Imperceptible
R26	15.9	15.1	15.1	0.1	Imperceptible
R27	15.7	14.9	15.0	0.1	Imperceptible
R28	16.0	15.2	15.2	0.1	Imperceptible
R29	15.8	14.9	15.0	0.1	Imperceptible
R30	14.6	13.7	13.8	0.1	Imperceptible
R31	16.1	15.2	15.3	0.1	Imperceptible
R32	14.9	14.2	14.3	0.1	Imperceptible
R33	15.3	14.4	14.6	0.2	Imperceptible
R34	15.5	14.5	14.8	0.2	Imperceptible
R35	15.2	14.3	14.5	0.2	Imperceptible
R36	14.9	14.0	14.2	0.2	Imperceptible
R37	14.6	13.8	13.9	0.1	Imperceptible
R38	15.9	14.9	15.1	0.3	Imperceptible
R39	15.5	14.5	14.7	0.2	Imperceptible
R40	15.0	14.1	14.3	0.2	Imperceptible
R41	14.6	13.8	13.9	0.1	Imperceptible
R42	15.2	14.3	14.5	0.2	Imperceptible
R43	15.0	14.1	14.3	0.2	Imperceptible
R44	14.7	13.9	14.0	0.1	Imperceptible
R45	15.4	14.5	14.7	0.3	Imperceptible
R46	15.1	14.2	14.4	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R47	14.8	13.9	14.0	0.1	Imperceptible
R48	17.7	16.7	17.0	0.4	Imperceptible
R49	16.6	15.7	15.9	0.2	Imperceptible
R50	16.5	15.6	15.8	0.2	Imperceptible
R51	16.1	15.2	15.4	0.2	Imperceptible
R52	16.4	15.4	15.7	0.3	Imperceptible
R53	17.4	16.5	16.9	0.4	Imperceptible
R54	15.9	15.3	15.4	0.2	Imperceptible
R55	15.7	15.1	15.2	0.2	Imperceptible
R56	15.9	14.8	15.0	0.1	Imperceptible
R57	15.3	14.7	14.8	0.1	Imperceptible
R58	15.1	14.7	14.8	0.1	Imperceptible
R59	14.9	14.4	14.4	0.0	Imperceptible
R60	18.4	17.5	17.5	0.0	Imperceptible
R61	17.9	16.9	16.9	-0.1	Imperceptible
R62	18.6	17.7	17.6	-0.1	Imperceptible
R63	18.5	17.5	17.4	-0.1	Imperceptible
R64	18.8	17.7	17.6	-0.1	Imperceptible
R65	16.6	15.7	Demolished	-	-
R66	16.6	15.7	Demolished	-	-
R67	16.6	15.7	Demolished	-	-
R68	16.6	15.7	Demolished	-	-
R69	16.5	15.6	Demolished	-	-
R70	16.5	15.6	Demolished	-	-
R71	16.4	15.5	Demolished	-	-
R72	16.4	15.4	Demolished	-	-
R73	16.3	15.4	Demolished	-	-
R74	16.3	15.4	Demolished	-	-
R75	16.3	15.3	Demolished	-	-
R76	16.8	15.8	Demolished	-	-
R77	16.8	15.8	Demolished	-	-
R78	17.0	15.9	Demolished	-	-
R79	17.4	16.2	Demolished	-	-
R80	17.7	16.5	Demolished	-	-
R81	17.2	16.1	Demolished	-	-
R82	16.7	15.8	16.3	0.5	Small deterioration
R83	16.5	15.6	16.1	0.4	Imperceptible
R84	16.3	15.5	15.8	0.3	Imperceptible
R85	16.1	15.3	15.6	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R86	16.1	15.2	15.5	0.3	Imperceptible
R87	16.0	15.2	15.4	0.2	Imperceptible
R88	16.2	16.0	16.2	0.1	Imperceptible
R89	15.8	15.4	15.4	0.0	Imperceptible
R90	15.6	15.1	15.1	0.0	Imperceptible
R91	15.8	15.3	15.3	0.0	Imperceptible
R92	17.3	17.2	17.2	0.0	Imperceptible
R93	17.2	17.0	16.9	-0.1	Imperceptible
R94	17.1	16.8	16.8	0.0	Imperceptible
R95	16.6	16.0	15.9	-0.1	Imperceptible
R96	17.1	16.7	16.6	0.0	Imperceptible
R98	16.6	15.8	15.8	0.0	Imperceptible
R99	17.6	16.7	16.6	-0.1	Imperceptible
R100	17.5	16.7	16.6	-0.1	Imperceptible
R101	15.7	15.0	14.8	-0.2	Imperceptible
R102	16.1	15.2	15.1	-0.1	Imperceptible
R103	15.6	14.8	14.7	-0.1	Imperceptible
R104	16.8	16.0	15.8	-0.2	Imperceptible
R105	16.1	15.3	15.2	-0.1	Imperceptible
R106	15.7	14.9	14.8	-0.1	Imperceptible
R107	16.0	15.2	15.1	-0.1	Imperceptible
R108	15.6	14.8	14.7	0.0	Imperceptible
R109	14.8	14.0	14.0	0.0	Imperceptible
R110	16.6	15.7	15.7	0.0	Imperceptible
R111	16.5	15.6	15.6	0.0	Imperceptible
R112	16.7	15.7	15.7	0.0	Imperceptible
R113	15.9	15.0	15.0	0.0	Imperceptible
R114	16.1	15.3	15.2	-0.1	Imperceptible
R115	16.6	15.6	15.6	0.0	Imperceptible
R116	16.6	15.6	15.7	0.0	Imperceptible
R117	16.3	15.4	15.5	0.1	Imperceptible
R118	16.0	15.1	15.2	0.1	Imperceptible
R119	15.7	14.8	14.9	0.1	Imperceptible
R120	15.3	14.5	14.5	0.0	Imperceptible
R121	15.4	14.6	14.6	0.1	Imperceptible
R122	15.1	14.3	14.4	0.0	Imperceptible
R123	15.7	14.9	15.0	0.1	Imperceptible
R124	15.3	14.5	14.6	0.1	Imperceptible
R125	14.8	14.0	14.1	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R126	15.1	14.3	14.4	0.0	Imperceptible
R127	15.9	15.0	15.1	0.0	Imperceptible
R128	16.0	15.1	15.1	0.0	Imperceptible
R129	15.7	14.8	14.9	0.0	Imperceptible
R130	16.1	15.2	15.3	0.1	Imperceptible
R131	16.6	15.6	15.6	0.0	Imperceptible
R132	16.2	15.2	15.3	0.1	Imperceptible
R133	16.6	15.7	15.9	0.2	Imperceptible
R134	16.7	15.7	16.0	0.3	Imperceptible
R135	16.7	15.8	16.1	0.3	Imperceptible
R136	17.1	16.1	16.4	0.2	Imperceptible
R137	15.1	14.3	14.4	0.1	Imperceptible
R138	15.7	14.8	15.0	0.1	Imperceptible
R139	17.1	16.1	16.3	0.2	Imperceptible
R140	16.3	15.3	15.5	0.2	Imperceptible
R141	15.7	14.9	14.9	0.1	Imperceptible
R142	15.4	14.9	14.8	-0.1	Imperceptible
R143	15.9	15.2	15.3	0.1	Imperceptible
R144	16.0	15.1	15.1	0.1	Imperceptible
R145	16.6	15.8	15.8	-0.1	Imperceptible
R146	16.2	15.6	15.4	-0.3	Imperceptible
R147	17.1	16.2	16.3	0.1	Imperceptible
R148	16.0	15.4	15.1	-0.3	Imperceptible
R149	15.9	15.4	15.1	-0.2	Imperceptible
R150	16.0	15.3	15.2	-0.1	Imperceptible
R151	15.6	14.8	14.8	0.0	Imperceptible
R152	15.5	14.7	14.7	0.0	Imperceptible
R153	15.6	14.9	14.8	0.0	Imperceptible
R154	16.0	15.3	15.2	-0.1	Imperceptible
R155	16.1	15.5	15.4	-0.1	Imperceptible
R156	16.0	15.4	15.4	0.1	Imperceptible
R157	16.1	15.3	15.7	0.4	Imperceptible
R158	15.8	15.0	15.2	0.3	Imperceptible
R159	15.4	14.5	14.5	0.0	Imperceptible
R160	14.9	14.1	14.1	0.0	Imperceptible
R161	16.1	15.3	15.3	0.0	Imperceptible
R162	15.9	15.2	15.1	0.0	Imperceptible
R163	14.6	13.7	13.8	0.1	Imperceptible
R164	17.0	16.1	16.2	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
R165	16.0	15.1	15.2	0.1	Imperceptible
R166	14.4	13.7	13.6	0.0	Imperceptible
R167	14.4	13.7	13.7	0.0	Imperceptible
R168	13.6	13.0	12.9	0.0	Imperceptible
R169	13.9	13.3	13.3	-0.1	Imperceptible
R170	19.0	18.0	18.0	0.0	Imperceptible
R171	17.8	17.0	17.0	0.0	Imperceptible
R172	18.3	17.3	17.2	-0.1	Imperceptible
R173	15.5	14.8	14.7	-0.1	Imperceptible
R174	18.4	17.1	17.2	0.0	Imperceptible
R175	16.2	15.5	16.0	0.6	Small deterioration
R176	16.2	15.4	16.1	0.6	Small deterioration
R177	15.6	14.7	15.4	0.7	Small deterioration
R178	15.8	15.3	15.4	0.1	Imperceptible
R179	15.7	15.0	15.1	0.1	Imperceptible
R180	18.4	17.4	17.3	-0.1	Imperceptible
R181	18.4	17.4	17.3	-0.1	Imperceptible
R182	18.8	17.7	17.6	-0.1	Imperceptible
R183	17.7	16.4	16.4	0.0	Imperceptible
R184	17.8	17.0	16.9	-0.1	Imperceptible
R185	15.9	15.0	15.0	-0.1	Imperceptible
R186	15.7	14.9	14.8	-0.1	Imperceptible
R187	15.6	14.8	14.7	-0.1	Imperceptible
R188	15.7	15.0	14.8	-0.2	Imperceptible
R189	17.8	16.8	16.8	0.0	Imperceptible
R190	17.4	16.4	16.4	0.0	Imperceptible
R191	18.8	17.6	17.6	0.0	Imperceptible
R192	17.8	16.8	16.8	0.0	Imperceptible
R193	18.6	17.4	17.4	0.0	Imperceptible
R194	17.9	16.9	16.9	0.0	Imperceptible
R195	18.0	17.0	17.1	0.0	Imperceptible
R196	16.8	16.0	16.0	0.0	Imperceptible
R197	20.5	19.3	19.1	-0.2	Imperceptible
R198	17.7	16.7	16.6	-0.1	Imperceptible
R199	17.1	16.3	16.2	0.0	Imperceptible
R200	18.0	17.4	17.4	0.0	Imperceptible
S1	15.8	14.9	15.0	0.1	Imperceptible
S2	15.4	14.4	14.4	0.0	Imperceptible
S3	16.3	15.4	15.6	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
S4	15.7	14.8	14.9	0.1	Imperceptible
S5	15.4	14.6	14.6	0.0	Imperceptible
S6	15.3	14.4	14.6	0.1	Imperceptible
S7	15.1	14.3	14.4	0.1	Imperceptible
S8	14.7	13.9	13.9	0.0	Imperceptible
S9	16.7	15.9	15.9	-0.1	Imperceptible
S10	16.7	16.2	16.2	0.0	Imperceptible
S11	16.7	16.0	15.9	-0.1	Imperceptible
S12	15.5	14.7	15.4	0.7	Small deterioration
S13	16.1	15.4	15.7	0.3	Imperceptible
S14	15.0	14.2	14.3	0.0	Imperceptible
S15	15.3	14.6	14.5	-0.1	Imperceptible
S16	15.7	14.9	14.8	-0.1	Imperceptible
S17	15.3	14.5	14.4	0.0	Imperceptible
S18	16.3	15.5	15.5	0.0	Imperceptible
S19	16.7	15.9	16.0	0.1	Imperceptible
S20	15.2	14.3	14.4	0.0	Imperceptible
H1	15.9	15.0	15.1	0.0	Imperceptible
H2	15.8	15.0	15.1	0.1	Imperceptible
H3	15.2	14.4	14.4	0.0	Imperceptible
H4	15.1	14.3	14.3	0.0	Imperceptible
H5	14.1	13.2	13.2	0.0	Imperceptible
H6	14.0	13.1	13.1	0.0	Imperceptible
C1	13.8	12.9	13.0	0.0	Imperceptible
C2	16.8	15.7	15.6	0.0	Imperceptible
C3	17.0	16.1	16.0	0.0	Imperceptible
C4	16.5	15.6	15.6	0.0	Imperceptible
C5	17.9	17.0	17.0	0.0	Imperceptible
C6	14.9	14.1	14.0	-0.1	Imperceptible
C7	14.9	14.1	14.0	-0.1	Imperceptible
C8	16.5	15.7	15.7	0.0	Imperceptible
C9	16.8	16.0	15.9	-0.1	Imperceptible
C10	16.5	15.7	15.7	0.0	Imperceptible
C11	16.1	15.3	15.5	0.2	Imperceptible
C12	16.1	15.2	15.0	-0.2	Imperceptible
C13	15.2	14.4	14.4	0.0	Imperceptible
C14	16.4	15.3	15.4	0.1	Imperceptible
C15	15.7	14.9	15.0	0.0	Imperceptible
C16	13.6	12.8	12.8	0.0	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme	Descriptor
C17	14.5	13.8	13.8	0.0	Imperceptible

Exceedances of the objective / limit value at $40 \mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.15: Predicted number of days exceeding $50\mu\text{g}/\text{m}^3$ PM₁₀ with the Scheme in operation

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R1	0	0	0	0
R2	0	0	0	0
R3	0	1	1	0
R4	0	1	1	0
R5	0	0	0	0
R6	0	0	0	0
R7	0	0	0	0
R8	0	0	0	0
R9	0	0	0	0
R10	1	0	0	0
R11	0	0	0	0
R12	1	0	0	0
R13	1	0	0	0
R14	1	0	0	0
R15	0	1	1	0
R16	0	0	0	0
R17	0	0	0	0
R18	0	0	0	0
R19	0	0	0	0
R20	1	0	0	0
R21	0	0	0	0
R22	1	0	0	0
R23	0	0	0	0
R24	0	0	0	0
R25	0	0	0	0
R26	0	0	0	0
R27	0	0	0	0
R28	0	0	0	0
R29	0	0	0	0
R30	0	0	0	0
R31	0	0	0	0
R32	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R33	0	0	0	0
R34	0	0	0	0
R35	0	0	0	0
R36	0	0	0	0
R37	0	0	0	0
R38	0	0	0	0
R39	0	0	0	0
R40	0	0	0	0
R41	0	0	0	0
R42	0	0	0	0
R43	0	0	0	0
R44	0	0	0	0
R45	0	0	0	0
R46	0	0	0	0
R47	0	0	0	0
R48	1	1	1	0
R49	1	0	0	0
R50	1	0	0	0
R51	0	0	0	0
R52	0	0	0	0
R53	1	1	1	0
R54	0	0	0	0
R55	0	0	0	0
R56	0	0	0	0
R57	0	0	0	0
R58	0	0	0	0
R59	0	0	0	0
R60	2	1	1	0
R61	1	1	1	0
R62	2	1	1	0
R63	2	1	1	0
R64	2	1	1	0
R65	1	0	Demolished	-
R66	1	0	Demolished	-
R67	1	0	Demolished	-
R68	1	0	Demolished	-
R69	1	0	Demolished	-
R70	1	0	Demolished	-
R71	1	0	Demolished	-
R72	0	0	Demolished	-

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R73	0	0	Demolished	-
R74	0	0	Demolished	-
R75	0	0	Demolished	-
R76	1	0	Demolished	-
R77	1	0	Demolished	-
R78	1	0	Demolished	-
R79	1	0	Demolished	-
R80	1	1	Demolished	-
R81	1	0	Demolished	-
R82	1	0	0	0
R83	1	0	0	0
R84	0	0	0	0
R85	0	0	0	0
R86	0	0	0	0
R87	0	0	0	0
R88	1	0	0	0
R89	0	0	0	0
R90	0	0	0	0
R91	0	0	0	0
R92	1	1	1	0
R93	1	1	1	0
R94	1	1	1	0
R95	1	0	0	0
R96	1	1	1	0
R98	1	0	0	0
R99	1	1	1	0
R100	1	1	1	0
R101	0	0	0	0
R102	0	0	0	0
R103	0	0	0	0
R104	1	0	0	0
R105	0	0	0	0
R106	0	0	0	0
R107	0	0	0	0
R108	0	0	0	0
R109	0	0	0	0
R110	1	0	0	0
R111	1	0	0	0
R112	1	0	0	0
R113	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R114	0	0	0	0
R115	1	0	0	0
R116	1	0	0	0
R117	0	0	0	0
R118	0	0	0	0
R119	0	0	0	0
R120	0	0	0	0
R121	0	0	0	0
R122	0	0	0	0
R123	0	0	0	0
R124	0	0	0	0
R125	0	0	0	0
R126	0	0	0	0
R127	0	0	0	0
R128	0	0	0	0
R129	0	0	0	0
R130	0	0	0	0
R131	1	0	0	0
R132	0	0	0	0
R133	1	0	0	0
R134	1	0	0	0
R135	1	0	0	0
R136	1	0	0	0
R137	0	0	0	0
R138	0	0	0	0
R139	1	0	0	0
R140	0	0	0	0
R141	0	0	0	0
R142	0	0	0	0
R143	0	0	0	0
R144	0	0	0	0
R145	1	0	0	0
R146	1	0	0	0
R147	1	0	0	0
R148	0	0	0	0
R149	0	0	0	0
R150	0	0	0	0
R151	0	0	0	0
R152	0	0	0	0
R153	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R154	0	0	0	0
R155	1	0	0	0
R156	0	0	0	0
R157	0	0	0	0
R158	0	0	0	0
R159	0	0	0	0
R160	0	0	0	0
R161	0	0	0	0
R162	0	0	0	0
R163	0	0	0	0
R164	1	0	0	0
R165	0	0	0	0
R166	0	0	0	0
R167	0	0	0	0
R168	0	1	1	0
R169	0	0	0	0
R170	2	1	1	0
R171	1	1	1	0
R172	2	1	1	0
R173	0	0	0	0
R174	2	1	1	0
R175	0	0	0	0
R176	0	0	0	0
R177	0	0	0	0
R178	0	0	0	0
R179	0	0	0	0
R180	2	1	1	0
R181	2	1	1	0
R182	2	1	1	0
R183	1	1	1	0
R184	1	1	1	0
R185	0	0	0	0
R186	0	0	0	0
R187	0	0	0	0
R188	0	0	0	0
R189	1	1	1	0
R190	1	1	1	0
R191	2	1	1	0
R192	1	1	1	0
R193	2	1	1	0

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
R194	1	1	1	0
R195	1	1	1	0
R196	1	0	0	0
R197	4	3	2	-1
R198	1	1	1	0
R199	1	0	0	0
R200	1	1	1	0
S1	0	0	0	0
S2	0	0	0	0
S3	0	0	0	0
S4	0	0	0	0
S5	0	0	0	0
S6	0	0	0	0
S7	0	0	0	0
S8	0	0	0	0
S9	1	0	0	0
S10	1	0	0	0
S11	1	0	0	0
S12	0	0	0	0
S13	0	0	0	0
S14	0	0	0	0
S15	0	0	0	0
S16	0	0	0	0
S17	0	0	0	0
S18	0	0	0	0
S19	1	0	0	0
S20	0	0	0	0
H1	0	0	0	0
H2	0	0	0	0
H3	0	0	0	0
H4	0	0	0	0
H5	0	1	1	0
H6	0	1	1	0
C1	0	1	1	0
C2	1	0	0	0
C3	1	0	0	0
C4	1	0	0	0
C5	1	1	1	0
C6	0	0	0	0
C7	0	0	0	0

Receptor	Base Year 2015 (days)	Do-Minimum 2024 (days)	Do-Something 2024 (days)	Change with Scheme (days)
C8	1	0	0	0
C9	1	0	0	0
C10	1	0	0	0
C11	0	0	0	0
C12	0	0	0	0
C13	0	0	0	0
C14	0	0	0	0
C15	0	0	0	0
C16	0	1	1	0
C17	0	0	0	0

Exceedances of the objective/ limit value which permits 35 exceedances are marked in **bold** (no exceedance shown in table).

Table 1.16: Predicted annual mean PM_{2.5} concentrations with the Scheme in operation

Receptor	Base Year 2015 (µg/m ³)	Do-Minimum 2024 (µg/m ³)	Do-Something 2024 (µg/m ³)	Change with Scheme (µg/m ³)	Descriptor
R1	9.9	9.1	9.2	0.1	Imperceptible
R2	9.8	9.1	9.2	0.1	Imperceptible
R3	9.7	8.9	8.9	0.0	Imperceptible
R4	9.7	8.9	9.0	0.0	Imperceptible
R5	10.8	9.9	10.0	0.1	Imperceptible
R6	10.7	9.9	10.0	0.1	Imperceptible
R7	10.9	10.1	10.2	0.1	Imperceptible
R8	11.1	10.2	10.3	0.1	Imperceptible
R9	11.5	10.6	10.7	0.1	Imperceptible
R10	12.5	11.5	11.6	0.1	Imperceptible
R11	11.3	10.4	10.5	0.1	Imperceptible
R12	11.9	10.8	10.7	-0.2	Imperceptible
R13	11.9	10.9	10.7	-0.2	Imperceptible
R14	11.6	10.6	10.5	-0.1	Imperceptible
R15	9.7	8.9	8.8	0.0	Imperceptible
R16	10.0	9.1	9.2	0.0	Imperceptible
R17	10.2	9.4	9.4	0.0	Imperceptible
R18	9.9	9.1	9.1	0.1	Imperceptible
R19	10.9	10.1	10.2	0.1	Imperceptible
R20	11.9	10.9	11.1	0.2	Imperceptible
R21	11.5	10.6	10.8	0.2	Imperceptible
R22	11.6	10.7	10.9	0.2	Imperceptible
R23	11.5	10.6	10.8	0.2	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R24	11.5	10.6	10.8	0.2	Imperceptible
R25	11.3	10.4	10.6	0.2	Imperceptible
R26	11.0	10.2	10.2	0.1	Imperceptible
R27	10.8	10.0	10.1	0.1	Imperceptible
R28	11.1	10.3	10.3	0.1	Imperceptible
R29	10.9	10.0	10.1	0.1	Imperceptible
R30	10.2	9.4	9.5	0.1	Imperceptible
R31	11.1	10.3	10.4	0.1	Imperceptible
R32	10.7	9.8	10.0	0.1	Imperceptible
R33	11.0	10.0	10.2	0.2	Imperceptible
R34	11.1	10.2	10.4	0.2	Imperceptible
R35	10.9	10.0	10.2	0.2	Imperceptible
R36	10.6	9.7	9.8	0.2	Imperceptible
R37	10.3	9.4	9.5	0.1	Imperceptible
R38	11.5	10.5	10.8	0.3	Small deterioration
R39	11.1	10.2	10.4	0.2	Imperceptible
R40	10.6	9.8	9.9	0.2	Imperceptible
R41	10.3	9.4	9.5	0.1	Imperceptible
R42	10.9	9.9	10.2	0.2	Imperceptible
R43	10.7	9.8	10.0	0.2	Imperceptible
R44	10.4	9.5	9.7	0.1	Imperceptible
R45	11.1	10.1	10.4	0.3	Small deterioration
R46	10.8	9.9	10.1	0.2	Imperceptible
R47	10.4	9.5	9.7	0.1	Imperceptible
R48	12.8	11.7	12.1	0.4	Small deterioration
R49	11.6	10.7	10.9	0.2	Imperceptible
R50	11.6	10.7	10.9	0.2	Imperceptible
R51	11.1	10.3	10.4	0.2	Imperceptible
R52	11.8	10.8	11.1	0.3	Small deterioration
R53	12.6	11.7	12.1	0.4	Small deterioration
R54	11.4	10.5	10.7	0.2	Imperceptible
R55	11.0	10.3	10.5	0.2	Imperceptible
R56	10.8	10.1	10.2	0.1	Imperceptible
R57	10.6	10.0	10.0	0.1	Imperceptible
R58	10.5	10.1	10.2	0.1	Imperceptible
R59	10.3	9.8	9.8	0.0	Imperceptible
R60	13.5	12.5	12.5	0.0	Imperceptible
R61	12.9	11.9	11.9	-0.1	Imperceptible
R62	13.7	12.7	12.6	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R63	13.6	12.5	12.4	-0.1	Imperceptible
R64	13.8	12.7	12.6	-0.1	Imperceptible
R65	11.9	11.0	Demolished	-	-
R66	11.9	11.0	Demolished	-	-
R67	11.9	11.0	Demolished	-	-
R68	11.8	10.9	Demolished	-	-
R69	11.8	10.9	Demolished	-	-
R70	11.7	10.8	Demolished	-	-
R71	11.6	10.7	Demolished	-	-
R72	11.6	10.7	Demolished	-	-
R73	11.6	10.7	Demolished	-	-
R74	11.6	10.6	Demolished	-	-
R75	11.5	10.6	Demolished	-	-
R76	11.9	10.9	Demolished	-	-
R77	11.9	10.8	Demolished	-	-
R78	12.1	11.0	Demolished	-	-
R79	12.5	11.3	Demolished	-	-
R80	12.8	11.6	Demolished	-	-
R81	12.3	11.2	Demolished	-	-
R82	11.9	10.8	11.4	0.5	Small deterioration
R83	11.8	10.7	11.2	0.4	Small deterioration
R84	11.4	10.6	10.9	0.3	Small deterioration
R85	11.2	10.4	10.6	0.2	Imperceptible
R86	11.2	10.3	10.5	0.3	Small deterioration
R87	11.1	10.2	10.5	0.2	Imperceptible
R88	11.3	11.1	11.2	0.1	Imperceptible
R89	10.9	10.5	10.5	0.0	Imperceptible
R90	10.7	10.2	10.2	0.0	Imperceptible
R91	10.9	10.4	10.4	0.0	Imperceptible
R92	12.3	12.2	12.2	0.0	Imperceptible
R93	12.2	12.0	11.9	-0.1	Imperceptible
R94	12.1	11.8	11.8	0.0	Imperceptible
R95	11.7	11.0	10.9	-0.1	Imperceptible
R96	12.2	11.7	11.6	0.0	Imperceptible
R98	11.6	10.8	10.8	0.0	Imperceptible
R99	12.6	11.7	11.6	-0.1	Imperceptible
R100	12.6	11.7	11.6	-0.1	Imperceptible
R101	11.1	10.4	10.2	-0.2	Imperceptible
R102	11.5	10.6	10.5	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do- Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do- Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R103	11.0	10.2	10.1	-0.1	Imperceptible
R104	12.2	11.3	11.1	-0.2	Imperceptible
R105	11.5	10.7	10.6	-0.1	Imperceptible
R106	11.1	10.3	10.2	-0.1	Imperceptible
R107	11.4	10.5	10.5	-0.1	Imperceptible
R108	11.0	10.1	10.1	0.0	Imperceptible
R109	10.2	9.4	9.4	0.0	Imperceptible
R110	12.0	11.0	11.1	0.0	Imperceptible
R111	11.9	10.9	10.9	0.0	Imperceptible
R112	12.1	11.1	11.1	0.0	Imperceptible
R113	11.3	10.4	10.4	0.0	Imperceptible
R114	11.5	10.6	10.6	-0.1	Imperceptible
R115	11.9	11.0	11.0	0.0	Imperceptible
R116	12.0	11.0	11.0	0.0	Imperceptible
R117	11.7	10.7	10.8	0.1	Imperceptible
R118	11.4	10.5	10.5	0.1	Imperceptible
R119	11.1	10.2	10.2	0.1	Imperceptible
R120	10.7	9.8	9.9	0.0	Imperceptible
R121	10.8	9.9	10.0	0.1	Imperceptible
R122	10.5	9.7	9.7	0.0	Imperceptible
R123	11.1	10.3	10.4	0.1	Imperceptible
R124	10.7	9.9	9.9	0.1	Imperceptible
R125	10.1	9.3	9.3	0.0	Imperceptible
R126	10.4	9.6	9.6	0.0	Imperceptible
R127	11.0	10.1	10.2	0.0	Imperceptible
R128	11.1	10.2	10.2	0.0	Imperceptible
R129	10.8	9.9	10.0	0.0	Imperceptible
R130	11.2	10.3	10.4	0.1	Imperceptible
R131	11.7	10.7	10.7	0.0	Imperceptible
R132	11.2	10.3	10.4	0.1	Imperceptible
R133	11.7	10.7	10.9	0.2	Imperceptible
R134	11.8	10.8	11.0	0.3	Small deterioration
R135	11.8	10.9	11.2	0.3	Small deterioration
R136	12.2	11.2	11.5	0.2	Imperceptible
R137	10.4	9.6	9.6	0.1	Imperceptible
R138	11.0	10.1	10.2	0.1	Imperceptible
R139	12.2	11.2	11.4	0.2	Imperceptible
R140	11.5	10.6	10.8	0.2	Imperceptible
R141	11.0	10.1	10.2	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R142	10.7	10.1	10.0	-0.1	Imperceptible
R143	11.2	10.5	10.5	0.1	Imperceptible
R144	11.2	10.3	10.4	0.1	Imperceptible
R145	11.7	10.9	10.8	-0.1	Imperceptible
R146	11.4	10.7	10.4	-0.3	Small improvement
R147	12.3	11.3	11.3	0.1	Imperceptible
R148	11.1	10.5	10.2	-0.3	Small improvement
R149	11.1	10.4	10.2	-0.2	Imperceptible
R150	11.1	10.3	10.3	-0.1	Imperceptible
R151	10.7	9.9	9.9	0.0	Imperceptible
R152	10.6	9.8	9.8	0.0	Imperceptible
R153	10.8	9.9	9.9	0.0	Imperceptible
R154	11.3	10.4	10.2	-0.1	Imperceptible
R155	11.2	10.6	10.5	-0.1	Imperceptible
R156	11.3	10.6	10.7	0.1	Imperceptible
R157	11.3	10.5	11.0	0.4	Small deterioration
R158	10.9	10.0	10.3	0.3	Small deterioration
R159	10.6	9.8	9.7	0.0	Imperceptible
R160	10.2	9.4	9.4	0.0	Imperceptible
R161	11.0	10.2	10.2	0.0	Imperceptible
R162	10.8	10.1	10.1	0.0	Imperceptible
R163	10.4	9.5	9.6	0.1	Imperceptible
R164	12.3	11.5	11.6	0.1	Imperceptible
R165	11.3	10.5	10.6	0.1	Imperceptible
R166	9.9	9.2	9.2	0.0	Imperceptible
R167	9.9	9.2	9.2	0.0	Imperceptible
R168	9.5	8.8	8.8	0.0	Imperceptible
R169	9.7	9.2	9.1	-0.1	Imperceptible
R170	13.3	12.2	12.2	0.0	Imperceptible
R171	12.1	11.2	11.2	0.0	Imperceptible
R172	13.2	12.3	12.2	-0.1	Imperceptible
R173	10.9	10.1	10.0	-0.1	Imperceptible
R174	13.4	12.1	12.2	0.0	Imperceptible
R175	11.4	10.6	11.1	0.6	Small deterioration
R176	11.3	10.5	11.1	0.6	Small deterioration
R177	10.8	10.0	10.7	0.7	Small deterioration
R178	10.9	10.3	10.5	0.1	Imperceptible
R179	10.8	10.1	10.2	0.1	Imperceptible
R180	13.5	12.4	12.3	-0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
R181	13.4	12.4	12.3	-0.1	Imperceptible
R182	13.8	12.7	12.6	-0.1	Imperceptible
R183	12.7	11.4	11.4	0.0	Imperceptible
R184	12.9	12.0	11.9	-0.1	Imperceptible
R185	11.3	10.4	10.3	-0.1	Imperceptible
R186	11.1	10.3	10.2	-0.1	Imperceptible
R187	11.0	10.2	10.1	-0.1	Imperceptible
R188	11.1	10.4	10.2	-0.2	Imperceptible
R189	12.9	11.8	11.8	0.0	Imperceptible
R190	12.5	11.4	11.4	0.0	Imperceptible
R191	13.8	12.6	12.6	0.0	Imperceptible
R192	12.9	11.8	11.8	0.0	Imperceptible
R193	13.6	12.4	12.4	0.0	Imperceptible
R194	12.9	11.9	11.9	0.0	Imperceptible
R195	13.1	12.0	12.1	0.0	Imperceptible
R196	11.9	11.0	11.0	0.0	Imperceptible
R197	15.5	14.3	14.1	-0.2	Imperceptible
R198	12.0	11.7	11.6	-0.1	Imperceptible
R199	12.1	11.2	11.2	0.0	Imperceptible
R200	12.3	11.6	11.6	0.0	Imperceptible
S1	11.2	10.3	10.4	0.1	Imperceptible
S2	10.8	9.8	9.8	0.0	Imperceptible
S3	11.4	10.5	10.6	0.2	Imperceptible
S4	10.7	9.9	10.0	0.1	Imperceptible
S5	10.4	9.6	9.7	0.0	Imperceptible
S6	10.7	9.8	10.0	0.1	Imperceptible
S7	10.4	9.7	9.8	0.1	Imperceptible
S8	10.1	9.3	9.3	0.0	Imperceptible
S9	11.8	10.9	10.9	-0.1	Imperceptible
S10	11.8	11.2	11.2	0.0	Imperceptible
S11	11.8	10.9	10.9	-0.1	Imperceptible
S12	10.8	10.0	10.6	0.7	Small deterioration
S13	11.2	10.5	10.8	0.3	Small deterioration
S14	10.3	9.5	9.5	0.0	Imperceptible
S15	10.6	9.9	9.8	-0.1	Imperceptible
S16	11.1	10.2	10.2	-0.1	Imperceptible
S17	10.6	9.8	9.8	0.0	Imperceptible
S18	11.2	10.4	10.5	0.0	Imperceptible
S19	11.6	10.8	10.9	0.1	Imperceptible

Receptor	Base Year 2015 ($\mu\text{g}/\text{m}^3$)	Do-Minimum 2024 ($\mu\text{g}/\text{m}^3$)	Do-Something 2024 ($\mu\text{g}/\text{m}^3$)	Change with Scheme ($\mu\text{g}/\text{m}^3$)	Descriptor
S20	10.5	9.7	9.7	0.0	Imperceptible
H1	10.8	10.0	10.0	0.0	Imperceptible
H2	10.7	9.9	10.0	0.1	Imperceptible
H3	10.6	9.7	9.7	0.0	Imperceptible
H4	10.5	9.6	9.6	0.0	Imperceptible
H5	9.9	9.0	9.0	0.0	Imperceptible
H6	9.8	9.0	9.0	0.0	Imperceptible
C1	9.7	8.9	8.9	0.0	Imperceptible
C2	12.2	11.0	11.0	0.0	Imperceptible
C3	11.9	10.9	10.9	0.0	Imperceptible
C4	11.4	10.5	10.4	0.0	Imperceptible
C5	13.0	12.0	12.0	0.0	Imperceptible
C6	10.3	9.5	9.4	-0.1	Imperceptible
C7	10.3	9.5	9.4	-0.1	Imperceptible
C8	11.6	10.7	10.7	0.0	Imperceptible
C9	11.7	11.0	10.9	-0.1	Imperceptible
C10	11.6	10.7	10.7	0.0	Imperceptible
C11	11.3	10.6	10.8	0.2	Imperceptible
C12	11.3	10.4	10.3	-0.2	Imperceptible
C13	10.4	9.6	9.6	0.0	Imperceptible
C14	11.6	10.6	10.7	0.1	Imperceptible
C15	10.6	9.9	9.9	0.0	Imperceptible
C16	9.4	8.6	8.6	0.0	Imperceptible
C17	9.9	9.3	9.2	0.0	Imperceptible

Exceedances of the objective/ limit value at $25\mu\text{g}/\text{m}^3$ are marked in **bold** (no exceedance shown in table).

Table 1.17: Local air quality plan level TAG appraisal - PM₁₀ in the Scheme opening year (2024)

PM10, SUMMARY OF ROUTES: THE AGGREGATED TABLE	0-50m	50-100m	100-150m	150-200m	0-200m
	(i)	(ii)	(iii)	(iv)	(v=i+ii+iii+iv)
Total properties across all routes (min)	1930	2402	2464	2492	9288
Total properties across all routes (some)	1836	2411	2447	2467	9161
<i>Do-minimum PM₁₀ assessment across all routes</i>	28336.58	34210.55	34631.97	34878.43	Total assessment PM ₁₀ (I): 132057.53
<i>Do-something PM₁₀ assessment across all routes</i>	26914.33	34325.67	34416.19	34571.59	Total assessment PM ₁₀ (II): 130227.78
Net total assessment for PM₁₀, all routes (II-I)					-1829.75
<i>Number of properties with an improvement</i>					4882
<i>Number of properties with no change</i>					174
<i>Number of properties with a deterioration</i>					4105

Table 1.18: Local air quality plan level TAG appraisal – NO₂ in the Scheme opening year (2024)

NO₂, SUMMARY OF ROUTES: THE AGGREGATED TABLE	0-50m	50-100m	100-150m	150-200m	0-200m
	(i)	(ii)	(iii)	(iv)	(v=i+ii+iii+iv)
Total properties across all routes (min)	1930	2402	2464	2492	9288
Total properties across all routes (some)	1836	2411	2447	2467	9161
<i>Do-minimum</i> NO₂ assessment across all routes	28602.84	30490.28	29109.83	28541.02	Total assessment NO ₂ (I): 116743.97
<i>Do-something</i> NO₂ assessment across all routes	27109.98	30510.16	28890.60	28330.66	Total assessment NO ₂ (II): 114841.40
Net total assessment for NO₂, all routes (II-I)					-1902.57
<i>Number of properties with an improvement</i>					4492
<i>Number of properties with no change</i>					5
<i>Number of properties with a deterioration</i>					4664

Table 1.19: Local air quality plan level TAG appraisal - PM₁₀ in the Scheme design year (2039)

PM₁₀, SUMMARY OF ROUTES: THE AGGREGATED TABLE	0-50m	50-100m	100-150m	150-200m	0-200m
	(i)	(ii)	(iii)	(iv)	(v=i+ii+iii+iv)
Total properties across all routes (min)	2332	2866	2776	2735	10709
Total properties across all routes (some)	2314	2859	2741	2722	10636
<i>Do-minimum PM₁₀ assessment across all routes</i>	33744.12	40532.31	38465.77	37853.24	Total assessment PM ₁₀ (I): 150595.44
<i>Do-something PM₁₀ assessment across all routes</i>	33376.46	40404.52	37987.68	37701.91	Total assessment PM ₁₀ (II): 149470.57
Net total assessment for PM₁₀, all routes (II-I)					-1124.87
<i>Number of properties with an improvement</i>					6841
<i>Number of properties with no change</i>					275
<i>Number of properties with a deterioration</i>					3520

Table 1.20: Local air quality plan level TAG appraisal - NO₂ in the Scheme design year (2039)

NO₂, SUMMARY OF ROUTES: THE AGGREGATED TABLE	0-50m	50-100m	100-150m	150-200m	0-200m
	(i)	(ii)	(iii)	(iv)	(v=i+ii+iii+iv)
Total properties across all routes (min)	2332	2866	2776	2735	10709
Total properties across all routes (some)	2314	2859	2741	2722	10636
<i>Do-minimum</i> NO₂ assessment across all routes	30195.95	31366.45	28020.96	26923.06	Total assessment NO ₂ (I): 116506.42
<i>Do-something</i> NO₂ assessment across all routes	29577.67	31111.19	27592.40	26775.71	Total assessment NO ₂ (II): 115056.97
Net total assessment for NO₂, all routes (II-I)					-1449.45
<i>Number of properties with an improvement</i>					6504
<i>Number of properties with no change</i>					420
<i>Number of properties with a deterioration</i>					3712

Table 1.21: Compliance risk assessment for construction Scenario 0

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1965_1976_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R17	15.8	15.9	0.1	22.2
1941_1942_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R26	16.5	16.5	0.0	22.1
1941_1925_1_T	56162	East Midlands	No	30.6	22.1	65	2025	R28	17.1	17.2	0.1	22.2
3506_2661_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R30	16.7	16.8	0.1	17.1
2658_2661_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R32	19.7	19.8	0.1	17.1
2661_2659_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R31	18.2	18.3	0.1	17.1
2653_3501_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R33	20.7	20.8	0.1	17.1
1882_1911_1_T	6167	East Midlands	No	27.6	17.0	65	2025	R222	17.3	17.3	0.0	17.0
1882_1911_2_T	6167	East Midlands	No	27.6	17.0	65	2025	R221	18.0	18.0	0.0	17.0
1866_1882_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R223	19.1	19.1	0.0	17.0
1879_3550_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R226	24.9	24.9	0.0	17.0
1865_3548_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R225	20.3	20.3	0.0	17.0
1873_1875_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R227	21.4	21.5	0.1	17.1
1080_3524_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R228	21.6	21.6	0.0	17.0
2663_2650_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R42	19.6	19.6	0.0	29.8
2651_2664_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R38	23.0	23.0	0.0	29.8
1811_2663_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R45	20.8	20.8	0.0	29.8
2664_1845_1_O	16361	East Midlands	No	45.1	29.8	65	2025	R48	26.5	26.5	0.0	29.8
2818_1811_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R53	27.3	27.3	0.0	29.8

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1845_2819_3_O	16361	East Midlands	No	45.1	29.8	65	2025	R49	20.8	20.8	0.0	29.8
1610_2813_1_O	57767	East Midlands	No	47.8	33.2	65	2025	C11	22.3	22.3	0.0	33.2
2813_3430_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R177	18.9	19.0	0.1	33.3
3430_1561_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R176	24.8	24.9	0.1	33.3
2674_3428_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	28.8	0.1	33.3
3429_2812_1_O	57767	East Midlands	No	47.8	33.2	65	2025	C12	21.0	21.1	0.1	33.3
3427_1546_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R128	20.9	21.0	0.1	19.0
3545_3427_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R127	19.8	19.9	0.1	19.0
3571_3546_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R203	15.4	15.4	0.0	18.9
3545_4220_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R126	15.1	15.2	0.1	19.0
3546_1490_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R125	14.5	14.5	0.0	18.9
1465_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R202	15.6	15.7	0.1	19.0
1452_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R205	14.2	14.3	0.1	19.0
1496_2815_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R135	23.9	24.4	0.5	33.7
1537_1544_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R131	24.7	24.9	0.2	33.4
2814_1506_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R136	26.0	26.9	0.9	34.1
3425_2814_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R134	23.8	24.0	0.2	33.4
3426_2672_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	28.8	0.1	33.3
1496_2815_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R140	23.3	23.2	-0.1	33.1
1504_3440_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R147	27.5	27.0	-0.5	27.2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1504_3440_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R157	23.1	23.1	0.0	33.2
1506_1504_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R139	28.2	27.3	-0.9	32.3
2677_1496_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R140	23.3	23.2	-0.1	33.1
2683_3439_0_O	57767	East Midlands	No	47.8	33.2	65	2025	C14	28.3	28.5	0.2	33.4
3439_2677_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R144	21.4	21.4	0.0	33.2
1462_3091_0_O	46394	East Midlands	No	41.8	27.7	65	2025	R163	17.5	17.5	0.0	27.7
3091_3444_0_O	46394	East Midlands	No	41.8	27.7	65	2025	R159	19.2	19.2	0.0	27.7
3443_1451_0_O	46394	East Midlands	No	41.8	27.7	65	2025	S19	19.6	19.6	0.0	27.7
3444_2682_1_O	46394	East Midlands	No	41.8	27.7	65	2025	C14	28.3	28.5	0.2	27.9
2681_3443_0_O	46394	East Midlands	No	41.8	27.7	65	2025	H2	15.5	15.4	-0.1	27.6
1411_1462_0_O	74456	East Midlands	No	47.1	32.3	65	2025	R165	20.0	19.9	-0.1	32.2
1451_1422_1_O	74456	East Midlands	No	47.1	32.3	65	2025	R164	24.8	24.7	-0.1	32.2
1407_1411_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R244	18.5	18.5	0.0	28.4
1422_1386_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R243	19.4	19.4	0.0	28.4
1377_3585_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R242	13.5	13.5	0.0	15.5
2692_1369_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R245	16.0	16.0	0.0	15.5
1479_3539_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R161	18.0	18.0	0.0	24.6
2684_3538_0_O	7232	East Midlands	No	39.9	24.6	65	2025	C15	14.4	14.4	0.0	24.6
3539_1451_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R162	15.7	15.7	0.0	24.6
1462_2684_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R163	17.5	17.5	0.0	24.6

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3539_1451_2_O	7232	East Midlands	No	39.9	24.6	65	2025	S19	19.6	19.6	0.0	24.6
2688_3543_0_O	7232	East Midlands	No	39.9	24.6	65	2025	H5	17.4	17.3	-0.1	24.5
3449_1517_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R117	27.3	26.9	-0.4	24.2
3445_1517_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R118	24.5	24.4	-0.1	25.5
3445_1517_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R116	29.5	29.4	-0.1	25.5
1517_3447_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R111	29.0	28.4	-0.6	25.0
1518_1529_0_O	7702	East Midlands	No	33.7	25.6	65	2025	R110	26.9	26.7	-0.2	25.4
1517_3447_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R112	30.2	29.9	-0.3	25.3
1570_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R108	21.6	21.5	-0.1	24.5
3446_1517_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R113	25.2	25.1	-0.1	24.5
3446_1570_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R107	24.2	24.1	-0.1	24.5
1517_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R115	29.7	29.5	-0.2	24.4
3446_1517_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R112	30.2	29.9	-0.3	24.3
1491_3442_0_O	27766	East Midlands	No	30.8	23.9	65	2025	H1	16.2	16.2	0.0	23.9
1528_3445_1_O	27766	East Midlands	No	30.8	23.9	65	2025	R118	24.5	24.4	-0.1	23.8
1528_3445_2_T	27766	East Midlands	No	30.8	23.9	65	2025	R123	20.5	20.4	-0.1	23.8
3558_9990_1_O	27766	East Midlands	No	30.8	23.9	65	2025	R124	19.2	18.6	-0.6	23.3
1517_3446_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R115	29.7	29.5	-0.2	19.0
3446_1570_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R107	24.2	24.1	-0.1	19.1
3149_1591_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R105	23.9	23.9	0.0	19.2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3149_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R104	28.6	28.6	0.0	19.2
1670_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R103	26.4	26.4	0.0	19.2
1673_1670_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R188	22.3	22.3	0.0	19.2
1732_3142_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R184	25.4	25.4	0.0	19.2
3333_3518_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R183	25.0	25.0	0.0	19.2
3332_3333_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R182	31.9	32.0	0.1	19.3
1570_1591_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R106	21.2	21.2	0.0	19.2
1570_3446_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R108	21.6	21.5	-0.1	19.1
1591_3149_0_O	37288	East Midlands	No	30.6	19.2	65	2025	S16	21.5	21.5	0.0	19.2
1575_3423_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R83	27.3	27.4	0.1	21.5
1598_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R89	21.1	21.1	0.0	18.9
3423_1598_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R88	25.2	25.2	0.0	21.4
3566_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R91	21.0	21.0	0.0	21.4
3566_1678_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R92	30.0	30.0	0.0	21.4
1678_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R94	26.6	26.6	0.0	21.4
1714_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R96	23.9	23.9	0.0	21.4
1714_1745_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R191	33.0	32.9	-0.1	21.3
1745_1714_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R174	29.2	29.2	0.0	21.4
9981_1575_1_O	56563	East Midlands	No	33.3	18.9	65	2025	R82	28.7	28.8	0.1	19.0
1001_1002_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R193	31.9	31.8	-0.1	19.0

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1745_1757_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R191	33.0	32.9	-0.1	19.0
1757_1770_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R192	26.3	26.3	0.0	19.1
1757_1745_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R174	29.2	29.1	-0.1	19.0
2785_3511_0_T	75410	East Midlands	No	28.4	19.1	65	2025	R194	28.3	28.2	-0.1	19.0
3514_3349_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R195	29.0	29.0	0.0	19.1
820_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.9	0.0	20.6
3347_3358_2_O	75411	East Midlands	No	32.6	20.6	65	2025	R180	30.2	30.3	0.1	20.7
3358_3347_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R181	30.1	30.0	-0.1	20.5
3358_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R195	29.0	28.9	-0.1	20.5
3512_820_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.8	-0.1	20.5
2595_3513_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R195	29.0	28.9	-0.1	26.0
3513_2595_0_O	38236	East Midlands	No	39.7	26.1	65	2025	C5	25.5	25.5	0.0	26.1
908_1026_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R60	27.1	27.2	0.1	26.2
1039_2802_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R230	32.6	32.6	0.0	26.1
910_1027_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R250	30.7	30.7	0.0	17.0
1028_1027_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R230	32.6	32.6	0.0	17.0
910_3353_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R60	27.1	27.2	0.1	17.1
1029_2778_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R229	27.1	27.2	0.1	17.1
3344_3346_0_T	38406	East Midlands	No	27.1	17.6	65	2025	R61	26.0	26.0	0.0	17.6
3347_3346_2_T	38406	East Midlands	No	27.1	17.6	65	2025	R197	40.6	40.7	0.1	17.7

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3345_7071_0_T	75415	East Midlands	No	25.7	17.2	65	2025	R62	28.1	28.1	0.0	17.2
3339_3515_0_T	83044	East Midlands	No	31.3	20.9	65	2025	R63	30.3	30.4	0.1	21.0
3344_3515_0_T	83044	East Midlands	No	31.3	20.9	65	2025	R62	28.1	28.1	0.0	20.9
906_1053_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R236	17.1	17.1	0.0	16.6
1052_7058_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R235	17.7	17.7	0.0	16.6
3328_3329_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R196	19.9	19.9	0.0	16.6
3520_7065_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R232	20.0	20.0	0.0	16.6
2092_3497_4_T	73359	East Midlands	No	36.3	26.8	65	2025	R251	17.3	17.4	0.1	26.9
2076_2092_3_O	73359	East Midlands	No	36.3	26.8	65	2025	S2	19.9	19.9	0.0	26.8
2076_2092_2_T	73359	East Midlands	No	36.3	26.8	65	2025	C2	29.9	30.3	0.4	27.2
3497_2103_0_O	73359	East Midlands	No	36.3	26.8	65	2025	R251	17.3	17.4	0.1	26.9
2091_2107_0_T	37405	East Midlands	No	26.2	16.8	65	2025	R251	17.3	17.4	0.1	16.9
2072_3115_0_T	37405	East Midlands	No	26.2	16.8	65	2025	C2	29.9	30.3	0.4	17.2
2075_2809_2_T	28014	East Midlands	No	42.3	26.7	65	2025	C3	24.0	24.0	0.0	26.7
2076_2809_6_T	28014	East Midlands	No	42.3	26.7	65	2025	C2	29.9	30.3	0.4	27.1
2075_5505_0_O	28014	East Midlands	No	42.3	26.7	65	2025	C4	22.0	22.0	0.0	26.7
1028_2803_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R230	32.6	32.6	0.0	31.7
928_1028_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R231	35.7	35.7	0.0	31.7
1047_7069_0_T	75416	East Midlands	No	27.0	16.7	65	2025	R182	31.9	32.0	0.1	16.8
1047_7067_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R63	30.3	30.4	0.1	15.3

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1037_1048_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R232	20.0	20.0	0.0	15.2
3330_3517_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R196	19.9	19.9	0.0	16.7
3342_3330_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R182	31.9	32.0	0.1	16.8
3310_3317_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R200	31.5	31.5	0.0	23.9
3317_3526_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R231	17.7	17.7	0.0	23.9
3323_3328_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R196	19.9	19.9	0.0	23.9
3308_3316_0_O	81443	East Midlands	No	33.4	23.0	65	2025	R200	31.5	31.5	0.0	23.0
3322_3531_0_T	81443	East Midlands	No	33.4	23.0	65	2025	R232	17.1	17.1	0.0	23.0
934_3532_0_O	81437	East Midlands	No	33.2	23.2	65	2025	R200	31.5	31.5	0.0	23.2
818_933_0_T	47261	East Midlands	No	29.1	19.8	65	2025	R200	31.5	31.5	0.0	19.8
930_6037_0_O	27938	East Midlands	No	35.8	25.4	65	2025	R170	35.8	35.7	-0.1	25.3
3403_6029_2_T	46171	East Midlands	No	36.6	24.8	65	2025	R170	35.8	35.7	-0.1	24.7
1016_3588_0_O	81248	East Midlands	No	37.7	25.4	65	2025	R171	27.1	27.1	0.0	25.4
1015_3590_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R171	27.1	27.1	0.0	26.5
1014_3536_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R170	35.8	35.7	-0.1	26.4
1016_3587_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R171	27.1	27.1	0.0	35.1
1044_2801_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R231	35.7	35.7	0.0	35.1
1084_2808_0_O	46556	East Midlands	No	51.0	31.1	65	2025	C4	22.0	22.0	0.0	31.1
1045_2798_0_O	46556	East Midlands	No	51.0	31.1	65	2025	R231	35.7	35.7	0.0	31.1

Table 1.22: Compliance risk assessment for construction Scenario 2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1965_1976_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R17	15.9	16.5	0.6	22.7
1943_1942_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R26	16.5	16.8	0.3	22.4
1941_1925_1_T	56162	East Midlands	No	30.6	22.1	65	2025	R28	17.1	17.3	0.2	22.3
1941_1925_2_T	56162	East Midlands	No	30.6	22.1	65	2025	R29	16.0	16.2	0.2	22.3
1925_3506_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R30	16.7	16.9	0.2	17.2
2658_2661_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R32	19.7	19.8	0.1	17.1
2661_2659_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R31	18.1	18.4	0.3	17.3
2653_3501_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R33	20.7	20.8	0.1	17.1
1882_1911_1_T	6167	East Midlands	No	27.6	17.0	65	2025	R222	17.2	17.4	0.2	17.2
1882_1911_2_T	6167	East Midlands	No	27.6	17.0	65	2025	R221	18.0	18.6	0.6	17.6
1866_1882_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R223	19.1	19.5	0.4	17.4
1879_3550_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R226	25.0	25.8	0.8	17.08
1871_3550_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R225	20.3	20.6	0.3	17.3
1873_1875_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R227	21.5	21.9	0.4	17.4
1080_3524_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R228	21.6	22.0	0.4	17.4
2663_2650_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R42	19.6	19.5	-0.1	29.7
2651_2664_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R38	22.9	23.0	0.1	29.9
1811_2663_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R45	20.8	20.7	-0.1	29.7

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
2664_1845_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R38	22.9	23.0	0.1	29.9
2664_1845_1_O	16361	East Midlands	No	45.1	29.8	65	2025	R48	26.5	26.6	0.1	29.9
2818_1811_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R53	27.3	27.3	0.0	29.8
1845_2819_3_O	16361	East Midlands	No	45.1	29.8	65	2025	R49	20.7	20.7	0.0	29.8
1845_2819_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R53	27.3	27.3	0.0	29.8
2819_1610_0_O	57767	East Midlands	No	47.8	33.2	65	2025	C11	22.3	22.7	0.4	33.6
1610_2813_0_O	57767	East Midlands	No	47.8	33.2	65	2025	C12	21.0	18.9	-2.1	31.1
2813_3430_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R177	18.9	23.2	4.3	37.5
3430_1575_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R176	24.7	29.1	4.4	37.6
3428_3429_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.6	28.8	0.2	33.4
3428_3429_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R176	24.7	29.1	4.4	37.6
3427_1546_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R128	21.0	19.9	-1.1	17.8
1546_1575_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R82	28.6	28.8	0.2	19.1
3427_3545_2_O	56563	East Midlands	No	33.3	18.9	65	2025	R126	15.1	14.4	-0.7	18.2
3545_3427_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R127	19.8	18.9	-0.9	18.0
3571_3546_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R203	15.4	14.7	-0.7	18.2
3545_4220_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R126	15.1	14.4	-0.7	18.2
4220_1490_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R125	14.6	14.4	-0.2	18.7
1465_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R202	15.7	15.1	-0.6	18.3

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1452_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R205	14.2	13.7	-0.5	18.4
1496_2815_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R140	23.4	23.8	0.4	33.6
1537_1544_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R131	24.7	23.1	-1.6	31.6
2814_1506_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R136	26.0	27.1	1.1	34.3
2815_1537_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R135	23.9	24.3	0.4	33.6
1575_3424_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	28.9	0.2	33.4
3425_2814_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R134	23.8	23.6	-0.2	33.0
3425_2814_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R87	22.5	22.5	0.0	33.2
3425_2814_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R131	24.7	23.1	-1.6	31.6
1504_3440_3_O	57767	East Midlands	No	47.8	33.2	65	2025	R157	23.0	24.6	1.6	34.8
1504_3440_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R147	27.5	27.7	0.2	33.4
1506_1504_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R139	28.1	28.1	0.0	33.2
2677_1496_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R141	20.9	21.1	0.2	33.4
2683_3439_1_O	57767	East Midlands	No	47.8	33.2	65	2025	C14	28.4	28.5	0.1	33.4
3439_2677_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R143	22.8	24.9	2.1	35.3
1462_3091_1_O	46394	East Midlands	No	41.8	27.7	65	2025	R163	17.5	17.6	0.1	27.8
1462_3091_2_O	46394	East Midlands	No	41.8	27.7	65	2025	C15	14.4	14.5	0.1	27.8
3091_3444_0_O	46394	East Midlands	No	41.8	27.7	65	2025	R159	19.2	19.3	0.1	27.8
3443_1451_2_O	46394	East Midlands	No	41.8	27.7	65	2025	S19	19.6	19.6	0.0	27.7

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3443_1451_3_O	46394	East Midlands	No	41.8	27.7	65	2025	C15	14.4	14.5	0.1	27.8
1411_1462_0_O	74456	East Midlands	No	47.1	32.3	65	2025	R165	19.9	20.0	0.1	32.4
1451_1422_1_O	74456	East Midlands	No	47.1	32.3	65	2025	R164	24.7	24.7	0.0	32.3
1407_1411_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R244	18.5	18.5	0.0	28.4
1422_1386_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R239	19.4	19.4	0.0	28.4
1377_3585_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R242	13.5	13.5	0.0	15.5
2692_1369_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R245	16.0	15.9	-0.1	15.4
1479_3539_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R161	18.1	18.3	0.2	24.8
2684_3538_0_O	7232	East Midlands	No	39.9	24.6	65	2025	C15	14.4	14.5	0.1	24.7
3539_1451_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R162	15.6	15.8	0.2	24.8
1462_2684_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R163	17.5	17.6	0.1	24.7
3539_1451_2_O	7232	East Midlands	No	39.9	24.6	65	2025	S19	19.6	19.7	0.1	24.7
1517_3448_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R247	28.6	28.9	0.3	24.9
2688_3543_0_O	7232	East Midlands	No	39.9	24.6	65	2025	H5	17.4	17.5	0.1	24.7
3448_3095_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R249	27.8	28.1	0.3	24.9
3449_1517_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R247	28.6	28.9	0.3	24.9
3543_3449_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R248	26.7	27.1	0.4	25.0
3449_1517_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R117	27.2	27.4	0.2	24.8
1517_3447_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R112	30.2	30.5	0.3	25.9

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1517_3447_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R111	29.0	29.4	0.4	26.0
1518_1529_0_O	7702	East Midlands	No	33.7	25.6	65	2025	R110	26.8	26.8	0.0	25.6
1517_3447_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R112	30.2	30.5	0.3	25.9
1528_3445_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R118	24.4	24.3	-0.1	25.5
1528_3445_2_T	7702	East Midlands	No	33.7	25.6	65	2025	R123	20.6	20.7	0.1	25.7
1517_3445_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R117	27.2	27.4	0.2	25.8
3445_1517_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R118	24.4	24.3	-0.1	25.5
1570_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R108	21.5	21.9	0.4	25.0
3446_1517_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R113	25.1	25.3	0.2	24.8
3446_1570_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R107	24.1	24.5	0.4	25.0
1517_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R115	29.8	30.1	0.3	24.9
1491_3442_0_O	27766	East Midlands	No	30.8	23.9	65	2025	H1	16.3	16.4	0.1	24.0
3558_9990_0_O	27766	East Midlands	No	30.8	23.9	65	2025	R124	19.3	19.3	0.0	23.9
3149_1591_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R105	24.0	24.1	0.1	19.3
3149_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R104	28.6	28.9	0.3	19.5
1670_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R103	26.4	26.6	0.2	19.4
1673_1670_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R188	22.2	22.5	0.3	19.5
1732_3142_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R184	25.4	25.4	0.0	19.2
3333_3518_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R183	24.9	24.9	0.0	19.2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3332_3333_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R182	32.0	31.9	-0.1	19.1
1591_1570_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R106	21.3	21.5	0.2	19.4
1591_3149_0_O	37288	East Midlands	No	30.6	19.2	65	2025	S16	21.6	21.8	0.2	19.4
1598_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R89	21.1	19.8	-1.3	20.1
3423_1598_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R88	25.1	22.8	-2.3	19.1
3566_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R91	21.1	21.0	-0.1	21.3
3566_1678_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R92	29.9	27.9	-2.0	19.4
1678_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R94	26.7	24.9	-1.8	19.6
3423_1575_2_O	16520	East Midlands	No	33.2	21.4	65	2025	R82	28.7	28.9	0.2	21.6
1575_3423_2_O	16520	East Midlands	No	33.2	21.4	65	2025	R85	23.9	24.0	0.1	21.5
1714_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R96	24.0	22.9	-1.1	20.3
1714_1745_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R191	32.9	32.3	-0.6	20.8
1745_1714_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R174	29.2	29.1	-0.1	21.3
1001_1002_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R193	31.9	31.7	-0.2	18.9
1745_1757_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R191	32.9	32.3	-0.6	18.5
1757_1770_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R192	26.3	26.2	-0.1	19.0
1757_1745_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R174	29.2	29.1	-0.1	19.0
1002_2785_0_T	75410	East Midlands	No	28.4	19.1	65	2025	R194	28.3	28.3	0.0	19.1
3511_3514_0_T	75410	East Midlands	No	28.4	19.1	65	2025	R195	29.0	29.0	0.0	19.1

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
820_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.7	-0.2	20.4
3347_3358_2_O	75411	East Midlands	No	32.6	20.6	65	2025	R180	30.1	29.9	-0.2	20.4
3358_3347_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R181	30.1	29.9	-0.2	20.4
3358_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R195	29.0	29.0	0.0	20.6
3512_820_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.7	-0.2	20.4
2595_3513_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R195	29.0	29.0	0.0	26.1
3513_2595_0_O	38236	East Midlands	No	39.7	26.1	65	2025	C5	25.5	25.3	-0.2	25.9
908_1026_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R60	27.1	27.1	0.0	26.1
3351_3513_0_O	38236	East Midlands	No	39.7	26.1	65	2025	C5	25.5	25.3	-0.2	25.9
1039_2802_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R230	32.6	33.1	0.5	26.6
3348_3350_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R195	29.0	29.0	0.0	26.1
910_1027_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R250	30.7	31.3	0.6	17.6
910_3353_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R60	27.1	27.1	0.0	17.0
3353_910_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R250	30.7	31.3	0.6	17.6
1029_2778_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R229	27.1	27.9	0.8	17.8
907_908_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R230	32.6	33.1	0.5	17.5
3344_3346_0_T	38406	East Midlands	No	27.1	17.6	65	2025	R61	25.9	25.9	0.0	17.6
3347_3346_2_T	38406	East Midlands	No	27.1	17.6	65	2025	R197	40.6	40.5	-0.1	17.5
3345_7071_0_T	75415	East Midlands	No	25.7	17.2	65	2025	R62	28.1	28.1	0.0	17.2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1006_7073_0_T	75415	East Midlands	No	25.7	17.2	65	2025	R233	20.8	20.8	0.0	17.2
3338_3339_0_O	83044	East Midlands	No	31.3	20.9	65	2025	R63	30.4	30.3	-0.1	20.8
3339_3340_0_O	83044	East Midlands	No	31.3	20.9	65	2025	R182	32.0	31.9	-0.1	20.8
3344_3515_0_T	83044	East Midlands	No	31.3	20.9	65	2025	R62	28.1	28.1	0.0	20.9
906_1053_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R236	17.1	17.1	0.0	16.6
1052_7058_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R235	17.7	17.7	0.0	16.6
3328_3329_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R196	19.8	19.8	0.0	16.6
3520_7065_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R232	20.0	20.0	0.0	16.6
3328_7065_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R196	19.8	19.8	0.0	16.6
2092_3497_4_T	73359	East Midlands	No	36.3	26.8	65	2025	R251	17.3	17.2	-0.1	26.7
2076_2092_3_O	73359	East Midlands	No	36.3	26.8	65	2025	S2	19.9	19.7	-0.2	26.6
2076_2092_2_T	73359	East Midlands	No	36.3	26.8	65	2025	C2	30.0	30.0	0.0	26.8
2091_2107_0_T	37405	East Midlands	No	26.2	16.8	65	2025	R251	17.3	17.2	-0.1	16.7
2072_3115_0_T	37405	East Midlands	No	26.2	16.8	65	2025	C2	30.0	30.0	0.0	16.8
2091_3115_0_T	37405	East Midlands	No	26.2	16.8	65	2025	R251	17.3	17.2	-0.1	16.7
2075_2809_2_T	28014	East Midlands	No	42.3	26.7	65	2025	C3	24.1	24.1	0.0	26.7
2076_2809_6_T	28014	East Midlands	No	42.3	26.7	65	2025	C2	30.0	30.0	0.0	26.7
2075_5505_0_O	28014	East Midlands	No	42.3	26.7	65	2025	C4	22.0	22.0	0.0	26.7
1028_2803_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R230	32.6	33.1	0.5	32.2

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
928_1028_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R230	35.7	35.8	0.1	31.8
1047_7069_0_T	75416	East Midlands	No	27.0	16.7	65	2025	R182	32.0	31.9	-0.1	16.6
1047_7067_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R63	30.4	30.3	-0.1	15.1
1037_1048_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R232	20.0	20.0	0.0	15.2
3330_3517_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R196	19.8	19.8	0.0	16.7
3342_3330_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R182	32.0	31.9	-0.1	16.6
3310_3317_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R200	31.5	31.5	0.0	23.9
3317_3526_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R235	17.7	17.7	0.0	23.9
3323_3328_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R196	19.8	19.8	0.0	23.9
3308_3316_0_O	81443	East Midlands	No	33.4	23.0	65	2025	R200	31.5	31.5	0.0	23.0
3316_3531_0_T	81443	East Midlands	No	33.4	23.0	65	2025	R236	17.1	17.1	0.0	23.0
934_3532_0_O	81437	East Midlands	No	33.2	23.2	65	2025	R200	31.5	31.5	0.0	23.2
818_933_0_T	47261	East Midlands	No	29.1	19.8	65	2025	R200	31.5	31.5	0.0	19.8
930_6037_0_O	27938	East Midlands	No	35.8	25.4	65	2025	R170	35.8	35.7	-0.1	25.3
3403_6029_2_T	46171	East Midlands	No	36.6	24.8	65	2025	R170	35.8	35.7	-0.1	24.7
1016_3588_0_O	81248	East Midlands	No	37.7	25.4	65	2025	R171	27.1	27.0	-0.1	25.3
1015_3590_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R171	27.1	27.0	-0.1	26.4
1014_3536_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R170	35.8	35.7	-0.1	26.4
3590_6055_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R171	27.1	27.0	-0.1	26.4

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Opening Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1016_3587_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R171	27.1	27.0	-0.1	35.0
1044_2801_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R231	35.7	35.8	0.1	35.2
1084_2808_0_O	46556	East Midlands	No	51.0	31.1	65	2025	C4	22.0	22.0	0.0	31.1
1045_2798_0_O	46556	East Midlands	No	51.0	31.1	65	2025	R231	35.7	35.8	0.1	31.2

Table 1.23: Compliance risk assessment for construction Scenario 4

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1965_1976_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R17	15.9	16.8	0.9	23.0
1943_1942_0_T	56162	East Midlands	No	30.6	22.1	65	2025	R26	16.5	16.9	0.4	22.5
1941_1925_1_T	56162	East Midlands	No	30.6	22.1	65	2025	R28	17.1	17.2	0.1	22.2
1941_1925_2_T	56162	East Midlands	No	30.6	22.1	65	2025	R29	16.0	16.2	0.2	22.3
1925_3506_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R30	16.7	16.8	0.1	17.1
2658_2661_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R32	19.7	19.6	-0.1	16.9
2661_2659_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R31	18.1	18.3	0.2	17.2
2653_3501_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R33	20.7	20.5	-0.2	16.8
1882_1911_1_T	6167	East Midlands	No	27.6	17.0	65	2025	R222	17.2	17.2	0.0	17.0
1882_1911_2_T	6167	East Midlands	No	27.6	17.0	65	2025	R221	18.0	18.1	0.1	17.1
1866_1882_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R223	19.1	19.3	0.2	17.2
1879_3550_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R226	25.0	25.3	0.3	17.3
1871_3550_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R225	20.3	20.4	0.1	17.1
1878_1879_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R226	25.0	25.3	0.3	17.3
1873_1875_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R227	21.5	21.6	0.1	17.1
1080_3524_0_T	6167	East Midlands	No	27.6	17.0	65	2025	R228	21.6	21.8	0.2	17.2
2663_2650_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R42	19.6	19.3	-0.3	29.5
2651_2664_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R38	22.9	22.6	-0.3	29.5

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1811_2663_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R45	20.8	20.3	-0.5	29.3
2664_1845_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R38	22.9	22.6	-0.3	29.5
2664_1845_1_O	16361	East Midlands	No	45.1	29.8	65	2025	R48	26.5	26.0	-0.5	29.3
2818_1811_0_O	16361	East Midlands	No	45.1	29.8	65	2025	R53	27.3	26.7	-0.6	29.2
1845_2819_3_O	16361	East Midlands	No	45.1	29.8	65	2025	R49	20.7	20.5	-0.2	29.6
1845_2819_2_O	16361	East Midlands	No	45.1	29.8	65	2025	R53	27.3	26.7	-0.6	29.2
2819_1610_0_O	57767	East Midlands	No	47.8	33.2	65	2025	C11	22.3	21.9	-0.4	32.8
1610_2813_0_O	57767	East Midlands	No	47.8	33.2	65	2025	C12	21.0	18.9	-2.1	31.1
2813_3430_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R177	18.9	23.2	4.3	37.5
3429_2812_2_O	57767	East Midlands	No	47.8	33.2	65	2025	C12	21.0	18.9	-2.1	31.1
3430_1561_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R176	24.7	29.7	5.0	38.2
3428_3429_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	31.8	3.1	36.3
3427_1546_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R128	21.0	20.2	-0.8	18.1
3427_3545_2_O	56563	East Midlands	No	33.3	18.9	65	2025	R126	15.1	14.9	-0.2	18.7
3545_3427_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R127	19.8	19.3	-0.5	18.4
3571_3546_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R203	15.4	15.4	0.0	18.9
3545_4220_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R126	15.1	14.9	-0.2	18.7
4220_1490_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R125	14.6	14.6	0.0	18.9
1465_3571_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R203	15.4	15.4	0.0	18.9

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
2672_1546_0_O	56563	East Midlands	No	33.3	18.9	65	2025	R82	28.7	31.8	3.1	22.0
1546_2674_1_O	56563	East Midlands	No	33.3	18.9	65	2025	R128	21.0	20.2	-0.8	18.1
1465_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R202	15.7	15.6	-0.1	18.8
1452_3569_0_T	56563	East Midlands	No	33.3	18.9	65	2025	R205	14.2	14.1	-0.1	18.8
1496_2815_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R140	23.4	21.9	-1.5	31.7
1537_1544_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R131	24.7	22.9	-1.8	31.4
2814_1506_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R136	26.0	25.2	-0.8	32.4
2815_1537_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R135	23.9	23.9	0.0	33.2
2815_1537_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R134	23.8	23.1	-0.7	32.5
3424_3425_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	31.8	3.1	36.3
3425_2814_1_O	57767	East Midlands	No	47.8	33.2	65	2025	R87	22.5	23.1	0.6	33.8
1504_3440_3_O	57767	East Midlands	No	47.8	33.2	65	2025	R157	23.0	23.3	0.3	33.5
2670_3424_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R82	28.7	31.8	3.1	36.3
1504_3440_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R147	27.5	24.5	-3.0	30.2
1506_1504_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R139	28.1	24.7	-3.4	29.8
2677_1496_0_O	57767	East Midlands	No	47.8	33.2	65	2025	R141	20.9	19.3	-1.6	31.6
3439_2677_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R143	22.8	22.7	-0.1	33.1
3440_3443_2_O	57767	East Midlands	No	47.8	33.2	65	2025	R144	21.5	20.5	-1.0	32.2
1462_3091_1_O	46394	East Midlands	No	41.8	27.7	65	2025	R163	17.5	17.4	-0.1	27.6

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1462_3091_2_O	46394	East Midlands	No	41.8	27.7	65	2025	C15	14.4	14.4	0.0	27.7
3440_3443_1_O	46394	East Midlands	No	41.8	27.7	65	2025	C14	28.4	24.0	-4.4	23.3
3444_3439_3_O	46394	East Midlands	No	41.8	27.7	65	2025	H2	15.6	15.0	-0.6	27.1
3443_1451_2_O	46394	East Midlands	No	41.8	27.7	65	2025	S19	19.6	19.4	-0.2	27.5
3444_2682_1_O	46394	East Midlands	No	41.8	27.7	65	2025	R159	19.2	16.9	-2.3	25.4
1411_1462_0_O	74456	East Midlands	No	47.1	32.3	65	2025	R165	19.9	19.7	-0.2	32.1
1451_1422_1_O	74456	East Midlands	No	47.1	32.3	65	2025	R164	24.8	24.5	-0.3	32.0
1407_1411_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R244	18.5	18.4	-0.1	28.3
1422_1386_0_O	16362	East Midlands	No	40.7	28.4	65	2025	R243	19.4	19.3	-0.1	28.3
1377_3585_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R242	13.5	13.3	-0.2	15.3
2692_1369_0_O	73362	East Midlands	No	22.0	15.5	65	2025	R245	16.0	15.7	-0.3	15.2
1479_3539_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R161	18.1	18.0	-0.1	24.5
2684_3538_0_O	7232	East Midlands	No	39.9	24.6	65	2025	C15	14.4	14.4	0.0	24.6
3539_1451_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R162	15.6	15.5	-0.1	24.5
1462_2684_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R163	17.5	17.4	-0.1	24.5
3539_1451_2_O	7232	East Midlands	No	39.9	24.6	65	2025	S19	19.6	19.4	-0.2	24.4
1517_3448_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R247	28.6	28.6	0.0	24.6
2688_3543_0_O	7232	East Midlands	No	39.9	24.6	65	2025	H5	17.4	17.4	0.0	24.6
3448_3095_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R249	27.8	27.5	-0.3	24.3

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3449_1517_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R247	28.6	28.6	0.0	24.6
3543_3449_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R248	26.7	27.0	0.3	24.9
3449_1517_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R117	27.2	27.6	0.4	25.0
1517_3447_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R112	30.2	30.3	0.1	25.7
1517_3447_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R111	29.0	29.2	0.2	25.8
1518_1529_0_O	7702	East Midlands	No	33.7	25.6	65	2025	R110	26.8	27.0	0.2	25.8
1528_3445_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R118	24.4	24.4	0.0	25.6
1528_3445_2_T	7702	East Midlands	No	33.7	25.6	65	2025	R123	20.6	20.7	0.1	25.7
1517_3445_1_O	7702	East Midlands	No	33.7	25.6	65	2025	R117	27.2	27.6	0.4	26.0
3445_1517_2_O	7702	East Midlands	No	33.7	25.6	65	2025	R116	29.6	29.5	-0.1	25.5
1570_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R108	21.5	21.6	0.1	24.7
3446_1517_1_O	7232	East Midlands	No	39.9	24.6	65	2025	R113	25.1	25.1	0.0	24.6
3446_1570_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R107	24.1	24.2	0.1	24.7
1517_3446_0_O	7232	East Midlands	No	39.9	24.6	65	2025	R115	29.8	29.8	0.0	24.6
3446_1517_2_O	7232	East Midlands	No	39.9	24.6	65	2025	R112	30.2	30.3	0.1	24.7
1491_3442_0_O	27766	East Midlands	No	30.8	23.9	65	2025	H1	16.3	15.2	-1.1	22.8
3558_9990_0_O	27766	East Midlands	No	30.8	23.9	65	2025	R124	19.3	19.3	0.0	23.9
3149_1591_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R105	24.0	24.0	0.0	19.2
3149_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R104	28.6	28.7	0.1	19.3

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1670_1626_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R103	21.6	21.6	0.0	19.2
1673_1670_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R188	22.2	22.1	-0.1	19.1
1732_3142_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R184	25.4	25.4	0.0	19.2
3333_3518_0_T	37288	East Midlands	No	30.6	19.2	65	2025	R183	24.9	24.9	0.0	19.2
3332_3333_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R182	32.0	31.7	-0.3	18.9
1591_1570_0_O	37288	East Midlands	No	30.6	19.2	65	2025	R106	21.3	21.3	0.0	19.2
1591_3149_0_O	37288	East Midlands	No	30.6	19.2	65	2025	S16	21.6	21.6	0.0	19.2
1575_3423_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R85	23.9	24.3	0.4	21.8
1598_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R89	21.1	20.5	-0.6	20.8
3423_1598_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R88	25.1	24.3	-0.8	20.6
3566_1635_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R91	21.1	20.6	-0.5	20.9
3566_1678_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R92	29.9	29.0	-0.9	20.5
1678_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R94	26.7	25.7	-1.0	20.4
1714_3568_0_T	16520	East Midlands	No	33.2	21.4	65	2025	R96	24.0	23.3	-0.7	20.7
1714_1745_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R191	32.9	32.8	-0.1	21.3
1745_1714_0_O	16520	East Midlands	No	33.2	21.4	65	2025	R174	29.2	29.3	0.1	21.5
1001_1002_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R193	31.9	31.9	0.0	19.1
1745_1757_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R191	32.9	32.8	-0.1	19.0
1757_1770_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R192	26.3	26.3	0.0	19.1

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1757_1745_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R174	29.2	29.3	0.1	19.2
1770_1001_0_O	75410	East Midlands	No	28.4	19.1	65	2025	R193	31.9	31.9	0.0	19.1
1002_2785_0_T	75410	East Midlands	No	28.4	19.1	65	2025	R194	28.3	28.4	0.1	19.2
3511_3514_0_T	75410	East Midlands	No	28.4	19.1	65	2025	R195	29.0	29.1	0.1	19.2
820_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.9	0.0	20.6
3347_3358_2_O	75411	East Midlands	No	32.6	20.6	65	2025	R180	30.1	30.0	-0.1	20.5
3358_3347_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R181	30.1	29.9	-0.2	20.4
3358_3512_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R195	29.0	29.1	0.1	20.7
3512_820_0_O	75411	East Midlands	No	32.6	20.6	65	2025	R193	31.9	31.9	0.0	20.6
2595_3513_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R195	29.0	29.1	0.1	26.2
3513_2595_0_O	38236	East Midlands	No	39.7	26.1	65	2025	C5	25.5	25.5	0.0	26.1
908_1026_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R60	27.1	27.2	0.1	26.2
1039_2802_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R230	32.6	33.0	0.4	26.5
3348_3350_0_O	38236	East Midlands	No	39.7	26.1	65	2025	R199	24.4	24.4	0.0	26.1
910_1027_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R250	30.7	31.2	0.5	17.5
1028_1027_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R230	32.6	33.0	0.4	17.4
910_3353_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R60	27.1	27.2	0.1	17.1
1029_2778_0_O	6167	East Midlands	No	27.6	17.0	65	2025	R229	27.1	27.6	0.5	17.5
3344_3346_0_T	38406	East Midlands	No	27.1	17.6	65	2025	R61	25.9	25.7	-0.2	17.4

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
3347_3346_2_T	38406	East Midlands	No	27.1	17.6	65	2025	R197	40.6	40.1	-0.5	17.1
3345_7071_0_T	75415	East Midlands	No	25.7	17.2	65	2025	R62	28.1	27.7	-0.4	16.8
1006_7073_0_T	75415	East Midlands	No	25.7	17.2	65	2025	R233	20.8	20.8	0.0	17.2
3338_3339_0_O	83044	East Midlands	No	31.3	20.9	65	2025	R63	30.4	30.1	-0.3	20.6
3339_3340_0_O	83044	East Midlands	No	31.3	20.9	65	2025	R182	32.0	31.7	-0.3	20.6
3344_3515_0_T	83044	East Midlands	No	31.3	20.9	65	2025	R62	28.1	27.7	-0.4	20.5
906_1053_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R236	17.1	17.1	0.0	16.6
1052_7058_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R235	17.7	17.7	0.0	16.6
3328_3329_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R196	19.8	19.8	0.0	16.6
3520_7065_0_T	70040	East Midlands	No	25.3	16.6	65	2025	R232	20.0	20.0	0.0	16.6
2092_3497_1_O	73359	East Midlands	No	36.3	26.8	65	2025	R251	17.3	17.2	-0.1	26.7
2076_2092_3_O	73359	East Midlands	No	36.3	26.8	65	2025	S2	19.9	19.8	-0.1	26.7
2076_2092_2_T	73359	East Midlands	No	36.3	26.8	65	2025	C2	30.0	29.8	-0.2	26.6
2091_2107_0_T	37405	East Midlands	No	26.2	16.8	65	2025	R251	17.3	17.2	-0.1	16.7
2072_3115_0_T	37405	East Midlands	No	26.2	16.8	65	2025	C2	30.0	29.8	-0.2	16.6
2075_2809_2_T	28014	East Midlands	No	42.3	26.7	65	2025	C3	24.1	24.0	-0.1	26.6
2076_2809_6_T	28014	East Midlands	No	42.3	26.7	65	2025	C2	30.0	29.8	-0.2	26.5
2075_5505_0_O	28014	East Midlands	No	42.3	26.7	65	2025	C4	22.0	22.0	0.0	26.7
1028_2803_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R230	32.6	33.0	0.4	32.1

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defra PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
928_1028_0_O	7877	East Midlands	No	48.9	31.7	65	2025	R231	35.7	35.8	0.1	31.8
1047_7069_0_T	75416	East Midlands	No	27.0	16.7	65	2025	R182	32.0	31.7	-0.3	16.4
1047_7067_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R63	30.4	30.1	-0.3	14.9
1037_1048_0_T	75412	East Midlands	No	21.6	15.2	65	2025	R232	20.0	20.0	0.0	15.2
3330_3517_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R196	19.8	19.8	0.0	16.7
3342_3330_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R182	32.0	31.7	-0.3	16.4
3517_3521_0_O	81435	East Midlands	No	24.5	16.7	65	2025	R196	19.8	19.8	0.0	16.7
3310_3317_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R200	31.5	31.6	0.1	24.0
3317_3526_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R235	17.7	17.7	0.0	23.9
3323_3328_0_O	81436	East Midlands	No	34.0	23.9	65	2025	R196	19.8	19.8	0.0	23.9
3308_3316_0_O	81443	East Midlands	No	33.4	23.0	65	2025	R200	31.5	31.6	0.1	23.1
3316_3531_0_T	81443	East Midlands	No	33.4	23.0	65	2025	R236	17.1	17.1	0.0	23.0
934_3532_0_O	81437	East Midlands	No	33.2	23.2	65	2025	R200	31.5	31.6	0.1	23.3
818_933_0_T	47261	East Midlands	No	29.1	19.8	65	2025	R200	31.5	31.6	0.1	19.9
930_6037_0_O	27938	East Midlands	No	35.8	25.4	65	2025	R170	35.8	35.8	0.0	25.4
3403_6029_2_T	46171	East Midlands	No	36.6	24.8	65	2025	R170	35.8	35.8	0.0	24.8
1016_3588_0_O	81248	East Midlands	No	37.7	25.4	65	2025	R171	27.1	27.0	-0.1	25.3
1015_3590_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R171	27.1	27.0	-0.1	26.4
1014_3536_0_O	47986	East Midlands	No	39.1	26.5	65	2025	R170	35.8	35.8	0.0	26.5

Inputs				Defra PCM Model and Compliance Information				Scheme Modelling Receptor Result				
Scheme	Defras PCM Data			Total NO ₂ (µg/m ³)		Compliance Info		Annual Mean NO ₂ Concentration (µg/m ³) (Nearest Receptor to Defra Link)				
				Current Year 2015	Construction Year 2021							
Model Link ID	Defra Link Census ID	Zone/Agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum Modelled Conc in Zone 2011 (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1016_3587_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R171	27.1	27.0	-0.1	35.0
1044_2801_0_O	81247	East Midlands	No	60.8	35.1	65	2025	R231	35.7	35.8	0.1	35.2
1084_2808_0_O	46556	East Midlands	No	51.0	31.1	65	2025	C4	22.0	22.0	0.0	31.1
1045_2798_0_O	46556	East Midlands	No	51.0	31.1	65	2025	R231	35.7	35.8	0.1	31.2

Table 1.24: Compliance risk assessment for the Scheme opening year (2024)

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1965_1976_0_T	56162	East Midlands	No	30.6	20.0	65	2025	R17	14.6	15.3	0.7	20.7
1941_1942_0_T	56162	East Midlands	No	30.6	20.0	65	2025	R26	15.4	15.6	0.2	20.2
1941_1925_1_T	56162	East Midlands	No	30.6	20.0	65	2025	R28	15.9	16.3	0.4	20.4
1882_1911_3_T	6167	East Midlands	No	27.1	18.5	65	2025	R34	19.6	20.6	1.0	19.5
1866_1882_0_T	6167	East Midlands	No	27.1	18.5	65	2025	R48	24.6	26.4	1.8	20.3
1866_1865_0_T	6167	East Midlands	No	27.1	18.5	65	2025	S3	18.0	18.8	0.8	19.3
2663_2650_0_O	16361	East Midlands	No	45.1	26.8	65	2025	R42	18.2	19.2	1.0	27.8
2651_2664_0_O	16361	East Midlands	No	45.1	26.8	65	2025	R38	21.3	22.6	1.3	28.1
1811_2663_2_O	16361	East Midlands	No	45.1	26.8	65	2025	R45	19.2	20.4	1.2	28.0
2664_1845_1_O	16361	East Midlands	No	45.1	26.8	65	2025	R48	24.6	26.4	1.8	28.6
2818_1811_0_O	16361	East Midlands	No	45.1	26.8	65	2025	R49	19.2	20.2	1.0	27.8
1845_2819_3_O	16361	East Midlands	No	45.1	26.8	65	2025	S3	18.0	18.8	0.8	27.6
1845_2819_1_O	16361	East Midlands	No	45.1	26.8	65	2025	R52	23.0	24.1	1.1	27.9
2819_1610_0_O	57767	East Midlands	No	47.8	29.9	65	2025	C11	20.7	21.5	0.8	30.7
3429_2812_2_O	57767	East Midlands	No	47.8	29.9	65	2025	C12	19.4	17.9	-1.5	28.4
3545_3427_0_O	56563	East Midlands	No	33.3	20.8	65	2025	R127	18.4	18.2	-0.2	20.6
3571_3546_0_T	56563	East Midlands	No	33.3	20.8	65	2025	R125	13.5	13.5	0.0	20.8
4220_3545_0_O	56563	East Midlands	No	33.3	20.8	65	2025	R126	14.0	14.2	0.2	21.0

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1496_2815_1_O	57767	East Midlands	No	47.8	29.9	65	2025	R135	22.2	22.7	0.5	30.4
1544_3426_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R131	23.2	21.1	-2.1	27.8
2814_1506_1_O	57767	East Midlands	No	47.8	29.9	65	2025	R136	24.2	24.2	0.0	29.9
2815_1537_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R134	22.2	22.2	0.0	29.9
3424_3425_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R131	23.2	21.1	-2.1	27.8
1496_2815_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R140	21.8	21.0	-0.8	29.1
1504_3440_1_O	57767	East Midlands	No	47.8	29.9	65	2025	R147	25.6	24.2	-1.4	28.5
1504_3440_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R157	21.5	22.6	1.1	31.0
1506_1504_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R139	26.3	24.2	-2.1	27.8
2677_1496_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R141	19.4	18.4	-1.0	28.9
2683_3439_0_O	57767	East Midlands	No	47.8	29.9	65	2025	C14	26.3	23.5	-2.8	27.1
3439_2677_1_O	57767	East Midlands	No	47.8	29.9	65	2025	R144	19.9	19.5	-0.4	29.5
3439_2677_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R144	19.9	19.5	-0.4	29.5
1462_3091_0_O	46394	East Midlands	No	41.8	24.9	65	2025	C15	13.3	13.4	0.1	25.0
3091_3444_0_O	46394	East Midlands	No	41.8	24.9	65	2025	R159	17.6	16.2	-1.4	23.5
3443_1451_0_O	46394	East Midlands	No	41.8	24.9	65	2025	H2	14.5	14.2	-0.3	24.6
3444_2682_1_O	46394	East Midlands	No	41.8	24.9	65	2025	C14	26.3	23.5	-2.8	22.1
2681_3443_0_O	46394	East Midlands	No	41.8	24.9	65	2025	H2	14.5	14.2	-0.3	24.6
1451_1422_1_O	74456	East Midlands	No	47.1	29.1	65	2025	R164	22.8	23.3	0.5	29.6

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1451_1422_2_O	74456	East Midlands	No	47.1	29.1	65	2025	R165	18.3	18.8	0.5	29.6
1479_3539_0_O	7232	East Midlands	No	39.9	27.4	65	2025	R161	16.8	16.7	-0.1	27.3
2684_3538_0_O	7232	East Midlands	No	39.9	27.4	65	2025	C15	13.3	13.4	0.1	27.5
3539_1451_1_O	7232	East Midlands	No	39.9	27.4	65	2025	R162	14.6	14.4	-0.2	27.2
1462_2684_2_O	7232	East Midlands	No	39.9	27.4	65	2025	C15	13.3	13.4	0.1	27.5
1462_2684_1_O	7232	East Midlands	No	39.9	27.4	65	2025	R163	16.3	16.6	0.3	27.7
3539_1451_2_O	7232	East Midlands	No	39.9	27.4	65	2025	S19	18.2	18.5	0.3	27.7
1517_3448_0_O	7232	East Midlands	No	39.9	27.4	65	2025	R111	27.2	26.7	-0.5	26.9
2688_3543_0_O	7232	East Midlands	No	39.9	27.4	65	2025	H5	16.3	16.0	-0.3	27.1
3448_3095_0_O	7232	East Midlands	No	39.9	27.4	65	2025	H3	18.0	17.4	-0.6	26.8
3449_1517_1_O	7232	East Midlands	No	39.9	27.4	65	2025	R117	25.6	25.5	-0.1	27.3
1491_3442_0_O	27766	East Midlands	No	30.8	21.6	65	2025	H1	15.1	14.6	-0.5	21.1
1520_3558_0_O	27766	East Midlands	No	30.8	21.6	65	2025	R124	17.9	18.2	0.3	21.9
3445_1528_0_O	7702	East Midlands	No	33.7	23.2	65	2025	R118	22.8	23.0	0.2	23.4
1517_3445_1_O	7702	East Midlands	No	33.7	23.2	65	2025	R117	25.6	25.5	-0.1	23.1
3445_1517_2_O	7702	East Midlands	No	33.7	23.2	65	2025	R116	27.5	27.2	-0.3	22.9
1528_3445_2_T	7702	East Midlands	No	33.7	23.2	65	2025	R123	19.1	19.5	0.4	23.6
1517_3447_1_O	7702	East Midlands	No	33.7	23.2	65	2025	R111	27.2	26.7	-0.5	22.7
1518_1529_0_O	7702	East Midlands	No	33.7	23.2	65	2025	R110	24.9	25.0	0.1	23.3

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1517_3447_2_O	7702	East Midlands	No	33.7	23.2	65	2025	R112	28.3	27.8	-0.5	22.7
1570_3446_0_O	7232	East Midlands	No	39.9	27.4	65	2025	R108	20.1	19.9	-0.2	27.2
3446_1517_1_O	7232	East Midlands	No	39.9	27.4	65	2025	R113	23.6	23.3	-0.3	27.1
3446_1570_0_O	7232	East Midlands	No	39.9	27.4	65	2025	R114	23.7	23.3	-0.4	27.0
1517_3446_0_O	7232	East Midlands	No	39.9	27.4	65	2025	R115	27.7	27.3	-0.4	27.0
3446_1517_2_O	7232	East Midlands	No	39.9	27.4	65	2025	R112	28.3	27.8	-0.5	26.9
1570_1591_0_O	80443	East Midlands	No	30.6	21.1	65	2025	R106	19.8	19.3	-0.5	20.6
1591_1570_0_O	80443	East Midlands	No	30.6	21.1	65	2025	S17	17.5	17.2	-0.3	20.8
1591_3149_0_O	80443	East Midlands	No	30.6	21.1	65	2025	S16	20.2	19.6	-0.6	20.5
3149_1591_0_O	80443	East Midlands	No	30.6	21.1	65	2025	R105	22.6	21.8	-0.8	20.3
3149_1626_0_T	37288	East Midlands	No	30.6	21.1	65	2025	R104	26.8	25.9	-0.9	20.2
1670_1626_0_T	37288	East Midlands	No	30.6	21.1	65	2025	R102	23.0	22.4	-0.6	20.5
1673_1670_0_T	37288	East Midlands	No	30.6	21.1	65	2025	R101	20.4	19.5	-0.9	20.2
1732_3142_0_T	37288	East Midlands	No	30.6	21.1	65	2025	R173	19.3	18.9	-0.4	20.7
3354_3509_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R60	25.6	25.4	-0.2	18.3
1575_3423_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R84	23.8	23.0	-0.8	22.2
1598_1635_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R89	20.0	20.4	0.4	23.4
3423_1598_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R88	23.8	24.0	0.2	23.2
3566_1635_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R91	20.3	20.2	-0.1	22.9
3566_1678_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R92	29.2	28.9	-0.3	22.7

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1678_3568_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R94	25.7	25.2	-0.5	22.5
1714_3568_0_T	16520	East Midlands	No	33.2	23.0	65	2025	R96	22.8	22.4	-0.4	22.6
2091_2107_0_T	37405	East Midlands	No	26.2	17.8	65	2025	S2	18.4	18.4	0.0	17.8
2072_3115_0_T	37405	East Midlands	No	26.2	17.8	65	2025	C2	27.8	27.5	-0.3	17.5
1546_3427_0_O	56563	East Midlands	No	33.3	20.8	65	2025	R128	19.6	18.9	-0.7	20.1
3426_2672_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R82	26.8	25.8	-1.0	28.9
9981_1575_1_O	56563	East Midlands	No	33.3	20.8	65	2025	R82	26.8	25.8	-1.0	19.8
2813_3430_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R177	17.7	19.1	1.4	31.3
3430_1561_1_O	57767	East Midlands	No	47.8	29.9	65	2025	R176	23.2	24.2	1.0	30.9
2674_3428_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R82	26.8	25.8	-1.0	28.9
3428_3429_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R176	23.2	24.2	1.0	30.9
3429_2812_1_O	57767	East Midlands	No	47.8	29.9	65	2025	C12	19.4	17.9	-1.5	28.4
3430_1561_2_O	57767	East Midlands	No	47.8	29.9	65	2025	R82	26.8	25.8	-1.0	28.9
3440_2678_0_O	57767	East Midlands	No	47.8	29.9	65	2025	R158	18.3	19.2	0.9	30.8
2658_2661_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R32	18.4	19.0	0.6	19.1
2661_2659_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R31	17.0	17.5	0.5	19.0
2661_3506_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R30	15.6	15.9	0.3	18.8
3506_2661_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R31	17.0	17.5	0.5	19.0
3506_1925_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R30	15.6	15.9	0.3	18.8

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1911_3502_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R33	19.3	20.0	0.7	19.2
1714_1745_0_O	16520	East Midlands	No	33.2	23.0	65	2025	R174	28.4	28.6	0.2	23.2
1001_1770_0_O	75410	East Midlands	No	28.4	20.2	65	2025	R174	28.4	28.6	0.2	20.4
820_3512_0_O	75411	East Midlands	No	32.6	22.3	65	2025	R174	28.4	28.6	0.2	22.5
3347_3358_2_O	75411	East Midlands	No	32.6	22.3	65	2025	R172	28.2	27.9	-0.3	22.0
3344_3346_0_T	38406	East Midlands	No	27.1	18.9	65	2025	R61	25.5	25.1	-0.4	18.5
3347_3346_1_O	38406	East Midlands	No	27.1	18.9	65	2025	R172	28.2	27.9	-0.3	18.6
1006_7073_0_T	75415	East Midlands	No	25.7	18.3	65	2025	R62	28.1	27.6	-0.5	17.8
3338_3339_0_O	83044	East Midlands	No	31.3	22.3	65	2025	R64	32.0	31.3	-0.7	21.6
3339_3515_0_O	83044	East Midlands	No	31.3	22.3	65	2025	R63	30.5	29.9	-0.6	21.7
3344_3515_0_T	83044	East Midlands	No	31.3	22.3	65	2025	R62	28.1	27.6	-0.5	21.8
3332_3333_0_O	37288	East Midlands	No	30.6	21.1	65	2025	R64	32.0	31.3	-0.7	20.4
1047_7069_0_T	75416	East Midlands	No	27.0	18.1	65	2025	R64	32.0	31.3	-0.7	17.4
1037_1048_0_T	75412	East Midlands	No	21.6	15.3	65	2025	R64	32.0	31.3	-0.7	14.6
2092_3497_4_T	73359	East Midlands	No	36.3	24.3	65	2025	S2	18.4	18.4	0.0	24.3
2092_2076_1_O	73359	East Midlands	No	36.3	24.3	65	2025	C2	27.8	27.5	-0.3	24.0
2072_2076_0_O	37405	East Midlands	No	26.2	17.8	65	2025	C2	27.8	27.5	-0.3	17.5
2075_2809_2_T	28014	East Midlands	No	42.3	28.5	65	2025	C3	22.2	22.1	-0.1	28.4
2075_2809_6_T	28014	East Midlands	No	42.3	28.5	65	2025	C2	27.8	27.5	-0.3	28.2

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
2075_5505_0_O	28014	East Midlands	No	42.3	28.5	65	2025	C4	20.4	20.3	-0.1	28.4
1051_3522_0_T	70040	East Midlands	No	25.3	17.5	65	2025	R64	32.0	31.3	-0.7	16.8
3330_3517_0_O	81435	East Midlands	No	24.5	17.6	65	2025	R64	32.0	31.3	-0.7	16.9
3317_3526_0_O	81436	East Midlands	No	34.0	25.3	65	2025	R64	32.0	31.3	-0.7	24.6
934_3532_0_O	81437	East Midlands	No	33.2	24.6	65	2025	R170	32.9	33.3	0.4	25.0
930_6037_0_O	27938	East Midlands	No	35.8	26.8	65	2025	R170	32.9	33.3	0.4	27.2
3403_6029_2_T	46171	East Midlands	No	36.6	26.4	65	2025	R170	32.9	33.3	0.4	26.8
931_933_0_O	47261	East Midlands	No	29.1	21.0	65	2025	R170	32.9	33.3	0.4	21.4
3308_3316_0_O	81443	East Midlands	No	33.4	24.6	65	2025	R170	32.9	33.3	0.4	25.0
3349_3348_0_O	75410	East Midlands	No	28.4	20.2	65	2025	C5	24.1	23.9	-0.2	20.0
908_1026_0_O	38236	East Midlands	No	39.7	28.3	65	2025	R60	25.6	25.4	-0.2	28.1
1026_3351_0_O	38236	East Midlands	No	39.7	28.3	65	2025	C5	24.1	23.9	-0.2	28.1
1028_2803_0_O	38236	East Midlands	No	39.7	28.3	65	2025	R60	25.6	25.4	-0.2	28.1
1028_2803_0_O	7877	East Midlands	No	48.9	34.5	65	2025	R60	25.6	25.4	-0.2	34.3
907_908_0_O	6167	East Midlands	No	27.6	18.5	65	2025	R60	25.6	25.4	-0.2	18.3
1015_3590_0_O	47986	East Midlands	No	39.3	28.4	65	2025	R171	25.1	25.3	0.2	28.6
1014_3536_0_O	47986	East Midlands	No	39.3	28.4	65	2025	R170	32.9	33.3	0.4	28.8
1016_3587_0_O	81247	East Midlands	No	60.8	39.1	65	2025	R171	25.1	25.3	0.2	39.3
2795_1044_0_O	81247	East Midlands	No	60.8	39.1	65	2025	C4	20.4	20.3	-0.1	39.0

Inputs				Defra PCM model and compliance information				Scheme modelling receptor result				
Scheme	Defra's PCM data			Total NO ₂ (µg/m ³)		Compliance information		Annual mean NO ₂ concentration (µg/m ³) (nearest receptor to Defra link)				
				Current year 2015	Opening year 2024							
Model link ID	Defra link census ID	Zone/ agglomeration	Is it a compliant zone?	NO ₂	NO ₂	Maximum modelled conc. in zone opening year (µg/m ³)	Projected Compliance Year	Receptor ID	DM	DS	Change (DS-DM)	Equivalent PCM DS (µg/m ³)
1102_2795_0_O	7877	East Midlands	No	48.9	34.5	65	2025	C4	20.4	20.3	-0.1	34.4
1084_2808_0_O	46556	East Midlands	No	51.0	34.2	65	2025	C4	20.4	20.3	-0.1	34.1