

A303 Amesbury to Berwick Down

TR010025

Deadline 7 8.8(2) - Statement of Common Ground – Wiltshire Council

APFP Regulation 5(2)(q)

Planning Act 2008

The Infrastructure Planning (Examination Procedure) Rules 2010

August 2019





Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Examination Procedure) Rules 2010

A303 Amesbury to Berwick Down

Development Consent Order 20[**]

STATEMENT OF COMMON GROUND - Wiltshire Council

Regulation Number:	Regulation 5(2)(q)
Planning Inspectorate Scheme	TR010025
Reference	
Application Document Reference	8.8(2)
Author:	A303 Amesbury to Berwick Down Project Team, Highways England and Wiltshire Council

Version	Date	Status of Version
Rev 0	03.05.2019	Deadline 2 Issue
Rev 1	21.06.2019	Deadline 4 Issue
Rev 2	09.08.2019	Deadline 7 Issue



STATEMENT OF COMMON GROUND

This Statement of Common Ground has been prepared and agreed by (1) Highways England Company Limited and (2) Wiltshire Council.

Signed
[NAME]
Project Manager
on behalf of Highways England
Date: [DATE]
Signed
[NAME]
[POSITION]
on behalf of Wiltshire Council
Date: [DATE



Table of Contents

1	Inti	roduction	1-5
	1.1	Purpose of this document	1-5
	1.2	Parties to this Statement of Common Ground	1-5
	1.3	Terminology	1-7
2	Re	cord of Engagement	2-9
3	Iss	ues	3-33
	3.1	Matters Agreed in relation to Traffic Impact	3-34
	3.2	Matters Under Discussion in relation to Traffic Impact	3-37
	3.3	Matters Not Agreed in relation to Traffic Impact	3-37
	3.4	Matters Agreed in relation to Highways Design.	3-37
	3.5	Matters Under Discussion in relation to Highways Design	3-40
	3.6	Matters Not Agreed in relation to Highways Design	3-61
	3.7	Matters Agreed in relation to NMU & PRoW.	3-62
	3.8	Matters Under Discussion in relation to NMU & PRoW.	3-68
	3.9	Matters Not Agreed in relation to NMU and PRoW	3-75
	3.10	Matters Agreed in relation to Air Quality.	3-76
	3.11	Matters Under Discussion in relation to Air Quality	3-83
	3.12	Matters Not Agreed in relation to Air Quality.	3-83
	3.13	Matters Agreed in relation to Noise and Vibration	3-84
	3.14	Matters Under Discussion in relation to Noise and Vibration	3-89
	3.15	Matters Not Agreed in relation to Noise and Vibration.	3-89
	3.16	Matters Agreed in relation to Cultural Heritage.	3-90
	3.17	Matters Under Discussion in relation to Cultural Heritage	3-96
	3.18	Matters Not Agreed in relation to Cultural Heritage.	3-115
	3.19	Matters Agreed in relation to Landscape and Visual Effects	3-129
	3.20	Matters Under Discussion in relation to Landscape and Visual Effects	3-132
	3.21	Matters Not Agreed in relation to Landscape and Visual Effects	3-135
	3.22	Matters Agreed in relation to Biodiversity	3-136
	3.23	Matters Under Discussion in relation to Biodiversity.	3-140
	3.24	Matters Not Agreed in relation to Biodiversity.	3-140
	3.25 topic	Matters Agreed in relation to Contaminated Land and other Public Protects	
	3.26	Matters Under Discussion in relation to Contaminated Land and other Pub	olic
	Prote	ection topics	3-146



3.27	Matters Not Agreed in relation to Contaminated Land and other Pul	olic Protection
topics	S	3-146
3.28	Matter Agreed in relation to Flood Risk and Drainage	3-146
3.29	Matter Under Discussion in relation to Flood Risk and Drainage	3-155
3.30	Matters Not Agreed in relation to Flood Risk and Drainage	3-156



1 Introduction

1.1 Purpose of this document

- 1.1.1 Statements of Common Ground record the engagement between Highways England and stakeholders and identify matters of agreement, matters not in agreement and matters of ongoing discussion.
- 1.1.2 Guidance about the purpose and possible content of SoCGs is given in paragraphs 58-65 of the Department for Communities and Local Government's "Planning Act 2008: Guidance for the examination of applications for development consent" (March 2015 version). Paragraph 58, copied below, confirms the basic function of SoCGs:
- 1.1.3 "A statement of common ground is a written statement prepared jointly by the applicant and another party or parties, setting out any matters on which they agree. As well as identifying matters which are not in real dispute, it is also useful if a statement identifies those areas where agreement has not been reached. The statement should include references to show where those matters are dealt.
- 1.1.4 SoCG are a useful tool to ensure evidence at DCO examination focusses on material differences between the main parties and aims to facilitate a more efficient examination process.
- 1.1.5 The SoCGs have been developed in collaboration with the respective stakeholders and the wording of positions, matters and discussion outcomes in the SoCGs have been agreed with stakeholders.
- 1.1.6 Highways England has been proactively engaging with stakeholders since the options consultation in 2017 and has been working with stakeholders throughout the DCO pre-application to understand and resolve issues where possible.

1.2 Parties to this Statement of Common Ground

- 1.2.1 This SoCG has been prepared by (1) Highways England as the Applicant and (2) Wiltshire Council.
- 1.2.2 Highways England became the Government-owned Strategic Highways Company on 1 April 2015. It is the highway authority in England for the strategic road network and has the necessary powers and duties to operate, manage, maintain and enhance the network. Regulatory powers remain with the Secretary of State. The legislation establishing Highways England made provision for all legal rights and obligations of the Highways Agency to be conferred upon or assumed by Highways England. In accordance with planning practice guidance, as a highway authority Highways England have flood risk responsibilities and must ensure that road projects do not increase flood risk.
- 1.2.3 Wiltshire Council is the Unitary Authority for the county of Wiltshire in the South West of England. Wiltshire Council's role in relation to the DCO process derives from Section 42(1)(b) of the Planning Act 2008 as a statutory consultee because the land to which the DCO is located is within the authority's area. As a unitary



- authority they provide a single tier of local government functions; those relevant to the DCO are referenced below.
- 1.2.4 Wiltshire Council is the highway authority for all roads and public rights of way in the vicinity of the scheme which do not form part of the A303 trunk road. As the local highway authority, they are responsible for the on-going maintenance of all new roads and public rights of way which are associated with the A303 Stonehenge Scheme, and in respect of those parts of the existing trunk road which are to be downgraded in terms of their current highway status (de-trunked and / or converted status). In accordance with planning practice guidance, as a highway authority Wiltshire Council also has flood risk responsibilities and must ensure that road projects for which they are responsible do not increase flood risk.
- 1.2.5 Wiltshire Council is the responsible authority for the implementation of a broad range of Government Regulation related to public protection and is the local planning authority for the area. Legislation such as Environmental Protection Act 1990 and the Environment Act, 1995 means Wiltshire Council must consider a number of factors in determining whether the location of a development is appropriate. It must have regard to a wide range of issues such as:
 - Noise and vibration;
 - Air quality;
 - Contaminated land;
 - Lighting;
 - Odour:
 - Water and flood risk (considered further below);
 - Highways, PRoW and users; and
 - Traffic.
- 1.2.6 Wiltshire Council has regulatory responsibility for managing impacts on Wiltshire's natural environment, heritage assets and landscape, in relation to its statutory undertakings. These responsibilities include having regard to the favourable conservation status of:
 - International Special Areas of Conservation, Special Protection Areas and Ramsar Sites 99.
 - National Sites of Special Scientific Interest, National Nature Reserves, Local Nature Reserves and SINCs.
 - Local County Wildlife Sites, Protected Road Verges and Local Geological Sites.
 - Area of Outstanding Natural Beauty (AONBs).
 - New Forest National Park (NFNP).
 - Stonehenge and Avebury World Heritage Site (WHS).



- Designated and non-designated archaeological assets and historic landscape character.
- Listed buildings and Conservation Area.
- 1.2.7 The Wiltshire Council Archaeology Service (WCAS) has a statutory duty to advise the Local Planning Authority on the impact of development proposals on archaeological remains in the County, both within and outside of the Stonehenge, Avebury and Associated Sites WHS. Officers take into consideration direct physical impacts on known and potential designated and non-designated heritage assets, issues of setting and visual impact, and in the case of the WHS, possible impacts on the Attributes that convey the OUV of the WHS, its Integrity and Authenticity. In relation to the A303 Improvement Scheme (the Scheme), the service will also have a responsibility in relation to the archaeological requirements imposed as part of the DCO. In addition to its formal statutory role, WCAS have been engaged with throughout the proposed Scheme's design development via a number of working groups associated with the project, including the Heritage Monitoring and Advisory Group and the Scientific Committee.
- 1.2.8 As Lead Local Flood Authority (LLFA), Wiltshire Council has a number of duties and powers to manage local flood risk (relating to surface water, groundwater and ordinary watercourses) under planning legislation and the Flood and Water Management Act 2010.
- 1.2.9 As Land Drainage Authority (LDA), Wiltshire Council has duties and powers under the Land Drainage Act 1991 and the Wiltshire Land Drainage Byelaws 2014, e.g. the consenting of discharges into ordinary watercourses and requiring works to maintain flow in an ordinary watercourse.
- 1.2.10 Collectively Highways England and Wiltshire Council are referred to as 'the parties'.

1.3 **Terminology**

- 1.3.1 In the tables in the Issues chapter of this SoCG "Not Agreed" indicates a final position and "Under discussion" indicates where these points will be the subject of on-going discussion between the parties with the aim, wherever possible, to resolve, or refine, the extent of disagreement between the parties. "Agreed" indicates where an issue has been resolved.
- 1.3.2 It can be taken that any matters not specifically referred to in the Issues chapter of this SoCG are not of material interest or relevance to Wiltshire Council, and therefore have not been the subject of any discussions between the parties. As such, those matters can be read as agreed, only to the extent that they are either not of material interest or relevance to Wiltshire Council.
- 1.3.3 Where there is a conflict between this document and the Local Impact Report, the Local Impact report shall take precedence. Where there is a conflict between this document and the Written Representations, the Written Representations shall take precedence. However as further information becomes available during the course



of the Examination, which satisfies the Council's concerns, this will be reflected in the SoCG.



2 Record of Engagement

- 2.1.1 A summary of the key meetings and correspondence that has taken place between Highways England and Wiltshire Council in relation to the Application is outlined in table 2-1.
- 2.1.2 In addition to the specific meetings listed below Wiltshire Council is a member of, and attends regular meetings of:
 - Stakeholder Strategy Board;
 - Working groups established to discuss particular areas of specialism;
 - Heritage Monitoring and Advisory Group (HMAG);
 - Scientific Committee;
 - UNESCO World Heritage Committee Engagement Group;
 - Environmental Group;
 - Traffic Local Authority Liaison Group;
 - Project Safety Controls Review Group and Tunnel Design Safety Consultation Group (to work as combined group);
 - Communications Group;
 - Local Community Forum;
 - Benefits Steering Group;
 - A303/A358/A30 Local Authority Steering Group;
 - Attendance at regular design progress reviews held by Highways England, to participate in discussion on matters of design with potential to impact on the OUV of the WHS; and
 - Operational Flood Working Groups.
- 2.1.3 In addition, Wiltshire Council holds a regular Officer Steering Group, to which Highways England is an invitee.
- 2.1.4 All of the meetings associated with these groups in relation to the Scheme are not detailed here.

Table 2 1 - Record of Engagement

RoE Ref	Date	Form of correspondence	Key topics discussed and key outcomes
General			
G1	April 2018	Wiltshire Council Response to Statutory Consultation	Detailed response to the statutory consultation undertaken by Highways England pursuant to s48 of the Planning Act 2008



		1	
G2	August 2018	Wiltshire Council Response to Supplementary Consultation	Detailed response to the supplementary consultation undertaken by Highways England in relation to three design changes
[RR-2365]	January 2019	Wiltshire Council Relevant Representation	Representation made by Wiltshire Council registering as an Interested Party
Traffic	<u> </u>		
T1	26/10/17	Meeting	Emerging design options
T2	21/12/17	Meeting	Stakeholder views and update of transport modelling development plans
ТЗ	25/01/18	Meeting	Local roads design discussion, discussion of forecasting assumptions and issues to consider in considering construction traffic management
T4	22/02/18	Meeting	Progress update and discussion of Traffic Modelling
T5	10/05/18	Meeting	Purpose of meeting to provide Wiltshire Council with initial view of traffic forecasts
Т6	05/07/18	Meeting	Discussion of traffic forecasts and construction access
T7	13/09/18	Meeting	Presentation of traffic forecasts and discussion of potential impacts
T8	25/01/18	Meeting	Update on traffic modelling, highway and public rights of way design and statutory consultation proposals
	(incl. NMU and PRoV		
HD1	11/10/17	Meeting	Review emerging public rights of way proposals



HD2	17/11/17	Wiltshire Council email	Identified concerns about possible diversion to byway WSTO6B (since abandoned)
HD3	21/12/17	Meeting	Update on traffic modelling, local highway and public rights of way proposals and statutory consultation.
HD4	22/12/17	Highways England email	Draft details of the local routes proposals as presented at meeting on 21/12/17
HD5	04/01/18	Meeting	Scheme briefing for council officers
HD6	22/01/18	Wiltshire Council email	Identified anomalies in PRoW network, which could be rectified by DCO.
HD7	25/01/18	Meeting	Update on traffic modelling, highway and public rights of way design and statutory consultation proposals
HD8	26/01/18	Wiltshire Council email	Request to avoid byway STAP8 when routing the electricity supply from Stapleford substation to the west tunnel portal. Alternatives proposed via Butts Hill then along byways STAP7, STAP6 and STAP13 or along a footpath next to Beehive Cottage then across fields to byway STAP13.
HD9	09/03/18	Highways England email	Interim clarification on how draft Orders were to be prepared and delivered, subject to confirmation
HD10	20/03/18	Meeting	Briefing on public rights of way proposals to Community Forum
HD11	21/03/18	Wiltshire Council email	Confirmed that Wiltshire Council's



			Countryside Access Improvement Plan 2015 – 2025 supported Highways England's creation of a new public rights of way on freehold land.
HD12	23/03/18	Wiltshire Council email	Advice on enforcement of TROs within WHS in relation to statement for draft consultation report
HD13	26/03/18	Meeting	Highways England update on PRoW proposals. Wiltshire Council requested some changes to improve access, particularly for carriage drivers
HD14	26/03/18	Wiltshire Council email	Confirmed acceptance of statement for draft consultation report relating to highways proposals being promoted by others.
HD15	05/04/18	Wiltshire Council email	Issues to consider for access to collect waste from Stonehenge Cottages.
HD16	06/04/18	Wiltshire Council email	Response to query on status of A344
HD17	30/04/18	Meeting	Update on public rights of way proposals
HD18	29/05/18	Wiltshire Council email	Requirements for existing A303 through Winterbourne Stoke and response to query on design standard for recently constructed roundabout on The Packway.
HD19	14/06/18	Meeting	Review the scheme's impact on local roads with Wiltshire Council Transport team
HD20	25/06/18	Meeting	Review the scheme's impact on local roads and land acquisition.



HD21	02/07/18	Wiltshire Council email	Agreed principle of alternative alignment for AMES1 byway diversion. Suggested widening Allington track bell-mouth area to accommodate 2-way movements. Reiterated previous concerns about the need for passing places.
HD22	16/07/18	Wiltshire Council email	Confirmed no knowledge of asbestos found within existing highways (excludes bridge structures)
HD23	24/07/18	Workshop	Walking Cycling and Horse Riding Workshop for stakeholders to review public rights of way proposals and identify opportunity to maximise opportunities for walking, cycling & horse-riding
HD24	13/08/18	Highways England email	Proposals for layby west of Winterbourne Stoke
HD25	08/18/18	Wiltshire Council	Response to supplementary consultation
HD26	06/09/18	Telecon between Highways England and Wiltshire Council	Road width beneath B3083 overbridge
HD27	13/09/18	Highways England email	Draft DCO rights of way and access plans issued for information
HD28	27/09/18	Wiltshire Council email	Confirmed classification of de- trunked A303 through Winterbourne Stoke
HD29	20/11/18	Highways England email	Requesting Wiltshire Council's view on extending the proposed restricted byway south-east to Woodford Road junction
HD30	17/12/18	Meeting	Meeting to review Highways, Transport



			and Public Rights of Way elements of Statement of Common Ground
HD31	21/01/19	Highways England email	Propose approach to incorporating Relevant Representations into SoCG
HD32	26/03/19	Meeting	Meeting to discuss design requirements of Public Rights of Way and to review proposed options
HD34	09/0519	Meeting	Phone discussion to review options for restricted byway to visitor centre
HD35	28/05/19	Meeting	Meeting to review options for restricted byway to visitor centre
Air Quality			
AQ1	24/11/17	Air quality conference call between Highways England and Wiltshire Council	Discussion on air quality methodology and Scheme
AQ2	05/12/17	Highways England email	Minutes from air quality conference call on the 2nd December and Interim Advice Note provision
AQ3	02/07/17	Meeting in Wiltshire Council offices	Air quality discussion on SoCG in offices and via phone.
AQ4	03/07/18	Highways England email	Indicative Affected Road Network for air quality study area and air quality monitoring data
AQ5	11/07/18	Highways England email	Email Highways England air quality monitoring data and air quality receptor shapefiles.
AQ6	17/07/18	Highways England email	Email confirming no odour sources associated with Scheme.
AQ7	19/07/18	Highways England email	Email Highways England air quality monitoring data and



			receptors as excel files
AQ8	26/07/18	Conference call between Highways England and Wiltshire Council	Brief general progress discussion on air quality assessment
AQ9	06/08/18	Highways England email	Email feedback on construction traffic management plan
AQ10	11/09/18	Conference call between Highways England and Wiltshire Council	Discussion on progress of air quality assessment.
AQ11	11/09/18	Highways England email	Email to provide air quality information on tunnels, pollutants, diversions and construction.
AQ12	14/09/18	Highways England email	Email of the latest air quality receptor points.
AQ13	08/10/18	Highways England email	Email regarding review of air quality matters in the ES
AQ14	22/11/18	Conference call between Highways England and Wiltshire Council	To discuss any queries from the ES and to begin SoCG discussions.
AQ15	10/01/19	Conference call between Highways England and Wiltshire Council	To continue SoCG discussions.
AQ16	23/01/19 to 25/01/19	Email correspondence between Highways England and Wiltshire Council peer reviewers	Request and agreement on dates for conference call
AQ17	29/01/19	Highways England email	Revised draft of mini noise and air quality SoCG issued to Wiltshire Council adding in Councils Relevant Representations (RR)
AQ18	31/01/19	Conference call between Wiltshire Council and Highways England	To continue SoCG discussions.
AQ19	31/01/19	Highways England email	Provision of 2012 Draft Air Quality Supplementary Planning Guidance.



AQ20	01/02/19	Wiltshire Council peer	Provision of peer
·		reviewer email	review queries
AQ21	01/02/19	Highways England email	Confirmation of receipt of peer review queries.
AQ22	04/02/19	Conference call between Wiltshire Council peer reviewer and Highways England	Initial discussion/clarificatio n of queries.
AQ23	06/02/19	Wiltshire Council peer reviewer email	Reminder of request for responses.
AQ24	06/02/19	Highways England email	Confirmation provided.
AQ25	06/02/19	Highways England email	Memo of Air Quality responses provided.
AQ26	07/02/19	Conference call between Wiltshire Council peer reviewer and Highways England	Follow up discussion/clarificatio n of queries, with one further query identified. Agreement to provide some additional clarifications as soon as possible to facilitate Ricardo AEA review.
AQ27	08/02/19	Highways England email	Memo of updated Air Quality responses provided.
AQ28	11/02/19	Wiltshire Council peer reviewer email	Confirmation of receipt of updated Memo.
AQ29	11/02/19	Wiltshire Council peer reviewer email	One follow up query on updated memo.
AQ30	11/02/19	Highways England email	Initial response on up query.
AQ31	11/02/19	Highways England email	Final issue of memo addressing all Ricardo AEA air quality queries.
AQ32	11/02/19	Wiltshire Council peer review email	E-mail confirming Ricardo AEA air quality peer review had been submitted to Wiltshire Council.
AQ33	27/02/19	Wiltshire Council email	Wiltshire Council comments on mini SoCG received including proposed DCO requirements
AQ34	01/03/19	Telephone discussion between Wiltshire	Discussion of Wiltshire Council



		Council and Highways England	comments on mini SoCG and proposed DCO requirements
AQ35	28/03/19	Meeting at Wiltshire Council offices between Wiltshire Council and Highways England	Discussion on air quality SoCG and 2 presentations on Traffic Management and Traffic Study Areas and Legacy Monitoring.
AQ36	29/03/19	Wiltshire Council email	E-mail and attached updated air quality SoCG with comments describing WCC position following meeting
AQ37	01/04/19	Highways England email	Updated SoCG implementing WCC Comments in mini-SoCG for air quality prior to moving to main SoCG
AQ38	02/04/19	Highways England E- mail	Update on main SoCG document
AQ39	17/04/19	Highways England E- mail	Update on minor amendments to Air quality sections following wider team reviews.
AQ40	18/04/19	Highways England E- mail	Discussion on potential call
AQ41	03/05/19	Highways England E- mail	SoCG document discussions
AQ42	28/05/19	Highways England E- mail	Discussion on potential call
AQ43	28/05/19	Wiltshire E-mail	Discussion on potential call
AQ44	11/06/19	Highways England E- mail	SoCG document clarifications
AQ45	11/06/19	Wiltshire E-mail	SoCG document clarifications
Noise and Vibration		·	
NV1	9/11/17	Telephone discussion between Highways England and Wiltshire Council	vibration assessment, local knowledge on noise sources, sensitive receptors and future developments
NV2	10/11/17	Highways England email	Plan of proposed baseline noise monitoring locations



			sent to Wiltshire Council
NV3	12/12/17	Highways England email	Plan of initial operational DMRB traffic noise study area and receptors sent to Wiltshire Council
NV4	24/05/18	Telephone discussion between Highways England and Wiltshire Council	Wiltshire Council confirmed preferred construction working hours with regard to noise and vibration
NV5	02/07/18	Meeting between Highways England and Wiltshire Council	Update on progress with noise and vibration assessment and discussion on SoCG
NV6	26/07/18	Highways England email	Draft Noise and Vibration Methodology and Baseline Monitoring sections of ES chapter and associated Baseline Monitoring Appendix sent to Wiltshire Council for comment
NV7	07/08/18	Meeting between Highways England and Wiltshire Council	Discussion of baseline noise monitoring results, noise and vibration methodology, draft operational impacts, construction impacts and proposed mitigation
NV8	08/08/18	Wiltshire Council email	Follow on queries from Wiltshire Council on noise and vibration assessment, and Wiltshire Section 61 template, received
NV9	06/09/18	Telephone discussion between Highways England and Wiltshire Council	Response to previous Wilshire noise and vibration queries. Update on the completed noise and vibration assessment, and confirmation of Wiltshire Councils agreement to various aspects of the final assessment including the baseline



			monitoring locations and monitoring methodology, the selection of receptors and study areas and the overall methodology adopted for the assessment.
NV10	14/09/18	Highways England email	Follow up e-mail to confirm noise and vibration discussion on 6/9/18
NV11	20/11/18	Highways England email	Update on progress to develop noise and air quality sections of SoCG
NV12	22/11/18	Telephone discussion between Highways England and Wiltshire Council	Discussion of progress to develop noise and air quality sections of SoCG
NV13	03/12/18	Highways England email	Draft of mini noise and air quality SoCG issued to Wiltshire Council
NV14	09/01/19	Highways England email	Revised draft of mini noise and air quality SoCGs issued to Wiltshire Council removing redundant text on Wiltshire comments on Scoping and PEIR
NV15	10/01/19	Telephone discussion between Highways England and Wiltshire Council	advised will be
NV16	25/01/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Initial discussion of peer review process
NV17	29/01/19	Highways England email	Revised draft of mini noise and air quality SoCG issued to Wiltshire Council adding in Councils Relevant Representations (RR)



NV18	05/02/19	Meeting between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Review of noise assessment focussing on the operational noise modelling and development of the noise mitigation measures
NV19	05/02/19	Telephone discussion (and subsequent e- mail) between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Queries on the methodology and the operational and construction traffic assessments discussed and provided by e-mail
NV20	06/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Queries on the construction assessment resolved
NV21	06/02/19	Highways England email (Re: Wiltshire Council noise peer review)	Plans of construction compound locations provided
NV22	11/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Areas of particular interest for the operational and construction traffic assessments reviewed together and queries resolved, followed up with email confirming outcome of discussions
NV23	11/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Discussion of recommendations contained within the peer review to be submitted to Wiltshire Council, with a focus on construction noise and vibration
NV24	14/02/19	Highways England email (Re: Wiltshire Council noise peer review)	Confirmation of agreement between Wiltshire Council Peer Reviewer and Highways England on methodology adopted, results of the assessment and conclusions on significance and mitigation, as discussed at the



			teleconference on 11/02/19
NV25	14/02/19	Highways England email	Request for Wiltshire to add in outcome of Wiltshire Councils Peer Review process to mini SoCG
NV26	20/02/19	Wiltshire Council email	Requested Highways England send track changes version of most recent mini SoCG as sent 29/1/19
NV27	21/02/19	Highways England email	Track changes version of mini SoCG sent
NV28	27/02/19	Wiltshire Council email	Wiltshire Council comments on mini SoCG received including proposed DCO requirements
NV29	01/03/19	Telephone discussion between Highways England and Wiltshire Council	Wiltshire Council
NV30	15/03/19	Wiltshire Council email	Confirmation received of agreement on all items in the mini SoCG, other than DCO Requirements. Confirmation of agreement on Highways England's understanding of the aims of Wiltshire Council with regard to the proposed DCO Requirements
NV31	25/4/19	Telephone discussion between Highways England and Wiltshire Council and confirmation Highways England e- mail	relevant
NV32	26/4/19	Wiltshire Council email	Wiltshire Council comments on working hours and 1st round DCO written questions



NV33	29/4/19	Wiltshire Council email, Telephone discussion between Highways England and Wiltshire Council and Highways England email	Confirmation regarding text in OEMP regarding offer of temporary rehousing at Stonehenge Cottages during tunnelling and definition of 'summer' with regard to earthworks working hours
NV34	13/6/19	Wiltshire Council email	Query regarding amending wording in OEMP following Issue Specific Hearings
NV35	14/6/19	Highways England email	Draft amendment to OEMP following Issue Specific Hearings provided
NV36	17/6/19	Telephone discussion between Highways England and Wiltshire Council and Highways England email	amendment to OEMP
NV37	20/6/19	Wiltshire Council email	Confirmation of Wiltshire Councils agreement to Highways England's response to all the Wiltshire Council proposed DCO Requirements in the SoCG, and provision of Wiltshire Councils minor proposed amendments to OEMP text
NV38	12/7/19	Telephone discussion between Highways England and Wiltshire Council and confirmation Highways England e- mail	round DCO written
Archaeology and He	ritage		
AH1	10/08/17	Minutes from Heritage Monitoring & Advisory Group (HMAG) meeting	Discussion points: Scientific Committee; Records compilation; future working



			arrangements; Secretariat for HMAG & Scientific Committee
AH2	15/09/17	Minutes from HMAG meeting	Discussion points: Scientific Committee Working Interface; Proposed Scientific Committee Agenda; Working Arrangement with Highways England/AmW; Forward Programme
AH3	25/09/17	Minutes from HMAG meeting	Discussion points: Draft Archaeological Evaluation Strategy Report; Agenda/Itinerary for meeting Scientific Committee; Documents for Scientific Committee; Final Evaluation Reports
AH4	11/10/17	Minutes from HMAG meeting	Discussion points: Archaeology Evaluation Strategy Report; Outcome of Scientific Committee and Future Dates; Developing website for Scientific Committee; early draft of the HIA Scoping Report from AmW; WSI for Archaeological Evaluation of Wilford G1 Barrow (later withdrawn)
AH5	23/10/17	Minutes from HMAG meeting	Discussion points: Developing website for Scientific Committee; Revised WSI for G1 Barrow Evaluation (later withdrawn); Revised Archaeological Evaluation Strategy Report; Advice papers from Scientific Committee on Colluvium and Evaluation; Draft HIA Scoping Report



AH6	06/11/17	Minutes from HMAG meeting	Discussion points: Agenda for next Scientific Committee; Archaeology Evaluation Strategy Report; Overarching Written Scheme of Investigation; comments on the Draft HIA Scoping Report; Scientific Committee Website Development; SMC Wilsford G1 (Access) (later withdrawn)
AH7	08/12/17	Minutes from HMAG meeting	Discussion points: Status of Evaluation Documents; Status of programme for evaluation; Timings of next Scientific Committee meeting
AH8	18/01/18	Minutes from HMAG meeting	Discussion points: Review of access and mitigation for Archaeological Monitoring of the GI works; Review of SSWSIs and outstanding actions; Date for the UNESCO/ICOMOS Working Group meeting; Date of next Scientific Committee meeting
AH9	12/02/18	Minutes from HMAG meeting	Discussion points: Final HIA Scoping Report; Ongoing Surveys; Scientific Committee agenda and itinerary;
AH10	21/03/18	Minutes from HMAG meeting	Discussion points: Blick Mead; Discussion on preliminary HIA results; Evaluation Programme and Associated Documentation; Statement of Common Ground
AH11	13/04/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation



			Progress. Attended by WCAS, AmW, and
			Wessex Archaeology.
AH12	17/04/18	Minutes from HMAG meeting	Discussion points: Scientific Committee Meeting; Blick Mead; Evaluation Programme update; Rollestone Corner Geophysics update; EIA and HIA programme update
AH13	20/04/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH14	04/05/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH15	04/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH16	09/05/18	Minutes from HMAG meeting	Discussion points: Scientific Committee agenda; update on Archaeological Evaluation; update on Blick Mead
AH17	11/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH18	18/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH19	18/05/18	Site meeting	Site inspection of Western Portal. To



			discuss west portal evaluation progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH20	01/06/18	Site meeting	Site inspection of Western Portal. To discuss west portal evaluation progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH21	14/06/18	Minutes from Wiltshire Council Archaeology Services meeting	Discussion points: Western Portal; Archaeological evaluation design; Programme; Long Barrow South – Archaeological Findings and Junction design
AH22	15/06/18	Minutes from HMAG meeting	Discussion points: Post-consultation design changes; update on archaeological evaluation; EIA and HIA programme and update
AH23	12/09/18	Site meeting	Site inspection of Guinness East and Winterbourne Stoke West (Parsons). To discuss trench Evaluation Progress Week 37. Attended by WCAS, AmW, and Wessex Archaeology.
AH24	05/09/18	Site meeting	Site inspection of Winterbourne Stoke West. To discuss trench Evaluation Progress Week 3. Attended by WCAS, AmW, and Wessex Archaeology.
AH25	24/08/18	Site meeting	Site inspection of Winterbourne Stoke West. To discuss trench Evaluation Progress Week 1. Attended by WCAS, AmW, and Wessex Archaeology.



AH26	21/09/18	Site meeting	Site inspection of Winterbourne Stoke East (Turner). To discuss trench Evaluation Progress Week 39. Attended by WCAS, AmW, and Wessex Archaeology.
AH27	12/12/18	Meeting	Meeting with WCAS and Wiltshire Council Conservation Officer to discuss the draft SoCG with regards to heritage
AH28	28/03/19	Meeting	Meeting with WCAS and Wiltshire Council Conservation Officer to discuss the draft SoCG with regards to heritage
AH29	31/07/19	Meeting	Meeting with WCAS to discuss drawings showing the Zone of Theoretical Visibility for both the existing and proposed road alignment and SoCG matters under discussion with regards to heritage
Landscape and \	/isual		
LV1	27/02/18	Meeting	Discussion of study area, LVIA representative viewpoints and accurate visual representations
LV2	06/03/18	Email	Confirmation of items raised at 27/02/18 meeting
LV3	26/04/18	Email	Submission and agreement of additional detail to the LVIA methodology
LV4	05/07/18	Meeting	Kick off meeting on SoCG for Ecology and Landscape
LV5	17/01/19	Meeting	Discussion on the Landscape and Visual Statement of Common Ground
LV6	14/02/19	Meeting	Discussion on the Landscape and Visual



			Statement of Common Ground
LV7	13/03/19	Email	Information on Swanworth Quarry, Dorset in respect of establishing chalk grassland
LV8	20/03/19	Email	Clarification that the views from vehicles users on the existing A303 are covered in the Socio-economic chapter of the Environmental Statement (ES)
LV9	25/04/19	Email	Confirmation of the reference numbers used for cumulative schemes as part of the landscape and visual impact assessment
LV10	14/06/19	Email	Signposting to the OEMP updates with more design and design principal information (REP3-0076)
LV11	18/06/19	Email	Confirmation that 'under discussion' items have been closed out
Biodiversity			
Bio1	March 2018	Meeting with regard to biodiversity issues	Scheme overview and specific species mitigation.
Bio2	January 2019	Initial Statement of Common Ground meeting with Wiltshire Council	SoCG and relevant biodiversity issues.
Bio3	26/02/19	Email and call	Issued working draft HRSA Clarification Note
Bio 4	11/03/19	emails	Future projects at Parsonage Down, agreements on SoCG issues
Bio 5	30/05/19	email	Agreement on SoCG issues re HRA
Bio 6	06/06/19	call	Discussion of the biodiversity mitigation and enhancement include in the



Water and Flood Ris	sk		indicative Environmental Masterplan and OEMP.
WFR1	18/08/17	Meeting between Highways England, Wiltshire Council and Environment Agency	Initial discussion on flood risk (all sources), groundwater, water quality and road drainage
WFR2	05/10/17	Meeting between Highways England Wiltshire Council and Environment Agency	Update on water issues following the Preferred Route Announcement
WFR3	20/10/17	Meeting between Highways England, Wiltshire Council and Environment Agency	Flood risk and groundwater
WFR4	26/10/17	Meeting	Wiltshire Council's Operational Flood Working Group
WFR5	27/10/17	Meeting	Data sharing
WFR6	16/11/17	Meeting	Groundwater
WFR7	14/12/17	Teleconference between Highways England, Wiltshire Council and Environment Agency	Groundwater
WFR8	Jan 2018 – Dec 2018	Monthly teleconferences between Highways England, Wiltshire Council and Environment Agency	Groundwater and other water topics
WFR9	11/01/18	Meeting between Highways England, Wiltshire Council and Environment Agency	Groundwater
WFR10	06/03/18	Minutes from meeting between Wiltshire Council, Environment Agency, Wessex Water and Highways England	Preliminary feedback on the PEIR and HE's public consultation; Discussion on progress for the ES regarding water quality, WFD, groundwater, flood risk and road drainage
WFR11	08/03/18	Wiltshire Council email	Foul sewer information from Wessex Water



WFR12	28/03/18	Email	Details of groundwater monitoring network and HydroVu telemetry
WFR13	18/04/18	Meeting	Wiltshire Council's Operational Flood Working Group
WFR14	26/07/18	Email	Groundwater modelling annex provided
WFR15	31/07/18	Email	Groundwater risk assessment and annexes provided
WFR16	12/10/18	Email	A303 Road drainage strategy meeting
WFR17	16/10/18	Meeting	A303 Road drainage strategy meeting
WFR18	17/10/18	Email	A303 Road drainage strategy meeting
WFR19	Sept 2018 – present	Monthly teleconferences between Highways England, Wiltshire Council and Environment Agency	Groundwater and related water topics
WFR20	30/10/18	Meeting	Peer review meeting
WFR20 WFR21	30/10/18 30/10/18	Meeting Email	Peer review meeting Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land
			Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council
WFR21	30/10/18	Email	Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land Post meeting comments regarding A303 Road Drainage Strategy meeting issued to Wiltshire
WFR21	30/10/18	Email Email	Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land Post meeting comments regarding A303 Road Drainage Strategy meeting issued to Wiltshire Council Confirmation of meeting on 22nd November 2018 to provide Wiltshire Council with an update on Groundwater and Groundwater



WFR26	29/01/19	Meeting	Discussion of road drainage design and pluvial flood risk assessment and mitigation
WFR27	06/02/19	Highways England email	Further information post meeting on road drainage strategy
WFR28	18/02/19	Meeting	Discussion of road drainage design and pluvial flood risk assessment and mitigation
WFR29	19/02/19	Highways England email	Further information post meeting on road drainage strategy
WFR 30	22/02/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR31	22/02/19	Highways England email	Draft groundwater reports issued: Stonehenge Area Pumping Test 2018 Interpretive Report Stage 4 – Implications of 2018 Ground Investigations to the Groundwater Risk Assessment
WFR32	25/02/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR33	04/03/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR34	04/03/19	Wiltshire Council email	Drainage comments on V2.0 of SoCG
WFR35	28/03/19	Telecom	Discussion on road drainage
WFR36	29/03/19	Highways England email	Working drafts of groundwater reports issued: Stonehenge Area Pumping Test 2018 Interpretative Report Stage 4 – Implications of 2018 Ground Investigations to the



			Groundwater Risk Assessment Stage 4 – Supplementary Groundwater Model Runs to Annex 1 Numerical Model Report Stage 4 – Groundwater Monitoring 2018-19 Conceptual Model Review
WFR37	01/04/19	Meeting between Highways England, Wiltshire Council and Environment Agency	Discussion on groundwater
WFR38	09/04/19	Highways England email	V3.0 of SoCG issued



3 Issues

General Comments on Document:

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
GEN1	[REP6-041]	The Council wishes for a general comment to be incorporated expressing our concern about how requirements are going to be discharged and by who. Response to ExA question DCO.2.66	The Council set out a number of additional Requirement it considered necessary within its Comments on the dDCO submitted at Deadline 4 (in relation to): - Construction Environmental Management Plan (CEMP) - Traffic Monitoring and Mitigation - Highway Lighting Scheme - Traffic Management during Tunnel Closures - Flood Risk Assessment	Highways England will respond to Wiltshire Council's deadline 6 submission at deadline 7.	Under Discussion
GEN2		Approving body for CEMP, other documents, including various management plans, and specific design elements	The Council considers it inappropriate for HE to be The Authority and approving body for key documents, for example the CEMP etc. The Council has also indicated where its approval is required for management plans and design elements within its representations made during the Examination.	Highways England will respond to Wiltshire Council's deadline 6 submission at deadline 7.	Under Discussion



3.1 Matters Agreed in relation to Traffic Impact

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.1.1	RoE Ref: G1	Section 5: Highways and Transport Considerations: Local Roads Issues to be Resolved 102.	The statutory consultation appears to provide a clearer indication of the physical proposals and generally the transport consequences thereof. In general terms, the scheme proposals will result in the transport outcomes anticipated, namely (i) the removal of congestion on this part of the A303 corridor, (ii) a more reliable journey time for users of the road in the area, (iii) the avoidance of the proclivity for drivers to rat run on the grounds of actual or anticipated time savings compared with staying on the A303 and (iv) a consequential reduction of traffic on those routes currently used as rat runs. These impacts are all seen as positive.	Highways England thanks Wiltshire Council for these supportive comments.	Agreed
3.1.2	[APP-297]	Section 4.2 of the Transport Assessment describes the geographic extent of the transport modelling	The extent of the modelling is broadly acceptable to Wiltshire Council.	Noted	Agreed
3.1.3	[APP-297]	Section 2 of the Transport Assessment describes relevant planning policy	The planning policy relevant to transport issues covered within the Transport Assessment is broadly acceptable to Wiltshire Council	Noted	Agreed



3.1.4	[APP-297]	Section 4.4 of the Transport Assessment summarises baseline data	The baseline data summary is broadly acceptable to Wiltshire Council.	Noted	Agreed
3.1.5	[APP-297]	Section 4.5 to 4.8 describe traffic modelling -methodology and verification	Wiltshire Council does not wish to challenge the modelling methodology used in relation to the Scheme and accepts that the Transport Assessment is reasonable in this regard.	Noted	Agreed
3.1.6	[APP-297]	Section 5 of the Transport Assessment describes the operational traffic forecasting assumptions and methodology. Section 9.2 to 9.4 describe the construction forecasting assumptions	Wiltshire Council considers the assumptions adopted in relation to the forecasting of future scenarios to be reasonable, it also recognises that certain assumptions can be properly challenged, and that driver behaviours can be difficult to predict with accuracy. The construction forecasting assumptions are based on assumptions made in relation to contractor processes which can be subject to material change. However, the Transport Assessment approach is considered reasonable on the basis of available information	Noted	Agreed
3.1.7	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Whilst the Transport Assessment forecasts general traffic impacts associated with the completed scheme, these are accepted as being reasonable, and demonstrate the adequacy of the scheme in addressing problems associated with current A303 capacity issues in the area, there are some impacts	Highways England concurs that the Transport Assessment explains the scheme impacts.	Agreed



			which are partly the result of the scheme, and partly as the result of local development. The nonscheme impacts are not included in the Transport Assessment.		
3.1.8	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council was concerned that additional traffic using Allington Track may have had impacts in Allington at junction with A338.	Highways England has provided further details confirming that there will be no capacity issues at this junction. Wiltshire Council is satisfied that this will be the case.	Agreed
3.1.9	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council wished to be satisfied that there were unlikely to be impacts at Stock Bottom roundabout south of Amesbury town centre.	Highways England has provided further details to Wiltshire Council. Wiltshire Council is satisfied that any impacts at this location will be acceptable.	Agreed
3.1.10	[APP-297]	Sections 9.5 to 9.7 of the Transport Assessment describe impacts during construction.	Wiltshire Council wish assurance that during construction traffic (HGVs) will route along the strategic road network and if materials are sourced south of Salisbury the HGVs would route using the A303 rather than A36?	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [REP6-005]. Matters to be included in this plan are set out in reference MW-TRA2 of the Outline Environmental Management Plan [REP6-011], which include traffic management measures to be implemented and routes to be used by construction vehicles to access the site. In additional at TRA7, the OEMP provides that haul routes will be provided for use by	Agreed
3.1.11	[APP-297]	Sections 9.5 to 9.7 of the Transport Assessment describe impacts during construction.	Wiltshire Council would not wish HGVs to use the B3083 north of Winterbourne Stoke for site access		Agreed



				construction vehicles. Compliance with the OEMP is secured by paragraph 4 of Schedule 2 to the draft DCO.	
3.1.12	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council are concerned that increased traffic generated by the scheme may exceed operational capacity of London Road signalised junction between Amesbury town centre and Countess junction. This is confirmed in the post DCO submission report submitted to WC by HE.	Highways England acknowledge capacity issues at the London Road Junction, although does not accept that these issues are caused solely by the Scheme. The parties are continuing to discuss ways of working together to address Wiltshire Council's concerns at this location.	Agreed subject to completion of a legal agreement between the parties

- 3.2 Matters Under Discussion in relation to Traffic Impact
- 3.2.1 There are no matters under discussion in relation to traffic impact.
- 3.3 Matters Not Agreed in relation to Traffic Impact.
- 3.3.1 No matters are Not Agreed at the present time.

3.4 Matters Agreed in relation to Highways Design

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.4.1	RoE Ref: G1	44. Clarification of land ownership details where the existing A303 will be stopped up.	The former line of the A303 to the east of Stonehenge Road junction. (Please note this item only relates to land ownership issues, it does not relate to design clarifications	In respect of land comprised in the existing A303, over which new restricted byways are constructed, the new restricted byways would vest	Agreed



			required as referenced within our written representation).	in Wiltshire Council when it becomes liable to maintain them. This would take effect by virtue of article 9(1) of the draft DCO [REP6-005] and section 265 Highways Act 1980. Any surplus land owned by Highways England comprised in what would be the former A303 would be dealt with in accordance with Crichel Down rules.	
3.4.2	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 21.	This proposed change is fully supported on technical grounds as being the best solution to improve the junction whilst minimising local impacts for a scheme within the WHS. The change is in line with previous suggestions from Shrewton Parish Council to alter the priorities at the junction, affording the perception that the Shrewton direction is not the priority route where choices of route exist. Furthermore, the proposals fit with Wiltshire Council's ambition to review the classification status of the B3086, with a view to downgrading the section between Rollestone Crossroads and A360 via Shrewton,but upgrading the status of The Packway from Class 3 to Class 2 between Rollestone Crossroads and the Durrington A345 roundabout.	Highways England welcomes Wiltshire Council's comments.	Agreed



3.4.3	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 23.	Additionally, Wiltshire Council concurs that there will be no additional adverse landscape and visual effects as a result of the proposed modifications to the Rollestone Crossroads layout, which combined with the other proposed changes being consulted on, are perceived, overall, to have a minor beneficial improvement to the scheme.	Noted	Agreed
3.4.4	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 24.	As this section of the road is already used by some drivers to avoid existing queues on the A303, Wiltshire Council would like to see an early implementation of this improvement as part of the advanced works.	This junction improvement is included in the early works package and provision has been in the Schedule 2 to the draft DCO [REP6-005] and the Outline Environmental Management Plan [REP6-011] to facilitate these works coming forward at an early stage if development consent is granted for the Scheme.	Agreed
3.4.5	RoE Ref: G2	VI. Public Rights of Way (PROW) 26.	Wiltshire Council is also supportive of the creation of the new restricted byways throughout the WHS to enable the least restrictive access for the widest range of users. This accords with the requirements of the Equality Act 2010 and Wiltshire Council's overriding duty to assert and protect the use and enjoyment of the public rights of way by the public.	Noted	Agreed



3.4.6	[RR-2365]	Part III Highways & Transport considerations 37.	a) There is a requirement for clarification in relation to the provision and operation of traffic signals controls at both the Longbarrow and Countess Roundabouts, especially in relation to the integration of the signals with the tunnel management systems in the event of the closure of access via the eastbound merge slip-road at Longbarrow Northern Roundabout and the westbound merge slip-road at Countess Roundabout.	Based on the preliminary design, the signal control to stop traffic entering the tunnel will be through Advanced Motorway Indicators (AMI's), which will be located near the start of the Longbarrow northern dumb-bell roundabout eastbound merge slip road and Countess roundabout westbound merge slip road. AMI's will also be located above lane indicators at the tunnel entrances. This equipment will be maintained by Highways England. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to completion of a legal agreement between the parties
3.4.7	[RR-2365]	Part III Highways & Transport considerations 37.	g) The TR010025 2.10 Traffic Regulation Measures Plans (Speed Limits) show a proposed speed limit of 30 mph for the realigned section of the Allington Track (also in the Draft DCO Schedule 10 Part 1); Wiltshire Council is concerned as to	The proposed horizontal alignment for the new Allington Track link (shown on Sheet 11 of the Traffic Regulation Measures Plans (Speed Limits) [APP-013]) includes two bends, of 90	Agreed subject to the completion of a legal agreement between the



			the compatibility of the speed limit with the Department for Transport Circular 01/2013, and with the speed limit on the existing Allington Track; it appears to be set unnecessarily low. The Council has argued in its written representations for the speed limit to be National Speed Limit. It also seeks inclusion in an agreement an obligation to cover costs of TROs for issues such as this, if intervention post scheme is required. The Council is seeking an acknowledgement that the Local Highway Authority will determine speed limit for local roads, where they disagree with scheme proposals.	degrees (to the west) and 35 degrees (to the east). This design has been agreed with Wiltshire Council. The speed limit has therefore been reduced to reflect the design. The appropriateness of the speed limit included in the Scheme at this location remains under discussion. Highways England acknowledges that Wiltshire Council, as local highway authority, will be responsible for determining the speed limits on the roads that it will be responsible for. The speed limits that will apply to the local roads comprised in the Scheme will be determined through a combination of the DCO, legal agreement to be entered into between Highways England and Wiltshire Council, and Wiltshire Council's existing powers.	parties
3.4.8	[RR-2365]	Part III Highways & Transport considerations 37.	k) There is some concern as to the adequacy of the coverage of the 6.3 Environmental Statement Appendices Appendix 2.2 Outline Environmental Management Plan in relation to some areas of Record of Environmental Actions and	The OEMP, which will be secured through DCO Requirement 4 (Schedule 2 of REP6-005), will be the subject of discussion during examination and Highways England is willing to consider	Agreed in respect of the Environmental Statement. Discussions on changes to the OEMP required



			Commitments (REAC) tables at 3.2a and 3.2b. The Council is currently considering the content of the OEMP submitted at deadline 6 [REP6-011] and will submit any outstanding suggested changes to the OEMP at deadline 7.	any specific comments of Wiltshire Council. An update of the OEMP was entered into the examination at deadline 6 [REP6-011] together with a report setting out how the OEMP had been updated in response to stakeholder comments [REP6-034].	by the Council as a whole continue.
3.4.9	[RR-2365]	Part III Highways & Transport considerations 37.	m) There will be an incentive for haulage sub-contractors seeking to maximise loads per day shifted from east to west of the site to use alternative routes, such as The Packway, because of the potential delays on the A303 (especially westbound) route; enforceable measures will be sought to take action against offenders in an appropriate manner. The Council is currently considering the content of the OEMP submitted at deadline 6 [REP6-011] and will submit any outstanding suggested changes to the OEMP at deadline 7.	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [REP6-005]. Matters to be included in this plan are set out in reference MW-TRA2 to MW-TRA11 of the Outline Environmental Management Plan [REP6-011] which include construction traffic routeing, compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO. An update of the OEMP was entered into the examination at deadline 6 [REP6-011] together with a report setting out how the OEMP had been updated in response to stakeholder comments [REP6-034].	Agreed in respect of the Environmental Statement. Discussions on changes to the OEMP required by the Council as a whole continue.



3.4.10	[RR-2365] [REP2-045]	Part III Highways & Transport considerations 37.	n) Highways England have provided no detail on the potential impact of the Solstice events during the construction and operation of the Scheme. During construction of the Scheme, the TA [APP-297] forecasts that the inevitable additional delays on the A303, particularly at the Countess junction area, will cause additional diverting traffic onto other routes both to the north and south of the A303. This diverted traffic must not be locally obstructed by on-highway parking associated with solstice and equinox events, or pedestrian movements associated with parked vehicles put in jeopardy by passing traffic. This is a particular concern on most of the local roads where pedestrian provision is not available (no footways, and sometimes unusable verges) e.g. A360, B3086, Packway (part). It is the Council's view that a Traffic Regulation Order (TRO) should be provided for in the DCO having the effect of limiting parking on defined roads over a period extending to about a week either side of both equinoxes and both solstices (about two months per year). At	As described in detail in Chapter 10 of this report [ENV-479] the scheme, overall, would have a large beneficial effect on the Attribute of the OUV of the WHS to which solstice events contribute. The assessment of the potential for impacts on the solstice is set out in the Heritage Impact Assessment (HIA), ES Appendix 6.1 [APP-195]. The Outline Environmental Management Plan (OEMP) [REP6-011], which is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [REP6-005], at item MW-G16, sets out that surface works within the western section of the WHS would be suspended during summer and winter solstice (hours to be determined in consultation with HMAG). Further, the OEMP sets out a requirement for the contractor to consult with event organisers, which includes Solstice events (MW-TRA2).	Agreed subject to the completion of a legal agreement between the parties
			about a week either side of both	event organisers, which includes Solstice events	



			Council is developing its position on the matter. The Council considers that a TRO should be provided for in the DCO to limit parking on defined roads for a period either side of summer and winter equinoxes and solstices.	during solstice events during the operation of the Scheme.	
3.4.11	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 20.	From a highways and transport perspective, the change represents an improvement. The radius of the bend will be relatively tight, and it will be necessary to consider an appropriate speed limit below the National Speed Limit (NSL) to address the tightness of the bend (which represents a departure from Department for Transport (DfT) design standards), and for appropriate signing to highlight the bend and its associated road junction. The proposed change would remove the presence of a crossroads (which in general exhibit worse traffic collision records than other junction types), and alter the priorities of the junction in favour of the route connecting The Packway and Airmans Corner. This alteration of priority is the main driver for altering the junction. The Packway / Airmans Corner route is already the busiest route through the junction, and the proposal to use this route as part of the A303 tunnel diversion route further emphasises the importance of changing the layout.	Highways England welcomes Wiltshire Council's comments in support of its proposals for the Rollestone Cross Junction which were incorporated into the Scheme. Despite this general agreement, discussions are continuing between the parties on the appropriateness of the 40mph speed limit included in the Scheme and shown on sheet 13 of the Traffic Regulation Measures Plans (Speed Limits) [APP-013]. Highways England acknowledges that Wiltshire Council, as local highway authority, will be responsible for determining the speed limits on the roads that it will be responsible for. The speed limits that will apply to the local roads comprised in the Scheme will be	Agreed subject to the completion of a legal agreement between the parties



			The proposed new road would include a right turn lane junction to serve the Shrewton arm of the junction, and 'The Bustard' road past Rollestone Camp would be served by a simple priority junction off this side arm, in substantially the same location as the existing junction.	determined through a combination of the DCO, legal agreement to be entered into between Highways England and Wiltshire Council, and Wiltshire Council's existing powers.	
			The Council is seeking inclusion in an agreement an obligation to cover costs of TROs for issues such as this, if intervention post scheme is required. Furthermore, the Council is seeking an acknowledgement that the Local Highway Authority will determine speed limit for local roads, where they disagree with scheme proposals.		
3.4.12	-	Clarification of land ownership details where the existing A303 will be de-trunked.	Wiltshire Council agrees that it will become responsible for those areas which will be de-trunked. Discussions are ongoing with a view to potential amendments to the de-trunking plan.	It is intended that Wiltshire Council will take over ownership of those sections of the A303 which will be de- trunked. This is provided for in the draft DCO (article 9(5)). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the	Agreed subject to the completion of a legal agreement between the parties



				terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.4.13		Clarification of land ownership details where the existing A303 will be stopped up and new PROW provided.		It is intended that Highways England will retain its interests in the existing A303 corridor save that the new highway comprised in the new restricted byway will vest in Wiltshire Council when it becomes responsible for its maintenance (article 9(1) of the draft DCO and section 265 Highways Act 1980). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.4.14	[RR-2365]	Part III Highways & Transport considerations 37.	b) As a consequence of a) above, there is a need to clarify which of the highway authorities (Highways England or Wiltshire Council) will be the vesting authority, responsible for the on-going maintenance of the carriageways	Article 9 of the draft DCO [REP6-005] sets out which highway authority will be responsible for the maintenance of the new, altered or diverted streets (including highways) and	Agreed subject to the completion of a legal agreement between the parties



and traffic signals controls at each	other structures comprised in
of the junctions.	the Scheme. The default
or the junetione.	position under article 9 is that
	Highways England will be
	liable to maintain any trunk
	road comprised in the
	Scheme. The local highway
	o ,
	authority will be liable to
	maintain any other highway,
	(i.e. other than a trunk road),
	including any structure or
	culvert (except for any bridge
	carrying a highway over a
	trunk road (see article 9(6))
	and any highway that is de-
	trunked (see article 9(6)).
	Any highway that will become
	maintainable by the local
	highway authority must be
	completed to the reasonable
	satisfaction of the local
	highway authority which, in
	relation to the Scheme, will
	be Wiltshire Council. The
	purpose and effect of article
	9 is discussed in further
	detail in the Explanatory
	Memorandum to the DCO
	[APP-021] at paragraphs
	6.21 and 6.22.
	Article 9 (see article 9(1),
	9(2), 9(3), 9(4), 9(5))
	recognises that Highways
	England and the local
	highway authority may agree
	in writing to depart from the



				default arrangements set out in those provisions. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.4.15	[RR-2365]	Part III Highways & Transport considerations 37.	d) The Draft DCO includes within Schedule 9 Part 2 information in relation to the Northern and Southern Roundabouts forming the 'dumbbell' junction. Whilst the Classifications Plan clearly shows the roundabouts as being classified as the A360, Wiltshire Council will need to be clear as to the future assets for which it will be responsible. Whilst the working assumption has been that Wiltshire Council would be the default vesting authority for off-line junctions, this needs to be clarified, especially in the context of a), b) and c) above. It would be logical that the vesting of the Longbarrow roundabouts is treated in the same way as the Countess Roundabout.	Schedule 9 to the draft DCO [REP6-005] and the Classification of Roads Plan [APP-016] must be read alongside article 47 of the draft DCO. The roads described in Part 2 of Schedule 9, the slip roads between the A303 and the new Longbarrow Junction, will become a trunk road by virtue of article 47(1)(a). The roads described in Part 3 of Schedule 9, comprising the links between the existing A360 and the new Longbarrow Junction, the circulatory carriageways of the northern and southern roundabouts, and the link between the two carriageways carried by	Agreed subject to the completion of a legal agreement between the parties



Green Bridge No.3 over the
existing A303, will be
classified as the A360 by
virtue of article 47(1)(b) of the
draft DCO. This is shown in
Inset 2 on the Classification
of Roads Plan. As noted
above, roads that are not
trunk roads must be
completed to the reasonable
satisfaction of the local
highway authority which
would then become
responsible for their
maintenance, by virtue of
article 9(1). The responsibility
for maintaining the highway
surface of the A360 carried
over the A303 trunk road by
Green Bridge No.3 would fall
to the local highway
authority, although the
structure of Green Bridge
No.3 would be maintained by
Highways England, by virtue
of Article 9(6).
The parties agree that
matters relating to the
highways that Wiltshire
Council would become liable
to maintain, as a result of the
Scheme, are capable of
being resolved through the
terms of a legal agreement
between the parties. The
parties intend to conclude



				such an agreement before the close of the examination.	
3.4.16		Other matters relating to the detrunked A303	Wiltshire Council will seek to ensure that it receives an asset in good repair, where the need for structural maintenance in the foreseeable future being minimised. Wiltshire Council will seek to secure a de-trunked asset which will not require foreseen structural maintenance interventions for at least 5 years following the asset being vested in Wiltshire Council.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.4.17	[RR-2365]	Part III Highways & Transport considerations 37.	o) Wiltshire Council will seek to agree commuted payments to support those additional assets for which it could become responsible and ensure absolute clarity of the extent / boundaries of such assets.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.4.18	[RR-2365]	Lighting at Longbarrow Junction	It is welcomed by the archaeology service that no street lighting has been proposed for the area of the	Highways England acknowledges WCAS's concerns but note that the	Under discussion Agreed subject





	T		1	111 84 1 4	I
				would have a Moderate Positive impact on this aspect of the WHS, resulting in a Large Beneficial effect.	
3.4.19	RoE Ref: G1	Highways design	Potential impacts include: Lighting associated with the Countess Roundabout flyover	The Countess Roundabout flyover is not being lit. The existing lighting will be replaced and therefore a potential beneficial change from more efficient lighting and reduced light spillage (see item D-CH12 of the OEMP [REP6-011]).	Agreed
3.4.20	[RR-2365]	Part III Highways & Transport considerations 37.	e) Wiltshire Council will require clarification, following detailed design, about the precise boundaries to the new highway for which it will become the vesting authority. It will also require details for the associated support infrastructure including drainage arrangements (including any easements or maintenance access, lighting and power supply other cabling).	In all cases where Wiltshire Council would become the highway authority for a new highway comprised in the Scheme, Highways England confirms that details of the precise boundaries of the new highways, together with details of associated supporting infrastructure, to be maintained by Wiltshire Council, will be provided once the corresponding powers under the DCO have been exercised. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the	Agreed subject to the completion of a legal agreement between the parties



		terms of a legal agreement
		between the parties. The
		parties intend to conclude
		such an agreement before
		the close of the examination.

3.5 Matters Under Discussion in relation to Highways Design.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.5.1	RoE Ref: G1	Section 5: Highways and Transport Considerations: Old Stonehenge Road 54.	An issue of concern has been identified in relation to two farms (Park Farm and West Amesbury Farm), because the farms have a need to accommodate movements of large vehicles (combine harvesters, circa 4m wide), which could be problematic if the only access to the farms were to be via Amesbury. It is understood that matters relating to this issue are recognised by HE and attempts will be made to ensure that suitable and appropriate access arrangements are established. The solution to the problem might involve some minor changes to waiting restrictions within Church Street, to help remove local pinch points, which can be caused by onstreet parking. Access between the National Trust owned fields and Countess Road is proposed to be via the public bridleway AMES9A.	(Pursuant to the MW-COM series of items in the OEMP [REP6-011]) Farm access arrangements have been and will continue to be discussed with affected landholders, including Park Farm and West Amesbury Farm. Suitable alternative access arrangements will be pursued for agreement with the affected landholders of the two farms. If this is unachievable then appropriate compensation will be agreed.	Under Discussion



			Wiltshire Council as the highway authority responsible for the maintenance of the surface of this bridleway has no objection in principle to its use as a private means of access for combine harvesters as is proposed, but will require a legal agreement to provide that any damage caused to the surface by the exercise of this new private access will be rectified by the holder of those rights. However, it must be recognised that Wiltshire Council does not own the subsoil of the track over which the bridleway passes and cannot, therefore, give permission for the grant of the proposed new private rights of access; only the owner(s) of the subsoil can do that.		
3.5.2	[RR-2365]	Part III Highways & Transport considerations 37.	j) The works proposals do not provide for any works at the layby to the western end of the above section of existing A303. Wiltshire Council is concerned as to the potential abuse of this area of highway, especially bearing in mind proximity to Stonehenge. Potential alternative uses will need to be considered. It is also questioned as to why this layby is excluded from the De-trunking Plans. The Council has stated in its	It is proposed that this layby be filled, profiled, soiled and seeded, to discourage vehicular use. Highways England is reviewing the status of the layby in discussions with Wiltshire Council. At deadline 4 Highways England wrote to the ExA setting out its intentions to submit a request for a non-	Under Discussion. Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural decision by the



	written representations that the layby should: a) Be included in the detrunking drawings b) Be made inaccessible for potential use by inappropriate users e.g. illegal overnight camping etc.	Following confirmation by Wiltshire Council that the lay- by would not be required by the Council for operational reasons, as noted in the Applicant's Responses to Written Representations [REP3-013] para 22.7.19, the Applicant proposes to close the layby to prevent its potential misuse in connection with anti-social behaviour. Accordingly, the Applicant proposes to extend the area of proposed de-trunking on this length of the existing A303 to include the lay-by. This proposed change would require amendment of the De-Trunking Plans [APP-015] (by the addition of thick zebra hatching over the lay-by) and amendment of the corresponding drafting in Part 9 of Schedule 9 to the draft Development Consent Order [REP3-003], to include the lay-by. This proposed change would only require the use of land	Examining Authority in response to Highways England's application for proposed non-material changes to the Scheme.
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------



				which is already within the Order limits and proposed to be acquired compulsorily; it would not require any 'additional land' as defined in the CA Regulations and would therefore not engage the CA Regulations.	
				If this proposed change was accepted, the area occupied by the lay-by would be reprofiled to prevent vehicular access, re-seeded and returned to a grassed verge.	
				Consultation on the proposed change to the layby is underway (running from 26 July to 26 August 2019) and Highways England has submitted a formal application for this proposed change.	
3.5.3	[RR-2365]	Part III Highways & Transport considerations 37.	c) The existing Countess Roundabout is vested in Highways England. The TR010025 2.12 De- trunking Plans do not show Countess Roundabout as proposed to be de-trunked. Depending on the outcome of the clarification sought in a) above, there might be a need to amend the de-trunking plans.	Highways England confirms that the De-trunking Plans [APP-015] do not show the existing Countess Roundabout as being detrunked and as such the responsibility to maintain the circulatory carriageway would remain with Highways England. Highways England is considering Wiltshire Council's concerns in respect	Under Discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural



	of this matter which remains under discussion. At deadline 4 Highways England wrote to the ExA setting out its intentions to submit a request for a nonmaterial change:	decision by the Examining Authority in response to Highways England's application for
	As noted in the Applicant's Comments on Written Representations [REP3-013] at paragraph 22.7.32, the submitted application does not include proposals to detrunk the circulatory carriageway at Countess Roundabout.	proposed non-material changes to the Scheme.
	As a result of ongoing discussions with Wiltshire Council, the Applicant proposes to amend the De-Trunking Plans [APP-015] and Part 9 of Schedule 9 to the draft Development Consent Order [REP3-003] to de-trunk the circulatory carriageway at Countess Roundabout. This would involve adding a new sheet to the set of De-Trunking Plans,	
	to include the Countess Roundabout, with zebra hatching added to the	



				circulatory carriageway to show the proposed detrunking. In practical terms, there would be no change to the surface or use of the carriageway. Consultation on the proposed change to the classification of the circulatory carriageway of the Countess roundabout is underway (running from 26 July to 26 August 2019). Highways England has submitted a formal application for this proposed change.	
3.5.4	[RR-2365]	Part III Highways & Transport considerations 37.	i) Schedule 9 Part 7 of the Draft DCO sets out proposed classification classes for the existing A303 around Winterbourne Stoke. The Council questions the Class 3 proposed classification for the 595m length of road west of the western B3083 junction to the south side of the existing A303. This road will be a little used culde-sac and more appropriately unclassified.	Highways England considers the 'C' classification for the 595 metre length of the existing A303 (to be detrunked), as shown dashed orange on the Classification of Roads Plan [APP-016] (see Inset 1) to be appropriate but acknowledges that Wiltshire Council will become the highway authority responsible for the maintenance of this stretch of road once it has been de-trunked. Highways England and Wiltshire Council are discussing the	Under Discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural decision by the Examining Authority in response to



		appropriateness of the classification proposed by the Scheme and Wiltshire Council has proposed that the road should become an unclassified (D class) road. Highways England has submitted a formal application for this proposed change.	Highways England's application for proposed non-material changes to the Scheme.
		At deadline 4 Highways England wrote to the ExA setting out its intentions to submit a request for a non- material change:	
		Following a request from Wiltshire Council as noted in the Applicant's Comments on Written Representations [REP3-013] para 22.7.29, the Applicant intends to amend the proposed re-classification of the existing A303 west of the B3083 Berwick Road from a "C" class road (as proposed in the application) to a "D" class road (as requested by Wiltshire Council).	
		Accordingly, the Applicant proposes to amend the Classification of Roads Plan [APP-016] and Part 7 of Schedule 9 to the draft	



				Development Consent Order [REP3-003] to effect the change identified in the previous paragraph. Consultation on the proposed change to the classification of this length of highway is underway (running from 26 July to 26 August 2019). Highways England has submitted a formal application for this proposed change.	
3.5.5	RoE Ref: G1	53. Old Stonehenge Road – Closed to through traffic.	A turning facility must be provided where its public use by vehicular traffic terminates.	Where an existing highway is proposed to be stopped up, adequate turning facilities will be provided for road users. At deadline 4 Highways England wrote to the ExA setting out its intentions to submit a request for a non-material change:	Under discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a
				The Application does not include provision for a turning head on Stonehenge Road to facilitate vehicle turning movements immediately south-east of the point at which Stonehenge Road is proposed to be converted to a new restricted byway – see Reference J on Sheet 8 of the Rights of Way and Access Plans [APP-009]. As	favourable procedural decision by the Examining Authority in response to Highways England's application for proposed non-material



	Stonohongo Bood will	ohongoo to
	Stonehenge Road will	changes to the Scheme.
	become a cul-de-sac for	the Scheme.
	motorised vehicles travelling	
	north-west, which do not have	
	private means of access	
	rights to continue towards	
	Stonehenge Cottages, the	
	Applicant considers it	
	appropriate to provide a	
	turning head at this location.	
	Accordingly, the Applicant	
	proposes to modify the	
	highway layout to incorporate	
	a turning head within the	
	Order limits and within the	
	existing highway boundary,	
	immediately south-east of the	
	terminus of the proposed	
	restricted byway Reference J.	
	Consultation on the proposed	
	provision of a new turning	
	head on Stonehenge Road is	
	underway (running from 26	
	July to 26 August 2019).	
	Highways England has	
	submitted a formal application	
	for this proposed change.	

- 3.6 Matters Not Agreed in relation to Highways Design.
- 3.6.1 No matters Not Agreed at the present time.



3.7 Matters Agreed in relation to NMU & PRoW.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.7.1	[RR-2365]	Part VIII Public Rights of Way considerations General 120.	The legislative process by which the creation, diversion and extinguishment (stopping-up) of the affected public rights of way needs to be agreed with Wiltshire Council as the Surveying Authority; with particular regard to whether the confirmation of the legal orders enables of itself the Council to amend the Definitive Map and Statement, or whether further orders will need to be made by Wiltshire Council to enable those amendments. Still uncertain whether Wiltshire Council will need to make Legal Event Orders to modify the Definitive Map and Statement. Wiltshire Council to seek own legal advice.	The Scheme's proposals for public rights of way are shown on the Rights of Way and Access Plans [APP-009] and described in Schedule 3 to the draft DCO. Article 10 of the draft DCO [APP-020] would provide the legislative basis for the creation, diversion and extinguishment of highways, if the DCO is made by the Secretary of State in the form applied for by Highways England. The exercise by Highways England of the power in Article 10 would give effect to the creation, diversion and extinguishment of streets and private means of access, as shown on the Rights of Way and Access plans and as provided for in the DCO. There would be no need for Wiltshire Council to make any further order(s).	Agreed
3.7.2	[RR-2365]	Part VIII Public Rights of Way considerations General 121.	Where the diversion and creation of new sections of public rights of way will lead to the new routes becoming maintainable at public	Article 9(1) of the draft DCO [APP-020] requires Highways England to complete any new highways to the reasonable	Agreed subject to the completion
		121.	expense by Wiltshire Council as Highway Authority, design and	satisfaction of Wiltshire Council who will become responsible	of a legal agreement



			construction details and specifications must be agreed by the authority prior to the commencement of works, and to be certified by the authority on completion as having been provided to the required standard before the authority accepts responsibility. Any requirements for the payment to Wiltshire Council of commuted sums to cover / assist with the costs of maintenance of the new routes must also be agreed before Wiltshire Council accepts responsibility.	for its maintenance. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	between the parties
3.7.3	[RR-2365]	Part VIII Public Rights of Way considerations General 122.	Where temporary diversions or closures of public rights of way are necessary during the construction phase, the construction details of alternative routes to be provided must be agreed in advance with Wiltshire Council as Highway Authority.	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [REP6-005]. Matters to be included in this plan are set out in reference MW-TRA2 to MW-TRA11, including in relation to alternative routes for pedestrians and NMUs of the Outline Environmental Management Plan [REP6-011], compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO.	Agreed subject to the completion of a legal agreement between the parties
3.7.4	[RR-2365]	Part VIII Public Rights of Way considerations 124. 125. 126. 127. Byways open to all traffic	Provision of additional detail including proposals for physical closures, new junctions surface to be provided, width, signage and waymarking will be required,	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are	Agreed subject to the completion of a legal



			including structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing/hedging, and fencing of Green Bridge against drops.	capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	agreement between the parties
3.7.5	[RR-2365]	Part VIII Public Rights of Way considerations 124. 130. 131. Restricted byways	Provision of additional detail including surface to be provided, width, signage and waymarking, structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing / hedging, fencing against drops and fencing of Green Bridge against drops.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [APP-020] which requires the Secretary of State's approval of a landscaping scheme, following consultation with	Agreed subject to the completion of a legal agreement between the parties



				Wiltshire Council. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	
3.7.6	[RR-2365]	Part VIII Public Rights of Way considerations 129. 132. 133. 134. Restricted byway in WHS	Provision of detailed proposals for surfacing materials, width (overall and surfaced width), verge treatment, signage, boundary fencing/hedging, turning areas, structures to control motorised and non-motorised users, and private means of access.	The new restricted byway would be within the World Heritage Site. The Outline Environmental Management Plan [REP6-011] reference D-CH14, requires Highways England to develop the fencing and surfacing within the World Heritage Site in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council. Compliance with the Outline Environmental Management Plan is secured by paragraph 4 of Schedule 2 to the draft DCO [REP6-005]. Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [REP6-005] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire Council. The parties agree that matters	Agreed subject to the completion of a legal agreement between the parties



				relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.7.7	[RR-2365]	Part VIII Public Rights of Way considerations 128. Bridleways	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging. It is noted that the Examining Authority has instructed Highways	Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [REP6-005] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire Council. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.7.8	[RR-2365]	Part VIII Public Rights of Way considerations Footpaths	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging.	The parties agree that matters relating to the highways that Wiltshire Council would	Agreed subject to the



Γ					become liable to maintain, as a	completion
					result of the Scheme, are	of a legal
					capable of being resolved	agreement
					through the terms of a legal	between the
					agreement between the	parties
					parties. The parties intend to	
					conclude such an agreement	
					before the close of the	
					examination.	
					The OEMP submitted at Deadline 6 [REP6-011]	
					contains various additional	
					design commitments, and	
					design principles applying to	
					the matters in question, notably	
					within section 4 and table 4.1	
					of the OEMP.	
	3.7.9	[RR-2365]	Part VIII Public Rights of Way (PRoW) considerations	Further information is required relating to any proposed changes at	The parties agree that matters relating to the maintenance of	Agreed subject to
			Connection of Amesbury Footpath	this junction.	highways that Wiltshire Council	the
			13 into Stonehenge Road		would become liable to	completion
			136.		maintain, as a result of the	of a legal
			130.		Scheme, are capable of being	agreement
					resolved through the terms of a	between the
					legal agreement between the	parties
					parties. The parties intend to	
					conclude such an agreement	
					before the close of the	
					examination.	
					The OEMP submitted at	
					Deadline 6 [REP6-011]	
					contains various additional	
					design commitments, and	



				design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	
3.7.10	[RR-2365]	Part VIII Public Rights of Way considerations Stopping-up of Amesbury BOAT1 & BOAT2 and Connection to A303 137. 138.	Detail of physical works to effect stopping-up required.	The parties agree that matters relating to the maintenance of highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	Agreed subject to the completion of a legal agreement between the parties

3.8 Matters Under Discussion in relation to NMU & PRoW.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.8.1	[RR-2365]	Part VIII Public Rights of Way considerations	An unresolved matter is the severed link between BOAT AMES11 and AMES12 for	Highways England acknowledges the consideration by Wiltshire	Under Discussion



				
Genera	<u>al</u>	motorised users. This creates a	Council of its duties under	
123.		breach of Wiltshire Council's	section 130 Highways Act	
		statutory duty under s.130	1980.	
		Highways Act 1980 to prevent, as	Byway 11 will terminate where	
		far as possible, the stopping-up of	it currently joins the existing	
		highway rights, with the lack of any	A303, which will be converted	
		mitigation measures.	into a restricted byway. This	
		Wiltshire Council consider that the	will prevent vehicles from	
		adverse effects of the severance of	using the route of the old A303	
		the link can and should be	between Byways 11 and 12 in	
		addressed within the dDCO. The	close proximity to Stonehenge	
		council is requesting motor vehicle	to the detriment of the	
		restrictions on specified byways	monument's setting. No link for	
		within the World Heritage Site, to	mechanically-propelled	
		be included in the draft DCO. The	vehicles (MPV) between	
		restrictions would apply to motor	Byways 11 and 12 has been	
		vehicles, with the exception of	proposed further south of the	
		vehicles in the services of the	A303 as it would have an	
		Police Authority, Fire and Rescue	adverse impact on the	
		Authority and the Ambulance	adjacent Normanton Down	
		Service, statutory undertakers,	barrow group and on the	
		public services (and their	tranquility of the WHS at this	
		contractors, Highways England	location. MPVs seeking	
		and their contractors, Heritage	access between Byways 11	
		England and their contractors,	and 12 will use the public	
		agricultural vehicles, and	highway network. Non-	
		motorcycles. The specified byways	motorised users will be able to	
		are Byways Open to All	link between Byways 11 and	
		Traffic(BOAT) and Restricted	12 via the new restricted	
		Byway(RB):	byway being created along the route of the old A303 through	
		- BOAT Durrington 10 (from		
		its junction with Fargo	the WHS. Currently, MPV	
		Road to its junction with	users of Byways 11 and 12	
		BOAT Amesbury 11 and	are not permitted to make right	
		C506)	turns onto the A303 from	
		- BOAT Amesbury 11 (full		



length)	those byways or onto those
- BOAT Amesbury 12 (from	byways from the A303.
its junction with BOAT	Wiltshire Council would remain
Durrington 10 crossing	the highway and traffic
over C506 to its junction	authority for Byways 11 and
with A303	12 and the Scheme does not
 BOAT Amesbury 12 from 	impede Wiltshire Council from
its junction with A303 to its	the lawful exercise of its
junction with BOAT	functions to prohibit driving,
Wilsford cum Lake 1	should it choose to do so.
- RB (old surface route of	Highways England set out in
A303 length of 400 metres	its Examination submissions
from its junction with BOAT	and response to Wiltshire
Amesbury 11 to its junction	Council's submission in
with BOAT Amesbury 12)	respect of byways 11 and 12
- BOAT Wilsford cum Lake 1	[REP6-037] that it does not
(full length)	agree with the changes
- BOAT Wilsford cum Lake 2	proposed by Wiltshire Council,
(full length)	and considers that in order for
- BOAT Berwick St. James	them to be considered by the
11 (full length	Examination, the Council will
- BOAT Woodford 16 (full	be required to submit an
`	assessment of the impacts of
length)	the proposed change. A
Wiltshire Council considers the	decision from the Examining
effects of the severance of the link	Authority is awaited on this
between Amesbury BOATs 11 and	issue.
12 for motorised vehicles to require	
the making of a traffic regulation	In response to Wiltshire
order to prohibit driving of	Council's current position,
motorised vehicles, other than	Highways England confirms
motorcycles. Wiltshire Council	that it is in agreement with the
considers that the prohibition of	Council on the principle of
driving order should be included	monitoring and is in discussion
within the DCO. It will also be	on the manner of recording
necessary to make a Traffic	this, most likely to be through



Current position Current position Current position Current position Current position Example 1 Current position Example 2 Current position Example 3 Current position Example 4 Current position Example 4 Current position Example 5 Current position Example 6 Current position Example 6 Current position Example 7 Cu	Regulation Order to permit the driving of motorcycles by the public on the section of the former A303 between entrances to Byways 11 and 12. The Council has clearly set out its position in the Written Representation. Oue to the risk to the statutory examination timetable if the Council were to go to public consultation and then provide the putcome to the Examining Panel and the fact that the Council does not wish to put at risk the wider penefits HE's proposed development will bring to the ravelling public and to visitors to the WHS, the Council has decided to withdraw its application that the DCO be amended by the inclusion of a prohibition on the use of motorised vehicles (other than motor cycles and invalid carriages) on part of Durrington byway 10, and Amesbury byway 11 (hereafter eferred to as AMES 11) and part of Wilford cum Lake byway 1, Wilford cum Lake byway 2, Berwick St James byway 11, Woodford byway 16 and part of Amesbury byway 12 (hereafter eferred to as AMES 12).	the legal agreement being prepared.	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------	--



			The Council maintains its concern that the closure of the existing A303 and resultant loss of the travelling motorised public's ability to obtain a passing free view of the Stonehenge monument will increase use of AMES 11 and 12 by the travelling motorised public to an inappropriate level. However, the Council proposes that this concern, should it arise, can be dealt with suitably under the Council's existing Highway Authority powers provided HE agrees to the monitoring of traffic with these byways once the Scheme becomes operational (to avoid delays caused by evidence gathering) and coverage of the costs of any TRO necessary (to ensure that the residents of Wiltshire do not incur unnecessary costs resulting from the Scheme). The Council is currently in discussion with HE for the inclusion of these aspects within the Side Agreement currently		
			being developed and considers this should be capable of resolution.		
3.8.2	[RR-2365]	Part VIII Public Rights of Way considerations New Restricted Byway North from Existing Longbarrow Roundabout	Finalisation and agreement of the status of this new route and its alignment at the Visitor Centre car park is also required.	The new restricted byway would be within the World Heritage Site. The Outline Environmental Management	Under Discussion Inclusion of



/ Old A303 to Stonehenge Visitor	Noted that discussions are ongoing	Plan [APP-187] reference D-	the the
Centre, Old A344 and A360	with Wiltshire Council, English	CH14, requires Highways	revised
129.	Heritage, Historic England and the	England to develop the	NMU route
	National Trust.	fencing and surfacing within	in the
		the World Heritage Site in	Scheme will
		consultation with the National	be subject to
		Trust, Historic England,	the issuing
		English Heritage and Wiltshire	of a
		Council. Compliance with the	favourable
		Outline Environmental	procedural
		Management Plan is secured	decision by
		by paragraph 4 of Schedule 2	the
		to the draft DCO [APP-020].	Examining
		The route at the Visitor Centre	Authority in
		car park is subject to ongoing	response to
		discussions with English	Highways
		Heritage and Wiltshire	England's
		Council.	application
			for proposed
		At deadline 4 Highways	non-material
		England wrote to the ExA	changes to the Scheme.
		setting out its intentions to	the Scheme.
		submit a request for a non-	
		material change:	
		For the reasons set out in the	
		Applicant's Comments on	
		Written Representations	
		[REP3-013] (paragraphs	
		28.4.1 to 28.4.3 refer) and	
		subject to continuing	
		discussions with the affected	
		landowner and English	
		Heritage, the Applicant	
		proposes to amend the route	
		and possibly the status of the	



· · · · · · · · · · · · · · · · · · ·
new public right of way
comprised in References U
and UA as shown on the
Rights of Way and Access
Plans [APP-009] (on Sheet 14)
and identified in Schedule 3 to
the draft Development
Consent Order [REP3-003].
This route is the proposed
restricted byway which would
run from a point opposite
Kighton Track northwards to
the former A344 at
Stonehenge Visitor Centre.
Applicant is working with
English Heritage Trust and the
affected landowner to explore
the potential for an alternative
route which addresses English
Heritage Trust's concerns and
meets the Applicant's
objective of improving access
for non-motorised users.
The Applicant notes that
English Heritage Trust's
proposed alternative route
includes some land which is
owned by a third party and
which is located outside the
Order limits. As such, this
proposed change would
require additional land as
defined by the CA
Regulations. The Applicant
aims to avoid engaging the CA
ains to avoid engaging the CA



	Regulations by endeavouring to secure the additional land by agreement.	
	It is the Applicant's view that the inclusion of the alternative route is subject to the parties' reaching agreement, within the requisite timescales, regarding the acquisition of the additional land.	
	Consultation on the proposed change to PRoW route is underway (running from 26 July to 26 August 2019). Highways England has submitted a formal application for this proposed change.	

- 3.9 Matters Not Agreed in relation to NMU and PRoW.
- 3.9.1 No matters Not Agreed at the present time.



3.10 Matters Agreed in relation to Air Quality.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.10.1	RoE Ref: AQ1, AQ2 and AQ3 [APP-043]	Study area.	N/A	The approach to the determination of the air quality study area (i.e. DMRB screening criteria) has been discussed with Wiltshire Council.	Agreed
3.10.2	RoE Ref: AQ3 [APP-043]	Policy context.	N/A	Relevant Local Planning Policy has been discussed with Wiltshire Council. The Draft Air Quality Supplementary Planning Document dated September 2012 was provided by Wiltshire Council. The air quality assessment undertaken for the Scheme is consistent with the air quality assessment developer notes included in the draft guidance.	Agreed
3.10.3	RoE Ref: AQ4, AQ5, AQ7 and AQ8 [APP-043]	Baseline.	N/A	Baseline air quality monitoring results from the Highways England air quality survey were provided to Wiltshire Council. Subsequently, discussions were held on the potential need for monitoring along the A36 south of the A303, as neither Highways England nor Wiltshire Council had recent baseline data for this route. It was discussed that if significant air quality	Agreed



				effects had been predicted for this route in either the construction or operational phases that this may have required air quality monitoring. No significant effects have been identified along this route and so no further monitoring is considered to be required.	
3.10.4	RoE Ref: AQ1, AQ2 and AQ3 [APP-043] & [APP-191]	Methodology.	N/A	The details of the air quality methodology have been discussed with Wiltshire Council and copies of relevant documentation provided (i.e. Interim Advice Notes).	Agreed
3.10.5	[APP-043]	Scoping Opinion response	Scoping opinion response from Wiltshire Council contained various comments relevant to air quality	Wiltshire Council's comments were incorporated into the assessment as reported in the Environmental Statement. Specific details provided in Table 5.3 of the Environmental Statement.	Agreed
3.10.6	[APP-043]	Design Mitigation	N/A	No Specific measures are proposed as significant air quality effects are not predicted from the operation of the Scheme	Agreed
3.10.7	[APP-043]	Construction Mitigation	N/A	Construction air quality mitigation measures have been included in the Outline Environmental Management Plan (OEMP) [REP6-011] submitted with the DCO [REP6-005], ES Appendix 2.2	Agreed



				[APP-187], compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO [REP6-005]. A full and detailed CEMP, which will be largely based on the OEMP, will be prepared by the Contractor, in consultation with Wiltshire Council, prior to the commencement of main works.	
3.10.8	[RR-2365]	VI. Public Protection Considerations Air Quality 96.	The arising referenced in 2.4.54 of Chapter 2 of the Environmental Statement [APP-040] must be spread and managed so as not to cause a statutory dust nuisance.	Measures for the management of dust are set out in the Outline Environmental Management Plan (OEMP) [REP6-011] (MW-AIR1, MW-AIR2, and MW-AIR4), as secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [REP6-005]. These measures will apply to the spread of arisings on the land east of Parsonage Down as this forms part of the Scheme.	Agreed
3.10.9	[RR-2365]	VI. Public Protection Considerations Air Quality 98.	With regard to the final paragraph in MW-AIR4 in table 3.2b of the OEMP [APP-187], it is suggested that "and agreed" is added to the reporting of Air Quality monitoring with the Council.	Wiltshire Council will be consulted on construction phase air quality monitoring that would be based on IAQM guidance and AIR4.	Agreed
3.10.10	[APP-020]	DCO Requirements	To ensure that emission rates assumed for the construction vehicles are reasonably	Highways England consider that this matter is adequately	Agreed



			conservative, it is recommended that emission rates used should be compared with emissions from the actual construction vehicles proposed, as part of the ongoing assessment and management of construction phase impacts.	addressed in existing DCO Requirements. Significant air quality effects are not expected during the construction phase and effects are not expected in sensitive locations, such as AQMAs. Standard best practice mitigation measures (as secured through item MW-AIR1 of the Outline Environmental Management Plan) are therefore considered appropriate. It is agreed that specific emissions testing of vehicles is not required. The need for Records of construction vehicles can be included as an item in final CEMP(s), production of which is required by the Outline Environmental Management Plan and is secured through paragraph 4 under Schedule 2 of the DCO [REP6-005].	
3.10.11	[APP-020]	DCO Requirements	Construction phase: No Materials shall be burnt on the development site during the construction phase of the scheme.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. No burning of material is agreed as this is standard best practice. This will be able to be dealt with in any final CEMP(s), production of which is required by the Outline Environmental Management	Agreed



				Plan and is secured through paragraph 4 under Schedule 2 of the DCO [REP6-005], pursuant to item MW-AIR1 of the Outline Environmental Management Plan [REP6- 011].	
3.10.12	[APP-020]	DCO Requirements	No development, (including construction, land raising and demolition if required) shall be carried out other than in accordance with a Construction Environment Management Plan (CEMP) that is first submitted to, and approved by, the local authority.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Preparation of a CEMP is required by the OEMP [REP6-011]. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the DCO [REP6-005]. As required by the OEMP, Wiltshire Council will be consulted during preparation of the CEMP(s) prior to the commencement of the construction phase.	Agreed
3.10.13	[APP-020]	DCO Requirements	Highways England shall submit a scheme to the local planning authority to examine the legacy impact of the development on Air Quality on the A36 and A350. The scheme shall be approved in writing prior to implantation. Where the scheme identifies negative impacts on air quality a scheme of mitigation shall be submitted to the Local Planning Authority for	The AQMAs listed are not within the air quality study area and so perceptible changes (i.e. more than 0.4 µg/m³) in air quality are not expected. Additionally, the changes that are predicted are for reduced traffic. No legacy air quality monitoring is therefore proposed, and Wiltshire Council are in agreement that operational air quality	Agreed



			approval in writing and implemented.	monitoring is not required following further discussion. A DCO Requirement relating to this matter is therefore not considered necessary.	
3.10.14	[APP-043]	ES Chapter 5	The Council requests more information on the haul routes to be used. Traffic diversions should not involve routing traffic through Air Quality Management Areas (AQMAs).	Highways England acknowledge that whilst traffic diversions may take place through Salisbury AQMAs (Regional Diversion), this will only be as a result of accidents or maintenance, as is currently the case. There are no planned diversions through AQMAs in construction phase 1 or 2 (as described in Chapter 2 of the ES). The regional diversionary routes are not expected to be utilised frequently and are not anticipated to cause a significant air quality effect in relation to annual air quality standards, for either annual averages or in terms of the number of permissible 1-hour exceedances (18 per year). A conclusion of no significant air quality effects from traffic management was included in Table 5.4: Scoping Opinion and response [APP-043]. Details of traffic management, including in relation to AQMAs will be set out in the traffic management plan (pursuant to	Agreed



				Regulation 9 (Traffic management) under Schedule 2 of the DCO [REP6-005]) that will be consulted upon with Wiltshire Council, prior to the commencement of the construction phase. Separately, Wiltshire Council seek to continue to engage with Highways England on diversionary routes and air quality in Salisbury AQMAs to improve air quality in these areas.	
3.10.15	[APP-020]	DCO Requirements	An assessment of the air quality implications of transportation of tunnel arising's shall be carried out prior to any offsite disposal. This shall identify any potential impacts on residents in proximity to the proposed haulage routes, including locations within AQMAs, require separate verification using Salisbury's continuous analyser and other diffusion tubes in urban environments; and identify appropriate measures to mitigate any potentially significant impacts. Highways England has confirmed with the Council that off-site disposal is not part of the Scheme.	Such a requirement is not needed. This is because offsite disposal is not proposed as part of the Scheme. On site disposal is secured pursuant to paragraph 8 of Schedule 2 to the draft DCO [REP6-005].	Agreed



- 3.11 Matters Under Discussion in relation to Air Quality.
- 3.11.1 No matters Under Discussion at the present time.
- 3.12 Matters Not Agreed in relation to Air Quality.
- 3.12.1 No matters Not Agreed at the present time.



3.13 Matters Agreed in relation to Noise and Vibration.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.13.1	RoE Ref: NV3 [APP-047]	Study area	-	Extent of construction and operational study areas and receptors shared, discussed and agreed in advance of DCO submission.	Agreed
3.13.2	[APP-047]	Policy context	-	Relevant Wiltshire Council Core Strategy Policy 57 included in assessment, in addition to standard national policies.	Agreed
3.13.3	RoE Ref: NV1, NV2, NV6 & NV7 [APP-047]	Baseline Noise Monitoring	-	Proposed baseline monitoring locations and methodology shared with Wiltshire Council for comment in advance of monitoring being undertaken.	Agreed
3.13.4	RoE Ref: NV1, NV6 & NV7 [APP-047]	Methodology	-	Assessment methodology shared and discussed with Wiltshire Council in advance of DCO submission.	Agreed
3.13.5	RoE Ref: NV1 [APP-047]	Scoping Opinion response	Scoping Report response from Wiltshire Council contained various comments relevant to noise and vibration	Wiltshire Council's comments were incorporated into the assessment as reported in the ES. Specific details provided in Table 9.2 of the Environmental Statement.	Agreed
3.13.6	RoE Ref: NV1, NV2, NV6 & NV7 [APP-047]	Baseline Noise Monitoring Results	-	Baseline noise monitoring results shared, discussed and agreed with Wiltshire Council	Agreed



				in advance of DCO submission.	
3.13.7	RoE Ref: NV9 - NV10 NV 16 - NV24	Mitigation incorporated into the design including: vertical and horizontal alignment, tunnel, thin surfacing, noise barriers at Countess flyover and solid parapet at River Till viaduct	Based on the Peer Review exercise completed on behalf of Wiltshire Council, Wiltshire Council are content that the proposed operational mitigation identified in the Environmental Statement is suitable and sufficient.	Agreed	Agreed
3.13.8	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 103.	Whilst vibration levels of 1.0 mms ⁻¹ are identified as causing complaint in sections 9.4 and 9.15 of Chapter 9 of the Environmental Statement [APP-047], no suggestion is made as to setting a level trigger alert which is recommended by Wiltshire Council (see comments made in paragraphs 84 and 88 above)	Item MW-NOI5 of the Outline Environmental Management Plan [REP6-011] (compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO) [REP6-005] details the Applicant's proposals in relation to dealing with vibration and relevant trigger levels. If predicted vibration levels exceed 1mms-1 PPV at occupied residential buildings based on the prediction methodology in BS 5228-2, those potentially affected will be notified as soon as practicably possible in advance of the works. In addition, it is agreed that Wiltshire Council will also be notified at the same time.	Agreed
3.13.9	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 105.	Wiltshire Council recommends that vibration levels of 1.0 mms ⁻¹ should be set as a level trigger alert to Wiltshire Council and affected residents (PW-NO14 of table 3.2a and MW-NO13 of table 3.2b of OEMP). (See paragraph 103 above)		Agreed
3.13.10	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 106.	In MW-NO15 of table 3.2b in the OEMP [APP-187], it is requested that a requirement to notify Wiltshire Council if predicated vibration exceeds 1.0 mms ⁻¹ is added		Agreed



3.13.11	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 107.	Wiltshire Council should be consulted on the Noise and Vibration Management Plan referenced in NO13 and Section 9.8 of the OEMP [APP-187].	As set out in the Outline Environmental Management Plan (OEMP) [REP6-011], the CEMP, to which the Noise and Vibration Management Plan will be appended [MW-G7], will be developed in consultation with Wiltshire Council [MW- G7]. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the draft DCO [REP6-005].	Agreed
3.13.12	[RR-2365] RoE Ref: NV7 - NV10, NV15, & NV29	VI. Public Protection Considerations Noise and Vibration 109.	Wiltshire Council suggests potential relocation for Stonehenge Cottages inhabitants over the 2 x 7 days construction periods (table 1.1 of Appendix 9.5 of the Environmental Statement [APP-272])	Temporary re-housing would be offered to residents at Stonehenge Cottages if the monitoring of vibration levels at the Cottages on the approach of the TBM indicates that PPV levels exceeding 1mms ⁻¹ are likely to occur continuously for a period of 48hrs or more during each tunnel bore.	Agreed
3.13.13	RoE Ref: NV28 – NV30	Operational traffic noise	Further details of the scheme of operational traffic noise mitigation measures outlined in 9.8.14 of Chapter 9 of the Environmental Statement [APP-047] shall be submitted in writing to the Local Authority, to provide that the maximum change in traffic noise level for sensitive receptors exposed to external road traffic noise shall not result in additional significant adverse effects, as	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Five measures listed in paragraph 9.8.14 are included in the OEMP [REP6-011], compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO [REP6-005]: Thin road surfacing: D-NOI1;	Agreed



			defined in 9.3.51- 9.3.52 and reported in Table 9.26 of Chapter 9 of the Environmental Statement. Any scheme of noise mitigation as approved shall be constructed in its entirety as soon as reasonably practicable in pursuance of the scheme and shall be retained thereafter in perpetuity. Reason: To ensure that the amenities of future occupiers are protected. The Council has received confirmation from Highways England that the amendments it seeks to the OEMP submitted by Highways England at Deadline 3 will be incorporated into the next draft, therefore this item can now be agreed.	Countess Junction Noise Barriers: D-NOI2; Till viaduct barrier: D-LAN2; Surface finish of retaining wall surfaces: D-NOI5; and Absorbent finish at the entrances/exits of the tunnel and Green Bridge Four: D- NOI6. Horizontal and vertical alignment including the tunnel, earthworks and retaining walls are secured through paragraph 3 of Schedule 2 to the draft DCO [REP6-005].	
3.13.14	RoE Ref: NV28 – NV30	Construction noise and vibration	No development, (including construction, land raising and demolition if required) shall be carried out other than in accordance with a Construction Environment Management Plan (CEMP) that is first submitted to, and approved by, the local authority. Reason: In the interests of prevention of pollution and protection of residential amenity.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Requirement not necessary. Wiltshire Council will be consulted on the CEMP which will be developed once a contractor is appointed. The CEMP will be prepared in accordance with the OEMP pursuant to Regulation 4 (Outline Environmental Management Plan) under Schedule 2 of the	Agreed



			The wording in the revised OEMP submitted at Deadline 3 by Highways England meets requirements.	draft DCO [REP6-005] approved by the SoS.	
3.13.15	RoE Ref: NV28 – NV30	Operational plant at the service buildings and generators at the compounds	The rating level of the noise emitted from operational fixed plant located at the service buildings at the tunnel portal, and generators at the construction compounds, shall not exceed the background level by more than 0 dB(A) at any residential property when assessed in accordance with BS 4142: 2014. Reason: In the interests of prevention of pollution and protection of residential amenity. This is covered within the OEMP MW-D-NOI3.	Highways England consider that this matter is adequately addressed in the OEMP [REP6-011], compliance with which is secured by paragraph 4 of Schedule 2 of the draft DCO [REP6-005].	Agreed
3.13.16	RoE Ref: NV28 – NV30	Piling during construction	Notwithstanding the requirements of the any submitted CEMP, construction work involving piling shall normally be carried out on the site between the hours of 10.00hrs and 16.00 Mondays to Fridays and no construction work involving piling shall be carried out on Saturdays, Sundays or Bank Holidays, unless otherwise first agreed in writing by the Local Authority. Reason: In the interests of prevention of pollution and protection of residential amenity.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Construction working hours are set out in the OEMP [REP6-011] and separate working hours for piling have not been proposed. Highways England have also provided a commitment to non-impact piling at the Countess flyover bridges and the River Till viaduct, and no piling in the channels of the River Till and River Avon. This matter has been secured	Agreed



	No impact piling has been agreed and covered in OEMP MW-D-NOI4 and MW-BIO3.	through the OEMP [REP6- 011], compliance with which is secured by paragraph 4 of Schedule 2 of the draft DCO [REP6-005].
--	-----------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------

- 3.14 Matters Under Discussion in relation to Noise and Vibration.
- 3.14.1 No matters Under Discussion at the present time.
- 3.15 Matters Not Agreed in relation to Noise and Vibration.
- 3.15.1 No matters Not Agreed at the present time.



3.16 Matters Agreed in relation to Cultural Heritage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.16.1	-	The extent of the study area was put forward in the EIA and HIA Scoping Reports and discussed at various Heritage Monitoring Advisory Group meetings (taking place on 11/10/17, 23/10/17, 06/11/17, 12/02/18, 21/03/18, 15/06/18).		The cultural heritage study area is confirmed in the ES Section 6.5 [APP-044], Study Area and illustrated in Figure 6.1 [APP-067], and Section 5.10 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.2	RoE Ref: G1	Legislation and planning policy considered relevant to cultural heritage. Section 9 Archaeology and World Heritage Site Considerations Background and Policy Context 165.	The Response to Statutory Consultation set out the following additional relevant documents: (Updated to reflect paragraph numbers in 2018 NPPF) National Planning Policy Framework (NPPF 2018) paras 188-190 and Practice Guidance Further Guidance on World Heritage Sites (2014). National Policy Statement for National Networks (2014) paragraphs 5.120-142.	Relevant legislation and planning policy documents are confirmed in ES Section 6.2 [APP-044] and Section 4 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.3	-	Non-statutory advice considered relevant was referenced in the HIA can be set out as follows: ICOMOS Guidance on Heritage Impact Assessments for Cultural World Heritage Properties (2011); UNESCO/ ICOMOS Advisory Missions (October 2015 and January 2017)		Relevant non-statutory advice and policy is confirmed in the ES Section 6.2 [APP-044] and Section 5 of the HIA, Appendix 6.1 [APP-195].	Agreed



3.16.4	-	The extent of the assessment methodology was put forward in the EIA and HIA Scoping Reports and discussed at various Heritage Monitoring Advisory Group meetings (taking place on 11/10/17, 23/10/17, 06/11/17, 12/02/18, 21/03/18, 15/06/18)		The methodology is as set out in ES Section 6.3 [APP-044] and Section 5 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.5	RoE Ref: G1	10. Built Heritage Considerations 197.	The scheme affects several built heritage assets, both designated and undesignated. These were highlighted in the earlier consultation response; since then, all sites of interest along the route have been visited by the relevant officer with the AmW built heritage consultant, and general agreement exists regarding the likely extent of the scheme's impacts. There are no aspects that are considered likely to reach a level of 'substantial harm', in NPPF terms; where 'less than substantial harm' is identified, the NPPF provides for a balancing exercise with public benefits.	Highways England welcome Wiltshire Council's engagement with the design team and the agreements reached.	Agreed
3.16.6	RoE Ref: G1	10. Built Heritage Considerations Key Considerations From West to East 198. 199. 200. 201. 202. 203. 204. 205.	The following points were raised in Wiltshire Council's Statutory Consultation Response: The positive impact on the Conservation Area of the removing the busy road from Winterbourne Stoke. Significant alteration of views up the Till Valley to the north	Highways England welcome points raised by Wiltshire Council in their Statutory Consultation Response, which have been incorporated into the final DCO application submission.	Agreed



			of the Conservation Area. The impact of the new Till Valley crossing on undesignated heritage assets as 'less than substantial'. The milestone (east of Longbarrow) which will be located alongside a byway as a result of the scheme. The significant positive change to the setting of Stonehenge cottages. The unaffected milestone on Stonehenge Road. The impact of the new flyover on the lodges and bridge on Countess Road.		
3.16.7	4.14 3.	Archaeological Mitigation Design: Yarnbury to diverge of mainline to offline route at Scotland Lodge: Works comprise cycleway and landscape bund (max 1m high) Southern cycleway built within existing highway boundary	Preference expressed for no dig solution for north side cycleway.	A commitment to the protection of archaeological remains with a no dig solution for the restricted byway at this location is set out in the ES Chapter 6 [APP-044] Appendix 6.11 [APP-220] in Table 2.2 (Site / Action Area No. 2) and in the Outline Environmental Management Plan (OEMP) [REP6-011] at reference MW-CH5 and will be secured in the Detailed Archaeological Mitigation Strategy (DAMS) [REP6-013] through the requirement for method statements at section 5.1 through DCO Requirement 5	Agreed



				(Schedule 2) [REP6-005]).	
3.16.8	-	Provision of Archaeological Mitigation Strategy	Implementation of Archaeological Mitigation Strategy will need to be secured a Requirement attached to the DCO. The Strategy may include the need to preserve in situ key archaeological remains or a programme of archaeological excavation and recording (including reporting, publication and dissemination of the results).	The Detailed Archaeological Mitigation Strategy (DAMS), developed with heritage stakeholders throughout the examination, will be secured through DCO Requirement 5 (Schedule 2 of [REP6-005]) and a certified document under the DCO.	Agreed
3.16.9	[RR-2365]	Assessment on Impact on the WHS 50.	A detailed and comprehensive Heritage Impact Assessment (HIA) has been prepared in accordance with the agreed scoping report that specifically assesses the impact of the Scheme on the OUV of the WHS. The assessment clearly shows the large benefits of the removal of the A303 from the central part of the WHS.	Highways England acknowledges WCAS's comments that the HIA has been prepared in line with the agreed HIA scoping report and that they agree with the Slight Beneficial conclusion of the HIA. Highways England also welcomes Wiltshire Council Archaeology Services comment that the Scheme will bring large benefits to the central part of the WHS.	Agreed
3.16.10	[RR-2365]	Western Bypass – Oatlands Hill 56.	It is welcomed by the archaeology service that no street lighting has been proposed for the area of the new junction, but the Council requires further detail regarding any residual impacts of light spillage and adverse impacts on dark skies within the vicinity of the WHS boundary. This needs to be considered in terms of traffic	Highways England acknowledges WCAS's concerns but note that the new Junction will be a substantial improvement on the existing, moving it 600m to the west of the WHS boundary, recessed into the landscape, and being unlit. This is in contrast to the existing Longbarrow	Agreed from a cultural heritage perspective but remains under discussion in terms of highway design



safety considerations given the	Roundabout which is currently
current proposals for traffic signal	lit by street lights and is
controls to address safety	immediately adjacent to the
concerns at this junction.	Winterbourne Stoke
at the junction	Crossroads barrow group.
	Highways England also notes
	that the Outline Environmental
	Management Plan [REP6-011]
	(compliance with which is
	secured under paragraph 4 of
	Schedule 2 of the DCO)
	[REP6-005] requires that
	tunnel lighting will be designed
	to minimize light spill at portals
	(item D-CH9), lighting under
	Green Bridge Four, located
	just east of Longbarrow
	Junction, to only occur
	between dawn and dusk, be
	dimmer controlled, and
	designed to minimise light spill
	outside of the bridge footprint
	(item D-CH10), no road
	lighting of the Scheme during
	operation except under Green
	Bridge Four and Countess
	Roundabout (item D-CH11),
	existing lighting units at
	Countess Roundabout shall be
	replaced to minimise light spill
	(item D-CH12), there will be
	no external lighting on the
	cutting retaining walls, or the
	external facades of the tunnel
	control buildings and tunnel
	portals within the WHS (item



				D-CH120) and the new PRoW/PMA within the WHS will not have lighting (item D-CH126). The potential impact of the Scheme upon dark skies is considered in the Heritage Impact Assessment [APP-195], Section 9.3, paragraphs 9.3.13 – 9.3.19, which concludes that the Scheme would have a Moderate Positive impact on this aspect of the WHS, resulting in a Large Beneficial effect.	
3.16.11	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 22.	From an archaeological perspective, the WCAS is also content with the proposed modification of Rollestone Corner. Archaeological evaluation (geophysical survey and trial trenching) has been undertaken in respect to the modified proposal and no significant archaeological remains have been identified in this location. The proposed modified scheme is smaller in scale than the previous scheme, however it is within the boundary of the WHS. It is understood on evidence currently available that the proposed modified scheme will not have an adverse impact on the setting of the WHS. WCAS would however, expect that the modified scheme is included within the HIA that is currently in development	The revised layout at Rollestone Cross has been adequately considered within the Heritage Impact Assessment submitted as Appendix 6.1 to the Environmental Statement (document no. 6.3, ref paras 6.8.31 etc.) [APP-195].	Agreed



			and which will be submitted with the DCO application.		
3.16.12		Limits of Deviation	Under DCO Article 7, the limits of deviation of the tunnel are set out as a deviation of up to 200m westwards. This is a matter of concern as it is a significant variation in terms of the very careful location of the eastern and western portals in relation to topography and significant archaeological remains. Wiltshire Council seeks clarification of this issue and require further consultation in the case that the deviation is invoked.	The Environmental Statement [APP-039 – APP-054] and Heritage Impact Assessment [APP-195] consider the maximum area of land anticipated as likely to be required, taking into account the proposed limits of deviation (LoD) for the Scheme and the flexibility of detailed design provided for in the DCO [APP-040]. The assessments therefore take into consideration what can be regarded as a realistic 'worst case' assessment of the impacts associated with the proposed scheme. Therefore, any movement within the design LoD would not result in a worsening of significant effects reported in the respective assessments.	Agreed in relation to cultural heritage
3.17.6	[RR-2365]	Restrictions of Activities Above the Line of the Tunnel 57.	The imposition of restrictive covenants on ground works on land above the tunnel is referred to in the draft DCO, 4.3 the Book of Reference [APP-025] and the Land Plans (2.2) [APP-005]. The Council has concerns over this and need to have a detailed agreement drawn up as it may restrict the ability to undertake archaeological investigations in a	As noted in the Statement of Reasons [APP-023] and response to ExA question CH.1.27, restrictions are required above the tunnel in order to secure protection of the tunnel from potentially conflicting future development and works that might jeopardise the structural	Agreed



		intermity of the transpl
	core part of the WHS.	integrity of the tunnel.
	core part of the WHS. The Council has now seen the technical note from HE and proposed authorization process and we are content that this issue can be dealt with satisfactorily.	integrity of the tunnel. The tunnel restrictions are in place to protect the integrity of the Stonehenge tunnel. Detail on the restrictions are as follows: 1. Development which would require planning permission, deep foundations, piling or influence existing ground conditions. 2. Changes in ground weight loading (either increasing or decreasing) such as: a. Any excavation (including boring and future archaeological research) below a depth of 1.2m in the area shown in light blue and below a depth of 0.6m in the area shown in dark blue on the attached plan; b. Any additional loading as a result of building work or storage; c. Use by any vehicle or tractor trailer combinations with a gross vehicle weight
		greater than 44 tonnes, in
		accordance with Road
		Vehicle (Construction and
		Use) Regulations; or
		d. Any new tree planting



		An updated version of the DAMS is to be submitted at deadline 7. This includes provision for the restrictive covenant to be passed on via a process of application for any archaeologists seeking to carry out investigations in the relevant parts of the WHS.
--	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3.17 Matters Under Discussion in relation to Cultural Heritage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.17.1	-	Preparation of a CEMP	Wiltshire Council require a CEMP to be prepared covering the following matters: - Details methods of protection for buried and upstanding archaeological remains during the construction process. - Compounds and temporary spoil storage areas outside the WHS in archaeologically sensitive areas. - An element of flexibility for design of construction compounds in the event significant archaeology is discovered. Detailed consideration of archaeological remains will need	A detailed Construction Environmental Management Plan (CEMP) will be prepared by Highways England's appointed contractor which will be based on, and incorporate, the requirements of the OEMP. Wiltshire Council will be consulted on the preparation of the CEMPs. This is specified in the OEMP [REP6-011, reference MW-G5, compliance with which is secured by Requirement 4 of Schedule 2 to the draft DCO [REP6-005]. The contents of the CEMP will be based on, and incorporate, the requirements of the	Whilst agreed in respect of this matter being dealt with by way of the CEMP, this item remains under discussion until the OEMP is finalised and the matter on approval of the CEMP is resolved as per GEN2.



to be set out in the associated	contractor relevant to that
DAMS.	contractor's contractual
DAIVIS.	
	scope.
The Council is seeking	The OEMP includes a
amendments to the OEMP to	number of measures relevant
meet its requirements.	to Wiltshire Council's
	concerns which will be
	incorporated within the CEMP
	and the Heritage
	Management Plan that will be
	appended to it:
	an obligation to
	prepare a Soil Management
	Strategy (ref PW-GEO3 and
	MW-GEO3);
	appropriate fencing
	off sensitive archaeological
	remains in the WHS (ref MW-
	CH3);
	the need for a Heritage
	Management Plan (prepared
	in consultation with HMAG
	and WCAS, and approved by
	Wiltshire Council (in
	consultation with Historic
	England to the extent the
	works the subject of the
	approval would ordinarily
	trigger the need for
	scheduled monument
	consent, and based on the
	DAMS) to be produced which
	is to include measures for the
	construction process to take
	account of archaeological
	assets (both known and



unknown) (item MW-CH1);
method statements
for dealing with
archaeological remains that
may need to be buried (MW-
CH5); and
monitoring of assets
during the construction
programme (MW-CH7).
Together these measures will
enable Wiltshire Council to
gain the comfort it seeks on
these issues.
Indicative layouts of the
construction compounds are
provided on Figure 2.7 of the
Environmental Statement
[APP-061].
The Detailed Archaeological
Mitigation Strategy (DAMS)
[REP6-013] sets out a
strategy for archaeological
mitigation at section 5.
Details of the proposed
mitigation approaches are set
out in section 6 of the DAMS
and proposals for each
identified archaeological
action area are set out in
Appendix D of the DAMS.
The DAMS is being
developed in consultation
with the Council and other
members of HMAG and will
be secured through DCO



				Requirement 5 (Schedule 2 of [REP6-005]).	
3.17.2	RoE Ref: G1	9. Archaeology and World Heritage Site Considerations Key Issues by Scheme Area Western Section: Winterbourne Stoke Bypass to Longbarrow Junction Parsonage Down East. 170.	The proposed deposition of chalk from the tunnel in this location is going to negatively impact on a number of known archaeological features, including settlement and burial features from prehistoric and Roman times. The area has not yet been archaeologically evaluated. When it is, it is likely that further features will be identified and some of these may be highly significant and may need to be preserved in situ at the current ground surface level. Until the evaluation and assessments of this area are completed (with requisite consents from the land owner) it is too early to judge if the proposed deposition and landscaping will be acceptable across the whole of this area. The mitigation measures for Parsonage Down East as drafted in the DAMS require agreement.	Highways England have completed the archaeological evaluation of the Parsonage Down area. Highways England maintain that this is the preferred site for the deposition of tunnel excavated material and the requisite land take is sufficient to allow significant archaeological remains to be preserved <i>in situ</i> within the redline boundary. Highways England has developed a scheme that ensures that significant archaeological remains are either avoided, designed around or have suitable protective measures put in place to allow preservation <i>in situ</i> beneath tunnel excavated material in certain circumstances, with an appropriate monitoring regime. A report drawing together the results of the relevant archaeological surveys and evaluations with a consideration of the significance of the archaeological remains identified and the mitigation approaches as proposed in	Under Discussion



				the DAMS has been (02-08-2019) issued to the Council for review and comment. The report was discussed at a meeting with the Council on 1st August 2019. Please see section 5 of the Detailed Archaeological Mitigation Strategy (DAMS) [REP6-013] (a revised version of which is submitted at Deadline 7)	
3.17.3	[RR-2365]	Lack of Design Details 42.	It is understood that the DCO is presented as an indicative design Scheme (7.2 Design and Access Statement 1.2.1 [APP-295]) and that further design details will follow post consent. However, the lack of design details at this stage makes it difficult to fully assess the impact of the Scheme on cultural heritage, landscape setting and the need for mitigation. For example, the extent and location of utility trenches or the engineering details for the Till Valley, green bridges and tunnel portal or the exact requirements for road signage and fencing are unknown.	Highways England considers there is sufficient information provided in the application to allow the scheme's likely significant effects to be understood and to inform the need for mitigation. The design has been fixed to an appropriate level for the DCO application. The design is sufficiently developed to have undertaken a comprehensive Environmental Impact Assessment (EIA), as reported in the Environmental Statement (ES) [APP-039 – APP-054], and, in the context of the World Heritage Site, a Heritage Impact Assessment (HIA) [APP-195]. The parameters of the permission sought are constrained to the horizontal limits established by the Works Plans [APP-	Under Discussion



addition of section 4 in the 008], the vertical limits of the **Engineering Section** OEMP which sets out the Design Drawings(Plan and Profiles) Vision for the scheme and identifies key Design Principles [APP-010], the Engineering which will inform the detailed Sections Drawings (Cross design of the scheme and sets Sections) [APP-011] and the **Tunnel Limits of Deviation** out a number of Design Commitments and procedures Plan [APP-019], subject to for involvement of key the limits of deviation stakeholders. The Council has established by article 7 of the draft DCO [REP6-005]. greater assurance that the detail design will conform with the overall vision, aims and Photomontages and CGI objectives of the Stonehenge visualisations have been and Avebury World Heritage Site presented within the LVIA Management Plan (2015) and Chapter (Chapter 7 [APPsustain the Outstanding 045] and Cultural Heritage Universal Value of the World Chapters (Appendix 6.9) Heritage Site. The Council [APP-218] of the ES for the considers that this can be Till Valley, green bridges and improved through further the tunnel portal. Design and development of a suite of visual representations will be visualisations and guidance to developed through the append the OEMP. detailed design process. Additional visualisations were submitted to the Examination at deadline 6 and further visualisations are to be submitted to the Examination at deadline 7. Further details will be developed through the detailed design process. This will enable the best opportunity to draw on the



	skill and experience of the contractor to be brought fully into the detailed design and implementation phase and therefore greatest potential for innovation and latest practice and technology to be fully considered at the stage immediately before
	implementation. The Outline Environmental Management Plan (OEMP) [REP6-011] includes a design vision together with a set of design principles for key elements of the Scheme. Highways England will
	consult key stakeholders, including Wiltshire Council, on the external appearance of the following elements of the Scheme within the World Heritage Site: a) The tunnel service buildings (Work No.1D(ii)); b) Portals structures
	(Work Nos. 1E(ii) and 1G(iii)), retaining walls (part of Work Nos. 1D(ii) and 1H(ii)) and Green Bridge Four (Work No.1d(i)); and c) Public rights of way, including pedestrian, cycling and non-motorised user provision and wayfinding



including surfacing, materials,	
fencing and gating.	
Outside of the World Heritage	
Site Highways England will	
consult key stakeholders,	
including Wiltshire Council,	
on the external appearance	
of the following:	
a) Signing and lighting at	
the new Longbarrow junction	
(Work No.1C(ii)); and	
b) Signing and lighting at	
the Countess junction (Work	
No.1H(iv)).	
Design principles are set out	
in Table 4.1 of the OEMP	
issued at deadline 6 [REP6-	
011] and have been	
developed through extensive	
engagement with heritage	
stakeholders, including	
WCAS. These provide	
sufficient certainty and	
Highways England considers	
that there is no need for a	
further design document.	
Key design elements that are	
secured via the OEMP	
include:	
• D-CH2 and D-CH3 which	
require the redundant	
sections of the road surface	
to the existing A303 and	



	 	_
		A360 (including the existing
		Longbarrow Roundabout) to
		be broken out, save to the
		extent they are required for
		public rights of way;
		D-CH4 – requires Green
		Bridge Four to be
		approximately 145-149.9mm
		wide;
		• D-CH5 – which requires the
		western approach to the
		tunnel to be in cutting to a
		minimum 7m depth with
		vertical retaining walls;
		• D-CH6 and D-CH7 – which
		require cut and cover tunnels
		extending eastwards and
		westwards from the bored
		tunnel;
		• D-CH9, D-CH10, D-CH11,
		D-CH12 and D-CH20 - which
		taken together limit the use
		and impact of highway
		lighting within the WHS and
		require improved lighting at
		Countess Roundabout.
		D-CH16, which limits the
		height of portal entrances
		Approach to Materials
		selection and surface
		treatment
		Further details, including
		width and surface treatment
		of new rights of way, fence



				lines and structural finishes, are under discussion with heritage stakeholders and Wiltshire Council. As noted above, the Outline Environmental Management Plan (OEMP) [REP6-011] includes a design vision, further design commitments on these matters, design principles and a mechanism for consultation with heritage stakeholders, including Wiltshire Council, on the detailed design of aspects of the Scheme. Table 4.1 of section 4 of the OEMP details a wide range of principles to direct the appearance of the detailed design of the Scheme within and beyond the WHS, considering such matters as; landscaping, fencing, structures, surfacing, lighting and public rights of way. Compliance with the OEMP is secured via paragraph 4 of Schedule 2 of the draft development consent order [REP6-005]. In addition Requirement 8 of the development consent order requires consultation with Wiltshire Council on the landscaping of the scheme.	
--	--	--	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--



T T			
		In the context of signage, there will be minimal signage in areas bordering the WHS (see OEMP, P-SL01). Also, the Scheme has committed to no signage or other vertical installations (such as CCTV) above the top of the cutting and no lighting of signs at the western end of the Scheme in order to protect the WHS's OUV (see OEMP, D-CH8). Any signage for the new PRoW/PMA in the WHS shall of low reflectivity, in-keeping with the character of the WHS, and shall be designed and located in such a way as to ensure no adverse impacts on the OUV of the WHS (see OEMP, D-CH27). Fencing in the WHS will be	
		Fencing in the WHS will be developed in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council, as secured in the	
		Outline Environmental Management Plan (OEMP) [REP6-011] (D-CH14, D-CH24, D-CH25) . During construction, the main works contractor shall consult with	
		HMAG to determine the type of construction boundary	



	fencing to be used within the WHS or within the setting of the WHS (OEMP MW-CH3). The type of fencing would be sympathetic to the setting of the WHS. Boundary fencing and gates in the WHS shall be visually recessive and have a low reflectivity finish. The OEMP is secured under paragraph 4 of Schedule 2 within the draft DCO [REP6-005].
	In the context of the heritage assessment, the impacts of utilities have been considered within ES Chapter 6 Table 6.11 [APP-044] and Chapter 15 [APP-053] and Appendix 15.2 [APP-183]. MW-CH5 and PW-CH5 of the OEMP [REP6-011] secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors.
	Highways England acknowledge WCAS concerns. Proposals for archaeological mitigation in



respect of the utility corridors
are set out in section 5 and
Appendix D of the DAMS (an
updated version of which is
submitted at D7).
A Stakeholder Design
Consultation Group has been
established, which WCAS is
a member of, to steer the
design and the design
principles that will be set out
in the Main Contractor's
contract.
Consultation with WCAS on
the detailed design of key
aspects of the Scheme
relating to heritage and
construction of the Scheme,
are secured through the
OEMP [REP6-011]
compliance with which is
secured via requirement 4 of
Schedule 2 to the draft DCO
[REP6-005].
PW-CH1 and MW-CH1
requires WCAS and HMAG to
be consulted on the
preparation of a Heritage
Management Plan for the
preliminary and main works,
and for such plans to be
approved by Wiltshire Council
(in consultation with Historic
England to the extent the
works the subject of the



approval would ordinarily
trigger the need for
scheduled monument
consent).
PW-CH4 and MW-CH3
requires WCAS to be
consulted on details of the
fencing off of sensitive
remains outside the WHS in
respect of the preliminary
works.
MW-CH5 requires the
preparation of Archaeological
Method Statements, in
consultation (to be approved
by Wiltshire Council, in
consultation with Historic
England to the extent the
works the subject of the
approval would ordinarily
trigger the need for
scheduled monument
consent) where potentially
sensitive archaeological
remains are proposed to be
buried or sealed beneath fill
outside of the WHS.
PW-CH6 and MW-CH6
requires the contractor to
prepare a Site Specific
Written Scheme of
Investigation in consultation
with WCAS (to be approved
by Wiltshire Council, in
consultation with Historic
England to the extent the



3.17.5	[RR-2365]	Western Bypass – Oatlands Hill	Oatlands Hill, on the west part of	approval would ordinarily trigger the need for scheduled monument consent), to avoid significant archaeological remains and implement appropriate archaeological mitigation measures where impacts are unavoidable in respect of service/utility corridors for the preliminary and main works outside of the WHS; Landscape mitigation is secured through requirement 8 of schedule 2 to the draft DCO, which requires the Secretary of State's approval, following consultation with Wiltshire Council and (for landscaping within the WHS and for Longbarrow Junction, Historic England), of a landscaping scheme (including hard and soft landscaping works) which must be based on the mitigation measures included in the Environmental Statement. Highways England	Under
		55.	the Scheme just outside the WHS, is a sensitive part of the Scheme in terms of buried archaeology and potential landscape impacts. The EIA	acknowledges Wiltshire Council Archaeology Service's (WCAS) concerns regarding the C-shaped enclosure at Oatlands Hill.	Discussion



acknowledges the Scheme is The design of the proposed likely to have a moderate scheme was considered adverse impact on the landscape appropriate, as no other here. This is the location of the design options were proposed new junction and considered to be reasonable dumbbell roundabout. The alternatives for the following archaeological evaluation reasons. identified evidence of Bronze Moving the junction 300m to Age and Iron Age settlement the west. including a C-shaped enclosure. This brings the junction too Currently the double roundabout close to the village of infrastructure is proposed to be Winterbourne Stoke and located on top of this. Although would impact on traffic flows. the archaeological remains here This option was rejected for are likely not to be of national these reasons: significance, if possible, Shifting the South Dumbell consideration should be given to 100m to the east designing the layout of the new This brings the roundabout infrastructure here to minimise too close to the WHS and the impact on these remains, east and west off slips would preserving as much of them as require more land take within possible. the WHS. This option was rejected for these reasons: Further discussion is required and with Highways England to better Shifting the South Dumbell explore the cost of excavation 170m to the west compared to the cost of design This option, though feasible, changes. would result in a skewed bridge (increasing costs). departures from standards for visibility reasons in both roundabout approaches and exits and would require the construction of a 160m long retaining wall for the west



				bound off slip, which would be 12m high at its highest point and would be visible from the WHS (AG12 Winterbourne Stoke Crossroads Barrows). This option was rejected for these reasons. The archaeological remains will be archaeologically excavated and recorded during the preliminary works phase and in advance of construction. Please see the Detailed Archaeology Mitigation Strategy (DAMS) REP6-013 (an updated version of which is submitted at D7). Appendix D of the DAMS provides for mitigation of the remains referred to and is secured by paragraph 5 of Schedule 2 of the draft Development Consent Order [APP-020].	
3.17.6	-	Detailed Archaeological Mitigation Strategy (DAMS)	The DAMS is currently in draft form and under discussion with WCAS as well as other heritage consultees. WCAS is pleased to see the inclusion of an education and outreach strategy as part of this document, though the details have still to be agreed. In terms of the extent and nature of archaeological mitigation measures required, WCAS is of	A Detailed Archaeological Mitigation Strategy (DAMS) [REP6-013] continues to be developed in consultation with Wiltshire Council Archaeology Service and Heritage Monitoring Advisory Group and its implementation is secured by paragraph 5 of Schedule 2 to the draft Development Consent Order	Under Discussion



the view that more mitigation is required than is included in the current draft document. This particularly relates to the extent of mitigation of the road line outside the WHS, and at Parsonage Down East. In terms of mitigation techniques, there is still discussion and agreement required over sampling levels and methods for topsoil archaeology and tree throw excavation. The view that more mitigation is required than is included in the current draft document. This particularly relates to the extent of the road line outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the current draft document. This particularly relates to the extent of the road line outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the current draft document. This particularly relates to the extent of the road line outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the current draft for the full extent of the outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the current draft for the full extent of the outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the current of the full extent of the outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the full extent of the outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the full extent of the outside the WHS. Uniformation regarding excavated material area at Parsonage I East is also included in the full extent of the outside the WHS. Uniformation required over sampling levels and outside the WHS. Uniformation reparding excavated material area at Parsonage I East is also included in the full extent of the f	nitted at or reation of road line pdated ag the deposition Down d in the port e results aeological cions with the me
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

3.18 Matters Not Agreed in relation to Cultural Heritage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.18.1	[RR-2365]	Assessment of Impact on Archaeological Remains 46.	Another concern is that the key headline from the Cultural Heritage chapter is that only a limited number of archaeological	The Environmental Statement reports both the significant and the non-significant Cultural Heritage	Not Agreed



features will be impacted by the effects within ES Chapter 6. Scheme, Section 6.9.24 states Cultural Heritage [APPonly 11 non-designated heritage 0441. Permanent significant assets will be adversely effects from the impacted. It should have been construction of the Scheme stated that this is the minimum are reported in sections 6.9.24 to 6.9.29 of the ES number of groups of features that will be directly impacted. and Table 6.11, whilst The Council believes that using sections 6.9.30 - 6.9.32this figure is unhelpful and [APP-044] and Appendix imprecise. Many more than this 6.8 [APP-217] report the will be impacted as this figure is non-significant effects. The derived from the evaluation statement at 6.9.24 and the phase of the Scheme which has NTS refer to the significant employed a sampling approach effects reported in the ES. to evaluation trenches. It is Highways England understood that the Scheme has considers the results of the assessment have been been carefully designed to where possible avoid areas of presented in an appropriate known archaeological features, manner. but many features are likely to Highways England note be revealed during the Wiltshire Council mitigation phase, the stripping of Archaeology Service's the road either side of the tunnel (WCAS) concern that portals will undoubtedly reveal further archaeological further non-designated assets features will be revealed in that will be adversely impacted. future works. The Moreover, archaeological assessment in the ES is features are also likely to be based on a comprehensive revealed and excavated during programme of preliminary works such as utility archaeological evaluation installation, the details for which designed in collaboration have not been seen. This should with heritage stakeholders. be made clearer in the EIA including WCAS. The chapter. evaluation results provide a robust basis for



	Wiltshire Council has requested an addendum to the Environmental Statement to consider the up to date results from the archaeological evaluation programme	assessment of the likely significant effects of the Scheme. This follows established good practice and planning policy guidance. As acknowledged by Wiltshire Council, the preferred route was carefully chosen to avoid known archaeological remains. A comprehensive programme of archaeological evaluation surveys (see ES Chapter 6 Cultural Heritage, paragraphs 6.6.13 – 6.6.52), covering the entire red line boundary of the Scheme, has informed the Scheme being designed in a way that has limited archaeological impacts where this is practicable. Examples of how the design has been developed to limit impacts on archaeology include the choice of a northern bypass of Winterbourne Stoke, the reduced footprint and land take for Rollestone Corner, and the design and placement of the western and eastern tunnel portals
		and eastern tunnel portals and approaches in areas



that have been shown to
have limited archaeological
remains within their
footprint. Further
information can be found in
the Assessment of
Alternatives, ES Chapter 3
[APP-041] and in ES
Chapter 6, Cultural
Heritage [APP-044],
Section 6.8, Table 6.9.
Archaeological remains
would be excavated and
recorded during the
preliminary works phase, in
advance of construction, to
avoid, as far as is
practicable, previously
unknown archaeological
remains being uncovered
during construction. The
Detailed Archaeological
Mitigation Strategy (DAMS)
[REP6-013] (a revised
version of which is to be
submitted at Deadline 7)
sets out an archaeological
research agenda (section 4
of the DAMS) developed in
consultation with the
Council and other HMAG
members for the
archaeological investigation
and recording of remains
prior to commencement of
construction.
CONSTRUCTION.



The DAMS also provides	
(sections 5 and 6 and	
Appendix D) for the	
preservation in situ of	
archaeological remains	
wherever possible,	
including the protection of	
known remains during	
construction and the	
preservation of remains	
beneath fill. The DAMS	
continues to be developed	
in consultation with	
Wiltshire Council	
Archaeology Service and	
the Heritage Monitoring	
Advisory Group (which	
comprises Wiltshire Council	
Archaeology Service,	
Historic England, National	
Trust, and English	
Heritage), and is secured	
by paragraph 5 of Schedule	
2 of the draft Development	
Consent Order [APP-020].	
Highways England report	
both the significant effects	
and the non-significant	
effects within the ES.	
Permanent significant	
effects from the	
construction of the Scheme	
are reported in sections	
6.9.24 to 6.9.29 of the ES	
and Table 6.11, whilst	
sections 6.9.30 - 6.9.32	



TARROAM IA
[APP-044] and Appendix
6.8 [APP-217] report the
non-significant effects.
Highways England note
WCAS's concern that
further archaeological
features will be revealed in
future works. The
assessment in the ES is
based on a comprehensive
programme of
archaeological evaluation
designed in collaboration
with heritage stakeholders.
The evaluation results
(REP1-041 to 056) provide
a robust basis for
assessment of the likely
significant effects of the
scheme. This follows
established good practice
and planning policy
guidance.
We acknowledge with
thanks WCAS's comments
on the careful design of the
Scheme to avoid
archaeological impacts
where possible.
Wherever possible, the
alignment of utilities will be
routed along existing
highways (to limit impacts)
or be routed within the
Scheme footprint. MW-CH5
and PW-CH5 of the OEMP



				[REP6-011] secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. Proposals for archaeological mitigation in respect of the utility corridors are set out in section 5 and Appendix D of the DAMS (an updated version of which is submitted at D7). The Environmental Statement (ES) does not require updating. Results of evaluation were issued to the Examination at deadline 1 and are consistent with the findings of the ES.	
3.18.2	[RR-2365]	Assessment on Impact on the WHS 5152. Longbarrow Roundabout and Green Bridge No. 4 53. 54.	Overall the Scheme is assessed as having a slight beneficial effect on the setting of the OUV of the WHS. Whilst, this overall conclusion is not necessarily disagreed with, the Council thinks more could be done to mitigate the adverse impacts of the dual carriageway in cutting	Highways England met with WCAS on 12 December 2018 to discuss the Statement of Common Ground, review the photomontages and CGIs that were submitted with the ES Chapter 6, Appendix 6.9 [APP-218] and to	Under Discussion



on the setting of asset groups in explain the views in more the western part of the WHS. detail, in order to try to especially on the Winterbourne alleviate Wiltshire Council's Stoke and Diamond Group (see concerns and correct any paragraphs 53 to 54 within misunderstandings. On 31 Wiltshire Council's relevant July 2019 Highways England met with WCAS to representation. review further drawings Adverse impacts to setting of prepared to assist some of the asset groups are understanding; drawings indicated, particularly the showing the zone of Western edge of the WHS theoretical visibility of both where the Western Portal and the road surface and of deep cutting are. From the HGVs before and after the summary of anticipated impacts construction of the Scheme in Table 1. the Council is These demonstrated the especially concerned with the significant reduction in the potential slight adverse impact visibility of vehicles once on Asset Group (AG) 13, the the Scheme is in operation Diamond Group. WCAS are also and the limited range of concerned about the adverse viewpoints from which impact on AG 12, the vehicles would remain Winterbourne Stoke Group, and visible. AG 19. Normanton Down. These groups have highly Highways England has significant Neolithic long designed a scheme that barrows, all of which display removes the surface A303. attributes of OUV. The impact of and the accompanying the Scheme on the sight and sound of traffic on it, from a large proportion of Winterbourne Stoke Group is the WHS enabling shown as being moderate beneficial. Our view is that this beneficial change to the should be assessed as slight setting of many monuments adverse as in the Diamond and asset groups that Group. This is supported by our contribute to the OUV of the interpretation of the relevant WHS, particularly within the photo montages and figures in central part of the WHS



the Landscape Chapter. surrounding Stonehenge. The Scheme has been sensitively designed with Whilst the proposed green the use of a 2 mile long bridge (150m in width) east of tunnel with canopies the current Longbarrow junction helping to reduce the sight and its proposed location does of portals, retained deep afford some mitigation, the road cuttings, essential Council has concerns that it is chalk grassland mitigation not sufficient to mitigate to enable landscape potential adverse visual impacts integration and a 150m long caused by the cutting on key Green Bridge No. 4 to monument groups with enable visual and physical attributes of OUV, most notably landscape connectivity and the Winterbourne Stoke. public access. Diamond Group and Normanton The Scheme is assessed to Down Group. We would have a Slight Beneficial encourage Highways England to effect on the OUV of the explore further design options to WHS as a whole. This help minimise the adverse takes into account that of impact or extend the tunnel. the seven attributes of OUV The Council believes that for the WHS, whilst the extending the tunnel (either Scheme will have a slight bored or cut and cover) within adverse effect on two of the WHS boundary could further those attributes, it will have minimise impact on the OUV. a beneficial effect on the Section 3.3.61 of the EIA remaining five (being a outlines alternative options that slight beneficial effect on 3 were explored and dismissed, of the attributes, a large including extending the tunnel beneficial effect on one. which is stated as being and a very large beneficial dismissed on cost grounds but effect on one). This does not give any figures. conclusion also takes into WCAS do not find this section account that the Scheme detailed enough to satisfy will have a slight beneficial concerns, given the adverse effect on the authenticity impact to the western part of the



WHS identified in the HIA and EIA.

Plans and views that show where the proposed western cutting can be seen from in relation to the landscape between the Winterbourne Stoke, Normanton Down and Diamond Barrow groups were requested at the meeting on 28th March. It would be especially useful to have view points shown looking westwards from the Wilsford G1 barrow location and looking north west towards the Winterbourne Stoke Group. It would also be useful to have a view from the most northerly barrow of the Normanton Down Group towards the Winterbourne Stoke Group, as well as view from the Diamond Group Long Barrows looking north to the Winterbourne Stoke Group. The aim of this is to help us understand the impact of the cutting on people traversing the landscape between these barrow groups, or viewing one from another.

We have now seen the additional viewshed information requested. Whilst this indicates that the visual impact of the

and integrity of the WHS. Overall, the OUV of the WHS would be sustained. With reference to AG12 Winterbourne Stoke Crossroads Barrows. Highways England disagree with Wiltshire Council's conclusion that the impacts from the Scheme on this asset group should be assessed as slight adverse as both the A303 and the A360, including the existing Longbarrow Roundabout. will be removed from immediately adjacent to the asset group. The A303 will move 150m to the south and be built in cutting to remove the sight and sound of traffic from immediately adjacent to the asset group. The benefits of this are clearly demonstrated by the photomontages and CGIs presented in the ES Chapter 6. Appendix 6.9 [APP-218] (Figure 4, Figure 5 and Figure 7). The scheme design removes traffic and severance from within the asset group by realigning the A360 and Longbarrow junction further to the west.



proposed portal and road in With regards to AG13 Diamond Group, the A360 cutting is less adverse that we anticipated on the Winterbourne currently bisects the group Stoke Group (AG12) we remain and the A303 additionally concerned about the impact on severs the group from the Diamond Group (AG13) and AG12 Winterbourne Stoke especially the northern part of Crossroads Barrows to the the Normanton Down Group north. The Scheme design (AG19). There is a very removes traffic and prominent and highly significant severance from within the barrow at the northern tip of this asset group by realigning Group, known as the Sun the A360 and Longbarrow Barrow, which is going to be iunction further to the west. significantly adversely impacted. Green Bridge No. 4 Whilst we acknowledge that maintains visual and compared to the existing physical landscape situation, the proposed scheme connectivity with AG12 is effective in removing a Winterbourne Stoke substantial amount of traffic Crossroads Barrows to the impact from this part off the north and access between WHS, we remain concerned that the two groups via new the mitigation currently provided NMU routes, and this does not go far enough to combined with the essential reduce the negative impact of chalk grassland mitigation, the new infrastructure on the improves the visitor's ability setting of these internationally to appreciate the setting, in the context of reduced important barrow groups. views and sounds of traffic. Regarding AG19 Normanton Down Barrows. the scheme would remove the existing A303 surface road to the north of the asset group, which severs its relationship with Stonehenge as well as



	many other asset groups to
	the north of the A303,
	including AG12
	Winterbourne Stoke
	Crossroads Barrows. The
	scheme would do much to
	improve the setting of the
	AG19 Normanton Down
	Barrows, their general
	sense of place, and the
	visitor's ability to appreciate
	them within a seamless
	landscape, noting that long
	distance views from the
	northern end of the asset
	group will include minor
	intrusion from the western
	approach cutting and Green
	Bridge No. 4. Amongst
	other benefits of the
	restored setting of AG19
	Normanton Down Barrows
	would be the enhanced
	access, enabling an
	uninterrupted traverse
	between Stonehenge and
	the Normanton Down
	Barrows along Byways 11
	and 12. The removal of the
	visual and audible impacts
	of traffic would be beneficial
	to the setting of the asset
	group as a whole. Views
	from numerous individual
	monuments within the asset
	from numerous individual



and compromised sightlines	
restored. These include key	
views, including those	
between the Sun Barrow	
and Stonehenge, and	
between Stonehenge and	
the core of the Normanton	
Down asset group. From	
the core of the group, views	
of traffic would not be	
available, while traffic noise	
would be inaudible.	
Highways England disagree	
with Wiltshire Council's	
stance regarding the design	
development of the	
proposed green bridge.	
Green Bridge No. 4	
maintains visual and	
physical landscape	
connectivity with AG12	
Winterbourne Stoke	
Crossroads Barrows to the	
north and access between	
the two groups via new	
NMU routes, and this	
combined with the essential	
chalk grassland mitigation,	
improves the visitor's ability	
to appreciate the setting, in	
the context of reduced	
views and sounds of traffic.	
Response to ExA question	
1.29 addresses the matter	
of the length of the tunnel	
and explains the range of	



factors that were taken into consideration. The location and design of the tunnel portals have been optimised in terms of the natural topography of the area, impact within the WHS and the extent of benefit that will be secured by one of the key aims of the scheme which is to remove the sight and sound of the A303 traffic from much of the WHS landscape. There is no evidence that the additional investment required to extend the tunnel length would deliver meaningful additional benefits to the WHS that would justify the additional cost. The response considers; traffic and operation, construction and civil engineering, heritage and environmental issues.	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--



3.19 Matters Agreed in relation to Landscape and Visual Effects.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.19.1	RoE Ref: LV2	The extent of the study, landscape and visual receptors, and locations for photomontages have been identified, discussed and agreed between applicant and stakeholder at meeting on 27 February 2018	Landscape Officer and Conservation Officer confirmed LVIA scope and viewpoints and locations for photomontages	Confirmed via email dated 06/03/2018. Additional detail to LVIA methodology agreed 30/04/2018	Agreed
3.19.2	RoE Ref: LV3	The following is considered as relevant Planning Policy Context: National Networks National Policy Statement (NNNPS): January 2015, sections 5.84, 5.85, 5.89, 5.144-147, 5.150, 5.156 and 5.158-161; National Planning Policy Framework (NPPF), July 2018, sections 12 (Achieving well-designed places) and Section 16 (Conserving and enhancing the natural environment) Wiltshire Council Core Strategy Development Plan Document, Adopted January 2015, Policies 51-52 and 57-59; and Saved policies of the Salisbury District Local Plan 2011 adopted in 2003, Saved Policy C6.	Additional policy documents added during meeting of 05/07/18 The Stonehenge, Avebury and Associated Sites World Heritage Site Management Plan, 2015 Salisbury District Settlement Setting Assessment, February 2008, section 4.0 The Setting of Amesbury, Bulford and Durrington Amesbury Conservation Area Appraisal and Management Plan, September 2008	Relevant legislation and policy set out in ES Section 7.2 [APP-045].	Agreed
3.19.3	RoE Ref: LV1	The overall methodology adopted to undertake the Landscape Visual Impact Assessment accords with guidance and advice set out in the	Wiltshire Council officers and Highways England have agreed the scope of the LVIA 27/02/2018	Confirmation of methodology is provided within ES Section 7.3 [APP-045].	Agreed



		following documents: National Networks National Policy Statement (NNNPS): January 2015 Interim Advice Note 135/10 Landscape and Visual Effects Assessment, Highways England, November 2010 Guidelines for Landscape and Visual Impact Assessment 3 rd Edition (GLVIA3), Landscape Institute and the Institute for Environmental Management and Assessment, 2013			
3.19.4	RoE Ref: G1	Information / Activities Required in Advance of DCO Application: Surveys / Further Assessment Required to be Completed: App 1A. 6.	Council officers have identified the need for the following survey / further assessment work to be undertaken and urge HE to complete this as soon as possible. c) Acoustic modelling for the acoustic / screen bunds and acoustic barriers. d) Assessment of The Nile Clump trees affected by the proposals and if necessary proposals for their replanting in an alternative position.	c) The complete EIA has been informed by acoustic modelling. Reference Chapter 9 of the ES [APP-047]. d) Assessment of the Nile Clumps has been included within the LVIA and Arboricultural Assessment, set out in ES Section 7.7 [APP-045] and Appendix 7.10 [APP-230], respectively. The Outline Environmental Management Plan [REP6-011] (compliance with which is secured through paragraph 4 of Schedule 2 to the draft DCO) [REP6-005]at item D-LAN3, provides that there must be no direct impact to the Nile Clumps. Item MW-LAN3 requires the development of an arboricultural mitigation	Agreed



				strategy by the Contractor to prevent direct impacts.	
3.19.5	-	Information / Activities Required in Advance of DCO Application: Scheme Impacts:	Landscape g) Cut and fill calculations should be provided to give confidence that there will be neither a shortfall nor a surplus of material to achieve the design proposal, either of which could have an impact on landscape, visual and ecological effects.	g) This information will be set out within the Soils Management Strategy, which will be prepared as part of a CEMP by the Contractor in consultation with Wiltshire Council (as required by OEMP [REP6-011] ref MW-GEO3 compliance with which is secured through paragraph 4 of Schedule 2 to the draft DCO) [REP6-005]), prior to the commencement of main works. Volumes provided in Highways England Note (8th October 2018)	Agreed
3.19.6	[RR-2365]	VII. Ecology and Landscape Considerations 117	It is imperative that sufficient good working practices and forward mitigation are in place for all preliminary works. There are potential issues around contamination, utilities diversion and minor highways works that should be specifically covered within the OEMP to prevent ecological impacts	The OEMP [APP-187] is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [REP6-005] and is the basis from which detailed, worksspecific, CEMPs will be prepared by the relevant contractors. Preliminary works include utilities works, site investigation and remediation, some highways works and ecological mitigation works. The OEMP sets out the appropriate actions and commitments with respect to the preliminary works in Table 3.2a. Each of the Preliminary	Agreed



				Works contractors will be required to develop a detailed CEMP that covers the scope of their works. For the habitats work and site clearance, this will include precautionary methods of works (PMoWs) to be adopted in order to avoid and mitigate for any negative impacts on ecological receptors during works undertaken. Specific method statements will be produced, where appropriate, to inform the specific proposed ecological mitigation works.	
3.19.7	RoE Ref: G1	Documentation to Accompany DCO Application: App 1A. 8.	e) A Soil Handling Strategy, which is prepared in accordance with current best practice, for the handling and placement of soils at Parsonage Down east and the restoration of chalk grassland habitat.	Soil Handling Strategy will be prepared by the Contractor pursuant to the OEMP [REP6-011] (item MW-GEO7), in consultation with Wiltshire Council, prior to the commencement of main works. Compliance with the OEMP is secured through DCO Requirement 4 (Schedule 2 of [REP6-005]) provides for this).	Agreed
3.19.8	RoE Ref: G1	Documentation to Accompany DCO Application: App 1A. 8.	g) A holistic Landscape and Ecological Management Plan, which detail the maintenance and management of HE 'soft' estate for the road in the short, medium and long term to ensure the success and viability of newly created	Outline landscape and ecology management plan (OLEMP) submitted with DCO application as ES Appendix 8.26 [APP-267]. A full and detailed Scheme-wide LEMP will be prepared in accordance with the OEMP [REP6-011]	Agreed



			habitats / landscape mitigation.	reference MW-LAN1.The OEMP is secured through DCO Requirement 4 (Schedule 2 of [REP6-005]) provides for this. In addition Highways England will be required to obtain the Secretary of State's approval, following consultation with Wiltshire Council, of a landscaping scheme that must be based on the mitigation measures included in the environmental statement (including hard and soft landscaping works and the measures set out in the OLEMP referred to above), in accordance with requirement 8 of the draft DCO [REP6-005].	
3.19.9	[RR-2365]	VII. Ecology and Landscape Considerations 118	Further consideration is required to better understand the temporary adverse impacts (construction phase) and the residual effects upon visual amenity at either end of the tunnel, especially the Till Viaduct and Countess flyover	The impacts and effects of the Scheme have been considered by Wiltshire and no further engagement is required on this matter between Wiltshire and Highways England.	Agreed
3.19.10	RoE Ref: G1	8. Ecology and Landscape Considerations – Cutting on the Western Approach to the Tunnel 152.	The retaining wall design does give rise to a dramatic fall and there is no mention of safety rails or fencing. This has landscape (visual) implications	Appropriate fencing in the WHS will be considered at detailed design stage. The OEMP, [REP6-011] at reference D-CH14 requires the provision of fencing within the WHS to be developed in	Agreed



				consultation with the National Trust, Historic England, English Heritage and Wiltshire Council.	
3.19.11	RoE Ref: G1	Public Protection: Light Nuisance App. 1B. 22.	A Construction Environmental Management Plan is to be submitted to and agreed by the Local Authority prior to the commencement of the construction phase to identify measures to mitigate light nuisance from artificial lighting used as part of the construction phase. All artificial lighting shall be so sited as not to cause light intrusion or nuisance to residential dwellings in the area adjacent to the scheme. The Council has received confirmation from Highways England that the amendments it seeks to the OEMP submitted by Highways England at Deadline 3, specifically the addition of a PW requirement to provide similar safeguards for preliminary works as those secured by MW-G29 for the main works, will be incorporated into the next draft, therefore this item can now be agreed.	Full and detailed CEMP(s) will be prepared for each phase of the main works, in consultation with Wiltshire Council, prior to the commencement of that phase. This will include information as to lighting, which must be in accordance with the provisions of item MW-G29 of the OEMP, which set out that lighting should also be designed, positioned and directed so as not to unnecessarily intrude on adjacent buildings, ecological receptors, structures used by protected species and other land uses to prevent unnecessary disturbance, interference with local residents, or passing motorists. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 to the draft DCO. At Deadline 4 the OEMP was updated to include a new requirement PW-G6 which reflects MW-G29, requiring the preliminary works contractor to	Agreed



	r	
		define within the CEMP the
		proposed approach to site
		lighting around construction
		compounds and elsewhere
		along the route alignment,
		giving consideration to the
		WHS context and other
		environmental constraints. The
		provision also requires that the
		lighting shall:
		(a) be at the minimum
		luminosity necessary and use
		low energy consumption
		fittings and should avoid light
		spillage; and
		(b) be designed,
		positioned and directed so as
		not to unnecessarily intrude on
		adjacent buildings, ecological
		receptors, structures used by
		protected species and other
		land uses to prevent
		unnecessary disturbance,
		interference with local
		residents, or passing motorists on nearby roads.
		Ultilearby 10aus.

- 3.20 Matters Under Discussion in relation to Landscape and Visual Effects.
- 3.20.1 There are no matters under discussion in relation to landscape and visual effects.
- 3.21 Matters Not Agreed in relation to Landscape and Visual Effects.
- 3.21.1 No matters Not Agreed at the present time



3.22 Matters Agreed in relation to Biodiversity.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.22.1	[RR-2365] RoE Ref: Bio1 & Bio2	Ecological survey methodology scope and 2018 update surveys.	Wiltshire Council has agreed that the scope and level of focus of the survey is suitable to inform the EIA. The update 2018 surveys are considered suitable to full fill the identified gaps within the baseline.	NA	Agreed
3.22.2	-	Scoping Opinion / PIER response	Scoping opinion response from Wiltshire Council contained various comments associated with biodiversity.	Comments associated with the Scoping Opinion / PIER report have been fully addressed within the ES.	Agreed
3.22.3	RoE Ref: Bio2	No.4 Ecological baseline assessment.	The baseline assessment presented within the Environmental Statement is suitable and appropriate.	NA	Agreed
3.22.4	RoE Ref: Bio2	No.8 Landscape scale mitigation.	Wiltshire Council considers the scheme provides east-west connectivity as well as maintaining the important north- south connectivity in the form of green bridges and the A303 tunnels. The green bridges and vegetated tunnel are considered to be of a suitable size to provide meaningful mitigation.	NA	Agreed
3.22.5	RoE Ref: Bio2	No.8 East of Parsonage Down chalk grassland.	Wiltshire Council is concerned about the grassland creation in East of Parsonage Down and would like to know the risk / likelihood of the grassland creation being scaled back. Should this	Highways England will be required to obtain the Secretary of State's approval, following consultation with Wiltshire Council, of a landscaping scheme that must	Agreed



			grassland creation area not be completed, it will significantly reduce the habitat creation that can be claimed as part of the Scheme and how the Scheme achieves the aims of biodiversity net gain.	be based on the mitigation measures included in the environmental statement, in accordance with requirement 8 of the draft DCO [REP6-005]. This includes the measures set out in the Outline Landscaping and Ecology Management Plan [APP-267] that deal with the creation of the habitat at the land East of Parsonage Down.	
3.22.6	RoE Ref: Bio2	No.7 Species mitigation.	The approach to mitigation is suitable and appropriate. Wiltshire Council is pleased that bat roosting measures have been incorporated into the scheme.	Not Applicable	Agreed
3.22.7	RoE Ref: Bio2	No.6 Update surveys required to inform licensing.	Wiltshire Council is in agreement with the scope of the update surveys required. Wilshire Council confirmed that further dormouse (<i>Muscardinus avellanarius</i>) surveys are scoped out, as they are likely to remain absent from the fragmented landscape.	Not Applicable	Agreed
3.22.8	RoE Ref: Bio2	No.9 Post-construction monitoring	Wiltshire Council have confirmed agreement with the scope of the construction and post-construction phase ecological monitoring surveys that have been identified.	Not Applicable	Agreed
3.22.9	RoE Ref: Bio2	No.9 Stone curlew monitoring surveys	Wiltshire Council have confirmed that stone curlew breeding plot monitoring will continue under the Wiltshire Council Community Infrastructure Levy (CIL)	It is noted that RSPB will continue to collect the data on which the success of the management and ultimately the CIL payments are based.	Agreed



			agreement (whereby contributions are to be provided by housing development in the area), which will continue until 2031.	The data collected could double as monitoring data for the A303 Scheme in relation to the HRA process, if HE enter into a data sharing agreement with the RSPB. Doubling the use of the data in this way will avoid the need for additional monitoring and data collection, which could result in additional disturbance for the birds.	
3.22.10	[RR-2365]	117 Preliminary Works	Wiltshire Council has concerns surrounding the Preliminary Works and what they might include. It is imperative that sufficient good working practices and forward mitigation are in place for all preliminary works. The Outline Environmental Management Plan (OEMP) must be robust enough to enable the preliminary works, e.g. habitat works and site clearance, to be carried out sensitively. There are potential issues around contamination, utilities diversion and minor highways works that should be specifically covered to ensure the prevention of ecological impacts. The Council is concerned that all of the preliminary works included do have the potential to cause ecological impact but they appear to be covered only very broadly or not at all by the OEMP.	The OEMP [REP6-011] is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [REP6-005] and is the basis from which detailed, worksspecific, CEMPs will be prepared by the relevant contractors. Highways England considers the OEMP provides sufficient detail at paragraphs 1.2.5 and 1.2.6 and Table 1.1 (with reference to specific numbered works in Schedule 1 of the DCO, works plans and engineering section drawings) as to what the preliminary works entail. Preliminary works include utilities works, site investigation and remediation, some highways works and ecological mitigation works. The OEMP sets out the appropriate actions and	Agreed



				commitments with respect to the preliminary works in Table 3.2a. Each of the Preliminary Works contractors will be required to develop a detailed CEMP that covers the scope of their works. For the habitats work and site clearance, this will include precautionary methods of works (PMoWs) to be adopted in order to avoid and mitigate for any negative impacts on ecological receptors during works	
				undertaken. Specific method statements will be produced, where appropriate, to inform the specific proposed ecological mitigation works.	
3.22.11	RoE Ref: Bio2	No.9 Public response during construction	Concern has been raised with regards to the process of complaints / comments will be dealt with from the public during construction and the preliminary works.	Community liaison provisions are included in the OEMP (see for example MW-G31, MW-G32). In addition the Construction Environmental Management Plan will be developed in consultation with Wiltshire Council [ref. MW-G7]. As such, during the development of this document, the Applicant will seek to engage with Wiltshire Council in respect of any concerns, including relating to the complaints process generally as necessary.	Agreed



3.22.12	RoE Ref: Bio2	No.5	Wiltshire Council confirms the	Not applicable	Agreed
		Habitat Regulations Assessment / Appropriate Assessment.	approach is suitable and appropriate.		

- 3.23 Matters Under Discussion in relation to Biodiversity.
- 3.23.1 There are no matters under discussion in relation to biodiversity.
- 3.24 Matters Not Agreed in relation to Biodiversity.
- 3.24.1 No matters Not Agreed at the present time.



3.25 Matters Agreed in relation to Contaminated Land and other Public Protection topics.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.25.1	[RR-2365]	VI. Public Protection Considerations Lighting 111.	Wiltshire Council considers the lighting proposal detailed within MW-G29 of table 3.2b of the OEMP [APP-187] to be satisfactory.	Highways England welcome Wiltshire Council's comments.	Agreed
3.25.2	[RR-2365]	VI. Public Protection Considerations General 82. Land contamination	Further details required of the measures to divert the Esso pipeline and environmental protection during this process.	The proposals for the Esso pipeline are set out in Chapter 2 of the ES [APP-040] at paragraphs 2.4.40 - 2-4.41 and shown indicatively on Figure 2.7 [APP-061]. Whilst the Outline Environmental Management Plan (OEMP) [REP6-011] does not specifically mention the Esso Pipeline, it is addressed through this document. There are two REAC tables: 3.2a for preliminary works and 3.2b for main works. The diversion of the Esso pipeline falls within the preliminary works being the diversion and laying of underground apparatus (see paragraph 1.2.6 of the OEMP). As such, all Esso pipeline works would be undertaken in accordance with the relevant measures contained in REAC table 3.2a,	Agreed



				which deals with public protection measures such as air quality, noise and drainage. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order (DCO) [REP6-005].	
3.25.3	[APP-187]	Flood lighting Potential detriment to amenity during construction phase DCO Requirement	Prior to the installation of the any floodlighting scheme for depot areas, full details shall be submitted to and approved in writing by the Local Authority, details to be provided shall be: Light into neighbouring residential windows generated from the floodlights shall not exceed 5 Ev (lux) (vertical illuminance in lux) without the express consent of the local authority. Each floodlight must be aligned to ensure that the upper limit of the main beam does not exceed 70 degrees from its downward vertical. The floodlighting shall designed and operated to have full horizontal cut-off and such that the Upward Waste Light Ratio does not exceed 2.5%. The submitted scheme shall include an isolux diagram showing the predicted illuminance in the	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Item MW-G29 of the OEMP provides a number of requirements for site lighting, including the avoidance of disturbance of nearby residents. These will be reflected in the CEMP which must be prepared in accordance with the OEMP (as per item MW-G5 of the OEMP) including consultation with Wiltshire Council in its development. Compliance with the OEMP is secured pursuant to paragraph 4 of Schedule 2 of the DCO [REP6-005].	Agreed



			vertical plane (in lux) at critical locations on the boundary of the site and at adjacent properties. The approved scheme shall be implemented prior to first use of the lighting and be permanently maintained in that state thereafter. Reason: In the interests of prevention of pollution and protection of residential amenity.		
3.25.4	[APP-187]	Land contamination/ Private drinking water supplies Outline environmental Management Plan (OEMP) 3.2b General provisions MW-GEO2	Add "inform Wiltshire Council in case of groundwater contamination"	The updated OEMP submitted at Deadline 6 [REP6-005] includes the following amendment to text at item MW-GEO2: "inform Wiltshire Council in case of groundwater contamination".	Agreed
3.25.5	[APP-187]	Outline environmental Management Plan (OEMP) 3.2b General provisions MW-WAT7	Consultation should be with Wiltshire Council as concrete batching is LA permitted process unless exempted	Highway England's contractor will apply for the permit in due course when sufficient detail to satisfy the requirements of the permitting regime are available. The updated OEMP submitted at Deadline 6 includes the following amendment to text at item MW-WAT7 of table 3.2b: "consultation should be with Wiltshire Council as concrete batching is a Local Authority permitted process unless exempted".	Agreed
3.25.6	[RR-2365]	VI. Public Protection Considerations	Wiltshire Council & Environment Agency to be notified of discovery	In the OEMP [REP6-005], item PW-GEO2 states that in	Agreed



		Land Contamination115.	of Unforeseen land contamination and to agree in writing remediation / mitigation plan.	the event that contaminated land, including groundwater, is found at any time, which was not previously identified in the environmental statement, Requirement 7 of the DCO is applicable and preliminary works contractor (all) shall follow those provisions, which require the contamination to be reported as soon as reasonably practicable to the planning authority (i.e. Wiltshire Council) and the Environment Agency and the undertaker must complete a risk assessment in consultation with the planning authority and the Environment Agency and pass a copy of the risk assessment to the planning authority and the EA as soon as reasonably practicable after its completion".	
3.25.7	[APP-277]	Land contamination Non-Significant effects Table 10.1	Wiltshire Council & Environment Agency to receive reports on further ground investigation works, together with any mitigation proposals (in writing prior to mitigation being undertaken)	Requirement 7 (Contaminated land and groundwater) under Schedule 2 of the DCO [REP6-005] sets out in instances where remediation of contaminated land is necessary, remedial measures are to be developed in consultation with Wiltshire Council.	Agreed



				Highways England will provide Wiltshire Council with copies of reports and mitigation prior to implementing the related section of works.	
3.25.8	RoE Ref: G1	7. Public Health and Public Protection Considerations - Light Nuisance - Potential Impacts 130.	Potential impacts include: Impact of artificial lighting (for working and security) during the construction phase	The temporary lighting during construction has been considered within the LVIA. Measures to control and reduce the impacts of artificial lighting have been included in the OEMP at PW-G6 and MW-G29. The OEMP states that lighting is to be at the minimum luminosity necessary, use low energy consumption fittings and should avoid light spillage. Lighting is also to be designed, positioned and directed so as not to unnecessarily intrude on adjacent buildings, ecological receptors, structures used by protected species and other land uses to prevent unnecessary disturbance, interference with local residents, or passing motorists on nearby roads.	Agreed



- 3.26 Matters Under Discussion in relation to Contaminated Land and other Public Protection topics.
- 3.26.1 There are no matters Under Discussion at the present time.
- 3.27 Matters Not Agreed in relation to Contaminated Land and other Public Protection topics.
- 3.27.1 No matters Not Agreed at the present time.

3.28 Matter Agreed in relation to Flood Risk and Drainage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.28.1	[APP-049]	The level of detail provide in the ES is sufficient for the DCO application stage			Agreed
3.28.2	[APP-283]	The extent of the study area for the assessment of local sources of flood risk and road drainage are appropriate			Agreed
3.28.3	-	Future liaison between parties		Highways England will continue to engage with Wiltshire Council as the detailed design is developed. Wiltshire Council will be consulted on the relevant aspects of the CEMP(s) and HEMP(s) when they are developed by the Contractor(s) based on the OEMP.	Agreed



3.28.4		Flood risk and drainage: The available level of detail on the Scheme's design to inform the assessment of risks.	Wiltshire Council acknowledges that the level of detail provided for the Scheme's design and for the consequent assessment of environmental risks is appropriate for its DCO application stage. Wiltshire Council's comments in this SoCG reflect the level of detail provided to date. The subsequent detailed design stage may introduce changes to scheme design and/or construction methods that could cause significant detrimental surface water or groundwater flood risk impacts. Wiltshire Council therefore wishes to be kept closely involved and consulted on the Scheme's evolving design and construction methods and highlight that their position may be subject to change.	Regular liaison with Wiltshire Council will continue. It is noted that Wiltshire Council will be consulted on the detailed drainage design pursuant to requirements 3 and 10 of the draft DCO.	Agreed
3.28.5	-	Flood risk and drainage: The available level of detail on the Scheme's design to inform the assessment of risks.	Any new flood risk information or new analysis of existing information has the potential to change the current assessment of local sources of flood risk.	Should new information come to light the risk assessment will be reviewed and mitigation measures will be updated in relation to local sources of flood risk as required.	Agreed
3.28.6	[APP-187]	Flood risk and drainage: Outline and detailed Construction Environmental Management Plans	Outline and detailed Construction Environmental Management Plans (OEMP and CEMPs) are of great importance as the repository of information on	Wiltshire Council will be consulted on the development of CEMPs. The required content of the CEMPs is set out by the	Agreed



			mitigation measures needed to avoid significant environmental impacts. OEMPs and CEMPs must be fully taken into account to inform the detailed design and construction methods.	OEMP and the DCO requires that the authorised development must be carried out in accordance with the OEMP - as such the development will take account of the OEMP and the CEMP.	
3.28.7	-	Flood risk and drainage: Effective liaison	Wiltshire Council recognise the regular liaison with Highways England and their AmW consultants from July 2017 to the present day. The efforts undertaken to collate available baseline data to inform the assessment of impacts are also noted.	Noted.	Agreed
3.28.8	[APP-049]	Flood risk and drainage Legislation and planning policy	Legislation and planning policy considered relevant to local sources of flood risk and drainage should be complied with.	Relevant legislation and planning policy documents are confirmed in Environmental Statement Section 11.2.	Agreed
3.28.9	[APP-049]	Flood risk and drainage: Requirement to ensure no gap between duties of Wiltshire Council and the Environment Agency	Close three-way liaison between Highways England, Wiltshire Council and the Environment Agency is required to avoid the risk of duplication or gaps between the parties' statutory duties with regards commenting on the Scheme's proposals.	Wiltshire Council is the statutory authority responsible for managing local sources of flooding (surface water, groundwater and ordinary watercourses) and for road drainage of local roads. The Environment Agency is the authority for all other groundwater and water environment matters. Regular trilateral discussions have been held. It is for	Agreed



				Wiltshire Council and the Environment Agency to lead on ensuring alignment between their regulatory remits. Highways England has regularly reviewed this potential risk and will continue to facilitate regular dialogue to minimise it and notes that the DCO [REP6-005] provides specific approval mechanisms through the drainage protective provisions and requirement 10.	
3.28.10	[APP-281]	Flood risk and drainage: Long term maintenance and operation	Wiltshire Council must be able to satisfy themselves that the proposed minimum standards of road drainage operation are appropriate and there are clear arrangements in place for ongoing maintenance over the lifetime of the development (including maintenance of any attenuation ponds and flood defences) within the catchment.	Typical drainage maintenance is set out in the Road Drainage Strategy, Environmental Statement Appendix 11.3, which compliant with DMRB. Discussions are ongoing over future maintenance arrangements and will continue throughout the project to confirm the detailed responsibilities. Wiltshire Council will be consulted on the detailed drainage design pursuant to Requirement 10 of the DCO. The Scheme has no proposed flood defences.	Agreed
3.28.11	[APP-049]	Flood risk and drainage: Groundwater investigations	The timing and extent of groundwater investigations	The ground investigations that have been conducted	Agreed



			needs to be appropriate to enable an adequate assessment of the impacts on local sources of flood risk and road drainage.	are appropriate to enable an adequate assessment of impacts on local sources of flood risk and road drainage at this DCO application stage.	
3.28.12		Flood risk and drainage Groundwater monitoring	Groundwater monitoring before, during and for a minimum of 5 years after construction is expected to be required to allow a greater understanding of the catchment issues and confirm that the Scheme's design is functioning as intended and addresses any mitigation requirements. The duration and scope of monitoring would be agreed with Wiltshire Council and the Environment Agency as part of the development of the Groundwater Management Plan (MW-WAT10 in the OEMP).	It has been agreed that a programme of groundwater monitoring will be implemented before, during and after construction. The monitoring data shall inform the detailed design and the assessment of risk to/from groundwater as part of ongoing discussions between Wiltshire Council, Environment Agency and Highways England.	Agreed
3.28.13	[APP281]	Flood risk and drainage SuDS	To ensure no detrimental increase in local sources of flood risk, the Scheme should incorporate SuDS unless there is clear evidence that it would be inappropriate to do so, and apply peak flow and volume control in line with national technical standards and the DMRB for the design of SuDS.	All new drainage proposed as part of the scheme will be SuDS and discharges, peak flow and volume control were considered in the Road Drainage Strategy. The detailed design will be undertaken in accordance with DMRB requirements and, pursuant to Requirement 10 of the DCO the principles set out in the	Agreed



				Road Drainage Strategy.	
3.28.14	-	Flood risk and drainage: Tunnel drainage	The tunnel drainage strategy contains several valves. The detailed design of the system should ensure these are automated and will not require manual operation.	The Tunnel Drainage will be adequately designed to ensure the necessary resilience. Where relevant this will include automated valves. Wiltshire Council will be able to consider this when consulted upon under Requirements 3 and 10 of the DCO in respect of the detailed drainage design.	Agreed
3.28.15	G1 211	Flood risk and drainage: Flood Risk: General	The Scheme should avoid any increase in flood risk from local sources and maximise opportunities to reduce it.	The risk assessment concluded no significant detrimental effect upon local sources of flood risk. The highway and road drainage design of the B3083 Shrewton Road will reduce the risk of highway flooding.	Agreed
3.28.16	G1 211.	Flood risk and drainage: Flood Risk: Environmental permits	The Environment Agency issue environmental permits, however, as Wiltshire Council has the lead responsibility for surface water management, the discharge rate from the site of any licenced abstractions must be agreed with Wiltshire Council.	Highways England will ensure that both Wiltshire Council and the Environment Agency are kept informed on this matter as the appropriate regulatory authorities	Agreed
3.28.17	[RR-2365]	V. Flood and Drainage Considerations Surface Water (Pluvial) 65	The pluvial hydraulic model includes a 539m long 5m deep culvert as part of the design which is contrary to Council policy on culverting, both from a maintenance and biodiversity standpoint. Since submission of	The refined proposal includes a culvert to divert the flood flows beneath the proposed A303 from north to south and a culvert to carry flows beneath the B3083 from west to east. This	Agreed



			the DCO Highways England have consulted Wiltshire Council on the alternative culvert design which addresses the issues raised. Wiltshire Council received the final culvert design and modelling outputs at Deadline 3. The alternative culvert design has been checked as part of the peer review and all remaining concerns have been addressed.	refined road drainage proposal has been agreed with Wiltshire Council following their review of the revised pluvial modelling. The proposal represents a refinement of the drainage strategy but remains consistent with the description of the drainage proposals presented in Chapter 2 of the ES [APP-040]. The updated Flood Risk Assessment [REP3-008] which includes the Pluvial Hydraulic Modelling Report as Annex 1B has been submitted to Wiltshire Council and the Examination at Deadline 3.	
3.28.18	-	Flood risk and drainage: Climate change allowances Groundwater	Wiltshire Council requested clarification of the rationale for the climate change allowances used in the groundwater assessment HE provided clarification in 5.3.12-5.3.15 of the ES Appendix 11.5 Rev 1 [REP3-008]. The latest groundwater model runs used a 40% increase in the recharge, which is consistent with fluvial and pluvial allowances, and therefore acceptable to Wiltshire Council	Clarification is provided in the final version of the groundwater report Stage 4 – Supplementary Groundwater Model Runs to Annex 1 Numerical Model Report' [REP3-021] and in the Flood Risk Assessment [REP3-008].	Agreed
3.28.19	-	Flood risk and drainage:	Wiltshire Council advises that a 40% climate change allowance	Highways England fully recognises the design	Agreed



3.28.21 -	Flood risk and drainage:	Given the flood risk that	Highways England demonstrated to Wiltshire Council that 250mm freeboard would be provided in the Drainage Treatment Areas within the River Till catchment and that the exceedence routes from these areas minimise risks to people and property. It is confirmed that the need	Agreed
	Road Drainage	guidance be utilised in the road drainage design. Highways England have provided a 30% climate change allowance with sensitivity checking for 40%. Highways England have also confirmed that 250mm freeboard will be provided for the 40% climate change scenario and that exceedance routes minimise the risks to people and property. This has been checked as part of the peer review and Wiltshire Council accepts Highways England's approach.	Framework (NPPF) for climate change adaptation. The drainage systems, designed with a 30% climate change allowance, have undergone sensitivity analysis which demonstrates no flooding from the system or attenuation features when 40% uplift in climate change is applied to the design. This is in accordance with road drainage design, DMRB HD33 guidance 40% sensitivity testing. The sensitivity testing showed there would be no flooding from the scheme with 40% uplift in climate change applied, as outlined in the results of ES (Appendix 11.5, Flood Risk Assessment sections 7-9, [APP-284].	
	Climate change allowances	for peak rainfall intensity, in line with Environment Agency	standards described in the National Planning Policy	



I —	T	Ta
The discharge of abstracted water (dewatering)	dewatering could introduce in an area with known flood risk,	for dewatering will be minimised as far as
water (dewatering)	Wiltshire Council requests that	
		reasonably practicable. The
	Highways England specifies an	current proposal, as
	approach to construction of the	confirmed at ISH4, is to use
	tunnel that:	closed face tunnel boring
		machines that limit the
	minimises the need for	requirement for dewatering
	dewatering;	during construction. The
	dewatering,	OEMP submitted at Deadline
		4 commits to the use of
	 does not increase flood risk; 	closed face tunnel boring
		machines. As stated in the
	• is supported by a	Statement of Common
	comprehensive flood risk	Ground with the Environment
	assessment to be agreed with	Agency [REP2-012] under
	both Wiltshire Council and the	Matters Agreed the
	Environment Agency.	assessment of risk and
	Environment Agency.	identification of any required
		mitigation measures will be
		9
	Highways England committed at	achieved through the Outline
	the Issue Specific Hearing to use	Environmental Management
	a closed face TBM for tunnel	Plan (OEMP) [REP6-011]
	construction. This would go a	(MW-WAT8) and whichever
	long way to addressing the	regulatory regime is
	Council's concerns as large scale	ultimately agreed. As per
		Agreed item (3.28.13) in this
	dewatering would not be required	SoCG Highways England will
	with this method.	ensure that both Wiltshire
	Adequate protective provisions	Council and the Environment
	will need to be agreed in this	Agency are kept informed on
	regard. These would cover the	this matter as the appropriate
	remaining dewatering activities.	regulatory authorities.
		regulatory authorities.



3.29 Matters Under Discussion in relation to Flood Risk and Drainage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.29.1	[APP-020]	Flood risk and drainage: Protective Provisions	The draft DCO includes provisions for the disapplication of certain sections of the Land Drainage Act 1991, and by implication, the Wiltshire Council Land Drainage Byelaws 2014. Section 150 of the Planning Act 2008 provides that such disapplication can only take place with Wiltshire Council's consent. Wiltshire Council is currently considering their position in relation to the protective provisions included in the draft DCO. They will be liaising with Highways England on these issues to reach agreement on the form of protective provisions and associated fees	Highways England are continuing to discuss the relevant protective provisions with Wiltshire Council.	Under Discussion
3.29.2	-	Flood risk and drainage: Funding for additional post (drainage engineer to monitor flood risk during construction)	Wiltshire Council is in the process of considering requirements for the funding for an additional post (drainage engineer to monitor flood risk during construction).	Highways England await further information.	Under Discussion
3.29.3	-	Flood risk and drainage: Flood risk: Peer review	Wiltshire Council commissioned a peer review of the Scheme's approach to three different aspects of flood risk: • surface water (pluvial) including ordinary watercourses • groundwater	Highways England confirms that it will have regard to the comments and correspondence exchanged between the Council, its technical reviewers in undertaking the detailed design of the drainage for the	Under Discussion



			the road drainage strategy The peer review's findings and recommendations were provided to Highways England for their comment.	Scheme. This will be able to be confirmed as part of the consultation with Wiltshire Council under Requirement 10 of the draft DCO.	
3.29.4	-	Flood risk and drainage: Climate change allowances: Land drainage	Wiltshire Council advises that a 40% climate change allowance for peak rainfall intensity, in line with Environment Agency guidance, be utilised in the land drainage design.		Under Discussion

3.30 Matters Not Agreed in relation to Flood Risk and Drainage.

3.30.1 No matters Not Agreed at the present time

Infrastructure Planning

Planning Act 2008

The Infrastructure Planning (Examination Procedure)
Rules 2010

A303 Amesbury to Berwick Down Development Consent Order 201920[**]

STATEMENT OF COMMON GROUND – Wiltshire Council

Regulation Number:	Regulation 5(2)(q)
Planning Inspectorate Scheme	TR010025
Reference	

Application Document Reference	8.8	
Author:	A303 Project Team, Highways England, and Wiltshire Council	

Version	Date	Status of Version
Rev 0	03.05.2019	Deadline 2 Issue
Rev 1	21.06.2019	Deadline 4 Issue
Rev 2	09.08.2019	Deadline 7 Issue

STATEMENT OF COMMON GROUND

This Statement of Common Ground has been prepared and agreed by (1) Highways England Company Limited and (2) Wiltshire Council.

This Statement of Common Ground represents the examination position [as of 3rd May 2019] in respect of discussions between the Applicant and Wiltshire Council. The aim is to review and update this document during the Examination and submit updated versions to the Examining Authority in accordance with the Panel's timetable. It has been prepared and agreed on this basis by (1) Highways England Company Limited and (2) Wiltshire Council.

Signed
[NAME]
Project Manager
on behalf of Highways England
Date: [DATE]
Signed
[NAME]
[POSITION]
on behalf of Wiltshire Council
Date: [DATE]



CONTENTS



Table of Contents

1	Int	roduction	5
	1.1	Purpose of this document	5
	1.2	Parties to this Statement of Common Ground	6
	1.3	Terminology	8
2	Re	ecord of Engagement	2-6
3	lss	sues	30
	3.1	Matters Agreed in relation to Traffic Impact	31
	3.2	Matters Under Discussion in relation to Traffic Impact	35
	3.3	Matters Not Agreed in relation to Traffic Impact	35
	3.4	Matters Agreed in relation to Highways Design.	35
	3.5	Matters Under Discussion in relation to Highways Design	37
	3.6	Matters Not Agreed in relation to Highways Design	72
	3.7	Matters Agreed in relation to NMU & PRoW	72
	3.8	Matters Under Discussion in relation to NMU & PRoW.	79
	3.9	Matters Not Agreed in relation to NMU and PRoW	93
	3.10	Matters Agreed in relation to Air Quality.	94
	3.11	Matters Under Discussion in relation to Air Quality	101
	3.12	Matters Not Agreed in relation to Air Quality	101
	3.13	Matters Agreed in relation to Noise and Vibration	102
	3.14	Matters Under Discussion in relation to Noise and Vibration.	107
	3.15	Matters Not Agreed in relation to Noise and Vibration.	110
	3.16	Matters Agreed in relation to Cultural Heritage.	111
	3.17	Matters Under Discussion in relation to Cultural Heritage	117
	3.18	Matters Not Agreed in relation to Cultural Heritage.	160
	3.19	Matters Agreed in relation to Landscape and Visual Effects	175
	3.20	Matters Under Discussion in relation to Landscape and Visual Effects	178
	3.21	Matters Not Agreed in relation to Landscape and Visual Effects	185
	3.22	Matters Agreed in relation to Biodiversity	185
	3.23	Matters Under Discussion in relation to Biodiversity.	190
	3.24	Matters Not Agreed in relation to Biodiversity.	190
	3.25	5	
		S	191
		Matters Under Discussion in relation to Contaminated Land and other Public ection topics.	106
	LIOU	CUIUII IUUICS.	เษต



3.27	Matters Not Agreed in relation to Contaminated Land and other Public Prote	ction
topics	S	199
3.28	Matter Agreed in relation to Flood Risk and Drainage.	200
3.29	Matter Under Discussion in relation to Flood Risk and Drainage	209
3.30	Matters Not Agreed in relation to Flood Risk and Drainage	213



1 Introduction

1.1 Purpose of the Statement of Common Ground

1.1 Purpose of this document

- 1.1.1 Statements of Common Ground record the engagement between Highways England and stakeholders and identify matters of agreement, matters not in agreement and matters of ongoing discussion.
- 1.1.2 Guidance about the purpose and possible content of SoCGs is given in paragraphs 58-65 of the Department for Communities and Local Government's "Planning Act 2008: Guidance for the examination of applications for development consent" (March 2015 version). Paragraph 58, copied below, confirms the basic function of SoCGs:
- 1.1.3 "A statement of common ground is a written statement prepared jointly by the applicant and another party or parties, setting out any matters on which they agree. As well as identifying matters which are not in real dispute, it is also useful if a statement identifies those areas where agreement has not been reached. The statement should include references to show where those matters are dealt.
- 1.1.4 SoCG are a useful tool to ensure evidence at DCO examination focusses on material differences between the main parties and aims to facilitate a more efficient examination process.
- 1.1.5 The SoCGs have been developed in collaboration with the respective stakeholders and the wording of positions, matters and discussion outcomes in the SoCGs have been agreed with stakeholders.
- 1.1.6 Highways England has been proactively engaging with stakeholders since the options consultation in 2017 and has been working with stakeholders throughout the DCO pre-application to understand and resolve issues where possible.

1.21.1 Purpose of this document

- 1.2.1 This SoCG has been prepared in respect of the proposed A303 Amesbury to Berwick Down improvement scheme ("the Application") made by Highways England Company Limited ("Highways England") to the Secretary of State for Transport ("Secretary of State") for a Development Consent Order ("the Order") under section 37 of the Planning Act 2008 ("PA 2008").
- 1.2.2 The order, if granted would authorise Highways England to carry out the following works:
 - 1.2.2.1 A northern bypass of Winterbourne Stoke with a viaduct over the River Till valley:
 - 1.2.2.2 A new junction between the A303 and A360 to the west of and outside the WHS, replacing the existing Longbarrow roundabout;



- 1.2.2.3 A twin-bore tunnel approximately 2 miles (3.3km) long, past Stonehenge; and
- 1.2.2.4 A new junction between the A303 and A345 at the existing Countess roundabout.
- 1.2.3 The Application was submitted to the Planning Inspectorate on 19 October 2018.
- 1.2.4 This SoCG does not seek to replicate information which is available elsewhere within the Application documents. All documents are available at the deposit locations and/or the Planning Inspectorate website.
- 1.2.5 This SoCG has been developed to record the engagement between Highways England and Wiltshire Council and identify areas of agreement, disagreement and ongoing discussion.
- 1.2.6 The SoCG records the current position on relevant issues in respect of the Scheme as of the date on page 3 of the SoCG ('the Reference Date'). It does not constitute the whole or entire body of agreement or disagreement between the Council and the Applicant as further relevant issues may transpire after the Reference Date as the Examination progresses.

1.2 Parties to this Statement of Common Ground

- 1.2.1 This SoCG has been prepared by (1) Highways England as the Applicant and (2) Wiltshire Council.
- 1.2.2 Highways England became the Government-owned Strategic Highways Company on 1 April 2015. It is the highway authority in England for the strategic road network and has the necessary powers and duties to operate, manage, maintain and enhance the network. Regulatory powers remain with the Secretary of State. The legislation establishing Highways England made provision for all legal rights and obligations of the Highways Agency to be conferred upon or assumed by Highways England. In accordance with planning practice guidance, as a highway authority Highways England have flood risk responsibilities and must ensure that road projects do not increase flood risk.
- 1.2.3 Wiltshire Council is the Unitary Authority for the county of Wiltshire in the South West of England. Wiltshire Council's role in relation to the DCO process derives from Section 42(1)(b) of the Planning Act 2008 as a statutory consultee because the land to which the DCO is located is within the authority's area. As a unitary authority they provide a single tier of local government functions; those relevant to the DCO are referenced below.
- 1.2.4 Wiltshire Council is the highway authority for all roads and public rights of way in the vicinity of the scheme which do not form part of the A303 trunk road. As the local highway authority, they are responsible for the on-going maintenance of all new roads and public rights of way which are associated with the A303 Stonehenge Scheme, and in respect of those parts of the existing trunk road which are to be downgraded in terms of their current highway status (de-trunked and / or



- converted status). In accordance with planning practice guidance, as a highway authority Wiltshire Council also has flood risk responsibilities and must ensure that road projects for which they are responsible do not increase flood risk.
- 1.2.5 Wiltshire Council is the responsible authority for the implementation of a broad range of Government Regulation related to public protection and is the local planning authority for the area. Legislation such as Environmental Protection Act 1990 and the Environment Act, 1995 means Wiltshire Council must consider a number of factors in determining whether the location of a development is appropriate. It must have regard to a wide range of issues such as:
 - Noise and vibration;
 - · Air quality;
 - Contaminated land;
 - · Lighting;
 - Odour;
 - Water and flood risk (considered further below);
 - Highways, PRoW and users; and
 - Traffic.
- 1.2.6 Wiltshire Council has regulatory responsibility for managing impacts on Wiltshire's natural environment, heritage assets and landscape, in relation to its statutory undertakings. These responsibilities include oversighthaving regard to the favourable conservation status of:
 - International Special Areas of Conservation, Special Protection Areas and Ramsar Sites 99.
 - National Sites of Special Scientific Interest-and, National Nature Reserves, Local Nature Reserves and SINCs.
 - Local County Wildlife Sites, Protected Road Verges and Local Geological Sites.
 - Area of Outstanding Natural Beauty (AONBs).
 - New Forest National Park (NFNP).
 - Stonehenge and Avebury World Heritage Site (WHS).
 - Designated and non-designated archaeological assets and historic landscape character.
 - Listed buildings and Conservation Area.
- 1.2.7 The Wiltshire Council Archaeology Service (WCAS) has a statutory duty to advise the Local Planning Authority on the impact of development proposals on archaeological remains in the County, both within and outside of the Stonehenge, Avebury and Associated Sites WHS. Officers take into consideration direct



physical impacts on known and potential designated and non-designated heritage assets, issues of setting and visual impact, and in the case of the WHS, possible impacts on the Attributes that convey the OUV of the WHS, its Integrity and Authenticity. In relation to the A303 Improvement Scheme (the Scheme), the service will also have a responsibility in relation to the archaeological requirements imposed as part of the DCO. In addition to its formal statutory role, WCAS have been engaged with throughout the proposed Scheme's design development via a number of working groups associated with the project, including the Heritage Monitoring and Advisory Group and the Scientific Committee.

- 1.2.8 As Lead Local Flood Authority (LLFA), Wiltshire Council has a number of duties and powers to manage local flood risk (relating to surface water, groundwater and ordinary watercourses) under planning legislation and the Flood and Water Management Act 2010.
- 1.2.9 As Land Drainage Authority (LDA), Wiltshire Council has duties and powers under the Land Drainage Act 1991 and the Wiltshire Land Drainage Byelaws 2014, e.g. the consenting of discharges into ordinary watercourses and requiring works to maintain flow in an ordinary watercourse.
- 1.2.10 Collectively Highways England and Wiltshire Council are referred to as 'the parties'.

1.3 **Terminology**

- 1.3.1 In the tables in the Issues chapter of this SoCG "Not Agreed" indicates a final position and "Under discussion" indicates where these points will be the subject of on-going discussion between the parties with the aim, wherever possible, to resolve, or refine, the extent of disagreement between the parties. "Agreed" indicates where an issue has been resolved.
- 1.3.2 It can be taken that any matters not specifically referred to in the Issues chapter of this SoCG are not of material interest or relevance to Wiltshire Council, and therefore have not been the subject of any discussions between the parties. As such, those matters can be read as agreed, only to the extent that they are either not of material interest or relevance to Wiltshire Council.
- 4.2.7 Where there is a conflict between this document and the Local Impact Report, the Local Impact report shall take precedence. Where there is a conflict between this document and the Written Representations, the Written Representations shall take precedence. However as further information becomes available during the course of the Examination, which satisfies the Council's concerns, this will be reflected in the SoCG.



1.3.3



2 Record of Engagement

- 2.1.1 A summary of the key meetings and correspondence that has taken place between Highways England and Wiltshire Council in relation to the Application is outlined in table 2-1.
- 2.1.2 In addition to the specific meetings listed below Wiltshire Council is a member of, and attends regular meetings of:
 - Stakeholder Strategy Board;
 - Working groups established to discuss particular areas of specialism;
 - Heritage Monitoring and Advisory Group (HMAG);
 - Scientific Committee;
 - UNESCO World Heritage Committee Engagement Group;
 - Environmental Group;
 - Traffic Local Authority Liaison Group;
 - Project Safety Controls Review Group and Tunnel Design Safety Consultation Group (to work as combined group);
 - Communications Group;
 - Local Community Forum;
 - Benefits Steering Group;
 - A303/A358/A30 Local Authority Steering Group;
 - Attendance at regular design progress reviews held by Highways England, to participate in discussion on matters of design with potential to impact on the OUV of the WHS; and
 - Operational Flood Working Groups.
- 2.1.3 In addition, Wiltshire Council holds a regular Officer Steering Group, to which Highways England is an invitee.
- 2.1.4 All of the meetings associated with these groups in relation to the Scheme are not detailed here.

Table -21 - Record of Engagement

RoE Ref	Date	Form of correspondence	Key topics discussed and key outcomes
General			
G1	April 2018	Wiltshire Council Response to Statutory Consultation	Detailed response to the statutory consultation undertaken by Highways England pursuant to s48 of the Planning Act 2008



G2	August 2018	Wiltshire Council Response to Supplementary Consultation	Detailed response to the supplementary consultation undertaken by Highways England in relation to three design changes
[RR-2365]	January 2019	Wiltshire Council Relevant Representation	Representation made by Wiltshire Council registering as an Interested Party
Traffic			
T1	26/10/17	Meeting	Emerging design options
T2	21/12/17	Meeting	Stakeholder views and update of transport modelling development plans
T3	25/01/18	Meeting	Local roads design discussion, discussion of forecasting assumptions and issues to consider in considering construction traffic management
T4	22/02/18	Meeting	Progress update and discussion of Traffic Modelling
T5	10/05/18	Meeting	Purpose of meeting to provide Wiltshire Council with initial view of traffic forecasts
T6	05/07/18	Meeting	Discussion of traffic forecasts and construction access
T7	13/09/18	Meeting	Presentation of traffic forecasts and discussion of potential impacts
T8	25/01/18	Meeting	Update on traffic modelling, highway and public rights of way design and statutory consultation proposals
	incl. NMU and PRo	V)	
HD1	11/10/17	Meeting	Review emerging public rights of way proposals



HD2	17/11/17	Wiltshire Council email	Identified concerns about possible diversion to byway WSTO6B (since abandoned)
HD3	21/12/17	Meeting	Update on traffic modelling, local highway and public rights of way proposals and statutory consultation.
HD4	22/12/17	Highways England email	Draft details of the local routes proposals as presented at meeting on 21/12/17
HD5	04/01/18	Meeting	Scheme briefing for council officers
HD6	22/01/18	Wiltshire Council email	Identified anomalies in PRoW network, which could be rectified by DCO.
HD7	25/01/18	Meeting	Update on traffic modelling, highway and public rights of way design and statutory consultation proposals
HD8	26/01/18	Wiltshire Council email	Request to avoid byway STAP8 when routing the electricity supply from Stapleford substation to the west tunnel portal. Alternatives proposed via Butts Hill then along byways STAP7, STAP6 and STAP13 or along a footpath next to Beehive Cottage then across fields to byway STAP13.
HD9	09/03/18	Highways England email	Interim clarification on how draft Orders were to be prepared and delivered, subject to confirmation
HD10	20/03/18	Meeting	Briefing on public rights of way proposals to Community Forum
HD11	21/03/18	Wiltshire Council email	Confirmed that Wiltshire Council's



			Countryside Access Improvement Plan 2015 – 2025 supported Highways England's creation of a new public rights of way on freehold land.
HD12	23/03/18	Wiltshire Council email	Advice on enforcement of TROs within WHS in relation to statement for draft consultation report
HD13	26/03/18	Meeting	Highways England update on PRoW proposals. Wiltshire Council requested some changes to improve access, particularly for carriage drivers
HD14	26/03/18	Wiltshire Council email	Confirmed acceptance of statement for draft consultation report relating to highways proposals being promoted by others.
HD15	05/04/18	Wiltshire Council email	Issues to consider for access to collect waste from Stonehenge Cottages.
HD16	06/04/18	Wiltshire Council email	Response to query on status of A344
HD17	30/04/18	Meeting	Update on public rights of way proposals
HD18	29/05/18	Wiltshire Council email	Requirements for existing A303 through Winterbourne Stoke and response to query on design standard for recently constructed roundabout on The Packway.
HD19	14/06/18	Meeting	Review the scheme's impact on local roads with Wiltshire Council Transport team
HD20	25/06/18	Meeting	Review the scheme's impact on local roads and land acquisition.



HD21	02/07/18	Wiltshire Council email	Agreed principle of alternative alignment for AMES1 byway diversion. Suggested widening Allington track bell-mouth area to accommodate 2-way movements. Reiterated previous concerns about the need for passing places.
HD22	16/07/18	Wiltshire Council email	Confirmed no knowledge of asbestos found within existing highways (excludes bridge structures)
HD23	24/07/18	Workshop	Walking Cycling and Horse Riding Workshop for stakeholders to review public rights of way proposals and identify opportunity to maximise opportunities for walking, cycling & horse-riding
HD24	13/08/18	Highways England email	Proposals for layby west of Winterbourne Stoke
HD25	08/18/18	Wiltshire Council	Response to supplementary consultation
HD26	06/09/18	Telecon between Highways England and Wiltshire Council	Road width beneath B3083 overbridge
HD27	13/09/18	Highways England email	Draft DCO rights of way and access plans issued for information
HD28	27/09/18	Wiltshire Council email	Confirmed classification of de- trunked A303 through Winterbourne Stoke
HD29	20/11/18	Highways England email	Requesting Wiltshire Council's view on extending the proposed restricted byway south-east to Woodford Road junction
HD30	17/12/18	Meeting	Meeting to review Highways, Transport



HD31	21/01/19	Highways England email	and Public Rights of Way elements of Statement of Common Ground Propose approach to incorporating Relevant Representations into SoCG
<u>HD32</u>	26/03/19	Meeting	Meeting to discuss design requirements of Public Rights of Way and to review proposed options
<u>HD34</u>	09/0519	Meeting	Phone discussion to review options for restricted byway to visitor centre
<u>HD35</u>	28/05/19	Meeting	Meeting to review options for restricted byway to visitor centre
Air Quality		·	
AQ1	24/11/17	Air quality conference call between Highways England and Wiltshire Council	Discussion on air quality methodology and Scheme
AQ2	05/12/17	Highways England email	Minutes from air quality conference call on the 2nd December and Interim Advice Note provision
AQ3	02/07/17	Meeting in Wiltshire Council offices	Air quality discussion on SoCG in offices and via phone.
AQ4	03/07/18	Highways England email	Indicative Affected Road Network for air quality study area and air quality monitoring data
AQ5	11/07/18	Highways England email	Email Highways England air quality monitoring data and air quality receptor shapefiles.
AQ6	17/07/18	Highways England email	Email confirming no odour sources associated with Scheme.
AQ7	19/07/18	Highways England email	Email Highways England air quality monitoring data and



			receptors as excel files
AQ8	26/07/18	Conference call between Highways England and Wiltshire Council	Brief general progress discussion on air quality assessment
AQ9	06/08/18	Highways England email	Email feedback on construction traffic management plan
AQ10	11/09/18	Conference call between Highways England and Wiltshire Council	Discussion on progress of air quality assessment.
AQ11	11/09/18	Highways England email	Email to provide air quality information on tunnels, pollutants, diversions and construction.
AQ12	14/09/18	Highways England email	Email of the latest air quality receptor points.
AQ13	08/10/18	Highways England email	Email regarding review of air quality matters in the ES
AQ14	22/11/18	Conference call between Highways England and Wiltshire Council	To discuss any queries from the ES and to begin SoCG discussions.
AQ15	10/01/19	Conference call between Highways England and Wiltshire Council	To continue SoCG discussions.
AQ16	23/01/19 to 25/01/19	Email correspondence between Highways England and Wiltshire Council peer reviewers	Request and agreement on dates for conference call
AQ17	29/01/19	Highways England email	Revised draft of mini noise and air quality SoCG issued to Wiltshire Council adding in Councils Relevant Representations (RR)
AQ18	31/01/19	Conference call between Wiltshire Council and Highways England	To continue SoCG discussions.
AQ19	31/01/19	Highways England email	Provision of 2012 Draft Air Quality Supplementary Planning Guidance.



AQ20	01/02/19	Wiltshire Council peer	Provision of peer
·		reviewer email	review queries
AQ21	01/02/19	Highways England email	Confirmation of receipt of peer review queries.
AQ22	04/02/19	Conference call between Wiltshire Council peer reviewer and Highways England	Initial discussion/clarificatio n of queries.
AQ23	06/02/19	Wiltshire Council peer reviewer email	Reminder of request for responses.
AQ24	06/02/19	Highways England email	Confirmation provided.
AQ25	06/02/19	Highways England email	Memo of Air Quality responses provided.
AQ26	07/02/19	Conference call between Wiltshire Council peer reviewer and Highways England	Follow up discussion/clarificatio n of queries, with one further query identified. Agreement to provide some additional clarifications as soon as possible to facilitate Ricardo AEA review.
AQ27	08/02/19	Highways England email	Memo of updated Air Quality responses provided.
AQ28	11/02/19	Wiltshire Council peer reviewer email	Confirmation of receipt of updated Memo.
AQ29	11/02/19	Wiltshire Council peer reviewer email	One follow up query on updated memo.
AQ30	11/02/19	Highways England email	Initial response on up query.
AQ31	11/02/19	Highways England email	Final issue of memo addressing all Ricardo AEA air quality queries.
AQ32	11/02/19	Wiltshire Council peer review email	E-mail confirming Ricardo AEA air quality peer review had been submitted to Wiltshire Council.
AQ33	27/02/19	Wiltshire Council email	Wiltshire Council comments on mini SoCG received including proposed DCO requirements
AQ34	01/03/19	Telephone discussion between Wiltshire	Discussion of Wiltshire Council



		T.	
		Council and Highways England	comments on mini SoCG and proposed DCO requirements
AQ35	28/03/19	Meeting at Wiltshire Council offices between Wiltshire Council and Highways England	Discussion on air quality SoCG and 2 presentations on Traffic Management and Traffic Study Areas and Legacy Monitoring.
AQ36	29/03/19	Wiltshire Council email	E-mail and attached updated air quality SoCG with comments describing WCC position following meeting
AQ37	01/04/19	Highways England email	Updated SoCG implementing WCC Comments in mini-SoCG for air quality prior to moving to main SoCG
<u>AQ38</u>	02/04/19	Highways England E-mail	Update on main SoCG document
AQ39	17/04/19	Highways England E- mail	Update on minor amendments to Air quality sections following wider team reviews.
<u>AQ40</u>	18/04/19	Highways England E- mail	Discussion on potential call
<u>AQ41</u>	03/05/19	Highways England E- mail	SoCG document discussions
<u>AQ42</u>	28/05/19	Highways England E- mail	Discussion on potential call
<u>AQ43</u>	28/05/19	Wiltshire E-mail	Discussion on potential call
<u>AQ44</u>	11/06/19	Highways England E- mail	SoCG document clarifications
<u>AQ45</u>	11/06/19	Wiltshire E-mail	SoCG document clarifications
Noise and Vibration	I	1	
NV1	9/11/17	Telephone discussion between Highways England and Wiltshire Council	vibration assessment, local knowledge on noise sources, sensitive receptors and future developments
NV2	10/11/17	Highways England email	Plan of proposed baseline noise monitoring locations



			sent to Wiltshire Council
NV3	12/12/17	Highways England email	Plan of initial operational DMRB traffic noise study area and receptors sent to Wiltshire Council
NV4	24/05/18	Telephone discussion between Highways England and Wiltshire Council	confirmed preferred
NV5	02/07/18	Meeting between Highways England and Wiltshire Council	Update on progress with noise and vibration assessment and discussion on SoCG
NV6	26/07/18	Highways England email	Draft Noise and Vibration Methodology and Baseline Monitoring sections of ES chapter and associated Baseline Monitoring Appendix sent to Wiltshire Council for comment
NV7	07/08/18	Meeting between Highways England and Wiltshire Council	Discussion of baseline noise monitoring results, noise and vibration methodology, draft operational impacts, construction impacts and proposed mitigation
NV8	08/08/18	Wiltshire Council email	Follow on queries from Wiltshire Council on noise and vibration assessment, and Wiltshire Section 61 template, received
NV9	06/09/18	Telephone discussion between Highways England and Wiltshire Council	Wilshire noise and



			monitoring locations and monitoring methodology, the selection of receptors and study areas and the overall methodology adopted for the assessment.
NV10	14/09/18	Highways England email	Follow up e-mail to confirm noise and vibration discussion on 6/9/18
NV11	20/11/18	Highways England email	Update on progress to develop noise and air quality sections of SoCG
NV12	22/11/18	Telephone discussion between Highways England and Wiltshire Council	Discussion of progress to develop noise and air quality sections of SoCG
NV13	03/12/18	Highways England email	Draft of mini noise and air quality SoCG issued to Wiltshire Council
NV14	09/01/19	Highways England email	Revised draft of mini noise and air quality SoCGs issued to Wiltshire Council removing redundant text on Wiltshire comments on Scoping and PEIR
NV15	10/01/19	Telephone discussion between Highways England and Wiltshire Council	Wiltshire Council advised will be commissioning an independent Peer Review of the Noise Assessment. Initial run through of Relevant Representations (RR)
NV16	25/01/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Initial discussion of peer review process
NV17	29/01/19	Highways England email	Revised draft of mini noise and air quality SoCG issued to Wiltshire Council adding in Councils Relevant Representations (RR)



NV18	05/02/19	Meeting between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Review of noise assessment focussing on the operational noise modelling and development of the noise mitigation measures
NV19	05/02/19	Telephone discussion (and subsequent e- mail) between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Queries on the methodology and the operational and construction traffic assessments discussed and provided by e-mail
NV20	06/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Queries on the construction assessment resolved
NV21	06/02/19	Highways England email (Re: Wiltshire Council noise peer review)	Plans of construction compound locations provided
NV22	11/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	Areas of particular interest for the operational and construction traffic assessments reviewed together and queries resolved, followed up with email confirming outcome of discussions
NV23	11/02/19	Telephone discussion between Highways England and Wiltshire Council (Wiltshire Council noise peer review)	recommendations
NV24	14/02/19	Highways England email (Re: Wiltshire Council noise peer review)	Confirmation of agreement between Wiltshire Council Peer Reviewer and Highways England on methodology adopted, results of the assessment and conclusions on significance and mitigation, as discussed at the



			teleconference on 11/02/19
NV25	14/02/19	Highways England email	Request for Wiltshire to add in outcome of Wiltshire Councils Peer Review process to mini SoCG
NV26	20/02/19	Wiltshire Council email	Requested Highways England send track changes version of most recent mini SoCG as sent 29/1/19
NV27	21/02/19	Highways England email	Track changes version of mini SoCG sent
NV28	27/02/19	Wiltshire Council email	Wiltshire Council comments on mini SoCG received including proposed DCO requirements
NV29	01/03/19	Telephone discussion between Highways England and Wiltshire Council	Wiltshire Council
NV30	15/03/19	Wiltshire Council email	Confirmation received of agreement on all items in the mini SoCG, other than DCO Requirements. Confirmation of agreement on Highways England's understanding of the aims of Wiltshire Council with regard to the proposed DCO Requirements
<u>NV31</u>	<u>25/4/19</u>	Telephone discussion between Highways England and Wiltshire Council and confirmation Highways England e- mail	Discussion regarding relevant Representations, Wiltshire Councils proposed DCO Requirements in the SoCG, working hours and 1st round DCO written questions
<u>NV32</u>	<u>26/4/19</u>	Wiltshire Council email	Wiltshire Council comments on working hours and 1st round DCO written questions



<u>NV33</u>	<u>29/4/19</u>	Wiltshire Council email, Telephone discussion between Highways England and Wiltshire Council and Highways England email	Confirmation regarding text in OEMP regarding offer of temporary re- housing at Stonehenge Cottages during tunnelling and definition of 'summer' with regard to earthworks working hours
<u>NV34</u>	13/6/19	Wiltshire Council email	Query regarding amending wording in OEMP following Issue Specific Hearings
<u>NV35</u>	14/6/19	Highways England email	Draft amendment to OEMP following Issue Specific Hearings provided
<u>NV36</u>	<u>17/6/19</u>	Telephone discussion between Highways England and Wiltshire Council and Highways England email	amendment to OEMP
<u>NV37</u>	20/6/19	Wiltshire Council email	Confirmation of Wiltshire Councils agreement to Highways England's response to all the Wiltshire Council proposed DCO Requirements in the SoCG, and provision of Wiltshire Councils minor proposed amendments to OEMP text
<u>NV38</u>	12/7/19	Telephone discussion between Highways England and Wiltshire Council and confirmation Highways England email	round DCO written
Archaeology and He			
AH1	10/08/17	Minutes from Heritage Monitoring & Advisory Group (HMAG) meeting	



	1	T	,
AH2	15/09/17	Minutes from HMAG meeting	arrangements; Secretariat for HMAG & Scientific Committee Discussion points: Scientific Committee Working Interface; Proposed Scientific Committee Agenda; Working Arrangement with Highways England/AmW; Forward Programme
AH3	25/09/17	Minutes from HMAG meeting	Discussion points: Draft Archaeological Evaluation Strategy Report; Agenda/Itinerary for meeting Scientific Committee; Documents for Scientific Committee; Final Evaluation Reports
AH4	11/10/17	Minutes from HMAG meeting	Discussion points: Archaeology Evaluation Strategy Report; Outcome of Scientific Committee and Future Dates; Developing website for Scientific Committee; early draft of the HIA Scoping Report from AmW; WSI for Archaeological Evaluation of Wilford G1 Barrow (later withdrawn)
AH5	23/10/17	Minutes from HMAG meeting	Discussion points: Developing website for Scientific Committee; Revised WSI for G1 Barrow Evaluation (later withdrawn); Revised Archaeological Evaluation Strategy Report; Advice papers from Scientific Committee on Colluvium and Evaluation; Draft HIA Scoping Report



AH6	06/11/17	Minutes from HMAG meeting	Discussion points: Agenda for next Scientific Committee; Archaeology Evaluation Strategy Report; Overarching Written Scheme of Investigation; comments on the Draft HIA Scoping Report; Scientific Committee Website Development; SMC Wilsford G1 (Access) (later withdrawn)
AH7	08/12/17	Minutes from HMAG meeting	Discussion points: Status of Evaluation Documents; Status of programme for evaluation; Timings of next Scientific Committee meeting
AH8	18/01/18	Minutes from HMAG meeting	Discussion points: Review of access and mitigation for Archaeological Monitoring of the GI works; Review of SSWSIs and outstanding actions; Date for the UNESCO/ICOMOS Working Group meeting; Date of next Scientific Committee meeting
AH9	12/02/18	Minutes from HMAG meeting	Discussion points: Final HIA Scoping Report; Ongoing Surveys; Scientific Committee agenda and itinerary;
AH10	21/03/18	Minutes from HMAG meeting	Discussion points: Blick Mead; Discussion on preliminary HIA results; Evaluation Programme and Associated Documentation; Statement of Common Ground
AH11	13/04/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation



			Progress. Attended by WCAS, AmW, and
			Wessex Archaeology.
AH12	17/04/18	Minutes from HMAG meeting	Discussion points: Scientific Committee Meeting; Blick Mead; Evaluation Programme update; Rollestone Corner Geophysics update; EIA and HIA programme update
AH13	20/04/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH14	04/05/18	Site meeting	Site inspection of Winterbourne Stoke North. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH15	04/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH16	09/05/18	Minutes from HMAG meeting	Discussion points: Scientific Committee agenda; update on Archaeological Evaluation; update on Blick Mead
AH17	11/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH18	18/05/18	Site meeting	Site inspection of Longbarrow South. To discuss trench Evaluation Progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH19	18/05/18	Site meeting	Site inspection of Western Portal. To



			discuss west portal evaluation progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH20	01/06/18	Site meeting	Site inspection of Western Portal. To discuss west portal evaluation progress. Attended by WCAS, AmW, and Wessex Archaeology.
AH21	14/06/18	Minutes from Wiltshire Council Archaeology Services meeting	Discussion points: Western Portal; Archaeological evaluation design; Programme; Long Barrow South – Archaeological Findings and Junction design
AH22	15/06/18	Minutes from HMAG meeting	Discussion points: Post-consultation design changes; update on archaeological evaluation; EIA and HIA programme and update
AH23	12/09/18	Site meeting	Site inspection of Guinness East and Winterbourne Stoke West (Parsons). To discuss trench Evaluation Progress Week 37. Attended by WCAS, AmW, and Wessex Archaeology.
AH24	05/09/18	Site meeting	Site inspection of Winterbourne Stoke West. To discuss trench Evaluation Progress Week 3. Attended by WCAS, AmW, and Wessex Archaeology.
AH25	24/08/18	Site meeting	Site inspection of Winterbourne Stoke West. To discuss trench Evaluation Progress Week 1. Attended by WCAS, AmW, and Wessex Archaeology.



AH26	21/09/18	Site meeting	Site inspection of Winterbourne Stoke East (Turner). To discuss trench Evaluation Progress Week 39. Attended by WCAS, AmW, and Wessex Archaeology.
AH27	12/12/18	Meeting	Meeting with WCAS and Wiltshire Council Conservation Officer to discuss the draft SoCG with regards to heritage
AH28	28/03/19	Meeting	Meeting with WCAS and Wiltshire Council Conservation Officer to discuss the draft SoCG with regards to heritage
AH29	31/07/19	Meeting	Meeting with WCAS to discuss drawings showing the Zone of Theoretical Visibility for both the existing and proposed road alignment and SoCG matters under discussion with regards to heritage
Landscape and Vi	sual		
LV1	27/02/18	Meeting	Discussion of study area, LVIA representative viewpoints and accurate visual representations
LV2	06/03/18	Email	Confirmation of items raised at 27/02/18 meeting
LV3	26/04/18	Email	Submission and agreement of additional detail to the LVIA methodology
LV4	05/07/18	Meeting	Kick off meeting on SoCG for Ecology and Landscape
¥L5LV5	17/01/19	Meeting	Discussion on the Landscape and Visual Statement of Common Ground
VL6LV6	14/02/19	Meeting	Discussion on the Landscape and Visual



			Statement of Common Ground
<u>LV7</u>	13/03/19	Email	Information on Swanworth Quarry, Dorset in respect of establishing chalk grassland
LV8	20/03/19	<u>Email</u>	Clarification that the views from vehicles users on the existing A303 are covered in the Socio-economic chapter of the Environmental Statement (ES)
<u>LV9</u>	25/04/19	Email	Confirmation of the reference numbers used for cumulative schemes as part of the landscape and visual impact assessment
<u>LV10</u>	14/06/19	Email	Signposting to the OEMP updates with more design and design principal information (REP3-0076)
<u>LV11</u>	18/06/19	<u>Email</u>	Confirmation that 'under discussion' items have been closed out
Biodiversity			
Bio1	March 2018	Meeting with regard to biodiversity issues	Scheme overview and specific species mitigation.
Bio2	January 2019	Initial Statement of Common Ground meeting with Wiltshire Council	SoCG and relevant biodiversity issues.
Bio3	26/02/19	Email and call	Issued working draft HRSA Clarification Note
Bio 4	11/03/19	<u>emails</u>	Future projects at Parsonage Down, agreements on SoCG issues
<u>Bio 5</u>	30/05/19	<u>email</u>	Agreement on SoCG issues re HRA
<u>Bio 6</u>	06/06/19	<u>call</u>	Discussion of the biodiversity mitigation and enhancement include in the



	_	1	
			indicative Environmental Masterplan and OEMP.
Water and Flood Ris	k		
WFR1	18/08/17	Meeting between Highways England, Wiltshire Council and Environment Agency	Initial discussion on flood risk (all sources), groundwater, water quality and road drainage
WFR2	05/10/17	Meeting between Highways England Wiltshire Council and Environment Agency	Update on water issues following the Preferred Route Announcement
WFR3	20/10/17	Meeting between Highways England, Wiltshire Council and Environment Agency	Flood risk and groundwater
WFR4	26/10/17	Meeting	Wiltshire Council's Operational Flood Working Group
WFR5	27/10/17	Meeting	Data sharing
WFR6	16/11/17	Meeting	Groundwater
WFR7	14/12/17	Teleconference between Highways England, Wiltshire Council and Environment Agency	Groundwater
WFR8	Jan 2018 – Dec 2018	Monthly teleconferences between Highways England, Wiltshire Council and Environment Agency	Groundwater and other water topics
WFR9	11/01/18	Meeting between Highways England, Wiltshire Council and Environment Agency	Groundwater
WFR10	06/03/18	Minutes from meeting between Wiltshire Council, Environment Agency, Wessex Water and Highways England	Preliminary feedback on the PEIR and HE's public consultation; Discussion on progress for the ES regarding water quality, WFD, groundwater, flood risk and road drainage
WFR11	08/03/18	Wiltshire Council email	Foul sewer information from Wessex Water



WFR12			
	28/03/18	Email	Details of groundwater monitoring network and HydroVu telemetry
WFR13	18/04/18	Meeting	Wiltshire Council's Operational Flood Working Group
WFR14	26/07/18	Email	Groundwater modelling annex provided
WFR15	31/07/18	Email	Groundwater risk assessment and annexes provided
WFR16	12/10/18	Email	A303 Road drainage strategy meeting
WFR17	16/10/18	Meeting	A303 Road drainage strategy meeting
WFR18	17/10/18	Email	A303 Road drainage strategy meeting
WFR19	Sept 2018 – present	Monthly teleconferences between Highways England, Wiltshire Council and Environment Agency	Groundwater and related water topics
WFR20	30/10/18	Meeting	Peer review meeting
WFR20 WFR21	30/10/18	Meeting Email	Peer review meeting Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land
		ŭ	Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council
WFR21	30/10/18	Email	Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land Post meeting comments regarding A303 Road Drainage Strategy meeting issued to Wiltshire
WFR21 WFR22	30/10/18	Email Email	Requesting access to survey Groundwater Monitoring equipment on Wiltshire Council land Post meeting comments regarding A303 Road Drainage Strategy meeting issued to Wiltshire Council Confirmation of meeting on 22nd November 2018 to provide Wiltshire Council with an update on Groundwater and Groundwater



WFR26	29/01/19	Meeting	Discussion of road drainage design and pluvial flood risk assessment and mitigation
WFR27	06/02/19	Highways England email	Further information post meeting on road drainage strategy
WFR28	18/02/19	Meeting	Discussion of road drainage design and pluvial flood risk assessment and mitigation
WFR29	19/02/19	Highways England email	Further information post meeting on road drainage strategy
WFR 30	22/02/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR31	22/02/19	Highways England email	Draft groundwater reports issued: Stonehenge Area Pumping Test 2018 Interpretive Report Stage 4 – Implications of 2018 Ground Investigations to the Groundwater Risk Assessment
WFR32	25/02/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR33	04/03/19	Highways England email	Correspondence on road drainage following the 18th February 2019 meeting
WFR34	04/03/19	Wiltshire Council email	Drainage comments on V2.0 of SoCG
WFR35	28/03/19	Telecom	Discussion on road drainage
WFR36	29/03/19	Highways England email	Working drafts of groundwater reports issued: Stonehenge Area Pumping Test 2018 Interpretative Report Stage 4 – Implications of 2018 Ground Investigations to the



			Groundwater Risk Assessment Stage 4 – Supplementary Groundwater Model Runs to Annex 1 Numerical Model Report Stage 4 – Groundwater Monitoring 2018-19 Conceptual Model Review
WFR37	01/04/19	Meeting between Highways England, Wiltshire Council and Environment Agency	Discussion on groundwater
WFR37WFR38	09/04/19	Highways England email	V3.0 of SoCG issued



3 Issues

General Comments on Document:

- The Council wishes for a general comment to be incorporated expressing our concern about how requirements are going to be discharged and by who.

1.1.8.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	<u>Status</u>
GEN1	[REP6-041]	The Council wishes for a general comment to be incorporated expressing our concern about how requirements are going to be discharged and by who. Response to ExA question DCO.2.66	The Council set out a number of additional Requirement it considered necessary within its Comments on the dDCO submitted at Deadline 4 (in relation to): - Construction Environmental Management Plan (CEMP) - Traffic Monitoring and Mitigation - Highway Lighting Scheme - Traffic Management during Tunnel Closures - Flood Risk Assessment	Highways England will respond to Wiltshire Council's deadline 6 submission at deadline 7.	<u>Under</u> <u>Discussion</u>
GEN2		Approving body for CEMP, other documents, including various management plans, and specific design elements	The Council considers it inappropriate for HE to be The Authority and approving body for key documents, for example the CEMP etc. The Council has also indicated where its approval is required for management plans and design	Highways England will respond to Wiltshire Council's deadline 6 submission at deadline 7.	Under Discussion



	elements within its representations	
	made during the Examination.	

3.1 Matters Agreed in relation to Traffic Impact.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.1.1	RoE Ref: G1	Section 5: Highways and Transport Considerations: Local Roads Issues to be Resolved 102.	The statutory consultation appears to provide a clearer indication of the physical proposals and generally the transport consequences thereof. In general terms, the scheme proposals will result in the transport outcomes anticipated, namely (i) the removal of congestion on this part of the A303 corridor, (ii) a more reliable journey time for users of the road in the area, (iii) the avoidance of the proclivity for drivers to rat run on the grounds of actual or anticipated time savings compared with staying on the A303 and (iv) a consequential reduction of traffic on those routes currently used as rat runs. These impacts are all seen as positive.	Highways England thanks Wiltshire Council for these supportive comments.	Agreed
3.1.2	[APP-297]	Section 4.2 of the Transport Assessment describes the geographic extent of the transport modelling	The extent of the modelling is broadly acceptable to Wiltshire Council.	Noted	Agreed



3.1.3	[APP-297]	Section 2 of the Transport Assessment describes relevant planning policy	The planning policy relevant to transport issues covered within the Transport Assessment is broadly acceptable to Wiltshire Council	Noted	Agreed
3.1.4	[APP-297]	Section 4.4 of the Transport Assessment summarises baseline data	The baseline data summary is broadly acceptable to Wiltshire Council.	Noted	Agreed
3.1.5	[APP-297]	Section 4.5 to 4.8 describe traffic modelling -methodology and verification	Wiltshire Council does not wish to challenge the modelling methodology used in relation to the Scheme and accepts that the Transport Assessment is reasonable in this regard.	Noted	Agreed
3.1.6	[APP-297]	Section 5 of the Transport Assessment describes the operational traffic forecasting assumptions and methodology. Section 9.2 to 9.4 describe the construction forecasting assumptions	Wiltshire Council considers the assumptions adopted in relation to the forecasting of future scenarios to be reasonable, it also recognises that certain assumptions can be properly challenged, and that driver behaviours can be difficult to predict with accuracy. The construction forecasting assumptions are based on assumptions made in relation to contractor processes which can be subject to material change. However, the Transport Assessment approach is considered reasonable on the basis of available information	Noted	Agreed
3.1.7	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once	Whilst the Transport Assessment forecasts general traffic impacts associated with the completed	Highways England concurs that the Transport Assessment explains the scheme impacts.	Agreed



		opened. Chapter 10 summarises the extent to which the scheme complies with policy	scheme, these are accepted as being reasonable, and demonstrate the adequacy of the scheme in addressing problems associated with current A303 capacity issues in the area, there are some impacts which are partly the result of the scheme, and partly as the result of local development. The nonscheme impacts are not included in the Transport Assessment.		
3.1.8	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council was concerned that additional traffic using Allington Track may have had impacts in Allington at junction with A338.	Highways England has provided further details confirming that there will be no capacity issues at this junction. Wiltshire Council is satisfied that this will be the case.	Agreed
3.1.9	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council wished to be satisfied that there were unlikely to be impacts at Stock Bottom roundabout south of Amesbury town centre.	Highways England has provided further details to Wiltshire Council. Wiltshire Council is satisfied that any impacts at this location will be acceptable.	Agreed
3.1.10	[APP-297]	Sections 9.5 to 9.7 of the Transport Assessment describe impacts during construction.	Wiltshire Council wish assurance that during construction traffic (HGVs) will route along the strategic road network and if materials are sourced south of Salisbury the HGVs would route using the A303 rather than A36?	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [APP-020REP6-005]. Matters to be included in this plan are	Agreed
3.1.11	[APP-297]	Sections 9.5 to 9.7 of the Transport Assessment describe impacts during construction.	Wiltshire Council would not wish HGVs to use the B3083 north of Winterbourne Stoke for site access	set out in reference MW-TRA2 of the Outline Environmental Management Plan [APP-147REP6-011], which include	Agreed



		traffic management measures
		to be implemented and details
		of traffic management
		proposals for routes to be used
		by construction vehicles to
		access the works on or
		adjacent to public roadssite. In
		additional at TRA7, the OEMP
		provides that haul routes will
		be provided for use by
		construction vehicles.
		Compliance with the OEMP is
		secured by paragraph 4 of
		Schedule 2 to the draft DCO.

3.2 Matters Under Discussion in relation to Traffic Impact.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.2.1.12	[APP-297]	Chapter 6 of the transport assessment describes the traffic impacts of the scheme once opened. Chapter 10 summarises the extent to which the scheme complies with policy	Wiltshire Council are concerned that increased traffic generated by the scheme may exceed operational capacity of London Road signalised junction between Amesbury town centre and Countess junction. This is confirmed in the post DCO submission report submitted to WC by HE.	Highways England acknowledge capacity issues at the London Road Junction, although does not accept that these issues are caused solely by the Scheme. The parties are continuing to discuss ways of working together to address Wiltshire Council's concerns at this location.	Under DiscussionAgreed subject to completion of a legal agreement between the parties



3.2 Matters Under Discussion in relation to Traffic Impact

3.2.1 There are no matters under discussion in relation to traffic impact.

3.23.3 Matters Not Agreed in relation to Traffic Impact.

3.2.13.3.1 No matters are Not Agreed at the present time.

3.33.4 Matters Agreed in relation to Highways Design-

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.4.1	RoE Ref: G1	44. Clarification of land ownership details where the existing A303 will be stopped up.	The former line of the A303 to the east of Stonehenge Road junction. (Please note this item only relates to land ownership issues, it does not relate to design clarifications required as referenced within our written representation).	In respect of land comprised in the existing A303, over which new restricted byways are constructed, the new restricted byways would vest in Wiltshire Council when it becomes liable to maintain them. This would take effect by virtue of article 9(1) of the draft DCO [APP-020REP6-005] and section 263265 Highways Act 1980. Any surplus land owned by Highways England comprised in what would be the former A303 would be dealt with in accordance with Crichel Down rules.	Agreed
3.4.2	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads	This proposed change is fully supported on technical grounds as being the best solution to improve	Highways England welcomes Wiltshire Council's comments.	Agreed



		21.	the junction whilst minimising local impacts for a scheme within the WHS. The change is in line with previous suggestions from Shrewton Parish Council to alter the priorities at the junction, affording the perception that the Shrewton direction is not the priority route where choices of route exist. Furthermore, the proposals fit with Wiltshire Council's ambition to review the classification status of the B3086, with a view to downgrading the section between Rollestone Crossroads and A360 via Shrewton, but upgrading the status of The Packway from Class 3 to Class 2 between Rollestone Crossroads and the Durrington A345 roundabout.		
3.4.3	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 23.	Additionally, Wiltshire Council concurs that there will be no additional adverse landscape and visual effects as a result of the proposed modifications to the Rollestone Crossroads layout, which combined with the other proposed changes being consulted on, are perceived, overall, to have a minor beneficial improvement to the scheme.	Noted	Agreed
3.4.4	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads	As this section of the road is already used by some drivers to avoid existing queues on the A303,	This junction improvement is included in the early works package and provision has	Agreed



		24.	Wiltshire Council would like to see an early implementation of this improvement as part of the advanced works.	been in the Schedule 2 to the draft DCO [APP- 020REP6-005] and the Outline Environmental Management Plan [APP- 187REP6-011] to facilitate these works coming forward at an early stage if development consent is granted for the Scheme.	
3.4.5	RoE Ref: G2	VI. Public Rights of Way (PROW) 26.	Wiltshire Council is also supportive of the creation of the new restricted byways throughout the WHS to enable the least restrictive access for the widest range of users. This accords with the requirements of the Equality Act 2010 and Wiltshire Council's overriding duty to assert and protect the use and enjoyment of the public rights of way by the public.	Noted	Agreed
3.4.6	[RR-2365]	Part III Highways & Transport considerations 37.	a) There is a requirement for clarification in relation to the provision and operation of traffic signals controls at both the Longbarrow and Countess Roundabouts, especially in relation to the integration of the signals with the tunnel management systems in the event of the closure of access via the eastbound merge slip-road at Longbarrow Northern Roundabout and the westbound merge slip-road at Countess	Based on the preliminary design, the signal control to stop traffic entering the tunnel will be through Advanced Motorway Indicators (AMI's), which will be located near the start of the Longbarrow northern dumb-bell roundabout eastbound merge slip road and Countess roundabout westbound merge slip road. AMI's will also be located above lane indicators at the	Agreed subject to completion of a legal agreement between the parties



			Roundabout.	tunnel entrances. This equipment will be maintained by Highways England. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.4.7	[RR-2365]	Part III Highways & Transport considerations 37.	g) The TR010025 2.10 Traffic Regulation Measures Plans (Speed Limits) show a proposed speed limit of 30 mph for the realigned section of the Allington Track (also in the Draft DCO Schedule 10 Part 1); Wiltshire Council is concerned as to the compatibility of the speed limit with the Department for Transport Circular 01/2013, and with the speed limit on the existing Allington Track; it appears to be set unnecessarily low. The Council has argued in its written representations for the speed limit to be National Speed Limit. It also seeks inclusion in an agreement an obligation to cover	The proposed horizontal alignment for the new Allington Track link (shown on Sheet 11 of the Traffic Regulation Measures Plans (Speed Limits) [APP-013]) includes two bends, of 90 degrees (to the west) and 35 degrees (to the east). This design has been agreed with Wiltshire Council. The speed limit has therefore been reduced to reflect the design. The appropriateness of the speed limit included in the Scheme at this location remains under discussion.	Agreed subject to the completion of a legal agreement between the parties



			costs of TROs for issues such as this, if intervention post scheme is required. The Council is seeking an acknowledgement that the Local Highway Authority will determine speed limit for local roads, where they disagree with scheme proposals.	acknowledges that Wiltshire Council, as local highway authority, will be responsible for determining the speed limits on the roads that it will be responsible for. The speed limits that will apply to the local roads comprised in the Scheme will be determined through a combination of the DCO, legal agreement to be entered into between Highways England and Wiltshire Council, and Wiltshire Council's existing powers.	
3.4.8	[RR-2365]	Part III Highways & Transport considerations 37.	k) There is some concern as to the adequacy of the coverage of the 6.3 Environmental Statement Appendices Appendix 2.2 Outline Environmental Management Plan in relation to some areas of Record of Environmental Actions and Commitments (REAC) tables at 3.2a and 3.2b. The Council is currently considering the content of the OEMP submitted at deadline 6 [REP6-011] and will submit any outstanding suggested changes to the OEMP at deadline 7.	The OEMP, which will be secured through DCO Requirement 4 (Schedule 2 of REP6-005), will be the subject of discussion during examination and Highways England is willing to consider any specific comments of Wiltshire Council. An update of the OEMP was entered into the examination at deadline 6 [REP6-011] together with a report setting out how the OEMP had been updated in response to stakeholder comments	Agreed in respect of the Environmental Statement. Discussions on changes to the OEMP required by the Council as a whole continue.



				[REP6-034].	
3.4.9	[RR-2365]	Part III Highways & Transport considerations 37.	m) There will be an incentive for haulage sub-contractors seeking to maximise loads per day shifted from east to west of the site to use alternative routes, such as The Packway, because of the potential delays on the A303 (especially westbound) route; enforceable measures will be sought to take action against offenders in an appropriate manner. The Council is currently considering the content of the OEMP submitted at deadline 6 [REP6-011] and will submit any outstanding suggested changes to the OEMP at deadline 7.	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [REP6-005]. Matters to be included in this plan are set out in reference MW-TRA2 to MW-TRA11 of the Outline Environmental Management Plan [REP6-011] which include construction traffic routeing, compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO. An update of the OEMP was entered into the examination at deadline 6 [REP6-011] together with a report setting out how the OEMP had been updated in response to stakeholder comments [REP6-034].	Agreed in respect of the Environmental Statement. Discussions on changes to the OEMP required by the Council as a whole continue.
3.4.10	[RR-2365] [REP2-045]	Part III Highways & Transport considerations 37.	n) Highways England have provided no detail on the potential impact of the Solstice events during the construction and operation of the Scheme. During construction of the Scheme, the TA [APP-297] forecasts that the inevitable additional delays on the A303, particularly at the Countess	As described in detail in Chapter 10 of this report [ENV-479] the scheme, overall, would have a large beneficial effect on the Attribute of the OUV of the WHS to which solstice events contribute. The assessment of the potential for impacts on	Agreed subject to the completion of a legal agreement between the parties



junction area, will cause additional	the solstice is set out in the	
diverting traffic onto other routes	Heritage Impact Assessment	
both to the north and south of the	(HIA), ES Appendix 6.1	
A303. This diverted traffic must not	[APP-195]. The Outline	
be locally obstructed by on-highway	Environmental Management	
parking associated with solstice	Plan (OEMP) [REP6-011],	
and equinox events, or pedestrian	which is secured through	
movements associated with parked	paragraph 4 of Schedule 2 of	
vehicles put in jeopardy by passing	the draft Development	
traffic. This is a particular concern	Consent Order [REP6-005],	
on most of the local roads where	at item MW-G16, sets out	
pedestrian provision is not available	that surface works within the	
(no footways, and sometimes	western section of the WHS	
unusable verges) e.g. A360,	would be suspended during	
B3086, Packway (part).	summer and winter solstice	
It is the Council's view that a Traffic	(hours to be determined in	
Regulation Order (TRO) should be	consultation with HMAG).	
provided for in the DCO having the	Further, the OEMP sets out a	
effect of limiting parking on defined	requirement for the	
roads over a period extending to	contractor to consult with	
about a week either side of both	event organisers, which	
equinoxes and both solstices	includes Solstice events	
(about two months per year). At	(MW-TRA2).	
the time of preparation of these	Highways England continues	
written representations [REP2-045],	to work with Wiltshire Council	
the view of HE on this matter has	to limit any potential adverse	
not been fully explored, and the	impacts of illegal activity	
Council is developing its position on	during solstice events during	
the matter.	the operation of the Scheme.	
The Council considers that a TRO		
should be provided for in the DCO		
to limit parking on defined roads for		
a period either side of summer and		
winter equinoxes and solstices.		



3.4.11	RoE Ref: G2	V. Proposed Change to	From a highways and transport	Highways England welcomes	Agreed subject
0.1.11	ItoL Itol. OL	Rollestone Crossroads	perspective, the change represents	Wiltshire Council's comments	to the
			an improvement. The radius of the	in support of its proposals for	completion of a
		<u>20.</u>	bend will be relatively tight, and it	the Rollestone Cross	legal
			will be necessary to consider an	Junction which were	agreement
			appropriate speed limit below the	incorporated into the	between the
			National Speed Limit (NSL) to	Scheme.	parties
			address the tightness of the bend	Despite this general	partioo
			(which represents a departure from	agreement, discussions are	
			Department for Transport (DfT)	continuing between the	
			design standards), and for	parties on the	
			appropriate signing to highlight the	appropriateness of the	
			bend and its associated road	40mph speed limit included	
			junction. The proposed change	in the Scheme and shown on	
			would remove the presence of a	sheet 13 of the Traffic	
			crossroads (which in general exhibit	Regulation Measures Plans	
			worse traffic collision records than	(Speed Limits) [APP-013].	
			other junction types), and alter the	(Opeed Limits) [Ai 1 -015].	
			priorities of the junction in favour of		
			the route connecting The Packway	Highways England	
			and Airmans Corner. This alteration	acknowledges that Wiltshire	
			of priority is the main driver for	Council, as local highway	
			altering the junction. The Packway /	authority, will be responsible	
			Airmans Corner route is already the	for determining the speed	
			busiest route through the junction,	limits on the roads that it will	
			and the proposal to use this route	be responsible for. The	
			as part of the A303 tunnel diversion	speed limits that will apply to	
			route further emphasises the	the local roads comprised in	
			importance of changing the layout.	the Scheme will be	
			The proposed new road would	determined through a	
			include a right turn lane junction to	combination of the DCO,	
			serve the Shrewton arm of the	legal agreement to be	
			junction, and 'The Bustard' road	entered into between	
			past Rollestone Camp would be	Highways England and	
			served by a simple priority junction	Wiltshire Council, and	



		off this side arm, in substantially the same location as the existing junction. The Council is seeking inclusion in an agreement an obligation to cover costs of TROs for issues such as this, if intervention post scheme is required. Furthermore, the Council is seeking an acknowledgement that the Local Highway Authority will determine speed limit for local roads, where they disagree with scheme proposals.	Wiltshire Council's existing powers.	
3.4.12	Clarification of land ownership details where the existing A303 will be de-trunked.	Wiltshire Council agrees that it will become responsible for those areas which will be de-trunked. Discussions are ongoing with a view to potential amendments to the de-trunking plan.	It is intended that Wiltshire Council will take over ownership of those sections of the A303 which will be detrunked. This is provided for in the draft DCO (article 9(5)). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties



3.4.13		Clarification of land ownership details where the existing A303 will be stopped up and new PROW provided.		It is intended that Highways England will retain its interests in the existing A303 corridor save that the new highway comprised in the new restricted byway will vest in Wiltshire Council when it becomes responsible for its maintenance (article 9(1) of the draft DCO and section 265 Highways Act 1980). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude	Agreed subject to the completion of a legal agreement between the parties
				such an agreement before the close of the examination.	
3.4.14	[RR-2365]	Part III Highways & Transport considerations 37.	b) As a consequence of a) above, there is a need to clarify which of the highway authorities (Highways England or Wiltshire Council) will be the vesting authority, responsible for the on-going maintenance of the carriageways and traffic signals controls at each of the junctions.	Article 9 of the draft DCO [REP6-005] sets out which highway authority will be responsible for the maintenance of the new, altered or diverted streets (including highways) and other structures comprised in the Scheme. The default position under article 9 is that Highways England will be liable to maintain any trunk	Agreed subject to the completion of a legal agreement between the parties



		road comprised in the	
		Scheme. The local highway	
		authority will be liable to	
		maintain any other highway,	
		(i.e. other than a trunk road),	
		including any structure or	
		culvert (except for any bridge	
		carrying a highway over a	
		trunk road (see article 9(6))	
		and any highway that is de-	
		trunked (see article 9(6)).	
		Any highway that will become	
		maintainable by the local	
		-	
		highway authority must be	
		completed to the reasonable	
		satisfaction of the local	
		highway authority which, in	
		relation to the Scheme, will	
		be Wiltshire Council. The	
		purpose and effect of article	
		9 is discussed in further	
		detail in the Explanatory	
		Memorandum to the DCO	
		[APP-021] at paragraphs	
		6.21 and 6.22.	
		Article 9 (see article 9(1),	
		9(2), 9(3), 9(4), 9(5))	
		recognises that Highways	
		England and the local	
		highway authority may agree	
		in writing to depart from the	
		default arrangements set out	
		in those provisions.	
		The parties agree that	
		matters relating to the	



				highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.4.15	[RR-2365]	Part III Highways & Transport considerations 37.	d) The Draft DCO includes within Schedule 9 Part 2 information in relation to the Northern and Southern Roundabouts forming the 'dumbbell' junction. Whilst the Classifications Plan clearly shows the roundabouts as being classified as the A360, Wiltshire Council will need to be clear as to the future assets for which it will be responsible. Whilst the working assumption has been that Wiltshire Council would be the default vesting authority for off-line junctions, this needs to be clarified, especially in the context of a), b) and c) above. It would be logical that the vesting of the Longbarrow roundabouts is treated in the same way as the Countess Roundabout.	Schedule 9 to the draft DCO [REP6-005] and the Classification of Roads Plan [APP-016] must be read alongside article 47 of the draft DCO. The roads described in Part 2 of Schedule 9, the slip roads between the A303 and the new Longbarrow Junction, will become a trunk road by virtue of article 47(1)(a). The roads described in Part 3 of Schedule 9, comprising the links between the existing A360 and the new Longbarrow Junction, the circulatory carriageways of the northern and southern roundabouts, and the link between the two carriageways carried by Green Bridge No.3 over the existing A303, will be classified as the A360 by	Agreed subject to the completion of a legal agreement between the parties



	1	,	1	
			virtue of article 47(1)(b) of the	
			draft DCO. This is shown in	
			Inset 2 on the Classification	
			of Roads Plan. As noted	
			above, roads that are not	
			trunk roads must be	
			completed to the reasonable	
			satisfaction of the local	
			highway authority which	
			would then become	
			responsible for their	
			maintenance, by virtue of	
			article 9(1). The responsibility	
			for maintaining the highway	
			surface of the A360 carried	
			over the A303 trunk road by	
			Green Bridge No.3 would fall	
			to the local highway	
			authority, although the	
			structure of Green Bridge	
			No.3 would be maintained by	
			Highways England, by virtue	
			of Article 9(6).	
			The parties agree that	
			matters relating to the	
			highways that Wiltshire	
			Council would become liable	
			to maintain, as a result of the	
			Scheme, are capable of	
			being resolved through the	
			terms of a legal agreement	
			between the parties. The	
			parties intend to conclude	
			such an agreement before	
			the close of the examination.	



3.4.16		Other matters relating to the detrunked A303	Wiltshire Council will seek to ensure that it receives an asset in good repair, where the need for structural maintenance in the foreseeable future being minimised. Wiltshire Council will seek to secure a de-trunked asset which will not require foreseen structural maintenance interventions for at least 5 years following the asset being vested in Wiltshire Council.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.4.17	[RR-2365]	Part III Highways & Transport considerations 37.	o) Wiltshire Council will seek to agree commuted payments to support those additional assets for which it could become responsible and ensure absolute clarity of the extent / boundaries of such assets.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.4.18	[RR-2365]	Lighting at Longbarrow Junction	It is welcomed by the archaeology service that no street lighting has been proposed for the area of the new junction, but the Council	Highways England acknowledges WCAS's concerns but note that the new Junction will be a	Under discussion Agreed subject to the



_		 		
		requires further detail regarding any	substantial improvement on	completion of a
		residual impacts of light spillage	the existing, moving it 600m	legal
		and adverse impacts on dark skies	to the west of the WHS	agreement
		within the vicinity of the WHS	boundary, recessed into the	between the
		boundary. This needs to be	landscape, and being unlit.	parties
		considered in terms of traffic safety	This is in contrast to the	<u> </u>
		considerations given the current	existing Longbarrow	
		proposals for traffic signal controls	Roundabout which is	
		to address safety concerns at this	currently lit by street lights	
		junction	and is immediately adjacent	
		<u>junoton</u>	to the Winterbourne Stoke	
			Crossroads barrow group.	
			Highways England also notes	
			that the Outline	
			Environmental Management	
			Plan [REP6-011] (compliance	
			with which is secured under	
			paragraph 4 of Schedule 2 of	
			the DCO) requires lighting	
			under Green Bridge Four,	
			located just east of	
			Longbarrow Junction, to only	
			occur between dawn and	
			dusk, be dimmer controlled,	
			and designed to minimise	
			light spill outside of the	
			bridge footprint (item D-	
			<u>CH10).</u>	
			The potential impact of the	
			Scheme upon dark skies is	
			considered in the Heritage	
			Impact Assessment [APP-	
			195], Section 9.3, paragraphs	
			9.3.13 – 9.3.19, which	
			concludes that the Scheme	



3.4.19	RoE Ref: G1	Highways design	Potential impacts include: Lighting associated with the Countess Roundabout flyover	would have a Moderate Positive impact on this aspect of the WHS, resulting in a Large Beneficial effect. The Countess Roundabout flyover is not being lit. The existing lighting will be replaced and therefore a potential beneficial change from more efficient lighting and reduced light spillage (see item D-CH12 of the	Agreed
3.4.20	[RR-2365]	Part III Highways & Transport considerations 37.	e) Wiltshire Council will require clarification, following detailed design, about the precise boundaries to the new highway for which it will become the vesting authority. It will also require details for the associated support infrastructure including drainage arrangements (including any easements or maintenance access, lighting and power supply other cabling).	In all cases where Wiltshire Council would become the highway authority for a new highway comprised in the Scheme, Highways England confirms that details of the precise boundaries of the new highways, together with details of associated supporting infrastructure, to be maintained by Wiltshire Council, will be provided once the corresponding powers under the DCO have been exercised. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of	Agreed subject to the completion of a legal agreement between the parties



		being resolved through the
		terms of a legal agreement
		between the parties. The
		parties intend to conclude
		such an agreement before
		the close of the examination.

3.43.5 Matters Under Discussion in relation to Highways Design.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.5.1	RoE Ref: G1	Section 5: Highways and Transport Considerations: Old Stonehenge Road 54.	An issue of concern has been identified in relation to two farms (Park Farm and West Amesbury Farm), because the farms have a need to accommodate movements of large vehicles (combine harvesters, circa 4m wide), which could be problematic if the only access to the farms were to be via Amesbury. It is understood that matters relating to this issue are recognised by HE and attempts will be made to ensure that suitable and appropriate access arrangements are established. The solution to the problem might involve some minor changes to waiting restrictions within Church Street, to help remove local pinch points, which can be caused by onstreet parking. Access between the National Trust owned fields and Countess	(Pursuant to the MW-COM series of items in the OEMP [REP6-011]) Farm access arrangements have been and will continue to be discussed with affected landholders, including Park Farm and West Amesbury Farm. Suitable alternative access arrangements will be pursued for agreement with the affected landholders of the two farms. If this is unachievable then appropriate compensation will be agreed.	Under Discussion



			Road is proposed to be via the public bridleway AMES9A. Wiltshire Council as the highway authority responsible for the maintenance of the surface of this bridleway has no objection in principle to its use as a private means of access for combine harvesters as is proposed, but will require a legal agreement to provide that any damage caused to the surface by the exercise of this new private access will be rectified by the holder of those rights. However, it must be recognised that Wiltshire Council does not own the subsoil of the track over which the bridleway passes and cannot, therefore, give permission for the grant of the proposed new private rights of access; only the owner(s) of		
			of access; only the owner(s) of the subsoil can do that.		
3.5.2	[RR-2365]	Part III Highways & Transport considerations 37.	j) The works proposals do not provide for any works at the layby to the western end of the above section of existing A303. Wiltshire Council is concerned as to the potential abuse of this area of highway, especially bearing in mind proximity to Stonehenge. Potential alternative uses will need to be considered. It is also questioned as to why this layby is excluded from	It is proposed that this layby be filled, profiled, soiled and seeded, to discourage vehicular use. Highways England is reviewing the status of the layby in discussions with Wiltshire Council. At deadline 4 Highways England wrote to the ExA	Under Discussion. Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable



	_	T	· · · · · · · · · · · · · · · · · · ·	
		the De-trunking Plans.	setting out its intentions to	procedural
			submit a request for a non-	decision by
		The Council has stated in its	material change:	<u>the</u>
		written representations that the		Examining
		-	Following confirmation by	Authority in
		layby should:		response to
		 a) Be included in the 	Wiltshire Council that the lay-	Highways
		detrunking drawings	by would not be required by	England's
		a)b) Be made	the Council for operational	application for
		inaccessible for potential	reasons, as noted in the	proposed
		use by inappropriate users	Applicant's Responses to	
		e.g. illegal overnight	Written Representations	non-material
		camping etc.	[REP3-013] para 22.7.19, the	changes to
		<u>camping ctc.</u>	Applicant proposes to close	the Scheme.
			the layby to prevent its	
			potential misuse in	
			connection with anti-social	
			behaviour.	
			bonavioar.	
			Accordingly, the Applicant	
			proposes to extend the area	
			of proposed de-trunking on	
			this length of the existing	
			A303 to include the lay-by.	
			This proposed change would	
			require amendment of the	
			De-Trunking Plans [APP-015]	
			(by the addition of thick zebra	
			hatching over the lay-by) and	
			amendment of the	
			corresponding drafting in Part	
			9 of Schedule 9 to the draft	
			Development Consent Order	
			[REP3-003], to include the	
			<u>lay-by.</u>	



				This proposed change would only require the use of land which is already within the Order limits and proposed to be acquired compulsorily; it would not require any 'additional land' as defined in the CA Regulations and would therefore not engage the CA Regulations. If this proposed change was accepted, the area occupied by the lay-by would be reprofiled to prevent vehicular access, re-seeded and returned to a grassed verge. Consultation on the proposed change to the layby is underway (running from 26 July to 26 August 2019) and Highways England has submitted a formal application for this proposed change.	
3.5.3	[RR-2365]	Part III Highways & Transport considerations 37.	a) There is a requirement for clarification in relation to the provision and operation of traffic signals controls at both the Longbarrow and Countess Roundabouts, especially in relation to the integration of the signals with	Based on the preliminary design, the signal control to stop traffic entering the tunnel will be through Advanced Motorway Indicators (AMI's), which will be located near the start of the Longbarrow	Under Discussion



			the tunnel management systems in the event of the closure of access via the eastbound merge slip-road at Longbarrow Northern Roundabout and the westbound merge slip-road at Countess Roundabout.	northern dumb-bell roundabout eastbound merge slip road and Countess roundabout westbound merge slip road. AMI's will also be located above lane indicators at the tunnel entrances. This equipment will be maintained by Highways England. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.5.43	[RR-2365]	Part III Highways & Transport considerations 37.	c) The existing Countess Roundabout is vested in Highways England. The TR010025 2.12 Detrunking Plans do not show Countess Roundabout as proposed to be de-trunked. Depending on the outcome of the clarification sought in a) above, there might be a need to amend the de-trunking plans.	Highways England confirms that the De-trunking Plans [APP-015] do not show the existing Countess Roundabout as being detrunked and as such the responsibility to maintain the circulatory carriageway would remain with Highways England. Highways England is considering Wiltshire Council's concerns in respect of this matter which remains	Under Discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural



		under discussion.	decision by
			<u>the</u>
		At deadline 4 Highways	Examining
		England wrote to the ExA	Authority in
		setting out its intentions to	response to
		submit a request for a non-	Highways
		material change:	England's application for
			proposed
		As noted in the Applicant's	non-material
		Comments on Written	changes to
		Representations [REP3-013]	the Scheme.
		at paragraph 22.7.32, the	
		submitted application does	
		not include proposals to de-	
		trunk the circulatory carriageway at Countess	
		Roundabout.	
		Roundabout.	
		As a result of ongoing	
		discussions with Wiltshire	
		Council, the Applicant	
		proposes to amend the De-	
		Trunking Plans [APP-015]	
		and Part 9 of Schedule 9 to	
		the draft Development	
		Consent Order [REP3-003] to	
		de-trunk the circulatory	
		carriageway at Countess	
		Roundabout. This would	
		involve adding a new sheet to	
		the set of De-Trunking Plans, to include the Countess	
		Roundabout, with zebra	
		hatching added to the	
		naturing added to the	



				circulatory carriageway to show the proposed detrunking. In practical terms, there would be no change to the surface or use of the carriageway. Consultation on the proposed change to the classification of the circulatory carriageway of the Countess roundabout is underway (running from 26 July to 26 August 2019). Highways England has submitted a formal	
3.5.5	[RR-2365]	Part III Highways & Transport considerations	g) The TR010025 2.10 Traffic Regulation Measures Plans (Speed Limits) show a proposed speed	application for this proposed change. The proposed horizontal alignment for the new Allington Track link (shown	Under Discussion
		31.	limit of 30 mph for the realigned section of the Allington Track (also in the Draft DCO Schedule 10 Part 1); Wiltshire Council is concerned as to the compatibility of the speed limit with the Department for Transport Circular 01/2013, and with the speed limit on the existing Allington Track; it appears to be set unnecessarily low.	on Sheet 11 of the Traffic Regulation Measures Plans (Speed Limits) [APP-013]) includes two bends, of 90 degrees (to the west) and 35 degrees (to the east). This design has been agreed with Wiltshire Council. The speed limit has therefore been reduced to reflect the design. The appropriateness of the speed limit included in the	



				Scheme at this location remains under discussion.	
3.5. <u>64</u>	[RR-2365]	Part III Highways & Transport considerations 37.	i) Schedule 9 Part 7 of the Draft DCO sets out proposed classification classes for the existing A303 around Winterbourne Stoke. The Council questions the Class 3 proposed classification for the 595m length of road west of the western B3083 junction to the south side of the existing A303. This road will be a little used culde-sac and more appropriately unclassified.	Highways England considers the 'C' classification for the 595 metre length of the existing A303 (to be detrunked), as shown dashed orange on the Classification of Roads Plan [APP-016] (see Inset 1) to be appropriate but acknowledges that Wiltshire Council will become the highway authority responsible for the maintenance of this stretch of road once it has been de-trunked. Highways England and Wiltshire Council are discussing the appropriateness of the classification proposed by the Scheme—and Wiltshire Council has proposed that the road should become an unclassified (D class) road. Highways England has submitted a formal application for this proposed change. At deadline 4 Highways England wrote to the ExA setting out its intentions to submit a request for a non-	Under Discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural decision by the Examining Authority in response to Highways England's application for proposed non-material changes to the Scheme.



	1	1		
				material change:
				Following a request from
				Wiltshire Council as noted in
				the Applicant's Comments on
				Written Representations
				[REP3-013] para 22.7.29, the
				Applicant intends to amend
				the proposed re-classification
				of the existing A303 west of
				the B3083 Berwick Road
				from a "C" class road (as
				proposed in the application) to a "D" class road (as
				requested by Wiltshire
				Council).
				Accordingly, the Applicant
				proposes to amend the
				Classification of Roads Plan
				[APP-016] and Part 7 of
				Schedule 9 to the draft
				Development Consent Order
				[REP3-003] to effect the
				change identified in the
				previous paragraph.
				Consultation on the proposed
				change to the classification of
				this length of highway is
				underway (running from 26
				July to 26 August 2019).
				Highways England has
				submitted a formal
L				SUDITILLEU A TUTTIAL



				application for this proposed change.	
3.5.7	[RR-2365]	Part III Highways & Transport considerations 37.	k) There is some concern as to the adequacy of the coverage of the 6.3 Environmental Statement Appendices Appendix 2.2 Outline Environmental Management Plan in relation to some areas of Record of Environmental Actions and Commitments (REAC) tables at 3.2a and 3.2b.	The OEMP, which will be secured through DCO Requirement 4 (Schedule 2 of APP-020), will be the subject of discussion during examination and Highways England is willing to consider any specific comments of Wiltshire Council.	Under Discussion
3.5.8	[RR-2365]	Part III Highways & Transport considerations 37.	m) There will be an incentive for haulage sub-contractors seeking to maximise loads per day shifted from east to west of the site to use alternative routes, such as The Packway, because of the potential delays on the A303 (especially westbound) route; enforceable measures will be sought to take action against offenders in an appropriate manner.	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [APP-020]. Matters to be included in this plan are set out in reference MW-TRA2 of the Outline Environmental Management Plan [APP-147], compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO.	Under Discussion
3.5.9	[RR-2365]	Part III Highways & Transport considerations 37.	n) Highways England have provided no detail on the potential impact of the Solstice events during the construction and operation of the Scheme. The Council seeks traffic regulation restricting parking once the scheme is in operation.	As described in detail in Chapter 10 of this report [ENV-479] the scheme, overall, would have a large beneficial effect on the Attribute of the OUV of the WHS to which solstice events contribute. The assessment of the potential for impacts on the solstice is set out in the	Under Discussion



	1	1			
				Heritage Impact Assessment (HIA), ES Appendix 6.1 [APP-195]. The Outline Environmental Management Plan (OEMP) [APP-187], which is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [APP-020], at item MW-G16, sets out that surface works within the western section of the WHS would be suspended during summer and winter solstice (hours to be determined in consultation with HMAG). Further, the OEMP sets out a requirement for the contractor to consult with event organisers, which includes Solstice events (MW-TRA2). Highways England continues to work with Wiltshire Council to limit any potential adverse impacts or illegal activity during solstice events during the operation of the Scheme.	
3.5.10	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 20.	From a highways and transport perspective, the change represents an improvement. The radius of the bend will be relatively tight, and it will be necessary to consider an appropriate speed limit below the National Speed Limit (NSL) to address the tightness of the bend	Highways England welcomes Wiltshire Council's comments in support of its proposals for the Rollestone Cross Junction which were incorporated into the Scheme.	Under discussion



3.5.11	Clarification of land ownership	(which represents a departure from Department for Transport (DfT) design standards), and for appropriate signing to highlight the bend and its associated road junction. The proposed change would remove the presence of a crossroads (which in general exhibit worse traffic collision records than other junction types), and alter the priorities of the junction in favour of the route connecting The Packway and Airmans Corner. This alteration of priority is the main driver for altering the junction. The Packway / Airmans Corner route is already the busiest route through the junction, and the proposal to use this route as part of the A303 tunnel diversion route further emphasises the importance of changing the layout. The proposed new road would include a right turn lane junction to serve the Shrewton arm of the junction, and 'The Bustard' road past Rollestone Camp would be served by a simple priority junction off this side arm, in substantially the same location as the existing junction. Wiltshire Council agrees that it will	Despite this general agreement, discussions are continuing between the parties on the appropriateness of the 40mph speed limit included in the Scheme and shown on sheet 13 of the Traffic Regulation Measures Plans (Speed Limits) [APP-013].	Under
3.3.11	details where the existing A303 will be de-trunked.	become responsible for those areas which will be de-trunked. Discussions are ongoing with a	Council will take over ownership of those sections of the A303 which will be de-	Discussion



		view to potential amendments to the de-trunking plan.	trunked. This is provided for in the draft DCO (article 9(5)). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.5.12	Clarification of land ownership details where the existing A303 will be stopped up and new PROW provided.		It is intended that Highways England will retain its interests in the existing A303 corridor save that the new highway comprised in the new restricted byway will vest in Wiltshire Council when it becomes responsible for its maintenance (article 9(1) of the draft DCO and section 263(1) Highways Act 1980). The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude	Under Discussion



				such an agreement before the close of the examination.	
3.5.13	RoE Ref: G1	53. Old Stonehenge Road Closed to through traffic.	A turning facility must be provided where its public use by vehicular traffic terminates.	Where an existing highway is proposed to be stopped up, adequate turning facilities will be provided for road users. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Under Discussion
3.5.44 <u>5</u>	[RR-2365]RoE Ref: G1	53. Old Stonehenge Road – Closed to through traffic. Part III Highways & Transport considerations 37.	A turning facility must be provided where its public use by vehicular traffic terminates.b) As a consequence of a) above, there is a need to clarify which of the highway authorities (Highways England or Wiltshire Council) will be the vesting authority, responsible for the on-going maintenance of the carriageways and traffic signals controls at each of the junctions.	Where an existing highway is proposed to be stopped up, adequate turning facilities will be provided for road users. Article 9 of the draft DCO [APP-020] sets out which highway authority will be responsible for the maintenance of the new, altered or diverted streets (including highways) and other structures comprised in the Scheme. The default position under article 9 is that Highways England will be liable to maintain any trunk	Under discussion Inclusion of the closure of the layby in the Scheme will be subject to the issuing of a favourable procedural decision by the Examining Authority in



		road comprised in the	response to
		Scheme. The local highway	Highways
		authority will be liable to	England's
		maintain any other highway,	application for
		(i.e. other than a trunk road),	proposed
		including any structure or	non-material
		culvert (except for any bridge	changes to
		carrying a highway over a	the Scheme.
		trunk road (see article 9(6))	
		and any highway that is de-	
		trunked (see article 9(6)). Any	
		highway that will become	
		maintainable by the local	
		highway authority must be	
		completed to the reasonable	
		satisfaction of the local	
		highway authority which, in	
		relation to the Scheme, will	
		be Wiltshire Council. The	
		purpose and effect of article 9	
		is discussed in further detail	
		in the Explanatory	
		Memorandum to the DCO	
		[APP-021] at paragraphs 6.21	
		and 6.22.	
		Article 9 (see article 9(1),	
		9(2), 9(3), 9(4), 9(5))	
		recognises that Highways	
		England and the local	
		highway authority may agree	
		in writing to depart from the	
		default arrangements set out	
		in those provisions.	
		The parties agree that	
		matters relating to the	



T	T	
		highways that Wiltshire
		Council would become liable
		to maintain, as a result of the
		Scheme, are capable of
		being resolved through the
		terms of a legal agreement
		between the parties. The
		parties intend to conclude
		such an agreement before
		the close of the examination.
		At deadline 4 Highways
		England wrote to the ExA
		setting out its intentions to
		submit a request for a non-
		material change:
		The Application does not
		The Application does not
		include provision for a turning
		head on Stonehenge Road to
		facilitate vehicle turning
		movements immediately
		south-east of the point at
		which Stonehenge Road is
		proposed to be converted to
		a new restricted byway – see
		Reference J on Sheet 8 of
		the Rights of Way and
		Access Plans [APP-009]. As
		Stonehenge Road will
		become a cul-de-sac for
		motorised vehicles travelling
		north-west, which do not
		have private means of access
		rights to continue towards
		Stonehenge Cottages, the



				Applicant considers it appropriate to provide a turning head at this location. Accordingly, the Applicant proposes to modify the highway layout to incorporate a turning head within the Order limits and within the existing highway boundary, immediately south-east of the terminus of the proposed restricted byway Reference J. Consultation on the proposed provision of a new turning head on Stonehenge Road is underway (running from 26 July to 26 August 2019).	
				Highways England has submitted a formal application for this proposed change.	
3.5.15	[RR-2365]	Part III Highways & Transport considerations 37.	d) The Draft DCO includes within Schedule 9 Part 2 information in relation to the Northern and Southern Roundabouts forming the 'dumbbell' junction. Whilst the Classifications Plan clearly shows the roundabouts as being classified as the A360, Wiltshire Council will need to be clear as to the future assets for which it will be responsible. Whilst the working	Schedule 9 to the draft DCO [APP-020] and the Classification of Roads Plan [APP-016] must be read alongside article 47 of the draft DCO. The roads described in Part 2 of Schedule 9, the slip roads between the A303 and the new Longbarrow Junction, will become a trunk road by	Under Discussion



	assumption has been that Wiltshire	virtue of article 47(1)(a). The
	Council would be the default	roads described in Part 3 of
	vesting authority for off-line	Schedule 9, comprising the
	junctions, this needs to be clarified,	links between the existing
	especially in the context of a), b)	A360 and the new
	and c) above. It would be logical	Longbarrow Junction, the
	that the vesting of the Longbarrow	circulatory carriageways of
	roundabouts is treated in the same	the northern and southern
	way as the Countess Roundabout.	roundabouts, and the link
		between the two
		carriageways carried by
		Green Bridge No.3 over the
		existing A303, will be
		classified as the A360 by
		virtue of article 47(1)(b) of the
		draft DCO. This is shown in
		Inset 2 on the Classification
		of Roads Plan. As noted
		above, roads that are not
		trunk roads must be
		completed to the reasonable
		satisfaction of the local
		highway authority which
		would then become
		responsible for their
		maintenance, by virtue of
		article 9(1). The responsibility
		for maintaining the highway
		surface of the A360 carried
		over the A303 trunk road by
		Green Bridge No.3 would fall
		to the local highway authority,
		although the structure of
		Green Bridge No.3 would be
		maintained by Highways



				England, by virtue of Article	
				9(6).	
				The parties agree that	
				matters relating to the	
				highways that Wiltshire	
				Council would become liable	
				to maintain, as a result of the	
				Scheme, are capable of	
				being resolved through the	
				terms of a legal agreement	
				between the parties. The	
				parties intend to conclude	
				such an agreement before	
				the close of the examination.	
				In respect of Countess	
				Roundabout see 3.5.4 below.	
3.5.16	[RR-2365]	Part III Highways & Transport considerations 37.	e) Wiltshire Council will require clarification, following detailed design, about the precise boundaries to the new highway for which it will become the vesting authority. It will also require details for the associated support	In all cases where Wiltshire Council would become the highway authority for a new highway comprised in the Scheme, Highways England confirms that details of the precise boundaries of the	Under Discussion
			infrastructure including drainage arrangements (including any	new highways, together with details of associated	
			easements or maintenance access, lighting and power supply other cabling).	supporting infrastructure, to be maintained by Wiltshire Council, will be provided once	
				the corresponding powers under the DCO have been	
				exercised.	
				The parties agree that	
				matters relating to the	
	1			highways that Wiltshire	



				Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.5.17		Other matters relating to the detrunked A303	Wiltshire Council will seek to ensure that it receives an asset in good repair, where the need for structural maintenance in the foreseeable future being minimised. Wiltshire Council will seek to secure a de trunked asset which will not require foreseen structural maintenance interventions for at least 5 years following the asset being vested in Wiltshire Council.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Under Discussion
3.5.18	[RR-2365]	Part III Highways & Transport considerations 37.	o) Wiltshire Council will seek to agree commuted payments to support those additional assets for which it could become responsible and ensure absolute clarity of the extent / boundaries of such assets.	Highways England acknowledges Wiltshire Council's concerns. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the	Under Discussion



				terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.5.19	[RR-2365]	Western Bypass — Oatlands Hill 56.	It is welcomed by the archaeology service that no street lighting has been proposed for the area of the new junction, but the Council requires further detail regarding any residual impacts of light spillage and adverse impacts on dark skies within the vicinity of the WHS boundary. This needs to be considered in terms of traffic safety considerations given the current proposals for traffic signal controls to address safety concerns at this junction	Highways England acknowledges WCAS's concerns but note that the new Junction will be a substantial improvement on the existing, moving it 600m to the west of the WHS boundary, recessed into the landscape, and being unlit. This is in contrast to the existing Longbarrow Roundabout which is currently lit by street lights and is immediately adjacent to the Winterbourne Stoke Crossroads barrow group. Highways England also notes that the Outline Environmental Management Plan [APP-187] (compliance with which is secured under paragraph 4 of Schedule 2 of the DCO) requires lighting under Green Bridge Four, located just east of Longbarrow Junction, to only occur between dawn and dusk, be dimmer controlled, and designed to minimise light spill outside of the bridge	Agreed from a cultural heritage perspective but remains under discussion in terms of highway design



	footprint (item D-CH10).
	The potential impact of the
	Scheme upon dark skies is
	considered in the Heritage
	Impact Assessment [APP-
	195], Section 9.3, paragraphs
	9.3.13 – 9.3.19, which
	concludes that the Scheme
	would have a Moderate
	Positive impact on this aspect
	of the WHS, resulting in a
	Large Beneficial effect.

3.53.6 Matters Not Agreed in relation to Highways Design.

3.5.13.6.1 No matters Not Agreed at the present time.

3.63.7 Matters Agreed in relation to NMU & PRoW.

No matters Agreed at the present time.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	<u>Status</u>
3.7.1	[RR-2365]	Part VIII Public Rights of Way considerations General 120.	The legislative process by which the creation, diversion and extinguishment (stopping-up) of the affected public rights of way needs to be agreed with Wiltshire Council as the Surveying Authority; with particular regard to whether the confirmation of the legal orders enables of itself the Council to	The Scheme's proposals for public rights of way are shown on the Rights of Way and Access Plans [APP-009] and described in Schedule 3 to the draft DCO. Article 10 of the draft DCO [APP-020] would provide the legislative basis for the creation, diversion and	Agreed



			amend the Definitive Map and Statement, or whether further orders will need to be made by Wiltshire Council to enable those amendments. Still uncertain whether Wiltshire Council will need to make Legal Event Orders to modify the Definitive Map and Statement. Wiltshire Council to seek own legal advice.	extinguishment of highways, if the DCO is made by the Secretary of State in the form applied for by Highways England. The exercise by Highways England of the power in Article 10 would give effect to the creation, diversion and extinguishment of streets and private means of access, as shown on the Rights of Way and Access plans and as provided for in the DCO. There would be no need for Wiltshire Council to make any further order(s).	
3.7.2	[RR-2365]	Part VIII Public Rights of Way considerations General 121.	Where the diversion and creation of new sections of public rights of way will lead to the new routes becoming maintainable at public expense by Wiltshire Council as Highway Authority, design and construction details and specifications must be agreed by the authority prior to the commencement of works, and to be certified by the authority on completion as having been provided to the required standard before the authority accepts responsibility. Any requirements for the payment to Wiltshire Council of commuted sums to cover / assist with the costs of maintenance of the new routes must also be agreed	Article 9(1) of the draft DCO [APP-020] requires Highways England to complete any new highways to the reasonable satisfaction of Wiltshire Council who will become responsible for its maintenance. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties



			before Wiltshire Council accepts responsibility.		
3.7.3	[RR-2365]	Part VIII Public Rights of Way considerations General 122.	Where temporary diversions or closures of public rights of way are necessary during the construction phase, the construction details of alternative routes to be provided must be agreed in advance with Wiltshire Council as Highway Authority.	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [REP6-005]. Matters to be included in this plan are set out in reference MW-TRA2 to MW-TRA11, including in relation to alternative routes for pedestrians and NMUs of the Outline Environmental Management Plan [REP6-011], compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO.	Agreed subject to the completion of a legal agreement between the parties
3.7.4	[RR-2365]	Part VIII Public Rights of Way considerations 124. 125. 126. 127. Byways open to all traffic	Provision of additional detail including proposals for physical closures, new junctions surface to be provided, width, signage and waymarking will be required, including structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing/hedging, and fencing of Green Bridge against drops.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and	Agreed subject to the completion of a legal agreement between the parties



				design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	
3.7.5	[RR-2365]	Part VIII Public Rights of Way considerations 124. 130. 131. Restricted byways	Provision of additional detail including surface to be provided, width, signage and waymarking, structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing / hedging, fencing against drops and fencing of Green Bridge against drops.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [APP-020] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire Council. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	Agreed subject to the completion of a legal agreement between the parties



3.7.6	[RR-2365]	Part VIII Public Rights of Way	Provision of detailed proposals for	The new restricted byway	Agreed
311.10	<u>[</u>	considerations	surfacing materials, width (overall	would be within the World	subject to
		129. 132. 133. 134.	and surfaced width), verge	Heritage Site. The Outline	the
		Restricted byway in WHS	treatment, signage, boundary	Environmental Management	completion
		Restricted byway iii WHS	fencing/hedging, turning areas,	Plan [REP6-011] reference D-	of a legal
			structures to control motorised and	CH14, requires Highways	agreement
			non-motorised users, and private	England to develop the fencing	between the
			means of access.	and surfacing within the World	parties
				Heritage Site in consultation	
				with the National Trust, Historic	
				England, English Heritage and	
				Wiltshire Council. Compliance	
				with the Outline Environmental	
				Management Plan is secured	
				by paragraph 4 of Schedule 2	
				to the draft DCO [REP6-005].	
				Landscaping, including hard	
				surfacing, will be determined in	
				accordance with requirement 8	
				in Schedule 2 to the draft DCO	
				[REP6-005] which requires the	
				Secretary of State's approval	
				of a landscaping scheme,	
				following consultation with	
				Wiltshire Council.	
				The parties agree that matters	
				relating to the highways that	
				Wiltshire Council would	
				become liable to maintain, as a	
				result of the Scheme, are	
				capable of being resolved	
				through the terms of a legal	
				agreement between the	
				parties. The parties intend to	
				conclude such an agreement	



				before the close of the examination.	
3.7.7	[RR-2365]	Part VIII Public Rights of Way considerations 128. Bridleways	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging. It is noted that the Examining Authority has instructed Highways	Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [REP6-005] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire Council. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Agreed subject to the completion of a legal agreement between the parties
3.7.8	[RR-2365]	Part VIII Public Rights of Way considerations Footpaths	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the	Agreed subject to the completion of a legal agreement between the parties



				examination. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	
3.7.9	[RR-2365]	Part VIII Public Rights of Way (PRoW) considerations Connection of Amesbury Footpath 13 into Stonehenge Road 136.	Further information is required relating to any proposed changes at this junction.	The parties agree that matters relating to the maintenance of highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. The OEMP submitted at Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1 of the OEMP.	Agreed subject to the completion of a legal agreement between the parties
3.7.10	[RR-2365]	Part VIII Public Rights of Way considerations Stopping-up of Amesbury BOAT1	Detail of physical works to effect stopping-up required.	The parties agree that matters relating to the maintenance of highways that Wiltshire Council	Agreed subject to the



	& BOAT2 and Connection to A303 137. 138.	would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to	completion of a legal agreement between the parties
		conclude such an agreement before the close of the examination. The OEMP submitted at	
		Deadline 6 [REP6-011] contains various additional design commitments, and design principles applying to the matters in question, notably within section 4 and table 4.1	
		of the OEMP.	

3.73.8 Matters Under Discussion in relation to NMU & PRoW.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.8.1	[RR-2365]	Part VIII Public Rights of Way considerations General 120.	The legislative process by which the creation, diversion and extinguishment (stopping-up) of the affected public rights of way needs to be agreed with Wiltshire Council as the Surveying Authority; with particular regard to whether the confirmation of the legal orders enables of itself the Council to	The Scheme's proposals for public rights of way are shown on the Rights of Way and Access Plans [APP-009] and described in Schedule 3 to the draft DCO. Article 10 of the draft DCO [APP-020] would provide the legislative basis for the creation, diversion and	Under Discussion



			amend the Definitive Map and Statement, or whether further orders will need to be made by Wiltshire Council to enable those amendments. Still uncertain whether Wiltshire Council will need to make Legal Event Orders to modify the Definitive Map and Statement. Wiltshire Council to seek own legal advice.	extinguishment of highways, if the DCO is made by the Secretary of State in the form applied for by Highways England. The exercise by Highways England of the power in Article 10 would give effect to the creation, diversion and extinguishment of streets and private means of access, as shown on the Rights of Way and Access plans and as provided for in the DCO. There would be no need for Wiltshire Council to make any further order(s).	
3.8.2	[RR-2365]	Part VIII Public Rights of Way considerations General 121.	Where the diversion and creation of new sections of public rights of way will lead to the new routes becoming maintainable at public expense by Wiltshire Council as Highway Authority, design and construction details and specifications must be agreed by the authority prior to the commencement of works, and to be certified by the authority on completion as having been provided to the required standard before the authority accepts responsibility. Any requirements for the payment to Wiltshire Council of commuted sums to cover / assist with the costs of maintenance of the new routes must also be	Article 9(1) of the draft DCO [APP-020] requires Highways England to complete any new highways to the reasonable satisfaction of Wiltshire Council who will become responsible for its maintenance. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the	Under Discussion



		T	1		
			agreed before Wiltshire Council accepts responsibility. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	examination.	
3.8.3	[RR-2365]	Part VIII Public Rights of Way considerations General 122.	Where temporary diversions or closures of public rights of way are necessary during the construction phase, the construction details of alternative routes to be provided must be agreed in advance with Wiltshire Council as Highway Authority. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the	Wiltshire Council will be consulted on the contents of a Traffic Management Plan pursuant to paragraph 9 of Schedule 2 to the draft DCO [APP-020]. Matters to be included in this plan are set out in reference MW-TRA2 of the Outline Environmental Management Plan [APP-147], compliance which is secured by paragraph 4 of Schedule 2 to the draft DCO.	Under Discussion





Road to its	junction with
BOAT Ame	sbury 11 and
C506)	

- BOAT Amesbury 11 (full length)
- BOAT Amesbury 12 (from its junction with BOAT Durrington 10 crossing over C506 to its junction with A303
- BOAT Amesbury 12 from its junction with A303 to its junction with BOAT Wilsford cum Lake 1
- RB (old surface route of A303 length of 400 metres from its junction with BOAT Amesbury 11 to its junction with BOAT Amesbury 12)
- BOAT Wilsford cum Lake 1 (full length)
- BOAT Wilsford cum Lake 2 (full length)
- BOAT Berwick St. James
 11 (full length
- BOAT Woodford 16 (full length)

Wiltshire Council considers the effects of the severance of the link between Amesbury BOATs 11 and 12 for motorised vehicles to require the making of a traffic regulation order to prohibit driving of motorised vehicles, other than

the WHS. Currently, MPV users of Byways 11 and 12 are not permitted to make right turns onto the A303 from those byways or onto those byways from the A303.

Wiltshire Council would remain the highway and traffic authority for Byways 11 and 12 and the Scheme does not impede Wiltshire Council from the lawful exercise of its functions to prohibit driving, should it choose to do so.

Highways England set out in its Examination submissions and response to Wiltshire Council's submission in respect of byways 11 and 12 [REP6-037] that it does not agree with the changes proposed by Wiltshire Council, and considers that in order for them to be considered by the Examination, the Council will be required to submit an assessment of the impacts of the proposed change. A decision from the Examining Authority is awaited on this issue.

In response to Wiltshire
Council's current position,
Highways England confirms



	motorcycles. Wiltshire Council considers that the prohibition of driving order should be included within the DCO. It will also be necessary to make a Traffic Regulation Order to permit the driving of motorcycles by the public on the section of the former A303 between entrances to Byways 11 and 12. The Council has clearly set out its position in the Written Representation. Discussions with HE are ongoing.	that it is in agreement with the Council on the principle of monitoring and is in discussion on the manner of recording this, most likely to be through the legal agreement being prepared.	
Current position	Due to the risk to the statutory examination timetable if the Council were to go to public consultation and then provide the outcome to the Examining Panel and the fact that the Council does not wish to put at risk the wider benefits HE's proposed development will bring to the residents of Wiltshire, the wider travelling public and to visitors to the WHS, the Council has decided to withdraw its application that the DCO be amended by the inclusion of a prohibition on the use of motorised vehicles (other than motor cycles and invalid carriages) on part of Durrington byway 10, and Amesbury byway 11 (hereafter referred to as AMES 11) and part		



	of Wilford cum Lake byway 1,	
	Wilford cum Lake byway 2, Berwick	
	St James byway 11, Woodford	
	byway 16 and part of Amesbury	
	byway 12 (hereafter referred to as	
	AMES 12).	
	The Council maintains its concern	
	that the closure of the existing	
	A303 and resultant loss of the	
	travelling motorised public's ability	
	to obtain a passing free view of the	
	Stonehenge monument will	
	increase use of AMES 11 and 12	
	by the travelling motorised public to	
	an inappropriate level.	
	arr mappropriate level.	
	However, the Council proposes	
	that this concern, should it arise,	
	can be dealt with suitably under the	
	Council's existing Highway	
	Authority powers provided HE	
	agrees to the monitoring of traffic	
	with these byways once the	
	Scheme becomes operational (to	
	avoid delays caused by evidence	
	gathering) and coverage of the	
	costs of any TRO necessary (to	
	ensure that the residents of	
	Wiltshire do not incur unnecessary	
	costs resulting from the Scheme).	
	The Council is currently in	
	discussion with HE for the inclusion	
	of these aspects within the Side	



3.8.5	[RR-2365]	Part VIII Public Rights of Way considerations 124. 125. 126. 127. Byways open to all traffic	Agreement currently being developed and considers this should be capable of resolution. Provision of additional detail including proposals for physical closures, new junctions surface to be provided, width, signage and waymarking will be required, including structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing/hedging, and fencing of Green Bridge against drops. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Under Discussion
3.8.6	[RR-2365]	Part VIII Public Rights of Way considerations 124. 130. 131. Restricted byways	Provision of additional detail including surface to be provided, width, signage and waymarking, structures to provide access for non-motorised users and private means of access whilst excluding motorised users, boundary fencing	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal	Under Discussion



2 9 72	[DD 2205]	Dort VIII Dublic Dights of Wor	/ hedging, fencing against drops and fencing of Green Bridge against drops. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	agreement between the parties. The parties intend to conclude such an agreement before the close of the examination. Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [APP-020] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire Council.	Llador
3.8.72	[RR-2365]	Part VIII Public Rights of Way considerations 129. 132. 133. 134. Restricted byway in WHSNew Restricted Byway North from Existing Longbarrow Roundabout / Old A303 to Stonehenge Visitor Centre, Old A344 and A360 129.	Provision of detailed proposals for surfacing materials, width (overall and surfaced width), verge treatment, signage, boundary fencing/hedging, turning areas, structures to control motorised and non-motorised users, and private means of access. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties	The new restricted byway would be within the World Heritage Site. The Outline Environmental Management Plan [APP-187] reference D-CH14, requires Highways England to develop the fencing and surfacing within the World Heritage Site in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council. Compliance with the Outline Environmental Management Plan is secured by paragraph 4 of Schedule 2 to the draft DCO [APP-020]. Landscaping, including hard surfacing, will be determined	Inclusion of the the revised NMU route in the Scheme will be subject to the issuing of a favourable procedural decision by the Examining Authority in



	1	I a a a a a a a a a a a a a a a a a a a		
		before the close of the	in accordance with	response to
		examination.Finalisation and	requirement 8 in Schedule 2 to	<u>Highways</u>
		agreement of the status of this new	the draft DCO [APP-020]	England's
		route and its alignment at the	which requires the Secretary	application
		Visitor Centre car park is also	of State's approval of a	for proposed
		required.	landscaping scheme, following	non-material
		Noted that discussions are ongoing	consultation with Wiltshire	changes to
		with Wiltshire Council, English	Council.	the Scheme.
		Heritage, Historic England and the	The parties agree that matters	
		National Trust.	relatingThe route at the Visitor	
		National Trust.	Centre car park is subject to	
			ongoing discussions with	
			English Heritage and Wiltshire	
			Council.	
			At deadline 4 Highways	
			England wrote to the highways	
			that Wiltshire Council would	
			become liable ExA setting out	
			its intentions to maintain, as	
			submit a request for a result of	
			non-material change:	
			non material change.	
			For the reasons set out in the	
			Scheme, are capable of being	
			resolved through Applicant's	
			Comments on Written	
			Representations [REP3-013]	
			(paragraphs 28.4.1 to 28.4.3	
			refer) and subject to	
			continuing discussions with	
			the terms of a legalaffected	
			landowner and English	
			Heritage, the Applicant	
			rionago, mo ripphoant	



	proposes to amend the route
	and possibly the status of the
	new public right of way
	comprised in References U
	and UA as shown on the
	Rights of Way and Access
	Plans [APP-009] (on Sheet 14)
	and identified in Schedule 3 to
	the draft Development
	Consent Order [REP3-003].
	This route is the proposed
	restricted byway which would
	run from a point opposite
	Kighton Track northwards to
	the former A344 at
	Stonehenge Visitor Centre.
	Applicant is working with
	English Heritage Trust and the
	affected landowner to explore
	the potential for an alternative
	route which addresses English
	Heritage Trust's concerns and
	meets the Applicant's
	objective of improving access
	for non-motorised users.
	The Applicant notes that
	English Heritage Trust's
	proposed alternative route
	includes some land which is
	owned by a third party and
	which is located outside the
	Order limits. As such, this
	proposed change would
	require additional land as



				defined by the CA Regulations. The Applicant aims to avoid engaging the CA Regulations by endeavouring to secure the additional land by agreement.	
				It is between the parties. The parties intend to conclude such an the Applicant's view that the inclusion of the alternative route is subject to the parties' reaching agreement before the close, within the requisite timescales, regarding the acquisition of the examination. additional land.	
				Consultation on the proposed change to PRoW route is underway (running from 26 July to 26 August 2019). Highways England has submitted a formal application for this proposed change.	
3.8.8	[RR-2365]	Part VIII Public Rights of Way considerations 128. Bridleways	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information	Landscaping, including hard surfacing, will be determined in accordance with requirement 8 in Schedule 2 to the draft DCO [APP-020] which requires the Secretary of State's approval of a landscaping scheme, following consultation with Wiltshire	Under Discussion



			before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	Council. The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	
3.8.9	[RR-2365]	Part VIII Public Rights of Way considerations Footpaths	Provision of detailed proposals for surfacing, width, signage, and boundary fencing / hedging. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	The parties agree that matters relating to the highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Under Discussion
3.8.10	[RR-2365]	Part VIII Public Rights of Way considerations New Restricted Byway North from Existing Longbarrow Roundabout / Old A303 to Stonehenge Visitor	Finalisation and agreement of the status of this new route and its alignment at the Visitor Centre car park is also required. Noted that discussions are ongoing.	The new restricted byway would be within the World Heritage Site. The Outline Environmental Management Plan [APP-187] reference D-CH14, requires Highways England to develop	Under Discussion



		Centre, Old A344 and A360 129.		the fencing and surfacing within the World Heritage Site in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council. Compliance with the Outline Environmental Management Plan is secured by paragraph 4 of Schedule 2 to the draft DCO [APP-020]. The route at the Visitor Centre car park is subject to ongoing discussions with English Heritage and Wiltshire Council.	
3.8.11	[RR-2365]	Part VIII Public Rights of Way (PRoW) considerations Connection of Amesbury Footpath 13 into Stonehenge Road 136.	Further information is required relating to any proposed changes at this junction. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May 2019. Wiltshire Council will await receipt of this additional information before deciding whether or not it is able to agree to Highways England's proposal to deal with this matter by concluding a legal agreement between the parties before the close of the examination.	The parties agree that matters relating to the maintenance of highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of a legal agreement between the parties. The parties intend to conclude such an agreement before the close of the examination.	Under Discussion
3.8.12	[RR-2365]	Part VIII Public Rights of Way considerations Stopping-up of Amesbury BOAT1 & BOAT2 and Connection to A303 137. 138.	Detail of physical works to effect stopping-up required. It is noted that the Examining Authority has instructed Highways England to provide design details for public rights of way by 3 May	The parties agree that matters relating to the maintenance of highways that Wiltshire Council would become liable to maintain, as a result of the Scheme, are capable of being resolved through the terms of	Under Discussion



	2019. Wiltshire Council will await	a legal agreement between	
	receipt of this additional information	the parties. The parties intend	
	before deciding whether or not it is	to conclude such an	
	able to agree to Highways	agreement before the close of	
	England's proposal to deal with this	the examination.	
	matter by concluding a legal		
	agreement between the parties		
	before the close of the		
	examination.		

3.83.9 Matters Not Agreed in relation to NMU and PRoW.

3.8.13.9.1 No matters Not Agreed at the present time.



3.93.10 Matters Agreed in relation to Air Quality.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.10.1	RoE Ref: AQ1, AQ2 and AQ3 [APP-043]	Study area.	N/A	The approach to the determination of the air quality study area (i.e. DMRB screening criteria) has been discussed with Wiltshire Council.	Agreed
3.10.2	RoE Ref: AQ3 [APP-043]	Policy context.	N/A	Relevant Local Planning Policy has been discussed with Wiltshire Council. The Draft Air Quality Supplementary Planning Document dated September 2012 was provided by Wiltshire Council. The air quality assessment undertaken for the Scheme is consistent with the air quality assessment developer notes included in the draft guidance.	Agreed
3.10.3	RoE Ref: AQ4, AQ5, AQ7 and AQ8 [APP-043]	Baseline.	N/A	Baseline air quality monitoring results from the Highways England air quality survey were provided to Wiltshire Council. Subsequently, discussions were held on the potential need for monitoring along the A36 south of the A303, as neither Highways England nor Wiltshire Council had recent baseline data for this route. It was discussed	Agreed



				that if significant air quality effects had been predicted for this route in either the construction or operational phases that this may have required air quality monitoring. No significant effects have been identified along this route and so no further monitoring is considered to be required.	
3.10.4	RoE Ref: AQ1, AQ2 and AQ3 [APP-043] & [APP-191]	Methodology.	N/A	The details of the air quality methodology have been discussed with Wiltshire Council and copies of relevant documentation provided (i.e. Interim Advice Notes).	Agreed
3.10.5	[APP-043]	Scoping Opinion response	Scoping opinion response from Wiltshire Council contained various comments relevant to air quality	Wiltshire Council's comments were incorporated into the assessment as reported in the Environmental Statement. Specific details provided in Table 5.3 of the Environmental Statement.	Agreed
3.10.6	[APP-043]	Design Mitigation	N/A	No Specific measures are proposed as significant air quality effects are not predicted from the operation of the Scheme	Agreed
3.10.7	[APP-043]	Construction Mitigation	N/A	Construction air quality mitigation measures have been included in the Outline Environmental Management Plan (OEMP) [REP6-011]	Agreed



				submitted with the DCO ₇ [REP6-005], ES Appendix 2.2 [APP-187], compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO [APP-020REP6-005]. A full and detailed CEMP, which will be largely based on the OEMP, will be prepared by the Contractor, in consultation with Wiltshire Council, prior to the commencement of main works.	
3.10.8	[RR-2365]	VI. Public Protection Considerations Air Quality 96.	The arising referenced in 2.4.54 of Chapter 2 of the Environmental Statement [APP-040] must be spread and managed so as not to cause a statutory dust nuisance.	Measures for the management of dust are set out in the Outline Environmental Management Plan (OEMP) [APP-187REP6-011] (MW-AIR1, MW-AIR2, and MW-AIR4), as secured through paragraph 4 of Schedule 2 of the draft Development Consent Order- [REP6-005]. These measures will apply to the spread of arisings on the land east of Parsonage Down as this forms part of the Scheme.	Agreed
3.10.9	[RR-2365]	VI. Public Protection Considerations Air Quality 98.	With regard to the final paragraph in MW-AIR4 in table 3.2b of the OEMP [APP-187], it is suggested that "and agreed" is added to the reporting of Air Quality monitoring with the Council.	Wiltshire Council will be consulted on construction phase air quality monitoring that would be based on IAQM guidance and AIR4.	Agreed



3.10.10	[APP-020]	DCO Requirements	To ensure that emission rates assumed for the construction vehicles are reasonably conservative, it is recommended that emission rates used should be compared with emissions from the actual construction vehicles proposed, as part of the ongoing assessment and management of construction phase impacts.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Significant air quality effects are not expected during the construction phase and effects are not expected in sensitive locations, such as AQMAs. Standard best practice mitigation measures (as secured through item MW-AIR1 of the Outline Environmental Management Plan) are therefore considered appropriate. It is agreed that specific emissions testing of vehicles is not required. The need for Records of construction vehicles can be included as an item in final CEMP(s), production of which is required by the Outline Environmental Management Plan and is secured through paragraph 4 under Schedule 2 of the DCO [APP-020REP6-005].	Agreed
3.10.11	[APP-020]	DCO Requirements	Construction phase: No Materials shall be burnt on the development site during the construction phase of the scheme.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. No burning of material is agreed as this is standard best	Agreed



				practice. This will be able to be dealt with in any final CEMP(s), production of which is required by the Outline Environmental Management Plan and is secured through paragraph 4 under Schedule 2 of the DCO [APP-020REP6-005], pursuant to item MW-AIR1 of the Outline Environmental Management Plan-[REP6-011].	
3.10.12	[APP-020]	DCO Requirements	No development, (including construction, land raising and demolition if required) shall be carried out other than in accordance with a Construction Environment Management Plan (CEMP) that is first submitted to, and approved by, the local authority.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Preparation of a CEMP is required by the OEMP [APP-187REP6-011]. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the DCO [APP-020REP6-005]. As required by the OEMP, Wiltshire Council will be consulted during preparation of the CEMP(s) prior to the commencement of the construction phase.	Agreed
3.10.13	[APP-020]	DCO Requirements	Highways England shall submit a scheme to the local planning authority to examine the legacy impact of the development on Air Quality on the A36 and A350. The	The AQMAs listed are not within the air quality study area and so perceptible changes (i.e. more than 0.4 µg/m³) in air quality are not expected.	Agreed



		scheme shall be approved in writing prior to implantation. Where the scheme identifies negative impacts on air quality a scheme of mitigation shall be submitted to the Local Planning Authority for approval in writing and implemented.	Additionally, the changes that are predicted are for reduced traffic. No legacy air quality monitoring is therefore proposed, and Wiltshire Council are in agreement that operational air quality monitoring is not required following further discussion. A DCO Requirement relating to this matter is therefore not considered necessary.	
--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

3.101.1 Matters Under Discussion in relation to Air Quality.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.41.4 <u>1</u> 0.14	[APP-043]	ES Chapter 5	The Council requests more information on the haul routes to be used. Traffic diversions should not involve routing traffic through Air Quality Management Areas (AQMAs).	Highways England acknowledge that whilst traffic diversions may take place through Salisbury AQMAs (Regional Diversion), this will only be as a result of accidents or maintenance, as is currently the case. There are no planned diversions through AQMAs in construction phase 1 or 2 (as described in Chapter 2 of the ES). The regional diversionary routes are not expected to be utilised frequently and are not anticipated to cause a	Under DiscussionA greed



				significant air quality effect in relation to annual air quality standards, for either annual averages or in terms of the number of permissible 1-hour exceedances (18 per year). A conclusion of no significant air quality effects from traffic management was included in Table 5.4: Scoping Opinion and response [APP-043]. Details of traffic management, including in relation to AQMAs will be set out in the traffic management plan (pursuant to Regulation 9 (Traffic management) under Schedule 2 of the DCO [APP-020REP6-005]) that will be consulted upon with Wiltshire Council, prior to the commencement of the construction phase. Separately, Wiltshire Council seek to continue to engage with Highways England on diversionary routes and air quality in Salisbury AQMAs to improve air quality in these areas.	
3. <u>11.21</u> 0.15	[APP-020]	DCO Requirements	An assessment of the air quality implications of transportation of tunnel arising's shall be carried out prior to any offsite disposal. This shall identify any potential impacts	Such a requirement is not needed. This is because off-site disposal is not proposed as part of the Scheme.	Under DiscussionA greed



		on residents in proximity to the proposed haulage routes, including locations within AQMAs, require separate verification using Salisbury's continuous analyser and other diffusion tubes in urban environments; and identify appropriate measures to mitigate any potentially significant impacts. Highways England has confirmed with the Council that off-site disposal is not part of the Scheme.	Furthermore, as noted in the Mitigation Schedule [APP-186], on On site disposal is secured pursuant to paragraph 8 of Schedule 2 to the draft DCO [APP-020], which requires approval of the landscaping for the Scheme, of which the spreading of onsite excavated material east of Parsonage Down forms a part. REP6-005].	
--	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

3.11 Matters Under Discussion in relation to Air Quality.

3.11.1 No matters Under Discussion at the present time.

3.113.12 Matters Not Agreed in relation to Air Quality.

3.11.13.12.1 No matters Not Agreed at the present time.



3.123.13 Matters Agreed in relation to Noise and Vibration.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.13.1	RoE Ref: NV3 [APP-047]	Study area	-	Extent of construction and operational study areas and receptors shared, discussed and agreed in advance of DCO submission.	Agreed
3.13.2	[APP-047]	Policy context	-	Relevant Wiltshire Council Core Strategy Policy 57 included in assessment, in addition to standard national policies.	Agreed
3.13.3	RoE Ref: NV1, NV2, NV6 & NV7 [APP-047]	Baseline Noise Monitoring	-	Proposed baseline monitoring locations and methodology shared with Wiltshire Council for comment in advance of monitoring being undertaken.	Agreed
3.13.4	RoE Ref: NV1, NV6 & NV7 [APP-047]	Methodology	-	Assessment methodology shared and discussed with Wiltshire Council in advance of DCO submission.	Agreed
3.13.5	RoE Ref: NV1 [APP-047]	Scoping Opinion response	Scoping Report response from Wiltshire Council contained various comments relevant to noise and vibration	Wiltshire Council's comments were incorporated into the assessment as reported in the ES. Specific details provided in Table 9.2 of the Environmental Statement.	Agreed
3.13.6	RoE Ref: NV1, NV2, NV6 & NV7	Baseline Noise Monitoring Results	-	Baseline noise monitoring results shared, discussed and agreed with Wiltshire Council	Agreed



	[APP-047]			in advance of DCO submission.	
3.13.7	RoE Ref: NV9 - NV10 NV 16 - NV24	Mitigation incorporated into the design including: vertical and horizontal alignment, tunnel, thin surfacing, noise barriers at Countess flyover and solid parapet at River Till viaduct	Based on the Peer Review exercise completed on behalf of Wiltshire Council, Wiltshire Council are content that the proposed operational mitigation identified in the Environmental Statement is suitable and sufficient.	Agreed	Agreed
3.13.8	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 103.	Whilst vibration levels of 1.0 mms ⁻¹ are identified as causing complaint in sections 9.4 and 9.15 of Chapter 9 of the Environmental Statement [APP-047], no suggestion is made as to setting a level trigger alert which is recommended by Wiltshire Council (see comments made in paragraphs 84 and 88 above)	Item MW-NOI5 of the Outline Environmental Management Plan [REP6-011] (compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO) [REP6-005] details the Applicant's proposals in relation to dealing with vibration and relevant trigger levels. If predicted vibration levels exceed 1mms ⁻¹ PPV at occupied residential buildings based on the prediction methodology in BS 5228-2, those potentially affected will be notified as soon as practicably possible in advance of the works. In addition, it is agreed that Wiltshire Council will also be notified at the same time.	Agreed
3.13.9	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 105.	Wiltshire Council recommends that vibration levels of 1.0 mms ⁻¹ should be set as a level trigger alert to Wiltshire Council and affected residents (PW-NO14 of table 3.2a and MW-NO13 of table 3.2b of OEMP). (See paragraph 103 above)		Agreed
3.13.10	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 106.	In MW-NO15 of table 3.2b in the OEMP [APP-187], it is requested that a requirement to notify Wiltshire Council if predicated vibration exceeds 1.0 mms ⁻¹ is added		Agreed



3.13.11	[RR-2365] RoE Ref: NV15	VI. Public Protection Considerations Noise and Vibration 107.	Wiltshire Council should be consulted on the Noise and Vibration Management Plan referenced in NO13 and Section 9.8 of the OEMP [APP-187].	As set out in the Outline Environmental Management Plan (OEMP) [APP-187REP6- 011], the CEMP, to which the Noise and Vibration Management Plan will be appended [MW-G7], will be developed in consultation with Wiltshire Council [MW-G7]. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the draft DCO [APP-020REP6-005].	Agreed
3.13.12	[RR-2365] RoE Ref: NV7 - NV10, NV15, & NV29	VI. Public Protection Considerations Noise and Vibration 109.	Wiltshire Council suggests potential relocation for Stonehenge Cottages inhabitants over the 2 x 7 days construction periods (table 1.1 of Appendix 9.5 of the Environmental Statement [APP-272])	Temporary re-housing would be offered to residents at Stonehenge Cottages if the monitoring of vibration levels at the Cottages on the approach of the TBM indicates that PPV levels exceeding 1mms ⁻¹ are likely to occur continuously for a period of 48hrs or more during each tunnel bore.	Agreed
3.13.13	RoE Ref: NV28 – NV30	Operational traffic noise	Further details of the scheme of operational traffic noise mitigation measures outlined in 9.8.14 of Chapter 9 of the Environmental Statement [APP-047] shall be submitted in writing to the Local Authority, to provide that the maximum change in traffic noise level for sensitive receptors exposed to external road traffic	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Five measures listed in paragraph 9.8.14 are included in the OEMP [REP6-011], compliance with which is secured by paragraph 4 of	Agreed



			noise shall not result in additional significant adverse effects, as defined in 9.3.51- 9.3.52 and reported in Table 9.26 of Chapter 9 of the Environmental Statement. Any scheme of noise mitigation as approved shall be constructed in its entirety as soon as reasonably practicable in pursuance of the scheme and shall be retained thereafter in perpetuity. Reason: To ensure that the amenities of future occupiers are protected. The Council has received confirmation from Highways England that the amendments it seeks to the OEMP submitted by Highways England at Deadline 3 will be incorporated into the next draft, therefore this item can now be agreed.	Schedule 2 to the draft DCO [REP6-005]: Thin road surfacing: D-NOI1; Countess Junction Noise Barriers: D-NOI2; Till viaduct barrier: D-LAN2; Surface finish of retaining wall surfaces: D-NOI5; and Absorbent finish at the entrances/exits of the tunnel and Green Bridge Four: D-NOI6. Horizontal and vertical alignment including the tunnel, earthworks and retaining walls are secured through paragraph 3 of Schedule 2 to the draft DCO [REP6-005].	
3.13.14	RoE Ref: NV28 – NV30	Construction noise and vibration	No development, (including construction, land raising and demolition if required) shall be carried out other than in accordance with a Construction Environment Management Plan (CEMP) that is first submitted to, and approved by, the local authority.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Requirement not necessary. Wiltshire Council will be consulted on the CEMP which will be developed once a contractor is appointed. The CEMP will be prepared in accordance with the OEMP pursuant to	Agreed



			Reason: In the interests of prevention of pollution and protection of residential amenity. The wording in the revised OEMP submitted at Deadline 3 by Highways England meets requirements.	Regulation 4 (Outline Environmental Management Plan) under Schedule 2 of the draft DCO [REP6-005] approved by the SoS.	
3.13.15	RoE Ref: NV28 – NV30	Operational plant at the service buildings and generators at the compounds	The rating level of the noise emitted from operational fixed plant located at the service buildings at the tunnel portal, and generators at the construction compounds, shall not exceed the background level by more than 0 dB(A) at any residential property when assessed in accordance with BS 4142: 2014. Reason: In the interests of prevention of pollution and protection of residential amenity. This is covered within the OEMP MW-D-NOI3.	Highways England consider that this matter is adequately addressed in the OEMP [REP6-011], compliance with which is secured by paragraph 4 of Schedule 2 of the draft DCO [REP6-005].	Agreed
3.13.16	RoE Ref: NV28 – NV30	Piling during construction	Notwithstanding the requirements of the any submitted CEMP, construction work involving piling shall normally be carried out on the site between the hours of 10.00hrs and 16.00 Mondays to Fridays and no construction work involving piling shall be carried out on Saturdays, Sundays or Bank Holidays, unless otherwise first	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Construction working hours are set out in the OEMP [REP6-011] and separate working hours for piling have not been proposed. Highways England have also provided a commitment to non-impact piling at the	Agreed



[REP6-005].

3.133.14 Matters Under Discussion in relation to Noise and Vibration.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.14.1	RoE-Ref: NV28 – NV30	Operational traffic noise	Further details of the scheme of operational traffic noise mitigation measures outlined in 9.8.14 of Chapter 9 of the Environmental Statement [APP-047] shall be submitted in writing to the Local Authority, to provide that the maximum change in traffic noise level for sensitive receptors exposed to external road traffic noise shall not result in additional significant adverse effects, as defined in 9.3.51-9.3.52 and reported in Table 9.26 of Chapter 9 of the Environmental Statement.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Three measures listed in paragraph 9.8.14 are included in the OEMP [APP-147], compliance with which is secured by paragraph 4 of Schedule 2 to the draft DCO [APP-020]: Thin road surfacing: D-NOI1 Countess Junction Noise Barriers: D-NOI2 Till viaduct barrier: D-LAN2	Under Discussion



			Any scheme of noise mitigation as approved shall be constructed in its entirety as soon as reasonably practicable in pursuance of the scheme and shall be retained thereafter in perpetuity. Reason: To ensure that the amenities of future occupiers are protected.	Horizontal and vertical alignment including the tunnel, earthworks and retaining walls are secured through paragraph 3 of Schedule 2 to the draft DCO [APP-020]. As noted in the Mitigation Schedule [APP-186], the need for noise absorbent materials at the entrance/exit of the tunnel and Green Bridge Four will be set out in the contract between Highways England and the scheme Contractor. Highways England therefore considers that Wiltshire Council.	
3.14.2	RoE Ref: NV28 – NV30	Construction noise and vibration	No development, (including construction, land raising and demolition if required) shall be carried out other than in accordance with a Construction Environment Management Plan (CEMP) that is first submitted to, and approved by, the local authority. Reason: In the interests of prevention of pollution and protection of residential amenity.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Requirement not necessary. Wiltshire Council will be consulted on the CEMP which will be developed once a contractor is appointed. The CEMP will be prepared in accordance with the OEMP pursuant to Regulation 4 (Outline Environmental Management Plan) under Schedule 2 of the	Under Discussion



				DCO [APP-020] approved by the SoS	
3.14.3	RoE Ref: NV28 NV30	Operational plant at the service buildings and generators at the compounds	The rating level of the noise emitted from operational fixed plant located at the service buildings at the tunnel portal, and generators at the construction compounds, shall not exceed the background level by more than 0 dB(A) at any residential property when assessed in accordance with BS 4142: 2014. Reason: In the interests of prevention of pollution and protection of residential amenity.	Highways England is discussing this matter further with Wiltshire Council.	Under Discussion
3.14.4	RoE Ref: NV28 NV30	Piling during construction	Notwithstanding the requirements of the any submitted CEMP, construction work involving piling shall normally be carried out on the site between the hours of 10.00hrs and 16.00 Mondays to Fridays and no construction work involving piling shall be carried out on Saturdays, Sundays or Bank Holidays, unless otherwise first agreed in writing by the Local Authority. Reason: In the interests of prevention of pollution and protection of residential amenity	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Construction working hours are set out in the OEMP and separate working hours for piling have not been proposed. The proposed type of piling is not considered to give rise to distinctive noise disturbance which would warrant its own set of working hours. Wiltshire Council will be consulted on the CEMP which will be developed once a contractor is appointed. The CEMP will be prepared in accordance with the OEMP pursuant to Regulation 4 (Outline	Under Discussion



		Environmental Management Plan) under Schedule 2 of the	
		DOO [AFF-UZU].	

3.14.1 No matters Under Discussion at the present time.

3.143.15 Matters Not Agreed in relation to Noise and Vibration.

3.14.13.15.1 No matters Not Agreed at the present time.



3.153.16 Matters Agreed in relation to Cultural Heritage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.16.1	-	The extent of the study area was put forward in the EIA and HIA Scoping Reports and discussed at various Heritage Monitoring Advisory Group meetings (taking place on 11/10/17, 23/10/17, 06/11/17, 12/02/18, 21/03/18, 15/06/18).		The cultural heritage study area is confirmed in the ES Section 6.5 [APP-044], Study Area and illustrated in Figure 6.1 [APP-067], and Section 5.10 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.2	RoE Ref: G1	Legislation and planning policy considered relevant to cultural heritage. Section 9 Archaeology and World Heritage Site Considerations Background and Policy Context 165.	The Response to Statutory Consultation set out the following additional relevant documents: (Updated to reflect paragraph numbers in 2018 NPPF) National Planning Policy Framework (NPPF 2018) paras 188-190 and Practice Guidance Further Guidance on World Heritage Sites (2014). National Policy Statement for National Networks (2014) paragraphs 5.120-142.	Relevant legislation and planning policy documents are confirmed in ES Section 6.2 [APP-044] and Section 4 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.3	-	Non-statutory advice considered relevant was referenced in the HIA can be set out as follows: ICOMOS Guidance on Heritage Impact Assessments for Cultural World Heritage Properties (2011); UNESCO/ ICOMOS Advisory Missions (October 2015 and		Relevant non-statutory advice and policy is confirmed in the ES Section 6.2 [APP-044] and Section 5 of the HIA, Appendix 6.1 [APP-195].	Agreed



		January 2017)			
3.16.4	-	The extent of the assessment methodology was put forward in the EIA and HIA Scoping Reports and discussed at various Heritage Monitoring Advisory Group meetings (taking place on 11/10/17, 23/10/17, 06/11/17, 12/02/18, 21/03/18, 15/06/18)		The methodology is as set out in ES Section 6.3 [APP-044] and Section 5 of the HIA, Appendix 6.1 [APP-195].	Agreed
3.16.5	RoE Ref: G1	10. Built Heritage Considerations 197.	The scheme affects several built heritage assets, both designated and undesignated. These were highlighted in the earlier consultation response; since then, all sites of interest along the route have been visited by the relevant officer with the AmW built heritage consultant, and general agreement exists regarding the likely extent of the scheme's impacts. There are no aspects that are considered likely to reach a level of 'substantial harm', in NPPF terms; where 'less than substantial harm' is identified, the NPPF provides for a balancing exercise with public benefits.	Highways England welcome Wiltshire Council's engagement with the design team and the agreements reached.	Agreed
3.16.6	RoE Ref: G1	10. Built Heritage Considerations Key Considerations From West to East 198. 199. 200. 201. 202. 203. 204. 205.	The following points were raised in Wiltshire Council's Statutory Consultation Response: The positive impact on the Conservation Area of the removing the busy road from Winterbourne Stoke.	Highways England welcome points raised by Wiltshire Council in their Statutory Consultation Response, which have been incorporated into the final DCO application submission.	Agreed



			 Significant alteration of views up the Till Valley to the north of the Conservation Area. The impact of the new Till Valley crossing on undesignated heritage assets as 'less than substantial'. The milestone (east of Longbarrow) which will be located alongside a byway as a result of the scheme. The significant positive change to the setting of Stonehenge cottages. The unaffected milestone on Stonehenge Road. The impact of the new flyover on the lodges and bridge on Countess Road. 		
3.16.7	4.14 3.	Archaeological Mitigation Design: Yarnbury to diverge of mainline to offline route at Scotland Lodge: Works comprise cycleway and landscape bund (max 1m high) Southern cycleway built within existing highway boundary	Preference expressed for no dig solution for north side cycleway.	A commitment to the protection of archaeological remains with a no dig solution for the restricted byway at this location is set out in the Outline Archaeological Mitigation Strategy, ES Chapter 6 [APP-044] Appendix 6.11 [APP-220] in Table 2.2 (Site / Action Area No. 2)2 and in the Outline Environmental Management Plan (OEMP) [REP6-011] at reference MW-CH5 and will be secured in the Detailed	Agreed



				Archaeological Mitigation Strategy (DAMS) [REP6-013] through the requirement for method statements at section 5.1 through DCO Requirement 5 (Schedule 2-of [APP-020) [REP6-005]).	
3.16.8		Provision of Archaeological Mitigation Strategy	Implementation of Archaeological Mitigation Strategy will need to be secured a Requirement attached to the DCO. The Strategy may include the need to preserve in situ key archaeological remains or a programme of archaeological excavation and recording (including reporting, publication and dissemination of the results).	The Detailed Archaeological Mitigation Strategy (DAMS)), developed with heritage stakeholders throughout the examination, will be secured through DCO Requirement 5 (Schedule 2 of [APP-020]). Preparation of the DAMS will be in consultation with HMAG for works withinREP6-005]) and a certified document under the WHS boundary and WCAS outside the WHS boundary.DCO.	Agreed
3.16.9	[RR-2365]	Assessment on Impact on the WHS 50.	A detailed and comprehensive Heritage Impact Assessment (HIA) has been prepared in accordance with the agreed scoping report that specifically assesses the impact of the Scheme on the OUV of the WHS. The assessment clearly shows the large benefits of the removal of the A303 from the central part of the WHS.	Highways England acknowledges WCAS's comments that the HIA has been prepared in line with the agreed HIA scoping report and that they agree with the Slight Beneficial conclusion of the HIA. Highways England also welcomes Wiltshire Council Archaeology Services comment that the Scheme will bring large benefits to the central part of the WHS.	Agreed



3.16.10	[RR-2365]	Western Bypass – Oatlands Hill	It is welcomed by the archaeology	Highways England	Agreed from
		56.	service that no street lighting has	acknowledges WCAS's	a cultural
			been proposed for the area of the	concerns but note that the new	heritage
			new junction, but the Council	Junction will be a substantial	perspective
			requires further detail regarding	improvement on the existing,	but remains
			any residual impacts of light	moving it 600m to the west of	under
			spillage and adverse impacts on	the WHS boundary, recessed	discussion in
			dark skies within the vicinity of the	into the landscape, and being	terms of
			WHS boundary. This needs to be	unlit. This is in contrast to the	highway
			considered in terms of traffic	existing Longbarrow	design
			safety considerations given the	Roundabout which is currently	
			current proposals for traffic signal	lit by street lights and is	
			controls to address safety	immediately adjacent to the	
			concerns at this junction.	Winterbourne Stoke	
				Crossroads barrow group.	
				Highways England also notes	
				that the Outline Environmental	
				Management Plan [APP-	
				187REP6-011 (compliance	
				with which is secured under	
				paragraph 4 of Schedule 2 of	
				the DCO) [REP6-005] requires	
				that tunnel lighting will be	
				designed to minimize light spill	
				at portals (item D-CH9),	
				lighting under Green Bridge	
				Four, located just east of	
				Longbarrow Junction, to only	
				occur between dawn and	
				dusk, be dimmer controlled,	
				and designed to minimise light	
				spill outside of the bridge	
				footprint (item D-CH10)., no	
				road lighting of the Scheme	
				during operation except under	



				O D . I	
				Green Bridge Four and Countess Roundabout (item D-CH11), existing lighting units at Countess Roundabout shall be replaced to minimise light spill (item D-CH12), there will be no external lighting on the cutting retaining walls, or the external facades of the tunnel control buildings and tunnel portals within the WHS (item D-CH120) and the new PROW/ PMA within the WHS will not have lighting (item D-CH126). The potential impact of the Scheme upon dark skies is considered in the Heritage Impact Assessment [APP- 195], Section 9.3, paragraphs 9.3.13 – 9.3.19, which concludes that the Scheme would have a Moderate Positive impact on this aspect of the WHS, resulting in a Large Beneficial effect.	
3.16.11	RoE Ref: G2	V. Proposed Change to Rollestone Crossroads 22.	From an archaeological perspective, the WCAS is also content with the proposed modification of Rollestone Corner. Archaeological evaluation (geophysical survey and trial trenching) has been undertaken in respect to the modified proposal and no significant archaeological remains have been identified in	The revised layout at Rollestone Cross has been adequately considered within the Heritage Impact Assessment submitted as Appendix 6.1 to the Environmental Statement (document no. 6.3, ref paras 6.8.31 etc.) [APP-195].	Agreed



		this location. The proposed modified scheme is smaller in scale than the previous scheme, however it is within the boundary of the WHS. It is understood on evidence currently available that the proposed modified scheme will not have an adverse impact on the setting of the WHS. WCAS would however, expect that the modified scheme is included within the HIA that is currently in development and which will be submitted with the DCO application.		
3.16.12	Limits of Deviation	Under DCO Article 7, the limits of deviation of the tunnel are set out as a deviation of up to 200m westwards. This is a matter of concern as it is a significant variation in terms of the very careful location of the eastern and western portals in relation to topography and significant archaeological remains. Wiltshire Council seeks clarification of this issue and require further consultation in the case that the deviation is invoked.	The Environmental Statement [APP-039 – APP-054] and Heritage Impact Assessment [APP-195] consider the maximum area of land anticipated as likely to be required, taking into account the proposed limits of deviation (LoD) for the Scheme and the flexibility of detailed design provided for in the DCO [APP-040]. The assessments therefore take into consideration what can be regarded as a realistic 'worst case' assessment of the impacts associated with the proposed scheme. Therefore, any movement within the design LoD would not result in a worsening of significant	Agreed in relation to cultural heritage



				effects reported in the respective assessments.	
3.17.6	[RR-2365]	Restrictions of Activities Above the	The imposition of restrictive	As noted in the Statement of	Agreed
0.17.0	[111 2000]	Line of the Tunnel	covenants on ground works on	Reasons [APP-023] and	<u>/ (g/ 00 u</u>
		57.	land above the tunnel is referred to	response to ExA question	
		<u> </u>	in the draft DCO, 4.3 the Book of	CH.1.27, restrictions are	
			Reference [APP-025] and the	required above the tunnel in	
			Land Plans (2.2) [APP-005]. The	order to secure protection of	
			Council has concerns over this	the tunnel from potentially	
			and need to have a detailed	conflicting future development	
			agreement drawn up as it may	and works that might	
			restrict the ability to undertake	jeopardise the structural	
			archaeological investigations in a	integrity of the tunnel.	
			core part of the WHS.		
				The tunnel restrictions are in	
			The Council has now seen the	place to protect the integrity of	
			technical note from HE and	the Stonehenge tunnel. Detail	
			proposed authorization process	on the restrictions are as	
			and we are content that this issue	follows:	
			can be dealt with satisfactorily.	1. Development which would	
				require planning	
				permission, deep	
				foundations, piling or	
				influence existing ground	
				conditions.	
				Changes in ground weight	
				loading (either increasing	
				or decreasing) such as:	
				a. Any excavation (including	
				boring and future	
				archaeological research)	
				below a depth of 1.2m in the	
				area shown in light blue and	
				below a depth of 0.6m in the	



ı		
		area shown in dark blue on
		the attached plan;
		b. Any additional loading as a
		result of building work or
		storage;
		c. Use by any vehicle or
		tractor trailer combinations
		with a gross vehicle weight
		greater than 44 tonnes, in
		accordance with Road
		Vehicle (Construction and
		Use) Regulations; or
		d. Any new tree planting
		An updated version of the
		DAMS is to be submitted at
		deadline 7. This includes
		provision for the restrictive
		covenant to be passed on via
		a process of application for
		any archaeologists seeking to
		carry out investigations in the
		relevant parts of the WHS.
		relevant parts of the virio.

3.163.17 Matters Under Discussion in relation to Cultural Heritage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.17.1	-	Preparation of a CEMP	Wiltshire Council require a CEMP to be prepared covering the following matters: - Details methods of protection for buried and	A detailed Construction Environmental Management Plan (CEMP) will be prepared by Highways England's appointed contractor which	Under DiscussionWhilst agreed in respect of this matter being



upstanding archaeological remains during the construction process. - Compounds and temporary spoil storage areas outside the WHS in archaeologically sensitive areas. - An element of flexibility for design of construction compounds in the event	will be based on, and incorporate, the requirements of the OEMP. Wiltshire Council will be consulted on the preparation of the CEMPs. This is specified in the OEMP [APP187], REP6-011, reference MW-G5, compliance with which is secured by Requirement 4 of	dealt with by way of the CEMP, this item remains under discussion until the OEMP is finalised and the matter on approval of the CEMP is
archaeological remains will need to be set out in the associated DAMS. The Council is seeking amendments to the OEMP to meet its requirements.	based on, and incorporate, the requirements of the contractor relevant to that contractor's contractual scope. The OEMP includes a number of measures relevant to Wiltshire Council's concerns which will be able to be incorporated within the CEMP and the Heritage Management Plan that will be appended to it: an obligation to prepare a Soil Management Strategy (ref PW-GEO3 and MW-G7GEO3); appropriate fencing off sensitive archaeological remains in the WHS (ref MW-CH3); the need for a Heritage	



		Management Plan (prepared	
		in consultation with HMAG	
		and WCAS, and approved by	
		Wiltshire Council (in	
		consultation with Historic	
		England to the extent the	
		works the subject of the	
		approval would ordinarily	
		trigger the need for	
		scheduled monument	
		consent, and based on the	
		DAMS) to be produced which	
		is to include measures for the	
		construction process to take	
		account of archaeological	
		assets (both known and	
		unknown) (item MW-CH1);	
		 method statements 	
		for dealing with	
		archaeological remains that	
		may need to be buried (MW-	
		CH5); and	
		 monitoring of assets 	
		during the construction	
		programme (MW-CH7).	
		Together these measures will	
		enable Wiltshire Council to	
		gain the comfort it seeks on	
		these issues.	
		Indicative layouts of the	
		construction compounds are	
		provided on Figure 2.7 of the	
		Environmental Statement	
		[APP-061].	
		[AFF-001].	



				The Detailed Archaeological Mitigation Strategy (DAMS) [REP6-013] sets out a strategy for archaeological mitigation at section 5. Details of the proposed mitigation approaches are set out in section 6 of the DAMS and proposals for each identified archaeological action area are set out in Appendix D of the DAMS. The DAMS is being developed in consultation with the Council and other members of HMAG and will be secured through DCO Requirement 5 (Schedule 2 of [APP-020REP6-005]).	
3.17.2	RoE Ref: G1	9. Archaeology and World Heritage Site Considerations Key Issues by Scheme Area Western Section: Winterbourne Stoke Bypass to Longbarrow Junction Parsonage Down East. 170.	The proposed deposition of chalk from the tunnel in this location is going to negatively impact on a number of known archaeological features, including settlement and burial features from prehistoric and Roman times. The area has not yet been archaeologically evaluated. When it is, it is likely that further features will be identified and some of these may be highly significant and may need to be preserved in situ at the current ground surface level. Until the evaluation and assessments of	Highways England have completed the archaeological evaluation of the Parsonage Down area. Highways England maintain that this is the preferred site for the deposition of tunnel excavated material and the requisite land take is sufficient to allow significant archaeological remains to be preserved <i>in situ</i> within the redline boundary. Highways England has developed a scheme that ensures that significant archaeological	Under Discussion



	this area are completed (with	remains are either avoided,	
	requisite consents from the land	designed around or have	
	owner) it is too early to judge if	suitable protective measures	
	the proposed deposition and	put in place to allow	
	landscaping will be acceptable	preservation in situ beneath	
	across the whole of this area.	tunnel excavated material in	
	dorodo trio Wrielo di triio di oa.	certain circumstances, with	
	The section of the se	an appropriate monitoring	
	The mitigation measures for	regime. Please see the	
	Parsonage Down East as drafted	Outline Archaeological	
	in the DAMS require agreement.	Mitigation Strategy as set out	
		in ES Chapter 6 [APP-044]	
		and Appendix 6.11 [APP-	
		1.1	
		220].	
		The A report drawing	
		together the results of the	
		relevant archaeological	
		surveys and evaluations with	
		a consideration of the	
		significance of the	
		archaeological remains	
		identified and the mitigation	
		strategy is being further	
		developed into approaches as	
		proposed in the DAMS has	
		been (02-08-2019) issued to	
		the Council for review and	
		comment. The report was	
		discussed at a meeting with	
		the Council on 1st August	
		2019. Please see section 5 of	
		the Detailed Archaeological	
		Mitigation Strategy, (DAMS)	
		[REP6-013] (a revised	
		version of which will beis	



				submitted at Deadline 2 of the Examination. 7)	
3.17.3	[RR-2365]	Lack of Design Details 42.	It is understood that the DCO is presented as an indicative design Scheme (7.2 Design and Access Statement 1.2.1 [APP-295]) and that further design details will follow post consent. However, the lack of design details at this stage makes it difficult to fully assess the impact of the Scheme on cultural heritage, landscape setting and the need for mitigation. For example, the extent and location of utility trenches or the engineering details for the Till Valley, green bridges and tunnel portal or the exact requirements for road signage and fencing are unknown. The Council welcomes the addition of section 4 in the OEMP which sets out the Design Vision for the scheme and identifies key Design Principles which will inform the detailed design of the scheme and sets out a number of Design Commitments and procedures	Highways England considers there is sufficient information provided in the application to allow the scheme's likely significant effects to be understood and to inform the need for mitigation. The design has been fixed to an appropriate level for the DCO application. The design is sufficiently developed to have undertaken a comprehensive Environmental Impact Assessment (EIA), as reported in the Environmental Statement (ES) [APP-039 – APP-054], and, in the context of the World Heritage Site, a Heritage Impact Assessment (HIA) [APP-195]. The parameters of the permission sought are constrained to the horizontal limits established by the Works Plans [APP-008], the vertical limits of the Engineering Section Drawings(Plan and Profiles) [APP-010], the Engineering Sections Drawings (Cross Sections) [APP-011] and the Tunnel Limits of Deviation Plan [APP-019], subject to	Under Discussion



		for bough compact of least	the limite of deviction	
		for involvement of key	the limits of deviation	
		stakeholders. The Council has	established by article 7 of the	
		greater assurance that the detail	draft DCO [APP-020REP6-	
		design will conform with the	<u>005</u>].	
		overall vision, aims and	The design of the scheme	
		objectives of the Stonehenge	elements referred in the	
		and Avebury World Heritage Site	representation will be	
		Management Plan (2015) and	developed through the	
		sustain the Outstanding	detailed design stage of the	
		Universal Value of the World	project. The detail in the	
		Heritage Site. The Council	application documents of	
		considers that this can be	each of the design elements	
		improved through further	as raised in the relevant	
		development of a suite of	representation is set out	
		visualisations and guidance to	below:	
		append the OEMP.	Photomontages and CGI	
			visualisations have been	
			presented within the LVIA	
			Chapter (Chapter 7 [APP-	
			045] and Cultural Heritage	
			Chapters (Appendix 6.9	
			[APP-218] of the ES for the	
			Till Valley, green bridges and	
			the tunnel portal. Design and	
			visual representations will be	
			developed through the	
			detailed design process. The	
			further detailed design of the	
			Scheme will be sensitive to	
			its WHS context, following	
			Highways England's guide	
			'The Road to Good Design' In	
			so far as it impacts on the	
			WHS, the design will be	
			developed in consultation	



		with the Heritage Manitering
		with the Heritage Monitoring
		Advisory Group (HMAG),
		which includes Wiltshire
		<u>Council</u> Additional
		visualisations were submitted
		to the Examination at
		deadline 6 and further
		visualisations are to be
		submitted to the Examination
		at deadline 7.
		at deadilite 1.
		Further details will be
		developed through the
		detailed design process. This
		will enable the best
		opportunity to draw on the
		skill and experience of the
		contractor to be brought fully
		into the detailed design and
		implementation phase and
		therefore greatest potential
		for innovation and latest
		practice and technology to be
		fully considered at the stage
		immediately before
		implementation.
		The Outline Environmental
		Management Plan (OEMP)
		[REP6-011] includes a design
		vision together with a set of
		design principles for key
		elements of the Scheme.
		Highways England will
		consult key stakeholders,



		the state of the AMBRELLIA CONTROL	\neg
		including Wiltshire Council,	
		on the external appearance	
		of the following elements of	
		the Scheme within the World	
		Heritage Site:	
		a) The tunnel service	
		buildings (Work No.1D(ii));	
		b) Portals structures	
		(Work Nos. 1E(ii) and 1G(iii)),	
		retaining walls (part of Work	
		Nos. 1D(ii) and 1H(ii)) and	
		Green Bridge Four (Work	
		No.1d(i)); and	
		c) Public rights of way,	
		including pedestrian, cycling	
		and non-motorised user	
		provision and wayfinding	
		including surfacing, materials,	
		fencing and gating.	
		Outside of the World Heritage	
		Site Highways England will	
		consult key stakeholders,	
		including Wiltshire Council,	
		on the external appearance	
		of the following:	
		a) Signing and lighting	
		at the new Longbarrow	
		junction (Work No.1C(ii)); and	
		b) Signing and lighting	
		at the Countess junction	
		(Work No.1H(iv)).	
		(VV OTK TNO. 11 I(IV)).	
		Design principles are set out	
		in Table 4.1 of the OEMP	



		issued at deadline 6 [REP6-	
		011] and have been	
		developed through extensive	
		engagement with heritage	
		stakeholders, including	
		WCAS. These provide	
		sufficient certainty and	
		Highways England considers	
		that there is no need for a	
		further design document.	
		Key design elements that are	
		secured via the OEMP	
		include:	
		D-CH2 and D-CH3 which	
		require the redundant	
		sections of the road surface	
		to the existing A303 and	
		A360 (including the existing	
		Longbarrow Roundabout) to	
		be broken out, save to the	
		extent they are required for	
		public rights of way:	
		• D-CH4 – requires Green	
		Bridge Four to be	
		approximately 145-149.9mm	
		wide;	
		• D-CH5 – which requires the	
		western approach to the	
		tunnel to be in cutting to a	
		minimum 7m depth with	
		vertical retaining walls;	
		• D-CH6 and D-CH7 - which	
		require cut and cover tunnels	



		extending eastwards and
		westwards from the bored
		tunnel:
		• D-CH9, D-CH10, D-CH11,
		D-CH12 and D-CH20 - which
		taken together limit the use
		and impact of highway
		lighting within the WHS and
		require improved lighting at
		Countess Roundabout.
		D-CH16, which limits the
		height of portal entrances
		noight of portal official
		Annuagh to Matariala
		Approach to Materials
		selection and surface
		treatment
		Further details, including
		width and surface treatment
		of new rights of way, fence
		lines and structural finishes,
		are under discussion with
		heritage stakeholders and
		Wiltshire Council. As noted
		above, the Outline
		Environmental Management
		Plan (OEMP) [REP6-011]
		includes a design vision,
		<u>further design commitments</u>
		on these matters, design
		principles and a mechanism
		for consultation with heritage
		stakeholders, including
		Wiltshire Council, on the
		detailed design of aspects of



	fl - O-1 T-11 - 4.4 - f	_
	the Scheme. Table 4.1 of	
	section 4 of the OEMP details	
	a wide range of principles to	
	direct the appearance of the	
	detailed design of the	
	Scheme within and beyond	
	the WHS, considering such	
	matters as; landscaping,	
	<u>fencing</u> , <u>structures</u> , <u>surfacing</u> ,	
	lighting and public rights of	
	way. Compliance with the	
	OEMP is secured via	
	paragraph 4 of Schedule 2 of	
	the draft development	
	consent order [REP6-005].	
	In addition Requirement 8 of	
	the development consent	
	order requires consultation	
	with Wiltshire Council on the	
	landscaping of the scheme.	
	In the context of signage,	
	there will be minimal signage	
	in areas bordering the WHS	
	(see OEMP, P-SL01). Also,	
	the Scheme has committed	
	to no signage or other vertical	
	installations (such as CCTV)	
	above the top of the cutting	
	and no lighting of signs at the	
	western end of the Scheme	
	in order to protect the WHS's	
	OUV (see OEMP, D-CH8).	
	To minimise the visibility of	
<u> </u>	TO Illimition the Visibility of	



new infrastructure within the
WHS signage and other
highways installations will sit
completely within the
approach cuttings and not
extend above them.
Appropriate signage and
infrastructure would be
provided outside the WHS to
manage traffic through the
corridor. Any signage for the
new PRoW/PMA in the WHS
shall of low reflectivity, in-
keeping with the character of
the WHS, and shall be
designed and located in such
a way as to ensure no
adverse impacts on the OUV
of the WHS (see OEMP, D-
CH27).
Fencing in the WHS shallwill
be developed in consultation
with the National Trust.
,
Historic England, English
Heritage and Wiltshire
Council, as secured in the
Outline Environmental
Management Plan (OEMP)
[APP-187 <u>REP6-011</u>] (D-
CH14, D-CH24, D-CH25).
During construction, the main
works contractor shall consult
with HMAG to determine the
type of construction boundary
fencing to be used within the



WHS or within the setting of
the WHS (OEMP MW-CH3).
The type of fencing would be
sympathetic to the setting of
the WHS. The OEMP is
secured under paragraph 4 of
Schedule 2 within the draft
DCO [APP-020].Boundary
fencing and gates in the
WHS shall be visually
recessive and have a low
reflectivity finish.
Other keyThe OEMP is
secured under paragraph 4 of
Schedule 2 within the draft
DCO [REP6-005].
-design elements that are
secured via the OEMP
include:
D-CH2 and D-CH3 which
require the redundant
sections of the road surface
to the existing A303 and
A360 (including the existing
Longbarrow Roundabout) to
be broken out, save to the
extent they are required for
public rights of way;
• D-CH4 - requires Green
Bridge Four to be
approximately-150m wide;
- D-CH5 – which requires the
western approach to the
tunnel to be in cutting to a



		minimum 7m depth with
		vertical retaining walls;
		• D-CH6 and D-CH7 — which
		require cut and cover tunnels
		extending eastwards and
		westwards from the bored
		tunnel:
		,
		• D-CH9, D-CH10, D-CH11
		and D-CH12 - which taken
		together limit the use of
		highway lighting within the
		WHS and require improved
		lighting at Countess Roundabout.
		In the context of the heritage
		assessment, the impacts of
		utilities have been considered
		within ES Chapter 6 Table
		6.11 [APP-044] and Chapter
		15 [APP-053] and Appendix
		15.2 [APP-183]. MW-CH5
		and PW-CH5 of the OEMP
		[APP-187REP6-011] secure
		the obligation to avoid
		potentially sensitive
		archaeological remains
		wherever possible or provide
		appropriate mitigation in
		consultation with WCAS (for
		remains outside of the WHS)
		where impacts are
		unavoidable in respect of
		utility/service corridors.
		Highways England
		acknowledge WCAS



1			concerns. Proposals for	
			archaeological mitigation in	
			respect of the utility corridors	
			are set out in section 5 and	
			Appendix D of the DAMS (an	
			updated version of which is	
			submitted at D7).	
			Further consultation with	
			WCAS is welcomed with	
			regards to utilities, the Till	
			Valley Viaduct, green bridges	
			and tunnel portal, road	
			signage and fencing at the	
			detailed design stage.	
			A HeritageStakeholder	
			Design Consultation Group	
I			has been established, which	
			WCAS is a member of, to	
			steer the design and the	
			design principles that will be	
			set out in the Main	
			Contractor's contract.	
			Consultation with WCAS on	
			the detailed design of key	
			aspects of the Scheme	
			relating to heritage and	
			construction of the Scheme,	
			are secured through the	
			OEMP (APP-187)[REP6-011]	
			compliance with which is	
			secured via requirement 4 of	
			Schedule 2 to the draft DCO	
			(APP-020).[REP6-005].	
I			, <u></u>	
	1			



1 1	r		T T		·
				-PW-CH1 and MW-CH1	
				requires WCAS and HMAG	
				to be consulted on the	
				preparation of a Heritage	
				Management Plan for the	
				preliminary and main works;	
				and for such plans to be	
				approved by Wiltshire	
				Council (in consultation with	
				Historic England to the extent	
				the works the subject of the	
				approval would ordinarily	
				trigger the need for	
				scheduled monument	
				consent).	
				PW-CH4 and MW-CH3	
				requires WCAS to be	
				consulted on details of the	
				fencing off of sensitive	
				remains outside the WHS in	
				respect of the preliminary	
				works ; .	
ı				MW-CH5 requires the	
				preparation of Archaeological	
				Method Statements, in	
				consultation (to be approved	
				by Wiltshire Council, in	
				consultation with Historic	
				England to the extent the	
				works the subject of the	
				approval would ordinarily	
				trigger the need for	
				scheduled monument	
				consent) where potentially	
•				sensitive archaeological	



		remains are proposed to be	
		buried or sealed beneath fill	
		outside of the WHS.	
		-PW-CH6 and MW-CH6	
		requires the contractor to	
		prepare a Site Specific	
		Written Scheme of	
		Investigation in consultation	
		with WCAS, (to be approved	
		by Wiltshire Council, in	
		consultation with Historic	
		England to the extent the	
		works the subject of the	
		approval would ordinarily	
		trigger the need for	
		scheduled monument	
		consent), to avoid significant	
		archaeological remains and	
		implement appropriate	
		archaeological mitigation	
		measures where impacts are	
		unavoidable in respect of	
		service/utility corridors for the	
		preliminary and main works	
		outside of the WHS;	
		Landscape mitigation is	
		secured through requirement	
		8 of schedule 2 to the draft	
		DCO, which requires the	
		Secretary of State's approval,	
		following consultation with	
		Wiltshire Council, and (for	
		landscaping within the WHS	
		and for Longbarrow Junction,	
		Historic England), of a	



				landscaping scheme (including hard and soft landscaping works) which must be based on the mitigation measures included in the Environmental Statement.	
3.17.4	[RR-2365]	Assessment of Impact on Archaeological Remains 46.	Another concern is that the key headline from the Cultural Heritage chapter is that only a limited number of archaeological features will be impacted by the Scheme. Section 6.9.24 states only 11 non-designated heritage assets will be adversely impacted. It should have been stated that this is the minimum number of groups of features that will be directly impacted. The Council believes that using this figure is unhelpful and imprecise. Many more than this will be impacted as this figure is derived from the evaluation phase of the Scheme which has employed a sampling approach to evaluation trenches. It is understood that the Scheme has been carefully designed to where possible avoid areas of known archaeological features, but many features are likely to be revealed during the mitigation phase, the stripping of the road either side of the tunnel portals	The Environmental Statement reports both the significant and the non-significant Cultural Heritage effects within ES Chapter 6, Cultural Heritage [APP-044]. Permanent significant effects from the construction of the Scheme are reported in sections 6.9.24 to 6.9.29 of the ES and Table 6.11, whilst sections 6.9.30 — 6.9.32 [APP-044] and Appendix 6.8 [APP-217] report the non-significant effects. The statement at 6.9.24 and the NTS refer to the significant effects reported in the ES. Highways England considers the results of the assessment have been presented in an appropriate manner. Highways England note Wiltshire Council Archaeology Service's (WCAS) concern that further archaeological features will be revealed in future works.	Under Discussion



	will undoubtedly reveal further	The assessment in the ES is	
	non-designated assets that will	based on a comprehensive	
	be adversely impacted.	programme of archaeological	
	Moreover, archaeological	evaluation designed in	
	features are also likely to be	collaboration with heritage	
	revealed and excavated during	stakeholders, including	
	preliminary works such as utility	WCAS. The evaluation	
	installation, the details for which	results provide a robust basis	
	have not been seen. This should	for assessment of the likely	
	be made clearer in the EIA	significant effects of the	
	chapter.	Scheme. This follows	
	•	established good practice	
		and planning policy guidance.	
		As acknowledged by	
		Wiltshire Council, the	
		preferred route was carefully	
		chosen to avoid known	
		archaeological remains. A	
		comprehensive programme	
		of archaeological evaluation	
		surveys (see ES Chapter 6	
		Cultural Heritage, paragraphs	
		6.6.13 - 6.6.52), covering the	
		entire red line boundary of	
		the Scheme, has informed	
		the Scheme being designed	
		in a way that has limited	
		archaeological impacts where	
		this is practicable. Examples	
		of how the design has been	
		developed to limit impacts on	
		archaeology include the	
		choice of a northern bypass	
		of Winterbourne Stoke, the	
		reduced footprint and land	



		take for Rollestone Corner,	
		and the design and	
		placement of the western and	
		eastern tunnel portals and	
		approaches in areas that	
		have been shown to have	
		limited archaeological	
		remains within their footprint.	
		Further information can be	
		found in the Assessment of	
		Alternatives, ES Chapter 3	
		[APP-041] and in ES Chapter	
		6, Cultural Heritage [APP-	
		044], Section 6.8, Table 6.9.	
		Archaeological remains	
		would be excavated and	
		recorded during the	
		preliminary works phase, in	
		advance of construction, to	
		avoid, as far as is practicable,	
		previously unknown	
		archaeological remains being	
		uncovered during	
		construction. The Outline	
		Archaeological Mitigation	
		Strategy (OAMS) [APP-220]	
		also identifies areas to be	
		protected in-situ. A Detailed	
		Archaeological Mitigation	
		Strategy (DAMS) will be	
		developed in consultation	
		with Wiltshire Council	
		Archaeology Service and the	
		Heritage Monitoring Advisory	
		Group (which comprises	



		Wiltshire Council	
		Archaeology Service, Historic	
		England, National Trust, and	
		English Heritage), and is	
		secured by paragraph 5 of	
		Schedule 2 of the draft	
		Development Consent Order	
		[APP-020].	
		Highways England state that	
		they report both the	
		significant effects and the	
		non-significant effects within	
		the ES. Permanent significant	
		effects from the construction	
		of the Scheme are reported	
		in sections 6.9.24 to 6.9.29 of	
		the ES and Table 6.11, whilst	
		sections 6.9.30 - 6.9.32	
		[APP-044] and Appendix 6.8	
		[APP-217] report the non-	
		significant effects. The	
		statement at 6.9.24 refers to	
		significant effects reported in	
		the ES. Highways England	
		acknowledge that this	
		distinction could have been	
		made clearer and non-	
		significant effects on	
		archaeological features better	
		signposted for the reader.	
		Highways England note	
		WCAS's concern that further	
		archaeological features will	
		be revealed in future works.	
		The assessment in the ES is	



programme of archaeological evaluation designed in collaboration with heritage stakeholders. The evaluation results provide a robust-basis for assessment of the likely significant effects of the scheme. This follows established good practice and planning-policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially-censitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service-cerridors.					based on a comprehensive	
evaluation designed in collaboration with heritage stakeholders. The evaluation results provide a robust basis for assessment of the likely significant-effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CHS and PW-CHS and PW-CHS and PW-CHS and PW-CHS and pw-chs and polentially-sensitive archaeological remains wherever possible or provide appropriate mitigation to avoid potentially-sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR 2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
collaboration with heritage stakeholders. The evaluation results provide a robust basis for assessment of the likely significant effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CHS and PW-CHS of the OEMP (APP-187) secure the obligation to avoid potentially censitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility service corridors.						
stakeholders. The evaluation results provide a robust basis for assessment of the likely significant effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW CH5 of the OEMP (APP 187) secure the obligation to avoid petentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2366] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
results provide a robust basis for assessment of the likely significant effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MV-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
for assessment of the likely significant effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of tuilities will be routed along existing highways. (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW-CH5 of the OEMP-(APP-187) secure the obligation to avoid potentially-sensitive archaeological romains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service ordinates.						
significant effects of the scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially consitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
scheme. This follows established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the eareful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, whe alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme feetprint. MW-CHS and PW- CHS of the OEMP (APP 187) secure the obligation to avoid potentially consitive archaeological remains wherever-possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.6 [RR-2365] Assessment on Impact on the Overall the Scheme is acsessed Highways England met with Under						
established good practice and planning policy guidance. We acknowledge with thanks WCAS's comments on the eareful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW- CH5 of the OEMP (APP 187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for romains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.6 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
and planning policy guidance. We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW CH5 of the CEMP (APP 187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
We acknowledge with thanks WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme feotprint. MW CH5 and PW CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
WCAS's comments on the careful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW-CH5 of the OEMP (APP 187) secure the obligation to avoid petentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					. 0. ,0	
sareful design of the Scheme to avoid archaeological impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW-CH5 of the OEMP (APP 187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service-cerridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
to avoid archaeological impacts where possible, Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint, MW CH5 and PW CH5 of the OEMP (APP 187) secure the obligation to avoid petentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
impacts where possible. Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW- CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
Wherever possible, the alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
alignment of utilities will be routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					·	
routed along existing highways (to limit impacts) or be routed within the Scheme footprint. MW CH5 and PW- CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
highways (to limit impacts) or be routed within the Scheme footprint. MW-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					alignment of utilities will be	
be routed within the Scheme feotprint. MW-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
be routed within the Scheme feotprint. MW-CH5 and PW-CH5 of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					highways (to limit impacts) or	
CHS of the OEMP (APP-187) secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					be routed within the Scheme	
secure the obligation to avoid potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					footprint. MW-CH5 and PW-	
potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					CH5 of the OEMP (APP-187)	
potentially sensitive archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					secure the obligation to avoid	
archaeological remains wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
wherever possible or provide appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
appropriate mitigation in consultation with WCAS (for remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
remains outside of the WHS) where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
where impacts are unavoidable in respect of utility/service corridors. 3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under					_,	
3.17.5 [RR-2365] Assessment on Impact on the Overall the Scheme is assessed Highways England met with Under						
	3.17.5	[RR-2365]	Assessment on Impact on the	Overall the Scheme is assessed	Highways England met with	Under
		1		as having a slight beneficial	WCAS on the 12th December	



	WHS	effect on the setting of the OUV	2018 to discuss the	Discussion
	5152.	of the WHS. Whilst, this overall	Statement of Common	
	311 32 1	conclusion is not necessarily	Ground and review the	
		disagreed with, the Council	photomontages and CGIs	
		thinks more could be done to	that were submitted with the	
		mitigate the adverse impacts of	ES Chapter 6, Appendix 6.9	
		the dual carriageway in cutting	[APP-218] and explained the	
		on the setting of asset groups in	views in more detail in order	
		the western part of the WHS,	to try to alleviate Wiltshire	
		especially on the Winterbourne	Council's concerns and	
		Stoke and Diamond Group (see	correct any	
		paragraphs 53 to 54 within	misunderstandings.	
		Wiltshire Council's relevant	Highways England, however,	
		representation.	disagree with Wiltshire	
		Adverse impacts to setting of	Council's stance. Highways	
		some of the asset groups are	England have designed a	
		indicated, particularly the	scheme that removes the	
		Western edge of the WHS where	surface A303, and the	
		the Western Portal and deep	accompanying sight and	
		cutting are. From the summary of	sound of traffic on it from a	
		anticipated impacts in Table 1,	large proportion of the WHS	
		the Council is especially	enabling beneficial change to	
		concerned with the potential	the setting of many	
		slight adverse impact on Asset	monuments and asset groups	
		Group (AG) 13, the Diamond	that contribute to the OUV of	
		Group. WCAS are also	the WHS, particularly within	
		concerned about the adverse	the central part of the WHS	
		impact on AG 12, the	surrounding Stonehenge.	
		Winterbourne Stoke Group, and	The scheme has been	
		AG 19, Normanton Down. These	sensitively designed with the	
		groups have highly significant	use of a 2 mile long tunnel,	
		Neolithic long barrows, all of	retained deep road cuttings,	
		which display attributes of OUV.	essential chalk grassland	
		The impact of the Scheme on the	mitigation to enable	
		Winterbourne Stoke Group is	landscape integration, a	



		shown as being moderate	150m long Green Bridge No.	
		beneficial. Our view is that this	4 to enable visual and	
		should be assessed as slight	physical landscape	
		adverse as in the Diamond	connectivity and public	
		Group. This is supported by our	access, canopies and hidden	
		interpretation of the relevant	tunnel portals within the WHS	
		photo montages and figures in	landscape.	
		the Landscape Chapter.	The Scheme is assessed to	
		Wiltshire Council awaits further	have a Slight Beneficial effect	
		analysis on the visual impact of	on the OUV of the WHS as a	
		the proposed road in cutting for	whole. This takes into	
		its consideration, which was	account that of the seven	
		agreed would be provided by HE	attributes of OUV for the	
		during a meeting on 28th March	WHS, whilst the scheme will	
		2019.	have a slight adverse effect	
			on two of those attributes, it	
			will have a beneficial effect	
			on the remaining five (being a	
			slight beneficial effect on 3 of	
			the attributes, a large	
			beneficial effect on one, and	
			a very large beneficial effect	
			on one). This conclusion also	
			takes into account that the	
			scheme will have a slight	
			beneficial effect on the	
			authenticity and integrity of	
			the WHS. Overall, the OUV	
			of the WHS would be	
			sustained.	
			With reference to AG12	
			Winterbourne Stoke	
			Crossroads Barrows,	
			Highways England disagree	
			with Wiltshire Council's	



		conclusion that the impacts
		from the Scheme on this
		asset group should be
		assessed as slight adverse
		as both the A303 and the
		A360, including the existing
		Longbarrow Roundabout, will
		be removed from immediately
		adjacent to the asset group.
		The A303 will move 150m to
		the south and be built in
		cutting to remove the sight
		and sound of traffic from
		immediately adjacent to the
		asset group. The benefits of
		this are clearly demonstrated
		by the photomontages and
		CGIs presented in the ES
		Chapter 6, Appendix 6.9
		[APP-218] (Figure 4, Figure 5
		and Figure 7).
		With regards to AG13
		Diamond Group, the A360
		currently bisects the group
		and the A303 additionally
		severs the group from AG12
		Winterbourne Stoke
		Crossroads Barrows to the
		north. The scheme design
		removes traffic and
		severance from within the
		asset group by realigning the
		A360 and Longbarrow
		junction further to the west.
		Green Bridge No. 4 maintains



		visual and physical
		landscape connectivity with
		AG12 Winterbourne Stoke
		Crossroads Barrows to the
		north and access between
		the two groups via new NMU
		routes, and this combined
		with the essential chalk
		grassland mitigation,
		improves the visitor's ability
		to appreciate the setting, in
		the context of reduced views
		and sounds of traffic.
		Regarding AG19 Normanton
		Down Barrows, the scheme
		would remove the existing
		A303 surface road to the
		north of the asset group,
		which severs its relationship
		with Stonehenge as well as
		many other asset groups to
		the north of the A303,
		including AG12 Winterbourne
		Stoke Crossroads Barrows.
		The scheme would restore
		the setting of much of the
		AG19 Normanton Down
		Barrows, its sense of place,
		and visitor's ability to
		appreciate them within a
		seamless landscape, noting
		that long distance views from
		the northern end of the asset
		group will include minor
		intrusion from the western



1			1
			approach cutting and Green
			Bridge No. 4. Amongst other
			benefits of the restored
			setting of AG19 Normanton
			Down Barrows would be the
			enhanced access, enabling
			an uninterrupted traverse
			between Stonehenge and the
			Normanton Down Barrows
			along Byways 11 and 12. The
			removal of the visual and
			audible impacts of traffic
			would be beneficial to the
			setting of the asset group as
			a whole. Views from
			numerous individual
			monuments within the asset
			group would be improved,
			and compromised sightlines
			restored. These include key
			views, including those
			between the Sun Barrow and
			Stonehenge, and between
			Stonehenge and the core of
			the Normanton Down asset
			group. From the core of the
			group, views of traffic would
			not be available, while traffic
			noise would be inaudible.
			Highways England will,
			however, continue to work
			with Wiltshire Council to
			alleviate their concerns, and
			consult with them during the
			development of the detailed



		design. Highways England is
		currently preparing indicative
		plans to assist an
		understanding of the visibility
		of the cutting for a member of
		the public when within the
		WHS.
		Highways England note that
		the 150m land bridge has
		been accepted by Historic
		England as acceptable
		mitigation for the cutting
		between the Winterbourne
		Stoke Crossroads barrow
		group and the Diamond
		group of monuments.
		Highways England disagree
		with WCAS's conclusion that
		the impacts from the Scheme
		on the Winterbourne Stoke
		Crossroads Barrow Group
		should be assessed as slight
		adverse as both the A303
		and the A360, including the
		existing Longbarrow
		Roundabout, will be removed
		from immediately adjacent to
		the group. The A303 will
		move further to the south and
		be built in cutting to remove
		the sight and sound of traffic
		from the group. The benefits
		of this are clearly
		demonstrated by the
		photomontages and CGIs.



				Highways England met with WCAS on the 12 th December 2018 to discuss the Statement of Common Ground and review the photomontages and CGIs that were submitted with the ES (Chapter 6, Appendix 6.9 [APP-218]) and explain the views in more detail in order to correct any misunderstandings.	
3.17.6	[RR-2365]	Longbarrow Roundabout and Green Bridge No. 4 53. 54.	Whilst the proposed green bridge (150m in width) east of the current Longbarrow junction and its proposed location does afford some mitigation, the Council has concerns that it is not sufficient to mitigate potential adverse visual impacts caused by the cutting on key monument groups with attributes of OUV, most notably the Winterbourne Stoke, Diamond Group and Normanton Down Group. We would encourage Highways England to explore further design options to help minimise the adverse impact or extend the tunnel. The Council believes that extending the tunnel (either bored or cut and cover) within the WHS boundary could further minimise impact on the OUV. Section 3.3.61 of the EIA	Highways England disagree with Wiltshire Council's stance. Along with considerations of cost, the location and design of the tunnel portals have been optimised in terms of the natural topography of the area, impact within the WHS and the extent of benefit that will be secured by one of the key aims of the scheme which is to remove the sight and sound of the A303 traffic from much of the WHS landscape. With accompanying mitigation, the assessments show that the preferred solution is a 2-miles (3.3km) long tunnel extending between portals located adjacent to the existing A303 to the east of The Avenue	Under Discussion



		outlines alternative options that	and to the west of Normanton	
		were explored and dismissed,	Down-	
		including extending the tunnel	The Preferred Route	
		which is stated as being	Announcement (PRA) by the	
		dismissed on cost grounds but	Secretary of State in	
		does not give any figures. WCAS	September 2017 was based	
		do not find this section detailed	on a 2.9km long twin bored	
		enough to satisfy concerns,	tunnel. The western portal	
		given the adverse impact to the	was located south of the	
		western part of the WHS		
		identified in the HIA and EIA.	existing A303 and northwest of Normanton Gorse and the	
		HUBITUTION IN THE FITA AND LIA.		
			eastern portal to the north of	
			the A303 and east of the	
			Avenue. Since the PRA,	
			during the Scheme	
			development, and in	
			response to consultation	
			responses, the applicant has	
			amended the scheme to	
			extend the tunnel. Two	
			changes were made to the	
			location of the western portal	
			which resulted in a 300m	
			extension to the tunnel:	
			- the end of the bored tunnel	
			was moved 100m west to	
			avoid impact on a scheduled	
			barrow (NHLE No. 1010832 -	
			Bowl barrow south of the	
			A303 and north west of	
			Normanton Gorse) that	
			contributes to the OUV of the	
			WHS: and	
			- a 200m cut-and-cover	
1			extension, or canopy, was	



1 [
			added for improvement in
			landscape and visual
			connectivity and tranquillity
			within the WHS.
			- at the eastern end a cut-
			and-cover extension of 85m
			has been added to suit the
			topography for improvement
			in landscape and visual
			connectivity and tranquillity
			within the WHS.
			Further-westwards
			extensions of the tunnel were
			ruled out because of
			topographical and technical
			constraints, and because
			they would not deliver
			sufficient additional benefits
			to justify the additional cost.
			Highways England have
			designed a scheme that
			removes the surface A303,
			and the accompanying sight
			and sound of traffic on it from
			a large proportion of the
			WHS enabling beneficial
			change to the setting of many
			monuments and asset groups
			that contribute to the OUV of
			the WHS, particularly within
			the central part of the WHS
			surrounding Stonehenge.
			The scheme has been
			sensitively designed with the
			use of a 2 mile long tunnel,



		retained deep road cuttings,
		essential chalk grassland
		mitigation to enable
		landscape integration, a
		150m long Green Bridge No.
		4 to enable visual and
		physical landscape
		connectivity and public
		access, canopies and hidden
		tunnel portals within the WHS
		landscape.
		The Scheme is assessed to
		have a Slight Beneficial effect
		on the OUV of the WHS as a
		whole. This takes into
		account that of the seven
		attributes of OUV for the
		WHS, whilst the scheme will
		have a slight adverse effect
		on two of those attributes, it
		will have a beneficial effect
		on the remaining five (being a
		slight beneficial effect on 3 of
		the attributes, a large
		beneficial effect on one, and
		a very large beneficial effect
		on one). This conclusion also
		takes into account that the
		scheme will have a slight
		beneficial effect on the
		authenticity and integrity of
		the WHS. Overall, the OUV
		of the WHS would be
		sustained.
		With reference to AG12



		Winterbourne Stoke	1
		Crossroads Barrows, both	
		the A303 and the A360,	
		including the existing	
		Longbarrow Roundabout, will	
		be removed from immediately	
		adjacent to the asset group.	
		The A303 will move 150m to	
		the south and be built in	
		cutting to remove the sight	
		and sound of traffic from	
		immediately adjacent to the	
		asset group. The benefits of	
		this are clearly demonstrated	
		by the photomontages and	
		CGIs presented in the ES	
		Chapter 6, Appendix 6.9	
		[APP-218] (Figure 4, Figure 5	
		and Figure 7).	
		With regards to AG13	
		Diamond Group, the A360	
		currently bisects the group	
		and the A303 additionally	
		severs the group from AG12	
		Winterbourne Stoke	
		Crossroads Barrows to the	
		north. The scheme design	
		removes traffic and	
		severance from within the	
		asset group by realigning the	
		A360 and Longbarrow	
		junction further to the west.	
		Green Bridge No. 4 maintains	
		visual and physical	
		landscape connectivity with	



		AG12 Winterbourne Stoke
		Crossroads Barrows to the
		north and access between
		the two groups via new NMU
		routes, and this combined
		with the essential chalk
		grassland mitigation,
		improves the visitor's ability
		to appreciate the setting, in
		the context of reduced views
		and sounds of traffic.
		Regarding AG19 Normanton
		Down Barrows, the scheme
		would remove the existing A303 surface road to the
		north of the asset group,
		which severs its relationship
		with Stonehenge as well as
		many other asset groups to
		the north of the A303,
		including AG12 Winterbourne
		Stoke Crossroads Barrows.
		The scheme would restore
		the setting of much of the
		AG19 Normanton Down
		Barrows, its sense of place,
		and visitor's ability to
		appreciate them within a
		seamless landscape, noting
		that long distance views from
		the northern end of the asset
		group will include minor
		intrusion from the western
		approach cutting and Green
		Bridge No. 4. Amongst other



		benefits of the restored	
		setting of AG19 Normanton	
		Down Barrows would be the	
		enhanced access, enabling	
		an uninterrupted traverse	
		between Stonehenge and the	
		Normanton Down Barrows	
		along Byways 11 and 12. The	
		removal of the visual and	
		audible impacts of traffic	
		would be beneficial to the	
		setting of the asset group as	
		a whole. Views from	
		numerous individual	
		monuments within the asset	
		group would be improved,	
		and compromised sightlines	
		restored. These include key	
		views, including those	
		between the Sun Barrow and	
		Stonehenge, and between	
		Stonehenge and the core of	
		the Normanton Down asset	
		group. From the core of the	
		group, views of traffic would	
		not be available, while traffic	
		noise would be inaudible.	
		Highways England will,	
		however, continue to work	
		with Wiltshire Council to	
		alleviate their concerns, and	
		consult with them during the	
		development of the detailed	
		design.	
		Highways England note	



				WCAS's concerns but note that the 150m land bridge has been accepted by Historic England as acceptable mitigation for the cutting between the Winterbourne Stoke Crossroads barrow group and the Diamond group of monuments.	
3.17. <u>75</u>	[RR-2365]	Western Bypass – Oatlands Hill 55.	Oatlands Hill, on the west part of the Scheme just outside the WHS, is a sensitive part of the Scheme in terms of buried archaeology and potential landscape impacts. The EIA acknowledges the Scheme is likely to have a moderate adverse impact on the landscape here. This is the location of the proposed new junction and dumbbell roundabout. The archaeological evaluation identified evidence of Bronze Age and Iron Age settlement including a C-shaped enclosure. Currently the double roundabout infrastructure is proposed to be located on top of this. Although the archaeological remains here are likely not to be of national significance, if possible, consideration should be given to designing the layout of the new infrastructure here to minimise	Highways England acknowledges Wiltshire Council Archaeology Service's (WCAS) concerns regarding the C-shaped enclosure at Oatlands Hill. The design of the proposed scheme was considered appropriate, as no other design options were considered to be reasonable alternatives for the following reasons. Moving the junction 300m to the west. This brings the junction too close to the village of Winterbourne Stoke and would impact on traffic flows. This option was rejected for these reasons; Shifting the South Dumbell 100m to the east This brings the roundabout	Under Discussion



	impact on these remains, preserving as much of them as possible. Further discussion is required with Highways England to better explore the cost of excavation compared to the cost of design changes.	too close to the WHS and the east and west off slips would require more land take within the WHS. This option was rejected for these reasons; and Shifting the South Dumbell 170m to the west This option, though feasible, would result in a skewed bridge (increasing costs), departures from standards for visibility reasons in both roundabout approaches and exits and would require the construction of a 160m long retaining wall for the west bound off slip, which would be 12m high at its highest point and would be visible from the WHS (AG12 Winterbourne Stoke Crossroads Barrows). This option was rejected for these reasons. The archaeological remains will be archaeologically excavated and recorded during the preliminary works phase and in advance of construction. A-Please see the Detailed Archaeology Mitigation Stretagy (DAMS)
		Mitigation Strategy (DAMS) will be developed in consultation with Wiltshire



				Council Archaeology Service and the Heritage Monitoring Advisory Group prior to REP6-013 (an updated version of which is submitted at D7). Appendix D of the endDAMS provides for mitigation of the Examination remains referred to and is secured by paragraph 5 of Schedule 2 of the draft Development Consent Order [APP-020]. Highways England acknowledges WCAS's concerns regarding the C-shaped enclosure at Oatlands Hill. The feasibility of design changes to avoid the C-shaped enclosure will be reviewed and discussed with the Heritage Design Group.	
3.17.8	[RR-2365]	Restrictions of Activities Above the Line of the Tunnel 57.	The imposition of restrictive covenants on ground works on land above the tunnel is referred to in the draft DCO, 4.3 the Book of Reference [APP-025] and the Land Plans (2.2) [APP-005]. The Council has concerns over this and need to have a detailed agreement drawn up as it may restrict the ability to undertake archaeological investigations in a core part of the WHS.	Highways England acknowledges WCAS's concerns and are working with WCAS to draw up a suitable agreement. As noted in the Statement of Reasons [APP-023], restrictions are required above the tunnel in order to secure protection of the tunnel from potentially conflicting future development and works that	Under Discussion



			might jeopardise the structural integrity of the tunnel. Highways England acknowledges Wiltshire Council's concerns regarding the tunnel restriction areas and is undertaking further work to provide details of the type of restrictions required. Highways England will continue to engage with Wiltshire Council on this issue.	
3.17.	Limits of Deviation	Under DCO Article 7, the limits of deviation of the tunnel are set out as a deviation of up to 200m westwards. This is a matter of concern as it is a significant variation in terms of the very careful location of the eastern and western portals in relation to topography and significant archaeological remains. Wiltshire Council seeks clarification of this issue and require further consultation in the case that the deviation is invoked.	The Environmental Statement [APP-039 APP-054] and Heritage Impact Assessment [APP-195] consider the maximum area of land anticipated as likely to be required, taking into account the proposed limits of deviation (LoD) for the Scheme and the flexibility of detailed design provided for in the DCO [APP-040]. The assessments therefore take into consideration what can be regarded as a realistic 'worst case' assessment of the impacts associated with the proposed scheme. Therefore, any movement within the design LoD would not result in a worsening of significant effects reported in	Under Discussion



			the respective assessments.	
3.17.10	Addendum to Environmental Statement	Wiltshire Council has requested an addendum to the Environmental Statement to consider the up to date results from the archaeological evaluation programme.	The Environmental Statement (ES) does not require updating. Results of evaluation were issued to the Examination at deadline 1 and are consistent with the findings of the ES.	Under Discussion
3.17. <u>116</u>	Detailed Archaeological Mitigation Strategy (DAMS)	The DAMS is currently in draft form and under discussion with WCAS as well as other heritage consultees. WCAS is pleased to see the inclusion of an education and outreach strategy as part of this document, though the details have still to be agreed. In terms of the extent and nature of archaeological mitigation measures required, WCAS is of the view that more mitigation is required than is included in the current draft document. This particularly relates to the extent of mitigation of the road line outside the WHS, and at Parsonage Down East. In terms of mitigation techniques, there is still discussion and agreement required over sampling levels and methods for topsoil archaeology and tree throw excavation.	A Detailed Archaeological Mitigation Strategy (DAMS) is being[REP6-013] continues to be developed in consultation with Wiltshire Council Archaeology Service and Heritage Monitoring Advisory Group and its implementation is secured by paragraph 5 of Schedule 2 to the draft Development Consent Order [APP- 020].REP6-005]. An updated version of the DAMS is to be submitted at D7. This provides for archaeological mitigation of the full extent of the road line outside the WHS. Updated information regarding the excavated material deposition area at Parsonage Down East is also included in the D7 DAMS and a report drawing together the results of the relevant archaeological	Under Discussion



		surveys and evaluations with
		a consideration of the
		significance of the
		archaeological remains
		identified and the mitigation
		approaches as proposed in
		the DAMS has been (02-08-
		2019) issued to the Council
		for review and comment. The
		report was discussed at a
		meeting with the Council on
		<u>1st August 2019.</u>

3.173.18 Matters Not Agreed in relation to Cultural Heritage.

3.18.1 No matters Not Agreed at the present time.



Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	<u>Status</u>
3.18.1	[RR-2365]	Assessment of Impact on Archaeological Remains 46.	Another concern is that the key headline from the Cultural Heritage chapter is that only a limited number of archaeological features will be impacted by the Scheme. Section 6.9.24 states only 11 non-designated heritage assets will be adversely impacted. It should have been stated that this is the minimum number of groups of features that will be directly impacted. The Council believes that using this figure is unhelpful and imprecise. Many more than this will be impacted as this figure is derived from the evaluation phase of the Scheme which has employed a sampling approach to evaluation trenches. It is understood that the Scheme has been carefully designed to where possible avoid areas of known archaeological features, but many features are likely to be revealed during the mitigation phase, the stripping of the road either side of the tunnel portals will undoubtedly reveal further non-designated assets that will be adversely impacted. Moreover, archaeological features are also likely to be	The Environmental Statement reports both the significant and the non- significant Cultural Heritage effects within ES Chapter 6, Cultural Heritage [APP- 044]. Permanent significant effects from the construction of the Scheme are reported in sections 6.9.24 to 6.9.29 of the ES and Table 6.11, whilst sections 6.9.30 – 6.9.32 [APP-044] and Appendix 6.8 [APP-217] report the non-significant effects. The statement at 6.9.24 and the NTS refer to the significant effects reported in the ES. Highways England considers the results of the assessment have been presented in an appropriate manner. Highways England note Wiltshire Council Archaeology Service's (WCAS) concern that further archaeological features will be revealed in future works. The assessment in the ES is	Not Agreed



	revealed and excavated during	based on a comprehensive	
	preliminary works such as utility	programme of	
	installation, the details for which	archaeological evaluation	
	have not been seen. This should	designed in collaboration	
	be made clearer in the EIA	with heritage stakeholders,	
	chapter.	including WCAS. The	
		evaluation results provide a	
	Wiltshire Council has requested	robust basis for	
	an addendum to the	assessment of the likely	
	Environmental Statement to	significant effects of the	
	consider the up to date results	Scheme. This follows	
	from the archaeological	established good practice	
	evaluation programme	and planning policy	
		guidance.	
		As acknowledged by	
		Wiltshire Council, the	
		preferred route was	
		carefully chosen to avoid	
		known archaeological	
		remains. A comprehensive	
		programme of	
		archaeological evaluation	
		surveys (see ES Chapter 6	
		Cultural Heritage,	
		paragraphs 6.6.13 –	
		6.6.52), covering the entire	
		red line boundary of the	
		Scheme, has informed the	
		Scheme being designed in	
		a way that has limited	
		archaeological impacts	
		where this is practicable.	
		Examples of how the	
		design has been developed	
		to limit impacts on	
		נט ווווווג ווווףמטנט טוו	



		archaeology include the	
		choice of a northern bypass	
		of Winterbourne Stoke, the	
		reduced footprint and land	
		take for Rollestone Corner,	
		and the design and	
		placement of the western	
		and eastern tunnel portals	
		and approaches in areas	
		that have been shown to	
		have limited archaeological	
		remains within their	
		footprint. Further	
		information can be found in	
		the Assessment of	
		Alternatives, ES Chapter 3	
		[APP-041] and in ES	
		Chapter 6, Cultural	
		Heritage [APP-044],	
		Section 6.8, Table 6.9.	
		Archaeological remains	
		would be excavated and	
		recorded during the	
		preliminary works phase, in	
		advance of construction, to	
		avoid, as far as is	
		practicable, previously	
		unknown archaeological	
		remains being uncovered	
		during construction. The	
		Detailed Archaeological	
		Mitigation Strategy (DAMS)	
		[REP6-013] (a revised	
		version of which is to be	
		submitted at Deadline 7)	



		sets out an archaeological
		research agenda (section 4
		of the DAMS) developed in
		consultation with the
		Council and other HMAG
		members for the
		archaeological investigation
		and recording of remains
		prior to commencement of
		construction.
		The DAMS also provides
		(sections 5 and 6 and
		Appendix D) for the
		preservation in situ of
		archaeological remains
		wherever possible,
		including the protection of
		known remains during
		construction and the
		preservation of remains
		beneath fill. The DAMS
		continues to be developed
		in consultation with
		Wiltshire Council
		Archaeology Service and
		the Heritage Monitoring
		Advisory Group (which
		comprises Wiltshire Council
		Archaeology Service,
		Historic England, National
		Trust, and English
		Heritage), and is secured
		by paragraph 5 of Schedule
		2 of the draft Development
		Consent Order [APP-020].
		CONSCIL CIUCI [AFF=020].



	1		-
			Highways England report
			both the significant effects
			and the non-significant
			effects within the ES.
			Permanent significant
			effects from the
			construction of the Scheme
			are reported in sections
			6.9.24 to 6.9.29 of the ES
			and Table 6.11, whilst
			sections 6.9.30 – 6.9.32
			[APP-044] and Appendix
			6.8 [APP-217] report the
			non-significant effects.
			Highways England note
			WCAS's concern that
			further archaeological
			features will be revealed in
			future works. The
			assessment in the ES is
			based on a comprehensive
			programme of
			archaeological evaluation
			designed in collaboration
			with heritage stakeholders.
			The evaluation results
			(REP1-041 to 056) provide
			a robust basis for
			assessment of the likely
			significant effects of the
			scheme. This follows
			established good practice
			and planning policy
			guidance.
			We acknowledge with



		thanks WCAS's comments
		on the careful design of the
		Scheme to avoid
		archaeological impacts
		where possible.
		Wherever possible, the
		alignment of utilities will be
		routed along existing
		highways (to limit impacts)
		or be routed within the
		Scheme footprint. MW-CH5
		and PW-CH5 of the OEMP
		[REP6-011] secure the
		obligation to avoid
		potentially sensitive
		archaeological remains
		wherever possible or
		provide appropriate
		mitigation in consultation
		with WCAS (for remains
		outside of the WHS) where
		impacts are unavoidable in
		respect of utility/service
		corridors. Proposals for
		archaeological mitigation in
		respect of the utility
		corridors are set out in
		section 5 and Appendix D
		of the DAMS (an updated
		version of which is
		submitted at D7).
		The Environmental
		Statement (ES) does not
		require updating. Results of



				1 4 1	1
				evaluation were issued to	
				the Examination at deadline	
				1 and are consistent with	
				the findings of the ES.	
3.18.2	[RR-2365]	Assessment on Impact on the	Overall the Scheme is assessed	Highways England met	Under Discussion
		WHS	as having a slight beneficial	with WCAS on 12	
		5152.	effect on the setting of the OUV	December 2018 to discuss	
		Longbarrow Roundabout and	of the WHS. Whilst, this overall	the Statement of Common	
		Green Bridge No. 4	conclusion is not necessarily	Ground, review the	
		53. 54.	disagreed with, the Council	photomontages and CGIs	
		<u> 55. 54.</u>	thinks more could be done to	that were submitted with	
			mitigate the adverse impacts of	the ES Chapter 6, Appendix	
			the dual carriageway in cutting	6.9 [APP-218] and to	
			on the setting of asset groups in	explain the views in more	
			the western part of the WHS,	detail, in order to try to	
			especially on the Winterbourne	alleviate Wiltshire Council's	
			Stoke and Diamond Group (see	concerns and correct any	
			paragraphs 53 to 54 within	misunderstandings. On 31	
			Wiltshire Council's relevant	July 2019 Highways	
			representation.	England met with WCAS to	
			Adverse impacts to setting of	review further drawings	
			some of the asset groups are	prepared to assist	
			indicated, particularly the	understanding; drawings	
			Western edge of the WHS	showing the zone of	
			where the Western Portal and	theoretical visibility of both	
			deep cutting are. From the	the road surface and of	
			summary of anticipated impacts	HGVs before and after the	
			in Table 1, the Council is	construction of the Scheme.	
			especially concerned with the	These demonstrated the	
			potential slight adverse impact	significant reduction in the	
			on Asset Group (AG) 13, the	visibility of vehicles once	
			Diamond Group. WCAS are also	the Scheme is in operation	
			concerned about the adverse	and the limited range of	
			impact on AG 12, the	viewpoints from which	
			Winterbourne Stoke Group, and	vehicles would remain	



AG 19, Normanton Down.
These groups have highly significant Neolithic long barrows, all of which display attributes of OUV. The impact of the Scheme on the Winterbourne Stoke Group is shown as being moderate beneficial. Our view is that this should be assessed as slight adverse as in the Diamond Group. This is supported by our interpretation of the relevant photo montages and figures in the Landscape Chapter.

Whilst the proposed green bridge (150m in width) east of the current Longbarrow junction and its proposed location does afford some mitigation, the Council has concerns that it is not sufficient to mitigate potential adverse visual impacts caused by the cutting on key monument groups with attributes of OUV, most notably the Winterbourne Stoke. **Diamond Group and Normanton** Down Group. We would encourage Highways England to explore further design options to help minimise the adverse impact or extend the tunnel. The Council believes that

visible.

Highways England has designed a scheme that removes the surface A303. and the accompanying sight and sound of traffic on it, from a large proportion of the WHS enabling beneficial change to the setting of many monuments and asset groups that contribute to the OUV of the WHS, particularly within the central part of the WHS surrounding Stonehenge. The Scheme has been sensitively designed with the use of a 2 mile long tunnel with canopies helping to reduce the sight of portals, retained deep road cuttings, essential chalk grassland mitigation to enable landscape integration and a 150m long Green Bridge No. 4 to enable visual and physical landscape connectivity and public access. The Scheme is assessed to have a Slight Beneficial effect on the OUV of the WHS as a whole. This takes into account that of the seven attributes of OUV



extending the tunnel (either bored or cut and cover) within the WHS boundary could further minimise impact on the OUV. Section 3.3.61 of the EIA outlines alternative options that were explored and dismissed. including extending the tunnel which is stated as being dismissed on cost grounds but does not give any figures. WCAS do not find this section detailed enough to satisfy concerns, given the adverse impact to the western part of the WHS identified in the HIA and EIA.

Plans and views that show where the proposed western cutting can be seen from in relation to the landscape between the Winterbourne Stoke. Normanton Down and Diamond Barrow groups were requested at the meeting on 28th March. It would be especially useful to have view points shown looking westwards from the Wilsford G1 barrow location and looking north west towards the Winterbourne Stoke Group. It would also be useful to have a view from the most northerly barrow of the Normanton Down

for the WHS, whilst the Scheme will have a slight adverse effect on two of those attributes, it will have a beneficial effect on the remaining five (being a slight beneficial effect on 3 of the attributes, a large beneficial effect on one, and a very large beneficial effect on one). This conclusion also takes into account that the Scheme will have a slight beneficial effect on the authenticity and integrity of the WHS. Overall, the OUV of the WHS would be sustained. With reference to AG12 Winterbourne Stoke Crossroads Barrows, Highways England disagree with Wiltshire Council's conclusion that the impacts from the Scheme on this asset group should be assessed as slight adverse as both the A303 and the A360, including the existing Longbarrow Roundabout, will be removed from immediately adjacent to the asset group. The A303 will move 150m to the south and be built in cutting to



Group towards the
Winterbourne Stoke Group, as
well as view from the Diamond
Group Long Barrows looking
north to the Winterbourne Stoke
Group. The aim of this is to help
us understand the impact of the
cutting on people traversing the
landscape between these
barrow groups, or viewing one
from another.

We have now seen the additional viewshed information requested. Whilst this indicates that the visual impact of the proposed portal and road in cutting is less adverse that we anticipated on the Winterbourne Stoke Group (AG12) we remain concerned about the impact on the Diamond Group (AG13) and especially the northern part of the Normanton Down Group (AG19). There is a very prominent and highly significant barrow at the northern tip of this Group, known as the Sun Barrow, which is going to be significantly adversely impacted. Whilst we acknowledge that compared to the existing situation, the proposed scheme is effective in removing a substantial amount of traffic

remove the sight and sound of traffic from immediately adjacent to the asset group. The benefits of this are clearly demonstrated by the photomontages and CGIs presented in the ES Chapter 6, Appendix 6.9 [APP-218] (Figure 4. Figure 5 and Figure 7). The scheme design removes traffic and severance from within the asset group by realigning the A360 and Longbarrow junction further to the west.

With regards to AG13 Diamond Group, the A360 currently bisects the group and the A303 additionally severs the group from AG12 Winterbourne Stoke Crossroads Barrows to the north. The Scheme design removes traffic and severance from within the asset group by realigning the A360 and Longbarrow junction further to the west. Green Bridge No. 4 maintains visual and physical landscape connectivity with AG12 Winterbourne Stoke Crossroads Barrows to the



		impact from this part off the	north and access between	
		WHS, we remain concerned that	the two groups via new	
		the mitigation currently provided	NMU routes, and this	
		does not go far enough to	combined with the essential	
		reduce the negative impact of	chalk grassland mitigation,	
		the new infrastructure on the	improves the visitor's ability	
		setting of these internationally	to appreciate the setting, in	
		important barrow groups.	the context of reduced	
		important barrow groups.	views and sounds of traffic.	
			Regarding AG19	
			Normanton Down Barrows,	
			the scheme would remove	
			the existing A303 surface	
			road to the north of the	
			asset group, which severs	
			its relationship with	
			Stonehenge as well as	
			many other asset groups to	
			the north of the A303,	
			including AG12	
			Winterbourne Stoke	
			Crossroads Barrows. The	
			scheme would do much to	
			improve the setting of the	
			AG19 Normanton Down	
			Barrows, their general	
			sense of place, and the	
			visitor's ability to appreciate	
			them within a seamless	
			landscape, noting that long	
			distance views from the	
			northern end of the asset	
			group will include minor	
			intrusion from the western	
			approach cutting and Green	
			approach culling and Green	



	Bridge No. 4. Amongst
	other benefits of the
	restored setting of AG19
	Normanton Down Barrows
	would be the enhanced
	access, enabling an
	uninterrupted traverse
	between Stonehenge and
	the Normanton Down
	Barrows along Byways 11
	and 12. The removal of the
	visual and audible impacts
	of traffic would be beneficial
	to the setting of the asset
	group as a whole. Views
	<u>from numerous individual</u>
	monuments within the asset
	group would be improved,
	and compromised sightlines
	restored. These include key
	views, including those
	between the Sun Barrow
	and Stonehenge, and
	between Stonehenge and
	the core of the Normanton
	Down asset group. From
	the core of the group, views
	of traffic would not be
	available, while traffic noise
	would be inaudible.
	Highways England disagree
	with Wiltshire Council's
	stance regarding the design
	development of the
	proposed green bridge.



		·		
			Green Bridge No. 4	
			maintains visual and	
			physical landscape	
			connectivity with AG12	
			Winterbourne Stoke	
			Crossroads Barrows to the	
			north and access between	
			the two groups via new	
			NMU routes, and this	
			combined with the essential	
			chalk grassland mitigation,	
			improves the visitor's ability	
			to appreciate the setting, in	
			the context of reduced	
			views and sounds of traffic.	
			Response to ExA question	
			1.29 addresses the matter	
			of the length of the tunnel	
			and explains the range of	
			factors that were taken into	
			consideration. The location	
			and design of the tunnel	
			portals have been	
			optimised in terms of the	
			natural topography of the	
			area, impact within the	
			WHS and the extent of	
			benefit that will be secured	
			by one of the key aims of	
			the scheme which is to	
			remove the sight and sound	
			of the A303 traffic from	
			much of the WHS	
			landscape. There is no	
			evidence that the additional	
			evidence that the additional	





3.19 Matters Agreed in relation to Landscape and Visual Effects.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.19.1	RoE Ref: LV2	The extent of the study, landscape and visual receptors, and locations for photomontages have been identified, discussed and agreed between applicant and stakeholder at meeting on 27 February 2018	Landscape Officer and Conservation Officer confirmed LVIA scope and viewpoints and locations for photomontages	Confirmed via email dated 06/03/2018. Additional detail to LVIA methodology agreed 30/04/2018	Agreed
3.19.2	RoE Ref: LV3	The following is considered as relevant Planning Policy Context: National Networks National Policy Statement (NNNPS): January 2015, sections 5.84, 5.85, 5.89, 5.144-147, 5.150, 5.156 and 5.158-161; National Planning Policy Framework (NPPF), July 2018, sections 12 (Achieving well-designed places) and Section 16 (Conserving and enhancing the natural environment) Wiltshire Council Core Strategy Development Plan Document, Adopted January 2015, Policies 51-52 and 57-59; and Saved policies of the Salisbury District Local Plan 2011 adopted in 2003, Saved Policy C6.	Additional policy documents added during meeting of 05/07/18 The Stonehenge, Avebury and Associated Sites World Heritage Site Management Plan, 2015 Salisbury District Settlement Setting Assessment, February 2008, section 4.0 The Setting of Amesbury, Bulford and Durrington Amesbury Conservation Area Appraisal and Management Plan, September 2008	Relevant legislation and policy set out in ES Section 7.2 [APP-045].	Agreed
3.19.3	RoE Ref: LV1	The overall methodology adopted to undertake the Landscape Visual Impact Assessment accords with	Wiltshire Council officers and Highways England have agreed the scope of the LVIA 27/02/2018	Confirmation of methodology is provided within ES Section 7.3 [APP-045].	Agreed



		guidance and advice set out in the following documents: National Networks National Policy Statement (NNNPS): January 2015 Interim Advice Note 135/10 Landscape and Visual Effects Assessment, Highways England, November 2010 Guidelines for Landscape and Visual Impact Assessment 3rd Edition (GLVIA3), Landscape Institute and the Institute for Environmental Management and Assessment, 2013			
3.19.4	RoE Ref: G1	Information / Activities Required in Advance of DCO Application: Surveys / Further Assessment Required to be Completed: App 1A. 6.	Council officers have identified the need for the following survey / further assessment work to be undertaken and urge HE to complete this as soon as possible. c) Acoustic modelling for the acoustic / screen bunds and acoustic barriers. d) Assessment of The Nile Clump trees affected by the proposals and if necessary proposals for their replanting in an alternative position.	c) The complete EIA has been informed by acoustic modelling. Reference Chapter 9 of the ES [APP-047]. d) Assessment of the Nile Clumps has been included within the LVIA and Arboricultural Assessment, set out in ES Section 7.7 [APP-045] and Appendix 7.10 [APP-230], respectively. The Outline Environmental Management Plan [APP-147REP6-011] (compliance with which is secured through paragraph 4 of Schedule 2 to the draft DCO) [REP6-005]at item D-LAN3, provides that there must be no direct impact to the Nile Clumps. Item MW-	Agreed



				LAN3 requires the development of an arboricultural mitigation strategy by the Contractor to prevent direct impacts.	
3.19.5		Information / Activities Required in Advance of DCO Application: Scheme Impacts:	Landscape g) Cut and fill calculations should be provided to give confidence that there will be neither a shortfall nor a surplus of material to achieve the design proposal, either of which could have an impact on landscape, visual and ecological effects.	g) This information will be set out within the Soils Management Strategy, which will be prepared as part of a CEMP by the Contractor in consultation with Wiltshire Council (as required by OEMP [APP-187REP6-011] ref MW-GEO3 compliance with which is secured through paragraph 4 of Schedule 2 to the draft DCO)), [REP6-005]), prior to the commencement of main works. Volumes provided in Highways England Note (8th October 2018)	Agreed
3.19.6	[RR-2365]	VII. Ecology and Landscape Considerations 117	It is imperative that sufficient good working practices and forward mitigation are in place for all preliminary works. There are potential issues around contamination, utilities diversion and minor highways works that should be specifically covered within the OEMP to prevent ecological impacts	The OEMP [APP-187] is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order [APP-020REP6-005] and is the basis from which detailed, works-specific, CEMPs will be prepared by the relevant contractors. Preliminary works include utilities works, site investigation and remediation, some highways works and ecological mitigation works. The OEMP sets out the	Agreed



				appropriate actions and commitments with respect to the preliminary works in Table 3.2a. Each of the Preliminary Works contractors will be required to develop a detailed CEMP that covers the scope of their works. For the habitats work and site clearance, this will include precautionary methods of works (PMoWs) to be adopted in order to avoid and mitigate for any negative impacts on ecological receptors during works undertaken. Specific method statements will be produced, where appropriate, to inform the specific proposed ecological mitigation works.	
3.19.7	RoE Ref: G1	Documentation to Accompany DCO Application: App 1A. 8.	e) A Soil Handling Strategy, which is prepared in accordance with current best practice, for the handling and placement of soils at Parsonage Down east and the restoration of chalk grassland habitat.	Soil Handling Strategy will be prepared by the Contractor pursuant to the OEMP [REP6-011] (item MW-GEO7), in consultation with Wiltshire Council, prior to the commencement of main works. Compliance with the OEMP is secured through DCO Requirement 4 (Schedule 2 of [REP6-005]) provides for this).	Agreed
3.19.8	RoE Ref: G1	Documentation to Accompany DCO Application:	g) A holistic Landscape and Ecological Management Plan, which detail the maintenance and	Outline landscape and ecology management plan (OLEMP) submitted with DCO	Agreed



		App 1A. 8.	management of HE 'soft' estate for the road in the short, medium and long term to ensure the success and viability of newly created habitats / landscape mitigation.	application as ES Appendix 8.26 [APP-267]. A full and detailed Scheme-wide LEMP will be prepared in accordance with the OEMP [REP6-011] reference MW-LAN1.The OEMP is secured through DCO Requirement 4 (Schedule 2 of [REP6-005]) provides for this. In addition Highways England will be required to obtain the Secretary of State's approval, following consultation with Wiltshire Council, of a landscaping scheme that must be based on the mitigation measures included in the environmental statement (including hard and soft landscaping works and the measures set out in the OLEMP referred to above), in accordance with requirement 8 of the draft DCO [REP6-005].	
3.19.9	[RR-2365]	VII. Ecology and Landscape Considerations 118	Further consideration is required to better understand the temporary adverse impacts (construction phase) and the residual effects upon visual amenity at either end of the tunnel, especially the Till Viaduct and Countess flyover	The impacts and effects of the Scheme have been considered by Wiltshire and no further engagement is required on this matter between Wiltshire and Highways England.	Agreed
3.19.10	RoE Ref: G1	8. Ecology and Landscape	The retaining wall design does	Appropriate fencing in the	



		Considerations – Cutting on the Western Approach to the Tunnel 152.	give rise to a dramatic fall and there is no mention of safety rails or fencing. This has landscape (visual) implications	WHS will be considered at detailed design stage. The OEMP, [REP6-011] at reference D-CH14 requires the provision of fencing within the WHS to be developed in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council.	Agreed
3.19.11	RoE Ref: G1	Public Protection: Light Nuisance App. 1B. 22.	A Construction Environmental Management Plan is to be submitted to and agreed by the Local Authority prior to the commencement of the construction phase to identify measures to mitigate light nuisance from artificial lighting used as part of the construction phase. All artificial lighting shall be so sited as not to cause light intrusion or nuisance to residential dwellings in the area adjacent to the scheme. The Council has received confirmation from Highways England that the amendments it seeks to the OEMP submitted by Highways England at Deadline 3, specifically the addition of a PW requirement to provide similar safeguards for preliminary works	Full and detailed CEMP(s) will be prepared for each phase of the main works, in consultation with Wiltshire Council, prior to the commencement of that phase. This will include information as to lighting, which must be in accordance with the provisions of item MW-G29 of the OEMP, which set out that lighting should also be designed, positioned and directed so as not to unnecessarily intrude on adjacent buildings, ecological receptors, structures used by protected species and other land uses to prevent unnecessary disturbance, interference with local residents, or passing motorists. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 to the draft DCO.	Agreed



as those secured by MW-G29 for the main works, will be incorporated into the next draft, therefore this item can now be agreed. At Deadline 4 the OEMP was updated to include a new requirement PW-G6 which reflects MW-G29, requiring the preliminary works contractor to	
incorporated into the next draft, therefore this item can now be agreed. updated to include a new requirement PW-G6 which reflects MW-G29, requiring the preliminary works contractor to	
therefore this item can now be agreed. requirement PW-G6 which reflects MW-G29, requiring the preliminary works contractor to	
agreed. reflects MW-G29, requiring the preliminary works contractor to	
preliminary works contractor to	
preliminary works contractor to	
define within the CEMP the	
proposed approach to site	
lighting around construction	
compounds and elsewhere	
along the route alignment,	
giving consideration to the	
WHS context and other	
environmental constraints. The	
provision also requires that the	
lighting shall:	
(a) be at the minimum	
luminosity necessary and use	
low energy consumption	
fittings and should avoid light	
spillage; and	
(b) be designed,	
positioned and directed so as	
not to unnecessarily intrude on	
adjacent buildings, ecological	
receptors, structures used by	
protected species and other	
land uses to prevent	
unnecessary disturbance,	
interference with local	
residents, or passing motorists	
on nearby roads.	



3.20 Matters Under Discussion in relation to Landscape and Visual Effects.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.20.1	RoE Ref: G1	Documentation to Accompany DCO Application: App 1A. 8.	e) A Soil Handling Strategy, which is prepared in accordance with current best practice, for the handling and placement of soils at Parsonage Down east and the restoration of chalk grassland habitat.	Soil Handling Strategy will be prepared by the Contractor pursuant to the OEMP (item MW-GEO7), in consultation with Wiltshire Council, prior to the commencement of main works. Compliance with the OEMP is secured through DCO Requirement 4 (Schedule 2 of [APP-020]) provides for this.	Under Discussion
3.20.2	RoE Rof: G1	Documentation to Accompany DCO Application: App 1A. 8.	g) A holistic Landscape and Ecological Management Plan, which detail the maintenance and management of HE 'soft' estate for the road in the short, medium and long term to ensure the success and viability of newly created habitats / landscape mitigation.	Outline landscape and ecology management plan (OLEMP) submitted with DCO application as ES Appendix 8.26 [APP-267]. A full and detailed Scheme-wide LEMP will be prepared in accordance with the OEMP [APP-187] reference MW-LAN1.The OEMP is secured through DCO Requirement 4 (Schedule 2 of [APP-020]) provides for this. In addition Highways England will be required to obtain the Secretary of State's approval, following consultation with Wiltshire Council, of a landscaping scheme that must	Under Discussion



				be based on the mitigation measures included in the environmental statement (including hard and soft landscaping works and the measures set out in the OLEMP referred to above), in accordance with requirement 8 of the draft DCO [APP-020].	
3.20.3	RoE Ref: G1	8. Ecology and Landscape Considerations — Cutting on the Western Approach to the Tunnel 152.	The retaining wall design does give rise to a dramatic fall and there is no mention of safety rails or fencing. This has landscape (visual) implications	Appropriate fencing in the WHS will be considered at detailed design stage. The OEMP, [APP-187] at reference D-CH14 requires the provision of fencing within the WHS to be developed in consultation with the National Trust, Historic England, English Heritage and Wiltshire Council.	Under Discussion
3.20.4	RoE Ref: G1	7. Public Health and Public Protection Considerations - Light Nuisance - Potential Impacts 130.	Potential impacts include: Impact of artificial lighting (for working and security) during the construction phase Lighting associated with the Countess Roundabout flyover	The Countess Roundabout flyover is not being lit. The existing lighting will be replaced and therefore a potential beneficial change from more efficient lighting and reduced light spillage (see item D-CH12 of the OEMP). The temporary lighting during construction has been considered within the LVIA, as per the above comment (3.19.6). Measures to control and reduce the impacts of artificial	Under Discussion



				lighting have been included in the OEMP [APP-187], at references D-CH9, D-CH10, D-CH11, as well as item D-CH12 mentioned above, compliance with which is secured by requirement 4 of Schedule 2 to the draft DCO [APP-020	
3.20.5	[RR-2365]	VII. Ecology and Landscape Considerations 118	Further consideration is required to better understand the temporary adverse impacts (construction phase) and the residual effects upon visual amenity at either end of the tunnel, especially the Till Viaduct and Countess flyover	Highways England will continue to engage with Wiltshire Council, as required, to assist in their understanding and consideration of the temporary adverse impacts (construction phase) and the residual effects upon visual amenity at either end of the tunnel, which are already considered and reported in the Environmental Statement.	Under Discussion
3.20.6	RoE Ref: G1	Public Protection: Light Nuisance App. 1B. 22.	A Construction Environmental Management Plan is to be submitted to and agreed by the Local Authority prior to the commencement of the construction phase to identify measures to mitigate light nuisance from artificial lighting used as part of the construction phase. All artificial lighting shall be so sited as not to cause light intrusion or nuisance to residential	Full and detailed CEMP(s) will be prepared for each phase of the main works, in consultation with Wiltshire Council, prior to the commencement of that phase. This will include information as to lighting, which must be in accordance with the provisions of item MW-G29 of the OEMP, which set out that lighting should also be designed, positioned and directed so as	Under Discussion (see 3.26.2)



	dwellings in the area adjacent to	not to unnecessarily intrude on
	the scheme.	adjacent buildings, ecological
		receptors, structures used by
		protected species and other
		land uses to prevent
		unnecessary disturbance,
		interference with local
		residents, or passing
		motorists. Compliance with
		the OEMP is secured through
		paragraph 4 of Schedule 2 to
		the draft DCO.

- 3.20.1 There are no matters under discussion in relation to landscape and visual effects.
- 3.21 Matters Not Agreed in relation to Landscape and Visual Effects.
- 3.21.1 No matters Not Agreed at the present time
- 3.22 Matters Agreed in relation to Biodiversity.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.22.1	[RR-2365] RoE Ref: Bio1 & Bio2	Ecological survey methodology scope and 2018 update surveys.	Wiltshire Council has agreed that the scope and level of focus of the survey is suitable to inform the EIA. The update 2018 surveys are considered suitable to full fill the identified gaps within the baseline.	NA	Agreed
3.22.2	-	Scoping Opinion / PIER response	Scoping opinion response from Wiltshire Council contained	Comments associated with the Scoping Opinion / PIER report	Agreed



			various comments associated with biodiversity.	have been fully addressed within the ES.	
3.22.3	RoE Ref: Bio2	No.4 Ecological baseline assessment.	The baseline assessment presented within the Environmental Statement is suitable and appropriate.	NA	Agreed
3.22.4	RoE Ref: Bio2	No.8 Landscape scale mitigation.	Wiltshire Council considers the scheme provides east-west connectivity as well as maintaining the important north- south connectivity in the form of green bridges and the A303 tunnels. The green bridges and vegetated tunnel are considered to be of a suitable size to provide meaningful mitigation.	NA	Agreed
3.22.5	RoE Ref: Bio2	No.8 East of Parsonage Down chalk grassland.	Wiltshire Council is concerned about the grassland creation in East of Parsonage Down and would like to know the risk / likelihood of the grassland creation being scaled back. Should this grassland creation area not be completed, it will significantly reduce the habitat creation that can be claimed as part of the Scheme and how the Scheme achieves the aims of biodiversity net gain.	Highways England will be required to obtain the Secretary of State's approval, following consultation with Wiltshire Council, of a landscaping scheme that must be based on the mitigation measures included in the environmental statement, in accordance with requirement 8 of the draft DCO [APP-020REP6-005]. This includes the measures set out in the Outline Landscaping and Ecology Management Plan [APP-267] that deal with the creation of the habitat at the land East of Parsonage Down.	Agreed



3.22.6	RoE Ref: Bio2	No.7 Species mitigation.	The approach to mitigation is suitable and appropriate. Wiltshire Council is pleased that bat roosting measures have been incorporated into the scheme.	Not Applicable	Agreed
3.22.7	RoE Ref: Bio2	No.6 Update surveys required to inform licensing.	Wiltshire Council is in agreement with the scope of the update surveys required. Wilshire Council confirmed that further dormouse (<i>Muscardinus avellanarius</i>) surveys are scoped out, as they are likely to remain absent from the fragmented landscape.	Not Applicable	Agreed
3.22.8	RoE Ref: Bio2	No.9 Post-construction monitoring	Wiltshire Council have confirmed agreement with the scope of the construction and post-construction phase ecological monitoring surveys that have been identified.	Not Applicable	Agreed
3.22.9	RoE Ref: Bio2	No.9 Stone curlew monitoring surveys	Wiltshire Council have confirmed that stone curlew breeding plot monitoring will continue under the Wiltshire Council Community Infrastructure Levy (CIL) agreement (whereby contributions are to be provided by housing development in the area), which will continue until 2031.	It is noted that RSPB will continue to collect the data on which will-the success of the management and ultimately the CIL payments are based. The data collected could double as monitoring data for the A303 Scheme in relation to the HRA process, if HE enter into a data sharing agreement with the RSPB. Doubling the use of the data in this way will avoid the need for additional monitoring and data collection, which could result in additional disturbance for the birds.	Agreed



3.22.10	[RR-2365]	117	Wiltshire Council has concerns	The OEMP [APP-187REP6-	Agreed
0.22.10	[/(/(2000]	Preliminary Works	surrounding the Preliminary Works	011] is secured through	, igi 000
		Preliminary Works	and what they might include. It is	paragraph 4 of Schedule 2 of	
			imperative that sufficient good	the draft Development	
			working practices and forward	Consent Order [APP-	
			mitigation are in place for all	020 REP6-005] and is the	
			preliminary works. The Outline	basis from which detailed,	
			Environmental Management Plan	works-specific, CEMPs will be	
			(OEMP) must be robust enough to	prepared by the relevant	
			enable the preliminary works, e.g.	contractors. Highways	
			habitat works and site clearance,	England considers the OEMP	
			to be carried out sensitively. There	provides sufficient detail at	
			are potential issues around	paragraphs 1.2.5 and 1.2.6	
			contamination, utilities diversion	and Table 1.1 (with reference	
			and minor highways works that	to specific numbered works in	
			should be specifically covered to	Schedule 1 of the DCO, works	
			ensure the prevention of	plans and engineering section	
			ecological impacts. The Council is	drawings) as to what the	
			concerned that all of the	preliminary works entail.	
			preliminary works included do	Preliminary works include	
			have the potential to cause ecological impact but they appear	utilities works, site	
			to be covered only very broadly or	investigation and remediation, some highways works and	
			not at all by the OEMP.	ecological mitigation works.	
			THO at all by the OLIVII.	The OEMP sets out the	
				appropriate actions and	
				commitments with respect to	
				the preliminary works in Table	
				3.2a. Each of the Preliminary	
				Works contractors will be	
				required to develop a detailed	
				CEMP that covers the scope	
				of their works. For the habitats	
				work and site clearance, this	
				will include precautionary	



				methods of works (PMoWs) to be adopted in order to avoid and mitigate for any negative impacts on ecological receptors during works undertaken. Specific method statements will be produced, where appropriate, to inform the specific proposed ecological mitigation works.	
3.22.11	RoE Ref: Bio2	No.9 Public response during construction	Concern has been raised with regards to the process of complaints / comments will be dealt with from the public during construction and the preliminary works.	Community liaison provisions are included in the OEMP (see for example MW-G31, MW-G32). In addition the Construction Environmental Management Plan will be developed in consultation with Wiltshire Council [ref. MW-G7]. As such, during the development of this document, the Applicant will seek to engage with Wiltshire Council in respect of any concerns, including relating to the complaints process generally as necessary.	Agreed
3.22.12	RoE Ref: Bio2	No.5 Habitat Regulations Assessment / Appropriate Assessment.	Wiltshire Council confirms the approach is suitable and appropriate.	Not applicable	Agreed



3.23 Matters Under Discussion in relation to Biodiversity.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.23.1	RoE Ref: Bio2	No.5 Habitat Regulations Assessment / Appropriate Assessment.	Wiltshire Council confirms the approach is suitable and appropriate.	Highways England has submitted a Technical Note which provides explanation and signposting's relevant to both the habitat Regulations Screening Assessment and Appropriate Assessment. Matter currently awaiting further comment from Wiltshire Council.	Under Discussion

3.23.1 There are no matters under discussion in relation to biodiversity.

3.24 Matters Not Agreed in relation to Biodiversity.

3.24.1 No matters Not Agreed at the present time.



3.25 Matters Agreed in relation to Contaminated Land and other Public Protection topics.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.25.1	[RR-2365]	VI. Public Protection Considerations Lighting 111.	Wiltshire Council considers the lighting proposal detailed within MW-G29 of table 3.2b of the OEMP [APP-187] to be satisfactory.	Highways England welcome Wiltshire Council's comments.	Agreed
3.25.2	[RR-2365]	VI. Public Protection Considerations General 82. Land contamination	Further details required of the measures to divert the Esso pipeline and environmental protection during this process.	The proposals for the Esso pipeline are set out in Chapter 2 of the ES [APP-040] at paragraphs 2.4.40 - 2-4.41 and shown indicatively on Figure 2.7 [APP-061]. Whilst the Outline Environmental Management Plan (OEMP) [REP6-011] does not specifically mention the Esso Pipeline, it is addressed through this document. There are two REAC tables: 3.2a for preliminary works and 3.2b for main works. The diversion of the Esso pipeline falls within the preliminary works being the diversion and laying of underground apparatus (see paragraph 1.2.6 of the OEMP). As such, all Esso pipeline works would be undertaken in accordance with the relevant measures	Agreed



				contained in REAC table 3.2a, which deals with public protection measures such as air quality, noise and drainage. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order (DCO) [REP6-005].	
3.25.3	[APP-187]	Flood lighting Potential detriment to amenity during construction phase DCO Requirement	Prior to the installation of the any floodlighting scheme for depot areas, full details shall be submitted to and approved in writing by the Local Authority, details to be provided shall be: Light into neighbouring residential windows generated from the floodlights shall not exceed 5 Ev (lux) (vertical illuminance in lux) without the express consent of the local authority. Each floodlight must be aligned to ensure that the upper limit of the main beam does not exceed 70 degrees from its downward vertical. The floodlighting shall designed and operated to have full horizontal cut-off and such that the Upward Waste Light Ratio does not exceed 2.5%.	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Item MW-G29 of the OEMP provides a number of requirements for site lighting, including the avoidance of disturbance of nearby residents. These will be reflected in the CEMP which must be prepared in accordance with the OEMP (as per item MW-G5 of the OEMP) including consultation with Wiltshire Council in its development. Compliance with the OEMP is secured pursuant to paragraph 4 of Schedule 2 of the DCO [REP6-005].	Agreed



3.25.4	[APP-187]	Land contamination/ Private drinking water supplies Outline environmental Management Plan (OEMP) 3.2b General provisions MW-GEO2	The submitted scheme shall include an isolux diagram showing the predicted illuminance in the vertical plane (in lux) at critical locations on the boundary of the site and at adjacent properties. The approved scheme shall be implemented prior to first use of the lighting and be permanently maintained in that state thereafter. Reason: In the interests of prevention of pollution and protection of residential amenity. Add "inform Wiltshire Council in case of groundwater contamination"	The updated OEMP submitted at Deadline 6 [REP6-005] includes the following amendment to text at item MW-GEO2: "inform Wiltshire Council in case of groundwater contamination".	Agreed
3.25.5	[APP-187]	Outline environmental Management Plan (OEMP) 3.2b General provisions MW-WAT7	Consultation should be with Wiltshire Council as concrete batching is LA permitted process unless exempted	Highway England's contractor will apply for the permit in due course when sufficient detail to satisfy the requirements of the permitting regime are available. The updated OEMP submitted at Deadline 6 includes the following amendment to text at item MW-WAT7 of table 3.2b: "consultation should be with Wiltshire Council as concrete batching is a Local	Agreed



				A satisfaction and a manifest and a management	
				Authority permitted process unless exempted".	
3.25.6	[RR-2365]	VI. Public Protection Considerations Land Contamination115.	Wiltshire Council & Environment Agency to be notified of discovery of Unforeseen land contamination and to agree in writing remediation / mitigation plan.	In the OEMP [REP6-005], item PW-GEO2 states that in the event that contaminated land, including groundwater, is found at any time, which was not previously identified in the environmental statement, Requirement 7 of the DCO is applicable and preliminary works contractor (all) shall follow those provisions, which require the contamination to be reported as soon as reasonably practicable to the planning authority (i.e. Wiltshire Council) and the Environment Agency and the undertaker must complete a risk assessment in consultation with the planning authority and the Environment Agency and pass a copy of the risk assessment to the planning authority and the Environment Agency and pass a copy of the risk assessment to the planning authority and the EA as soon as reasonably practicable after its completion".	Agreed
3.25.7	[APP-277]	Land contamination Non-Significant effects Table 10.1	Wiltshire Council & Environment Agency to receive reports on further ground investigation works, together with any mitigation proposals (in writing	Requirement 7 (Contaminated land and groundwater) under Schedule 2 of the DCO [REP6-005] sets out in instances where remediation of contaminated land is	Agreed



			prior to mitigation being undertaken)	necessary, remedial measures are to be developed in consultation with Wiltshire Council. Highways England will provide Wiltshire Council with copies of reports and mitigation prior to implementing the related section of works.	
3.25.8	RoE Ref: G1	7. Public Health and Public Protection Considerations - Light Nuisance - Potential Impacts 130.	Potential impacts include: Impact of artificial lighting (for working and security) during the construction phase	The temporary lighting during construction has been considered within the LVIA. Measures to control and reduce the impacts of artificial lighting have been included in the OEMP at PW-G6 and MW-G29. The OEMP states that lighting is to be at the minimum luminosity necessary, use low energy consumption fittings and should avoid light spillage. Lighting is also to be designed, positioned and directed so as not to unnecessarily intrude on adjacent buildings, ecological receptors, structures used by protected species and other land uses to prevent unnecessary disturbance, interference with local residents, or passing motorists on nearby roads.	Agreed



3.26 Matters Under Discussion in relation to Contaminated Land and other Public Protection topics.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.26.1	[RR-2365]	VI. Public Protection Considerations General 82. Land contamination	Further details required of the measures to divert the Esso pipeline and environmental protection during this process.	The proposals for the Esso pipeline are set out in Chapter 2 of the ES [APP-040] at paragraphs 2.4.40 - 2-4.41 and shown indicatively on Figure 2.7 [APP-061]. Whilst the Outline Environmental Management Plan (OEMP) [APP-187] does not specifically mention the Esso Pipeline, it is addressed through this document. There are two REAC tables: 3.2a for preliminary works and 3.2b for main works. The diversion of the Esso pipeline falls within the preliminary works being the diversion and laying of underground apparatus (see paragraph 1.2.6 of the OEMP). As such, all Esso pipeline works would be undertaken in accordance with the relevant measures contained in REAC table 3.2a, which deals with public	Under Discussion



				protection measures such as air quality, noise and drainage. Compliance with the OEMP is secured through paragraph 4 of Schedule 2 of the draft Development Consent Order (DCO) [APP-020].	
3.26.2	[APP-187]	Flood lighting Potential detriment to amenity during construction phase DCO Requirement	Prior to the installation of the any floodlighting scheme for depot areas, full details shall be submitted to and approved in writing by the Local Authority, details to be provided shall be: Light into neighbouring residential windows generated from the floodlights shall not exceed 5 Ev (lux) (vertical illuminance in lux) without the express consent of the local authority. Each floodlight must be aligned to ensure that the upper limit of the main beam does not exceed 70 degrees from its downward vertical. The floodlighting shall designed and operated to have full horizontal cut-off and such that the Upward Waste Light Ratio does not exceed 2.5%. The submitted scheme shall include an isolux diagram showing the predicted illuminance in the	Highways England consider that this matter is adequately addressed in existing DCO Requirements. Item MW-G29 of the OEMP provides a number of requirements for site lighting, including the avoidance of disturbance of nearby residents. These will be reflected in the CEMP which must be prepared in accordance with the OEMP (as per item MW-G5 of the OEMP). Compliance with the OEMP is secured pursuant to paragraph 4 of Schedule 2 of the DCO [APP-020].	Under Discussion



			vertical plane (in lux) at critical locations on the boundary of the site and at adjacent properties. The approved scheme shall be implemented prior to first use of the lighting and be permanently maintained in that state thereafter. Reason: In the interests of prevention of pollution and protection of residential amenity.		
3.26.3	[APP-187]	Land contamination/ Private drinking water supplies Outline environmental Management Plan (OEMP) 3.2b General provisions MW-GEO2	Add "inform Wiltshire Council in case of groundwater contamination"	This matter is subject to further discussion between the parties.	Under Discussion
3.26.4	[APP-187]	Outline environmental Management Plan (OEMP) 3.2b General provisions MW-WAT7	Consultation should be with Wiltshire Council as concrete batching is LA permitted process unless exempted	It is agreed that Wiltshire Council should be consulted. Highway England's contractor will apply for the permit in due course when sufficient detail to satisfy the requirements of the permitting regime are available.	Under Discussion
3.26.5	[RR-2365]	VI. Public Protection Considerations Land Contamination115.	Wiltshire Council & Environment Agency to be notified of discovery of Unforeseen land contamination and to agree in writing remediation / mitigation plan.	In the OEMP [APP-187], item PW-GEO2 states that in the event that contaminated land, including groundwater, is found at any time, which was not previously identified in the environmental statement, Requirement 7 of the DCO is	Under Discussion



				applicable and preliminary works contractor (all) shall follow those provisions, which require the contamination to be reported as soon as reasonably practical to the planning authority (i.e. Wiltshire Council) and the Environment Agency and the undertaker must complete a risk assessment in consultation with the planning authority and the Environment Agency".	
3.26.6	[APP-277]	Land contamination Non-Significant effects Table 10.1	Wiltshire Council & Environment Agency to receive reports on further ground investigation works, together with any mitigation proposals (in writing prior to mitigation being undertaken)	Highways England consider this matter is adequately addressed through Requirement 7 (Contaminated land and groundwater) under Schedule 2 of the DCO [APP-020].	Under Discussion

3.26.1 There are no matters Under Discussion at the present time.

- 3.27 Matters Not Agreed in relation to Contaminated Land and other Public Protection topics.
- 3.27.1 No matters Not Agreed at the present time.



3.28 Matter Agreed in relation to Flood Risk and Drainage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.28.1	[APP-049]	The level of detail provide in the ES is sufficient for the DCO application stage			Agreed
3.28.2	[APP-283]	The extent of the study area for the assessment of local sources of flood risk and road drainage are appropriate			Agreed
3.28.3	-	Future liaison between parties		Highways England will continue to engage with Wiltshire Council as the detailed design is developed. Wiltshire Council will be consulted on the relevant aspects of the CEMP(s) and HEMP(s) when they are developed by the Contractor(s) based on the OEMP.	Agreed
3.28.4	-	Flood risk and drainage: The available level of detail on the Scheme's design to inform the assessment of risks.	Wiltshire Council acknowledges that the level of detail provided for the Scheme's design and for the consequent assessment of environmental risks is appropriate for its DCO application stage. Wiltshire Council's comments in this SoCG reflect the level of detail provided to date. The subsequent detailed design stage may introduce	Regular liaison with Wiltshire Council will continue. It is noted that Wiltshire Council will be consulted on the detailed drainage design pursuant to requirement requirements 3 and 10 of the draft DCO.	Agreed



			changes to scheme design and/or construction methods that could cause significant detrimental surface water or groundwater flood risk impacts. Wiltshire Council therefore wishes to be kept closely involved and consulted on the Scheme's evolving design and construction methods and highlight that their position may be subject to change.		
3.28.5	-	Flood risk and drainage: The available level of detail on the Scheme's design to inform the assessment of risks.	Any new flood risk information or new analysis of existing information has the potential to change the current assessment of local sources of flood risk.	Should new information come to light the risk assessment will be reviewed and mitigation measures will be updated in relation to local sources of flood risk as required.	Agreed
3.28.6	[APP-187]	Flood risk and drainage: Outline and detailed Construction Environmental Management Plans	Outline and detailed Construction Environmental Management Plans (OEMP and CEMPs) are of great importance as the repository of information on mitigation measures needed to avoid significant environmental impacts. OEMPs and CEMPs must be fully taken into account to inform the detailed design and construction methods.	Agreed. Wiltshire Council will be consulted on the development of CEMPs. The required content of the CEMPs is set out by the OEMP and the DCO requires that the authorised development must be carried out in accordance with the OEMP - as such the development will take account of the OEMP and the CEMP.	Agreed
3.28.7	-	Flood risk and drainage: Effective liaison	Wiltshire Council recognise the regular liaison with Highways	Noted.	Agreed



			England and their AmW consultants from July 2017 to the present day. The efforts undertaken to collate available baseline data to inform the assessment of impacts are also noted.		
3.28.8	[APP-049]	Flood risk and drainage Legislation and planning policy	Legislation and planning policy considered relevant to local sources of flood risk and drainage should be complied with.	Relevant legislation and planning policy documents are confirmed in Environmental Statement Section 11.2.	Agreed
3.28.9	[APP-049]	Flood risk and drainage: Requirement to ensure no gap between duties of Wiltshire Council and the Environment Agency	Close three-way liaison between Highways England, Wiltshire Council and the Environment Agency is required to avoid the risk of duplication or gaps between the parties' statutory duties with regards commenting on the Scheme's proposals.	Wiltshire Council is the statutory authority responsible for managing local sources of flooding (surface water, groundwater and ordinary watercourses) and for road drainage of local roads. The Environment Agency is the authority for all other groundwater and water environment matters. Regular trilateral discussions have been held. It is for Wiltshire Council and the Environment Agency to lead on ensuring alignment between their regulatory remits. Highways England has regularly reviewed this potential risk and will continue to facilitate regular dialogue to minimise it and notes that the DCO [APP-	Agreed



2.20.40	IADD 2041		Wiltebine Council recet has a late to	020REP6-005] provides specific approval mechanisms through the drainage protective provisions and requirement 10.	
3.28.10	[APP-281]	Flood risk and drainage: Long term maintenance and operation	Wiltshire Council must be able to satisfy themselves that the proposed minimum standards of road drainage operation are appropriate and there are clear arrangements in place for ongoing maintenance over the lifetime of the development (including maintenance of any attenuation ponds and flood defences) within the catchment.	Typical drainage maintenance is set out in the Road Drainage Strategy, Environmental Statement Appendix 11.3, which compliant with DMRB. Discussions are ongoing over future maintenance arrangements and will continue throughout the project to confirm the detailed responsibilities. Wiltshire Council will be consulted on the detailed drainage design pursuant to Requirement 10 of the DCO. The Scheme has no proposed flood defences.	Agreed
3.28.11	[APP-049]	Flood risk and drainage: Groundwater investigations	The timing and extent of groundwater investigations needs to be appropriate to enable an adequate assessment of the impacts on local sources of flood risk and road drainage.	The ground investigations that have been conducted are appropriate to enable an adequate assessment of impacts on local sources of flood risk and road drainage at this DCO application stage.	Agreed
3.28.12	-	Flood risk and drainage Groundwater monitoring	Groundwater monitoring before, during and for a minimum of 5	It has been agreed that a programme of groundwater	Agreed



			years after construction is expected to be required to allow a greater understanding of the catchment issues and confirm that the Scheme's design is functioning as intended and addresses any mitigation requirements. The duration and scope of monitoring would be agreed with Wiltshire Council and the Environment Agency as part of the development of the Groundwater Management Plan (MW-WAT10 in the OEMP).	monitoring will be implemented before, during and after construction. The monitoring data shall inform the detailed design and the assessment of risk to/from groundwater as part of ongoing discussions between Wiltshire Council, Environment Agency and Highways England.	
3.28.13	[APP281]	Flood risk and drainage SuDS	To ensure no detrimental increase in local sources of flood risk, the Scheme should incorporate SuDS unless there is clear evidence that it would be inappropriate to do so, and apply peak flow and volume control in line with national technical standards and the DMRB for the design of SuDS.	All new drainage proposed as part of the scheme will be SuDS and discharges, peak flow and volume control were considered in the Road Drainage Strategy. The detailed design will be undertaken in accordance with DMRB requirements and, pursuant to Requirement 10 of the DCO the principles set out in the Road Drainage Strategy.	Agreed
3.28.14	-	Flood risk and drainage: Tunnel drainage	The tunnel drainage strategy contains several valves. The detailed design of the system should ensure these are automated and will not require manual operation.	The Tunnel Drainage will be adequately designed to ensure the necessary resilience. Where relevant this will include automated valves. Wiltshire Council will	Agreed



				be able to consider this when consulted upon under RequirementRequirements 3 and 10 of the DCO in respect of the detailed drainage design.	
3.28.15	G1 211	Flood risk and drainage: Flood Risk: General	The Scheme should avoid any increase in flood risk from local sources and maximise opportunities to reduce it.	The risk assessment concluded no significant detrimental effect upon local sources of flood risk. The highway and road drainage design of the B3083 Shrewton Road will reduce the risk of highway flooding.	Agreed
3.28.16	G1 211.	Flood risk and drainage: Flood Risk: Environmental permits	The Environment Agency issue environmental permits, however, as Wiltshire Council has the lead responsibility for surface water management, the discharge rate from the site of any licenced abstractions must be agreed with Wiltshire Council.	Highways England will ensure that both Wiltshire Council and the Environment Agency are kept informed on this matter as the appropriate regulatory authorities	Agreed
3.28.17	-[RR-2365]	V. Flood risk and drainage: Drainage Considerations Development of HEMPsSurface Water (Pluvial) 65	Wiltshire Council has requested to be consulted on the development of the relevant aspects of any HEMP(s). The pluvial hydraulic model includes a 539m long 5m deep culvert as part of the design which is contrary to Council policy on culverting, both from a maintenance and biodiversity standpoint. Since submission of the DCO Highways England	The refined proposal includes a culvert to divert the flood flows beneath the proposed A303 from north to south and a culvert to carry flows beneath the B3083 from west to east. This refined road drainage proposal has been agreed with Wiltshire Council following their review of the revised pluvial modelling.	Agreed



			have conculted Wilterine Coursell	The proposal represents a	
			have consulted Wiltshire Council	The proposal represents a	
			on the alternative culvert design	refinement of the drainage	
			which addresses the issues	strategy but remains	
			raised. Wiltshire Council received	consistent with the	
			the final culvert design and	description of the drainage	
			modelling outputs at Deadline 3.	proposals presented in	
			The alternative culvert design	Chapter 2 of the ES [APP-	
			has been checked as part of the	040]. The parties agree that	
			peer review and all remaining	matters relating to road	
			concerns have been addressed.	drainage features that	
				Wiltshire Council would	
				become liable to maintain, as	
				a result of the Scheme, are	
				capable of being resolved	
				through the terms of a legal	
				agreement between the	
				parties. The parties intend to	
				conclude such an agreement	
				before the close of the	
				examination. The updated	
				Flood Risk Assessment	
				[REP3-008] which includes	
				the Pluvial Hydraulic	
				Modelling Report as Annex	
				1B has been submitted to	
				Wiltshire Council and the	
				Examination at Deadline 3.	
2 20 40		Flood riok and drainage.	Wiltobing Council requests d		Agraad
3.28.18	=	Flood risk and drainage:	Wiltshire Council requested	Clarification is provided in the	Agreed
			clarification of the rationale for	final version of the	
		Climate change allowances	the climate change allowances	groundwater report Stage 4 –	
		Groundwater	used in the groundwater	Supplementary Groundwater	
			assessment HE provided	Model Runs to Annex 1	
			clarification in 5.3.12-5.3.15 of	Numerical Model Report'	
			the ES Appendix 11.5 Rev 1	[REP3-021] and in the Flood	
			[REP3-008]. The latest	Risk Assessment [REP3-	



		groundwater model runs used a 40% increase in the recharge, which is consistent with fluvial and pluvial allowances, and therefore acceptable to Wiltshire Council	008].	
3.28.19	Climate change allowances Road Drainage	Wiltshire Council advises that a 40% climate change allowance for peak rainfall intensity, in line with Environment Agency guidance be utilised in the road drainage design. Highways England have provided a 30% climate change allowance with sensitivity checking for 40%. Highways England have also confirmed that 250mm freeboard will be provided for the 40% climate change scenario and that exceedance routes minimise the risks to people and property. This has been checked as part of the peer review and Wiltshire Council accepts Highways England's approach.	Highways England fully recognises the design standards described in the National Planning Policy Framework (NPPF) for climate change adaptation. The drainage systems, designed with a 30% climate change allowance, have undergone sensitivity analysis which demonstrates no flooding from the system or attenuation features when 40% uplift in climate change is applied to the design. This is in accordance with road drainage design, DMRB HD33 guidance 40% sensitivity testing. The sensitivity testing showed there would be no flooding from the scheme with 40% uplift in climate change applied, as outlined in the results of ES (Appendix 11.5, Flood Risk Assessment sections 7-9, [APP-284]. Highways England demonstrated to Wiltshire	Agreed



				Council that 250mm	
				freeboard would be provided	
				in the Drainage Treatment	
				Areas within the River Till	
				catchment and that the	
				exceedence routes from	
				these areas minimise risks to	
				people and property.	
3.28.21	_	Flood risk and drainage:	Given the flood risk that	It is confirmed that the need	Agreed
		The discharge of abstracted	dewatering could introduce in an	for dewatering will be	
		water (dewatering)	area with known flood risk,	minimised as far as	
			Wiltshire Council requests that	reasonably practicable. The	
			Highways England specifies an	current proposal, as	
			approach to construction of the	confirmed at ISH4, is to use	
			tunnel that:	closed face tunnel boring	
				machines that limit the	
			minimises the need for	requirement for dewatering	
				during construction. The	
			dewatering;	OEMP submitted at Deadline	
				4 commits to the use of	
			 does not increase flood risk; 	closed face tunnel boring	
				machines. As stated in the	
			• is supported by a	Statement of Common	
			comprehensive flood risk	Ground with the Environment	
			assessment to be agreed with	Agency [REP2-012] under	
			both Wiltshire Council and the	Matters Agreed the	
			Environment Agency.	assessment of risk and	
			Environment Agency.	identification of any required	
				mitigation measures will be	
				achieved through the Outline	
			Highways England committed at	Environmental Management	
			the Issue Specific Hearing to use	Plan (OEMP) [REP6-011]	
			a closed face TBM for tunnel	(MW-WAT8) and whichever	
			construction. This would go a	-	
			long way to addressing the	regulatory regime is	
				ultimately agreed. As per	



	Council's concerns as large scale dewatering would not be required with this method. Adequate protective provisions will need to be agreed in this regard. These would cover the remaining dewatering activities.	Agreed item (3.28.13) in this SoCG Highways England will ensure that both Wiltshire Council and the Environment Agency are kept informed on this matter as the appropriate regulatory authorities.	
--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

3.29 <u>Matter Matters</u> Under Discussion in relation to Flood Risk and Drainage.

Issue Ref	Doc Ref	Section/Issue	Wiltshire Council Comment	Highways England Response	Status
3.29.1	[APP-020]	Flood risk and drainage: Protective Provisions	The draft DCO includes provisions for the disapplication of certain sections of the Land Drainage Act 1991, and by implication, the Wiltshire Council Land Drainage Byelaws 2014. Section 150 of the Planning Act 2008 provides that such disapplication can only take place with Wiltshire Council's consent. Wiltshire Council is currently considering their position in relation to the protective provisions included in the draft DCO. They will be liaising with Highways England on these issues to reach agreement on the form of protective provisions and associated fees	Highways England will continue are continuing to discuss the relevant protective provisions with Wiltshire Council.	Under Discussion
3.29.2		Flood risk and drainage:	Wiltshire Council commissioned a	A response to all the peer	Under



		Flood risk: Peer review	peer review of the Scheme's approach to three different aspects of flood risk: - surface water (pluvial) including ordinary watercourses - groundwater - the road drainage strategy The peer review's findings and recommendations were provided to Highways England for their comment.	review's comments will be provided to Wiltshire Council. Road drainage exceedance route information will also be provided.	Discussion
3.29. 3 2	-	Flood risk and drainage: Funding for additional post (drainage engineer to monitor flood risk during construction)	Wiltshire Council is in the process of considering requirements for the funding for an additional post (drainage engineer to monitor flood risk during construction).	NotedHighways England await further information.	Under Discussion
3.29.43	[RR-2365]-	V. Flood <u>risk</u> and <u>Drainage</u> Considerations <u>drainage</u> : Surface Water (Pluvial) 65Flood risk: Peer review	The model includes a 539m long 5m deep culvert as part of the design which is contrary to Council policy on culverting, both from a maintenance and biodiversity standpoint. There are several perceived issues with the design of the culvert. However, there is no supporting evidence as to how this design is the best / most appropriate option or why other options are not viable. Wiltshire Council commissioned a peer review of the Scheme's approach to three different aspects of flood risk: surface water (pluvial) including ordinary watercourses	Wiltshire Council's comments have been addressed and the 539m long culvert no longer forms part of the proposed scheme. The refined proposal includes a culvert to divert the flood flows beneath the proposed A303 from north to south. From here, the runoff would be conveyed in a ditch before out-falling into a culvert which would convey the water from the west of the B3083 to the east into the dry valley. The refined proposal would maintain the existing path of the overland flood flows. This refined road	Under Discussion



			• the road drainage strategy The peer review's findings and recommendations were provided to Highways England for their comment.	drainage proposal has been verbally agreed with Wiltshire Council pending their review of the revised pluvial modelling. Highways England confirms that it will have regard to the comments and correspondence exchanged between the Council, its technical reviewers in undertaking the detailed design of the drainage for the Scheme. This will be able to be confirmed as part of the consultation with Wiltshire Council under Requirement 10 of the draft DCO. The proposal represents a refinement of the drainage strategy but remains consistent with the description of the drainage proposals presented in Chapter 2 of the ES [APP 040]. An update to the Road Drainage-Strategy [APP-281] will be submitted to the Examination in due course.	
3.29.5	-	ood risk and drainage: limate change allowances	Wiltshire Council requests clarification of the rationale for the climate change allowances used in the assessment of local sources of flood risk and in the road drainage strategy.	Discussions are ongoing between Highways England and Wiltshire Council regarding the climate change allowances used in the assessment of local sources of flood risk and in the road drainage strategy.	Under Discussion



3.29.64	Flood risk and drainage: Climate change allowances: Land drainage	Wiltshire Council advises that a 40% climate change allowance for peak rainfall intensity, in line with Environment Agency guidance, be utilised in the land drainage design.	For the road drainage design, DMRB HD33 guidance on taking account of climate change was applied to manage the predicted rainfall that would be experienced by the road catchment. HD33 guidance requires the design solution to incorporate a 20% uplift in peak rainfall intensity and a sensitivity test with a 40% uplift in peak rainfall intensity, to enable an understanding of the range of impact between climate change risk scenarios. For this Scheme the Project Sponsor determined that a more conservative approach was appropriate, due to the preliminary nature of the design at this stage and the need to ensure sufficient land was included within the Red Line Boundary to accommodate the necessary	Under Discussion
			was included within the Red	
			accommodate the necessary road drainage features.	
			Therefore, it was decided to apply a 30% uplift in peak	
			rainfall intensity as the design value, along with the 40%	
			sensitivity test. The sensitivity testing showed there would	
			be no flooding from the scheme with 40% uplift in	




				climate change applied, as outlined in the results of ES (Appendix 11.5, Flood Risk Assessment sections 7-9, [APP-284].	
3.29.7	#	lood risk and drainage: he discharge of abstracted water dewatering)	Wiltshire Council request further clarity on the likelihood and nature of any temporary dewatering required for the Scheme construction, the associated risk assessment and identification of any required mitigation measures. This relates to the discharge of any abstracted water that could affect surface water flood risk.	It is confirmed that the need for dewatering will be minimised as far as reasonably practicable. If dewatering will be required, the need for any consents and approvals to be obtained is set out in OEMP item MW-WAT8. As per Agreed item (3.28.13) in this SoCG Highways England will ensure that both Wiltshire Council and the Environment Agency are kept informed on this matter as the appropriate regulatory authorities.	Under Discussion

3.30 Matters Not Agreed in relation to Flood Risk and Drainage.

No matters Not Agreed at the present time-

If you need help accessing this or any other Highways England information, please call **0300 123 5000** and we will help you.



© Crown copyright 2017.
You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence: visit www.nationalarchives.gov.uk/doc/open-government-licence/ write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email psi@nationalarchives.gsi.gov.uk.

This document is also available on our website at www.gov.uk/highways

If you have any enquiries about this publication email info@highwaysengland.co.uk or call $0300\ 123\ 5000^*$.

*Calls to 03 numbers cost no more than a national rate call to an 01 or 02 number and must count towards any inclusive minutes in the same way as 01 and 02 calls.

These rules apply to calls from any type of line including mobile, BT, other fixed line on payphone. Calls may be recorded or monitored.