




Statement of Common Ground with Beverley and North Holderness Internal Drainage Board


Revision 4

December 2025



Contents

1	INTRODUCTION	1
1.1	Purpose of this document.....	1
1.2	Parties to this Statement of Common Ground	2
1.3	Terminology	2
2	RECORD OF ENGAGEMENT	3
2.1	Summary of consultation and engagement	3
3	CURRENT POSITION.....	4
4	SIGNATURES.....	12



1 Introduction

1.1 Purpose of this document

- 1.1.1 This Statement of Common Ground (hereafter referred to as the 'SoCG') has been prepared to support the Examination of the Development Consent Order (DCO) application (the 'DCO Application') for Peartree Hill Solar Farm (the 'Proposed Development').
- 1.1.2 The DCO Application is for a Nationally Significant Infrastructure Project (NSIP) for the construction, operation (including maintenance) and decommissioning of a solar photovoltaic (PV) array electricity generating facility, Battery Energy Storage System (BESS) and associated infrastructure which would allow for the generation and export of electricity.
- 1.1.3 The SoCG has been prepared collaboratively by the Applicant and the Consultee (Beverley and North Holderness Internal Drainage Board).
- 1.1.4 The SoCG has been prepared in accordance with the Guidance for examination of DCO applications which was published in 2024 by the Department for Levelling Up, Housing and Communities¹.
- 1.1.5 This Guidance comments that:
"A statement of common ground is a written statement prepared jointly by the applicant and another party or parties, setting out any matters on which they agree, or indeed disagree. A SoCG helps to ensure that the evidence at examination focuses on the material differences between the main parties and therefore makes best use of the lines of questioning pursued by the Examining Authority".

1 Planning Act 2008: Examination stage for Nationally Significant Infrastructure Projects (April 2024)

- 1.1.6 The aim of this SoCG is to therefore provide a clear position of the progress and agreement made or not made between the Applicant and Beverley and North Holderness Internal Drainage Board on matters relating to the Proposed Development.
- 1.1.7 This SoCG has been updated at Deadline 6 to reflect the final position between the Applicant and Beverley and North Holderness Internal Drainage Board.

1.2 Parties to this Statement of Common Ground

- 1.2.1 This SoCG has been prepared by (1) the Applicant and (2) Beverley and North Holderness Internal Drainage Board.
- 1.2.2 The Beverley and North Holderness Internal Drainage Board works to manage the water levels and reduce flood risk to people and property. There is the potential for the Proposed Development to have an effect on water bodies managed by the Beverley and North Holderness Internal Drainage Board.
- 1.2.3 Collectively, the Applicant and Beverley and North Holderness Internal Drainage Board are referred to as 'the parties'.

1.3 Terminology

- 1.3.1 Section 3 of this document sets out the relevant matters raised though discussion between the parties. It provides a summary of the position of each party and identifies the status of discussions on each matter:
- "Agreed" indicates where the issue has been resolved between the parties and is not anticipated to be subject to further discussions;
 - "Under discussion" indicates where a matter remains in active dialogue between the parties and a final position has not yet been reached;
 - "Not Agreed" indicates where the parties have established a final position that they cannot resolve the matter and will remain a point of difference.

2 Record of Engagement

2.1 Summary of consultation and engagement

- 2.1.1 The parties have been engaged in consultation and engagement throughout the development of the Proposed Development. Table 1 shows a summary of the meetings and correspondence that has taken place between the Applicant and Beverley and North Holderness Internal Drainage Board in relation to the Proposed Development. This is limited to engagement which is materially relevant to the contents of this SoCG and does not seek to include every correspondence between the parties (e.g. that which was primarily administrative).

Table 1: Record of Engagement since June 2024

Date	Purpose of engagement	Description
6 June 2024	To agree the approach to surface water drainage.	Online meeting to discuss the approach to drainage and mitigation of possible prolonged periods of flooding.
November – December 2024	To consult on the disapplication of licencing.	Email correspondence to discuss the proposed disapplication of relevant licencing.
23 January 2025	To confirm that Water would be scoped out as an ES chapter.	Email from the Applicant stating that, in agreement with the Environment Agency, surface water and flood risk would be scoped out of the ES.
September 2025		Email correspondence to confirm the Board's position.
June 2025	To provide an update on the Proposed Development and to consult with the Board on the documents submitted in support of the DCO Application.	Online meeting to discuss updates to the Flood Risk Assessment (that was developed into the ES Volume 4 Appendix 5.6 Flood Risk Assessment [PAD-021 – PDA-028] submitted at Procedural deadline A) and follow-up correspondence regarding the surface water drainage strategy.
28 October 2025	To further discuss surface water drainage.	Online meeting to provide updates on the proposed approach to surface water drainage.
October – December 2025	To discuss outstanding issues within this SoCG.	Email correspondence to liaise on the remaining 'under discussion' matters within this SoCG

3 Current Position

- 3.1.1 The table below provides a summary of the final position of the Applicant and Beverley and North Holderness Internal Drainage Board in relation to specific matters that have been under discussion to date.
- 3.1.2 Where a matter is not represented in the table, it should be assumed that it is either: (i) agreed between the parties and has not been the subject of detailed discussion; or (ii) not relevant to the discussion between the parties.

Table 2: Current position of the Applicant and Beverley and North Holderness Internal Drainage Board in relation to specific matters that have been under discussion to date

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
IDB01	Riparian buffers <i>Hydrology and Flood Risk</i>	In its relevant representation [RR-004] , Beverley and North Holderness Internal Drainage Board ('the Board') states that, as a general principle, no development should occur within 9 metres (m) of the top of the embankment of any Board-maintained watercourse. For ordinary (non-Board maintained) watercourses, the required buffer is 3m for buildings, structures, fences, walls, planting, or hardstanding, and 9m for solar PV modules.	The Applicant agrees to this request. The design of the Proposed Development has incorporated the buffers required by the Board. To the extent that any work was proposed in, on, under, over or within 9m from bank top of a watercourse under the control of the Board, this would need to be agreed with the Board pursuant to the protective provisions set out in Schedule 12, Part 3 (For the protection of the drainage authorities) of the Draft Development Consent Order (DCO) [EN010157/APP/3.1 Revision 4].	Agreed
IDB02	Access tracks <i>Hydrology and Flood Risk</i>	Beverley and North Holderness Internal Drainage Board confirmed via email on 29 September 2025 that it is satisfied with the Applicant's response to its relevant representation [RR-004] comment that if Type 3 material (with a 30% voids ratio) is used for access tracks, this is viewed as "permeable" and not requiring a drainage strategy, whereas if Type	The Applicant welcomes this response. Internal access track design, including materials, will be confirmed as part of the detailed design stage and submitted to East Riding of Yorkshire Council for approval as part of Requirement 3 of the Draft DCO [EN010157/APP/3.1 Revision 4]. The Outline CEMP [EN010157/APP/7.2 Revision 5] has been updated to include a commitment that if Type 1 material is used for the surfacing of access tracks, the Applicant will submit a drainage	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
		1 materials or other impermeable materials are used, this is viewed as "impermeable" and requiring a drainage strategy.	strategy for the relevant works to the Beverley and North Holderness Internal Drainage Board. The updated document is submitted at Deadline 3.	
IDB03	Bridge/ culvert crossings over watercourses <i>Hydrology and Flood Risk</i>	In its relevant representation [RR-004] , Beverley and North Holderness Internal Drainage Board requests that details of any bridge/culvert crossings over any watercourses within its district will need to be discussed and agreed with the Board.	The Applicant agrees to this request. It is the Applicant's intention to utilise existing culvert crossings and/or bridge structures where possible. Pre-construction structural surveys will be undertaken to determine the most appropriate crossing at each location (it is expected that the pre-construction surveys would result in the number of new crossings required to be lower than is shown on ES Volume 3, Figure 3.6: Indicative Culvert Crossing Points [APP-060]). Crossing design would be controlled by the protective provisions within Part 3 of Schedule 12 to the Draft DCO [EN010157/APP/3.1 Revision 4], which require plans to be submitted to the Board for approval at the detailed design stage. ES Volume 4, Appendix 5.6: Flood Risk Assessment [EN010157/APP/6.4 Revision 3] and ES Volume 4, Appendix 5.5: Water Framework Directive Screening and Scoping report [EN010157/APP/6.4 Revision 2] have been updated to clarify the approach to	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
			watercourse crossings and are submitted at Deadline 1.	
IDB04	Cables <i>Hydrology and Flood Risk</i>	In its relevant representation [RR-004], Beverley and North Holderness Internal Drainage Board requests that the Applicant seek prior written consent from the Board if proposing to insert a cable under a watercourse within the Board's district. The Board would prefer for any cables crossing watercourses to be laid above any existing culverts so that they do not affect water flows and do not therefore require the Board's consent in terms of the cables themselves. If this is not feasible, directional drilling must be used. The Board will not accept open cut crossings. The Board clarified via email on 15 October 2025 that it does not want to see culverts installed for the sole purpose of crossing watercourses with cables, or other methods of cable suspension i.e. trellising.	The Applicant welcomes this response. As set out in the Outline Construction Environmental Management Plan [EN010157/APP/7.2 Revision 7] the Applicant proposes to use horizontal directional drilling (HDD) or crossings above watercourses. The Applicant is not proposing to use open cut methods to cross Board-maintained watercourses. The Applicant will seek to incorporate cable crossings into existing or proposed internal vehicle crossings. Where no such crossing is available, the Applicant will work with the Board to determine an appropriate crossing method, such as HDD, noting the Board's preference to avoid new culverts. At this stage the Applicant has not undertaken detailed engineering design and therefore requires the ability to investigate all crossing options but will use reasonable endeavours to accommodate the Board's preference. The Applicant notes the need to seek written approval from the Board prior to installing cables across watercourses within the Board's district and this is secured in the protective provisions for the	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
		Rather, the Board would wish to see the Applicant utilise existing crossings, or crossings installed by the Applicant as a means of internal access. The Board confirmed via email on 8 December 2025 that it is satisfied with the Applicant's approach to this matter.	benefit of the Board set out in the Draft DCO [REP5-004] .	
IDB05	Disapplication of legislation <i>Policy and Legislation</i>	In its relevant representation [RR-004] , Beverley and North Holderness Internal Drainage Board confirms it is in agreement in principle with the disapplication of sections 23, 30, and 32 of the Land Drainage Act 1991 on the basis that the protective provisions set out in Part 3 of Schedule 12 of the draft Development Consent Order would have effect. The Board confirmed via email on 17 September 2025 that it is in agreement with the protective provisions.	The Applicant welcomes this response. The protective provisions relevant to Beverley and North Holderness Internal Drainage Board are set out in Schedule 12, Part 3 of the Draft DCO [EN010157/APP/3.1 Revision 7] .	Agreed
IDB06	Surface water drainage	In its relevant representation [RR-004] , Beverley and North	The Applicant welcomes this response. As set out in the Outline Landscape and Ecological	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
	strategy – solar panels <i>Hydrology and Flood Risk</i>	Holderness Internal Drainage Board confirms it will not request a drainage strategy for the solar panels themselves on the basis that there must be a greenfield buffer area of 9m from the bank top of a Board-maintained watercourse and to an ordinary (non-Board maintained) watercourse, and that the area underneath the solar panels must have continuous grass/vegetation all year round.	Management Plan [EN010157/APP/7.5 Revision 3] , the design of the Proposed Development includes a minimum 10m offset from all watercourses (other than locations where span bridges are required to be installed or where existing crossing points or culverts require upgrading) and the solar PV modules would have grass beneath them year-round.	
IDB07	Surface water drainage strategy – inverters, substations, compounds <i>Hydrology and Flood Risk</i>	It was originally agreed with East Riding of Yorkshire Council (Local Lead Flood Authority) and the Beverley and North Holderness Internal Drainage Board in an online meeting on 6 June 2024 that there would be no positive drainage. Instead, rainwater would be directed to ground as per the existing Site response to rainfall. However, in an email dated 26 June 2025 and in its relevant representation [RR-004] , Beverley	The Applicant welcomes this response. The concept drainage strategy is presented within ES Volume 4, Appendix 5.6: Flood Risk Assessment [REP5-030 to REP5-046] . This includes a formal drainage strategy (with positive drainage) for the substation hardstanding areas. The Applicant proposes to drain the proposed hybrid pack areas to ground, mimicking the existing Site response to rainfall. The exception is where there are more than two hybrid packs in a field (field as defined by 'Field Reference' in ES Volume 3, Figure 3.1: Indicative Operational Layout Plan [REP5-023]). Where more than two hybrid packs are proposed, each hybrid pack would be	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
		and North Holderness Internal Drainage Board has since requested a formal drainage strategy for impermeable areas over 50m². The Board confirmed via email on 3 December 2025 that it is satisfied with the Applicant's amended approach to surface water drainage.	positively drained with discharge from each one being no more than 1 litre per second. Discharge would be directly to a watercourse or, where this is not feasible, to an existing land drain.	
IDB08	Scoping out Water as a chapter in the ES <i>Approach to EIA</i>	The Board confirmed via email on 1 September 2025 that it has no objection to the Applicant's approach of scoping out Water as a standalone ES chapter.	The Applicant welcomes this response. The Applicant reached agreement with the Environment Agency prior to submission of the DCO Application that surface water and flood risk would be scoped out of the ES as a standalone Water chapter on the basis that ES Volume 4, Appendix 5.6: Flood Risk Assessment [APP-102] (which demonstrates no significant impact) and ES Volume 4, Appendix 5.5: Water Framework Directive Screening and Scoping Report [APP-101] were submitted in support of the DCO Application, with groundwater quality remaining scoped into ES Volume 2, Chapter 10: Land, Soils and Groundwater [APP-046]. Further explanation of the approach is provided within ES	Agreed

Ref	Topic	Beverley and North Holderness Internal Drainage Board Position	Applicant's Position	Status
			Volume 1, Chapter 5: Approach to the EIA [APP-041].	

4 Signatures

4.1.1 This Statement of Common Ground is agreed upon:

On behalf of the Beverley and North Holderness Internal Drainage Board:

Name: [REDACTED]

Signature: [REDACTED]

Date: 16/12/2025

On behalf of the Applicant:

Name: [REDACTED]

Signature: [REDACTED]

Date: 15/12/2025

RWE Renewables UK Limited

Windmill Hill Business Park,
Whitehill Way,
Swindon,
Wiltshire,
England,
SN5 6PB
www.rwe.com